
Object and Database Comparison Wizard for Microsoft® Access

Total Access **Detective**TM

For Microsoft® Access



fmsinc.com

License Agreement

PLEASE READ THE FMS SOFTWARE LICENSE AGREEMENT. YOU MUST AGREE TO BE BOUND BY THE TERMS OF THIS AGREEMENT BEFORE YOU CAN INSTALL OR USE THE SOFTWARE.

IF YOU DO NOT ACCEPT THE TERMS OF THE LICENSE AGREEMENT FOR THIS OR ANY FMS SOFTWARE PRODUCT, YOU MAY NOT INSTALL OR USE THE SOFTWARE. YOU SHOULD PROMPTLY RETURN ANY FMS SOFTWARE PRODUCT FOR WHICH YOU ARE UNWILLING OR UNABLE TO AGREE TO THE TERMS OF THE FMS SOFTWARE LICENSE AGREEMENT FOR A REFUND OF THE PURCHASE PRICE.

Ownership of the Software

The enclosed software program ("SOFTWARE") and the accompanying written materials are owned by FMS, Inc. or its suppliers and are protected by United States copyright laws, by laws of other nations, and by international treaties. You must treat the SOFTWARE like any other copyrighted material except that you may make one copy of the SOFTWARE solely for backup or archival purpose, and you may transfer the SOFTWARE to a permanent storage device.

Grant of License

The SOFTWARE is available on a per license basis. Licenses are granted on a PER USER basis. For each license, one designated person can use the SOFTWARE on one computer at a time.

Other Limitations

Under no circumstances may you attempt to reverse engineer this product. You may not rent or lease the SOFTWARE, but you may transfer the SOFTWARE and the accompanying written materials on a permanent basis provided you retain no copies and the recipient agrees to the terms in this SOFTWARE License. Ownership transfers must be reported to FMS, Inc. in writing and are not accepted if the original developer already distributed applications using the SOFTWARE.

Transfer of License

If your SOFTWARE is marked "NOT FOR RESALE", you may not sell or resell the SOFTWARE, nor may you transfer the FMS Software license.

If your SOFTWARE is not marked "NOT FOR RESALE," you may transfer your license of the SOFTWARE to another user or entity provided that:

1. the recipient agrees to all terms of the FMS Software License Agreement;
2. you provide all original materials including software disks or compact disks, and any other part of the SOFTWARE's physical distribution to the recipient;
3. you remove all installations of the SOFTWARE;
4. you notify FMS, in writing, of the ownership transfer.

Limited Warranty

If you discover physical defects in the media on which this SOFTWARE is distributed, or in the related manual, FMS, Inc. will replace the media or manual at no charge to you, provided you return the item(s) within 60 days after purchase.

ALL IMPLIED WARRANTIES ON THE MEDIA AND MANUAL, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE LIMITED TO SIXTY (60) DAYS FROM THE DATE OF PURCHASE OF THIS PRODUCT.

Although FMS, Inc. has tested this program and reviewed the documentation, FMS, Inc. makes no warranty or representation, either expressed or implied, with respect to this SOFTWARE, its quality, performance, merchantability, or fitness for a particular purpose. As a result, this SOFTWARE is licensed "AS-IS", and you are assuming the entire risk as to its quality and performance.

IN NO EVENT WILL FMS, INC. BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE, OR INABILITY TO USE THIS SOFTWARE OR ITS DOCUMENTATION.

THE WARRANTY AND REMEDIES SET FORTH IN THIS LIMITED WARRANTY ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESSED OR IMPLIED.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights; you may also have further rights that vary from state to state.

U.S. Government Restricted Rights

The SOFTWARE and documentation are provided with RESTRICTED RIGHTS. Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c) (1) (ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 or subparagraphs (c) (1) and (2) of the Commercial Computer Software - Restricted Rights at 48 CFR 52.227-19, as applicable.

Manufacturer is FMS Inc., Vienna, Virginia.

Printed in the USA.

Total Access Detective is copyright © by FMS, Inc. All rights reserved.

Microsoft, Microsoft Access, Microsoft Excel, Microsoft Word, Microsoft Windows, Visual Basic, and Visual Basic for

Applications are registered trademarks of Microsoft Corporation.

All other trademarks are trademarks of their respective owners.

Acknowledgments

We would like to thank everyone who contributed to make Total Access Detective a reality. Thanks to the many existing users who provided valuable feedback and suggestions, and to all of our beta testers for their diligence and feedback.

Many people at FMS contributed to the completion of Total Access Detective, including:

- Product Design and Development: Luke Chung
- Quality Assurance: Molly Pell and Madhuja Vasudevan
- Documentation: Luke Chung and Molly Pell

Table of Contents

Chapter 1: Introduction.....	3
Product Highlights	4
What Total Access Detective Detects.....	4
Enhancements in This Version	5
Enhancements from Previous Versions.....	10
Visit Our Web Site	17
Chapter 2: Installation and Startup	19
System Requirements	20
Upgrading from Previous Versions.....	20
Installing Total Access Detective	20
Using the Update Wizard	21
Uninstalling Total Access Detective.....	21
Running Total Access Detective	21
International Users.....	22
Startup Errors	23
Chapter 3: Comparing Two Objects in One Database	25
Comparison Wizard	26
Table and Query Comparison Options	27
Data Comparison Options	27
Form and Report Comparison Options	32
Module and Macro Text Comparison Options	33
Property Selection	34
Property Comparison Results	35
Data Comparison Results	38
Combining Data Between Two Tables.....	41
Macro and Module Comparison Results	42
Viewing Last Analysis.....	45
Text Comparison	45
Chapter 4: Comparing Objects in Two Databases	49
Database Comparison Overview	50
Database Preparation.....	50
Database Comparison Wizard	51
Generating Database Comparison	52
Viewing Results and Printing Reports	58
Results Overview	60
Unmatched Objects.....	61
Errors	62
Object Differences.....	62
Macro Differences	65
Module Differences	65
Data Differences	66
Reports	69

Compare Two Blocks of Text	69
Chapter 5: Additional Topics.....	71
How the Program Works	72
Comparing Two Databases from a Command Line	72
Special Date Comparison Issues.....	73
Chapter 6: Troubleshooting and Support.....	75
Support Resources	76
Web Site Support	76
Technical Support Options	76
Contacting Technical Support	78
Appendix: Sample Reports	79
Items in the Appendix	79
Object Comparison Reports	80
Database Comparison Reports.....	86
Index.....	97

Welcome to Total Access Detective!

Thank you for selecting Total Access Detective, the premier database and object comparison tool for Microsoft Access.

Total Access Detective is developed by FMS, the world's leading developer of Microsoft Access products. In addition to Total Access Detective, we offer a wide range of products for Microsoft Access developers, administrators, and users:

- [Total Access Analyzer](#) (database documentation)
- [Total Access Admin](#) (database maintenance control)
- [Total Access Components](#) (ActiveX controls)
- [Total Access Emailer](#) (email blaster)
- [Total Access Memo](#) (rich text format memo fields)
- [Total Access Speller](#) (spell checker)
- [Total Access Statistics](#) (statistical analysis program)
- [Total Access Startup](#) (version launcher)
- [Total Visual Agent](#) (database maintenance and scheduling)
- [Total Visual CodeTools](#) (code builders and managers)
- [Total Visual SourceBook](#) (code library)
- [Total Zip Code Database](#) (city and state lookup lists)

Visit our web site, <https://fmsinc.com>, for more information. We also offer Sentinel Visualizer, an advanced data visualization program that identifies relationships among people, places and events through link charts, geospatial mapping, timelines, social network analysis, etc. Visit our Advanced Systems Group at <https://fmsasg.com> for details.

Please make sure you sign up for our free email newsletter. This guarantees that you will be contacted in the event of news, upgrades, and beta invitations. Once again, thank you for selecting Total Access Detective.



Luke Chung
President

Chapter 1: Introduction

Total Access Detective simplifies the detection of differences between any two objects in one database, or objects across two databases. This chapter provides a brief description of Total Access Detective and an outline of the rest of the manual.

Topics in this Chapter

-  [Product Highlights](#)
-  [What Total Access Detective Detects](#)
-  [Enhancements in This Version](#)
-  [Enhancements from Previous Versions](#)
-  [Visit Our Web Site](#)

Product Highlights

Welcome to Total Access Detective, the comparison wizard for Microsoft Access. Total Access Detective gives you the ability to compare any two objects or two databases for differences, simplifying the tracking of changes between versions. For multi-developer or multi-site environments, Total Access Detective detects differences between databases to ease the consolidation of modifications.

Total Access Detective determines all differences between objects, uncovering differences in properties, controls, fields, indexes, macro lines, and even module lines. Total Access Detective can even show data differences (new and modified records) between your tables, and combine the data into a new table. It also detects line-by-line differences between any two blocks of text.

Total Access Detective is fully integrated with Microsoft Access and is implemented as an easy-to-use Wizard. There are two ways to use the Wizard: comparing two objects in the current database (from the Access Add-ins menu), or comparing identically named objects in two databases (from the Windows Start menu). See [Running Total Access Detective](#) on page 21 for details.

What Total Access Detective Detects

Total Access Detective reveals the differences between any two Access objects. The type of difference depends on the type of objects compared. In general, only properties of identically named items (e.g. fields, controls, macro names, procedures) are compared. For instance, properties of fields are compared based on field name, not field order (which can vary if fields are added, deleted, or re-ordered). If an item exists in only one object, it is listed, but its properties are not listed as being different.

Tables

- Fields: Compares field properties (such as name, order, data type, description, input mask, validation rule, etc.), and lists fields in one table and not the other.
- Indexes: Compares index names, fields, sort order, primary, unique, ignore blanks, etc., and lists indexes in one table and not the other.
- Data: Compares data in tables with identical fields. For keyed tables it reveals new, modified, and deleted records. For un-keyed tables, it lists the first differing record. New options are available for comparing tables with different field names, field order, and un-keyed tables.

Queries

Compares query type, fields, parameters, and other properties. When comparing two queries, there is an option to compare their data.

Forms

Compares form properties, controls/control properties, and sections/section properties, and lists controls and sections in one form but not the other. Modules and Embedded macros are also compared.

Reports

Compares report properties, controls/control properties, sections/section properties, and group level properties, and lists objects in one report but not the other. Modules and Embedded macros are also compared.

Macros

Detects differences in macro commands, including arguments. If macro names (also known as sub-macros) exist, only identically named macro names are compared. Macro names in one macro but not the other are listed.

Total Access Detective does not perform a simple line-by-line comparison—if it used this approach and an extra line were added or deleted, all subsequent lines would be flagged as different. Instead, it uses a more intelligent algorithm to detect whether multiple lines of a macro were added or deleted, and only presents the block of differences

Modules

Detects differences in module lines, and lists procedures in one module but not the other. The declarations sections and identically named procedures are compared line by line.

Like with macros, Total Access Detective does not perform a simple line-by-line comparison. It understands that blocks of code may be added or deleted, and only lists the block of code that differs rather than all the lines after the first difference. If lines of code are modified (rather than added or deleted), the code from both modules is shown for easy comparison.

Import/Export Specifications

Microsoft Access 2007 introduced saved import and export specifications which are compared in Access 2007 and later.

Database Comparison

These items are analyzed for Database Comparison:

Permissions

Detects differences in security permissions.

Relations

Detects differences in table relationships, including linked fields, referential integrity settings, and relationship types.

Database Properties

Detects differences in database properties, and lists properties that exist in one database but not the other.

Library References

Detects different VBA library references.

Text Comparison

Performs line-by-line comparison between any two blocks of text. The text may be from any source; simply retrieve it from a file or paste it into Total Access Detective for analysis. This feature is ideal for comparing module code stored outside your database, such as old versions or text files. You can analyze the text as plain text or perform module analysis to compare procedures. The results are similar to module analysis with a report for the differences and line-by-line printouts of the original text blocks.

Enhancements in This Version

The latest version of Total Access Detective includes many significant enhancements from the 2016 version:

Total Access Detective 2026 for Microsoft Access 2024/365

Total Access Detective 2026, version 26, supports Microsoft Access 2024/365 and Access 2021 and 2019. It is an enhancement from version 16 which was originally created for Access 2016.

Total Access Detective 2026 includes support for the 32 and 64-bit versions of Access. Microsoft does not allow both versions of Office to be installed on one machine. The Total Access Detective setup program detects the appropriate version and installs it on your machine.

Additional Versions

New X.6 releases were also created for older versions to include enhancements for their Access versions:

- Version 16.6 for Access 2016
- Version 15.6 for Access 2013
- Version 14.6 for Access 2010

Supports New Controls introduced in Access 2019 and Later


Total Access Detective 2026 supports detecting differences among new control types such as Edge Browser, Modern Charts, and Web Browser.

Supports ACCDB Databases with BigInt and DateTime2 Columns

Total Access Detective 2026 can compare the new, upgraded ACCDB databases that support SQL Server tables with BigInt and DateTime2 columns.

Filter Differences for Missing Fields, Controls, Sections and Groups

The object comparison results shows all the differences between two objects including every property. That can be overwhelming. A new checkbox filters the list to just the major differences:



The screenshot shows the 'Comparison Differences' window of Total Access Detective. The window title is 'Total Access Detective - Compare Two Objects'. It displays a table comparing 'Object 1: Customers' and 'Object 2: Customers_summary'. The table has four columns: Item, Property, Object 1, and Object 2. The 'Item' column lists various fields and indexes. The 'Property' column shows 'Field' for most items. The 'Object 1' column shows values like '.Not Defined.' or 'Not Defined.'. The 'Object 2' column shows values like 'Not Defined.' or '.Not Defined.'. At the bottom of the table, there is a toolbar with buttons for Help, Report, Export, Close, and Exit. Below the toolbar, there is a status bar with the text 'Filter Table Differences to Just Fields in One Table But Not the Other'. A red arrow points to the 'Only show New/Deleted Fields and Indexes' checkbox in the status bar.

Item	Property	Object 1	Object 2
Field [Attachments]	Field	.Not Defined.	
Field [Country/Region]	Field		.Not Defined.
Field [Country]	Field	.Not Defined.	
Field [Email Address]	Field	.Not Defined.	
Field [E-mail Address]	Field		.Not Defined.
Field [Fax Number]	Field		.Not Defined.
Field [Notes]	Field		.Not Defined.
Field [Postal Code]	Field	.Not Defined.	
Field [State/Province]	Field		.Not Defined.
Field [State]	Field	.Not Defined.	
Field [Web Page]	Field		.Not Defined.
Field [ZIP/Postal Code]	Field		.Not Defined.
Index [State/Province]	Index		.Not Defined.
Index [State]	Index	.Not Defined.	

Filter Table Differences to Just Fields in One Table But Not the Other

- Tables: Fields and Indexes in one table and not the other:
 - Only show New/Deleted Fields and Indexes**
- Queries: Fields and Parameters in one query and not the other:
 - Only show New/Deleted Fields and Indexes**
- Forms: Controls and Sections in one form and not the other:
 - Only show New/Deleted Controls and Sections**

- Reports: Controls, Groups and Sections in one report and not the other:

 Only show New/Deleted Controls, Groups and Sections

Launch Database Comparison from the Add-in

The Database Comparison program is normally launched from a shortcut on the Windows Start menu. Users sometimes launch Total Access Detective from the add-ins menu intending to do this. The add-in is designed to compare objects in your currently opened database, rather than compare databases.



New Compare Database button on the Total Access Detective Add-in form

The new [Compare Databases] button launches the Database Comparison program and closes the add-in.

Two Database Comparison Results Form

The form for comparing the Two Database Comparison results is simplified and enhanced. The Overview, Unmatched Objects, and Errors buttons are moved to the top making it easier to understand the overall differences before getting into the details of the Object, Macro, Module and Data Differences. Unnecessary text below each button was removed.



Two Database Results Form

The Browse button [...] to choose another database comparison is moved to the left from a File Open graphic that was on the far right::



Two Database Comparison Overview Form

The Overview provides a summary of the differences between the two databases. It adds a tab with a summary of the differences by object type:

The screenshot shows the 'Comparison Overview' tab of the 'Comparison Results' window. It displays a table comparing objects between Database 1 (C:\Total Access Detective 2025\Samples\NorthwindStarter.accdb) and Database 2 (C:\Total Access Detective 2025\Samples\NorthwindDev.accdb). The table is divided into two tabs: 'Summary by Object Type' (selected) and 'Summary by Object'.


Object Type	Total	In DB 1		In DB 2		Number of Objects			Differences		
		Not in 2	Not in 1	Not in 1	Identical	Selected	Different	Properties	Code	Errors	
Database	1			1	1	1	8				
Table	61	1	20	20	8	8	204		14		
Query	95	12	47	18	18	18	480				
Form	70	16	26	14	14	14	828	110			
Report	22	2	10	5	5	5	132	31			
Macro	5	3		1	1	1	2	1			
Module	26	1	11	7	7	7	14	70			
Reference	12		2	5	5						
Relation	32	2	24	3	3						
Total	324	37	140	74	62	54	1,668	212	14		

Database Comparison Overview Form with Two Summary Tabs

This lets you easily see the types of objects where you have the most differences. See **Summary by Object Type Tab** on page 60 for details.

Two Database Comparison Object Differences


The Object Differences form has a filter on the top with new combo boxes to more easily filter the list by object type and name (if no name is selected, all the differences for the selected type are shown):



This makes it much easier to select the object type and/or specific object to see their differences. See **Object Tab** on page 62 for details.

Two Database Comparison Macro and Module Differences

Viewing the Macro and Module differences now has combo boxes to choose by object type and name:



New Buttons

Two Object Comparison Swap Button

The Two Object Comparison selection has a new Swap button to flip Objects 1 and 2:



New Swap Button Flips Object Names

The Swap button also refreshes the combo box lists if any objects were added or deleted since the object type was selected.

Text Comparison with Clear and Replace Buttons


The Text Comparison form lets you find differences between two blocks of text that you paste in or retrieve from files. Two new buttons let you update both blocks of text.



[Clear All] to clear both, and [Refresh All] to update both if they are from files on disk. See [Entering Text Blocks for Comparison](#) on page 46 for details.


About Form to Check for Updates

The About form adds a new [Check for Updates] button to see if you have the latest version installed.




User Interface Enhancements

When viewing Two Object comparison results, the results were previously in the Objects tab. Now the tab name is the compared object type: Table, Query, Form, Report, Macro, Module, etc.



Forms have taller footers and wider buttons. Many button graphics are updated with more modern images and the new Access icon, like the Export button:



The Unmatched Objects form shows the two lists with even widths when resized.

Updated User Manual and Help File

User manual and help file are updated for the latest version and enhancements.

Enhancements from Previous Versions

Prior versions include these enhancements:

Version 16 for Microsoft Access 2016, Version 15 for 2013, and Upgrades for Earlier Access Versions


- Version 16 for Microsoft Access 2016
- Version 15 for Microsoft Access 2013
- Version 14.5 for Microsoft Access 2010
- Version 12.9 for Microsoft Access 2007
- Version 11.9 for Microsoft Access 2003

Each version supports the different property values, macro actions and VBA changes for its Access version. For Access 2010 and later, it includes support for the 32 and 64-bit versions.

Module and Text Comparison Option to Ignore Line Numbers

Total Access Detective compares module code for differences. Module code may include line numbers to help with error handling to pinpoint exactly which line of code is crashing.

When comparing VBA code, you may have code that's numbered and not numbered or two modules numbered differently. If you are only interested in the VBA that changed and not the line numbers, Total Access Detective offers a new option to compare your code and ignore any differences with line numbers:



New Option to Exclude Line Numbers


Search Bar to Filter Objects and Properties by Name

Similar to the search bar on the Microsoft Access navigation pane, Total Access Detective includes a Name Filter to simplify selecting objects when comparing databases:



The [Select All] and [Cancel All] buttons work on the filtered list.

Similarly, the Name Filter is also available for Property names in the Property Selection feature:



Properties to Compare

You can exclude properties from the database and object comparisons. This is useful if you never want to consider these differences.

This list does not include all the properties that are compared, since some properties are always checked for differences.

Name Filter: ←

Select	Object Type	Property Name
<input checked="" type="checkbox"/>	Form	AllowAdditions
<input checked="" type="checkbox"/>	Form	AllowDatasheetView
<input checked="" type="checkbox"/>	Form	AllowDeletions
<input checked="" type="checkbox"/>	Form	AllowDesignChanges
<input checked="" type="checkbox"/>	Form	AllowEditing
<input checked="" type="checkbox"/>	Form	AllowEdits
<input checked="" type="checkbox"/>	Form	AllowFilters
<input checked="" type="checkbox"/>	Form	AllowFormView
<input checked="" type="checkbox"/>	Form	AllowLayoutView
<input checked="" type="checkbox"/>	Form	AllowPivotChartView
<input checked="" type="checkbox"/>	Form	AllowPivotTableView

Name Filter on Property List

After comparing two databases, when viewing the Object Differences, the filter for the object names and properties also has the Name filter.

See and Filter Tables based on Whether it's Linked


When comparing two databases, a list of identically named objects is displayed to select them for detailed comparison. Tables are now displayed with information on whether they are linked or not, and a filter is available to easily see the differences:

Tables: All Local Linked Mixed

- All: No Filter
- Local: Both tables are local (exist in their respective database)
- Linked: Both tables are linked to other databases
- Mixed: One is local, and the other is linked

Procedures with Differences List

When comparing two modules, a new tab shows the procedures with differences. The details of the differences remain in the main tab, but now there's a summary list of procedures that are different:




Total Access Detective - Text Comparison Results


Text Block Differences Identical Procedures Procedures with Differences

EncryptNumber
EncryptTables
EncryptTableField

New Procedures with Differences Tab when Comparing Text



New Procedures with Differences Tab when Comparing Two Modules



New Procedures with Differences Tab when Comparing Modules in Two Databases

In addition to viewing the data in the tab, corresponding export and reports are available.

Version 14 for Microsoft Access 2010

The new properties, macro actions, and VBA code syntax introduced in Access 2010 are supported for difference detection.

Microsoft Access 2010 Support for 32 and 64 bit Versions


Total Access Detective 2010 includes two programs in one to support the 32 and 64 bit versions of Microsoft Office 2010.

Embedded Macro Line-by-Line Comparison

Embedded macros on forms and reports are now compared on a line-by-line basis similar to how regular macros are compared. Previously, the entire embedded macro property was compared without the “smart” comparison that identifies new or deleted lines within the macro code. To support this, the results now have a new Embedded Macros tab when differences exist. For two database comparisons, this is in the Object Differences screen. Three new reports are added to show the differences between the macros, as well as the embedded macro code from each object or database.

Identical Procedures Listed for Module Comparisons

In addition to listing the modules lines that are different, a new list of identical procedures is generated. This lets you easily confirm which procedures did not change. The identical procedures are shown on a new Identical Procedures tab after the Module Differences tab. This applies to comparing two objects, two databases, and two blocks of text. A report is provided for printing the list, which can also be exported.



Identical Procedures between Two Modules

Data Comparison Option to Ignore Case

A new option is available to ignore case between fields. This is set under the Data Comparison Options, Field Comparison tab. Check the Ignore Case option if you want case insensitive comparisons of your data.

Ignore Blank Lines and Comments when Comparing Modules

Additional options are available to compare modules by ignoring blank lines and comments. This is in addition to ignoring differences due to case or indentations. These options are now available under Text Options:

When Ignore Comments is selected, any comment lines or comments at the end of a line are ignored and just the VBA code is compared.

Ignore Blank Lines and Comments when Comparing Two Blocks of Text

Similar to module comparison, you can also ignore blank lines and comments when comparing two blocks of text.

Exclude Properties from Comparison


You now have the ability to exclude properties from the comparisons. For instance, if you don't care about the LastUpdated property of objects, you can exclude it from comparison. This is particularly useful when a property you don't care about is the only difference between objects.

Specify Storage Database Name for Database Comparisons

When comparing two databases, you can now specify the name of the database containing the results. This lets you keep an unlimited number of database comparison results. You can specify the database name on the last page of the wizard. If the name already exists, information on what it contains is displayed.

Specify Storage Folder

By default, Total Access Detective saves its files in a user folder. You can now change this location to another folder when you specify the storage folder for the results.



Specify Where to Store the Database Comparison Results

Viewing Different Database Comparisons

From the main screen when viewing the results of database comparisons, a new button to open the documentation is available. Easily retrieve a previously saved result. This lets you keep and manage multiple copies of the database comparison results.

Command Line Can Specify Storage Database Name

When invoking Total Access Detective from a command line to compare two databases, you can now add an additional parameter specifying the storage database name. This lets you automate the generation of multiple database comparisons.

Improved Ease of Use

Two Database Comparison Retains Previous Results

Previously, if you were running the two database comparison and selected two databases, the existing results were no longer available. This is now separated so the results are available until you overwrite them.

Two Database Comparison Does Not Select System Tables

If your database object list has System Objects turned on, the system objects are listed for selection. Previously, all objects were automatically selected for comparison. Now, the system tables are not selected.

Two Database Comparison Exports Data to another Database

When performing text comparisons in the two database comparison feature, you can now export the results to another database.

Reports List is Full Screen with More Information

The display of available reports is full screen with a description of each report to make it easier to understand and select.

Manage User Access Control Rights

Total Access Detective respects your login rights. By default, it is installed in your user folder, it updates registry settings in your user section and anticipates the issues around user access control and trusted folders.

Version 12 for Access 2007 and ACCDB Databases

Total Access Detective 2007, version 12, runs in Microsoft Access 2007 and compares all database formats supported by Access 2007 including MDBs, ADPs, and the new ACCDB database format.

New Microsoft Access 2007 Properties

Access 2007 introduced many new features which are now compared.

Improved Two ADP Comparison

To compare properties of ADP objects that do not exist in MDB/ACCDB objects, a different startup database is used. Instead of running the TADETECT.ACCDB database, run the TADETECT.ADP file.

Two Table Comparison in ADPs

Tables in ADPs can be compared structurally including extended properties and indexes. Data can also be compared with combined results created in a new table.

New Table Data Comparison Options

Previously, data was only compared if the two tables had identical field definitions. There are now several options to compare tables:

- Compare fields by order regardless of field names

- Compare identical field names regardless of order
- Treat the first field of non-keyed tables as unique
- Ignore small differences between numbers (you set the level)

For more information on the **Data Comparison Options**, see page 27.

Data Comparison Results

When viewing the results of Data Comparison, the caption for the row column is # rather than ID, to avoid confusion if ID is a field in the tables being compared.

Table Comparison with Field by Field Results

Previously, during data comparison, modified records were only displayed as individual records listing the modified fields in one record. This is now supplemented with an additional table listing each field difference as a separate record showing the two values.

Query Data Comparison

Data from two queries can now be compared with an option to specify whether to perform a sequential search or use the first field as a key field.

Case Insensitive Module Comparison

For module comparisons, a new Ignore Case option is available to avoid flagging differences due to mismatched capital and lower case letters. This option is also available for the Text Comparison feature.

Support for Password Protected Databases

Objects in password protected databases are compared.

Report Enhancements

- In addition to Preview, in Access 2007, reports can be opened in Report View so you can interactively filter and search the data.
- Reports can be exported to Adobe PDF and XPS formats
- Multiple reports can be exported to files in a folder and format you specify (e.g. PDF, XPS, HTML, snapshot, etc.)
- A single report selection screen is used to select the reports for print, preview, report view, and export.

New Reports for Two Database Comparison

Many new reports were added:

- Data Differences Fields Compared: shows the fields compared when an option other than identical structures is used
- Table Data Comparison Paired Fields: shows paired field values
- Portrait and Landscape reports for object comparison with better support for long object names and property values
- When viewing object differences, reports are available for the entire list or just the currently filtered list
- When viewing macro or module differences, reports are available for the entire list or just the current macro/module.
- List of available reports with their description and default file name when you export it

Several reports were enhanced including:

- Data Differences Summary now shows the total number of records, in addition to the new and modified number of records

New Reports for Two Object Comparison

- Portrait and Landscape reports are available to show object property differences. The reports are improved to better show long object names and property values

- Fields Compared for Data Differences: shows the fields compared when an option other than identical structures is used
- Field Differences of Modified Records: shows paired field values

General Comparison Enhancements

Screen flashing is eliminated when comparing forms, reports, and modules. This lets you minimize Total Access Detective while it's processing.

Two Object Comparison Enhancements

Separate Table Object and Data Comparison

When comparing two tables, you can compare either the table design or data, or both. Previously, the design was always compared.

Last Documentation is Available

The last comparison of two objects can be viewed under a new Last Analysis button. Similarly, the last selected object names are preserved when you run Total Access Detective again.

Partial Comparison Results

If you cancel while the objects are being compared, the process stops and the incomplete results displayed. This can be particularly helpful when comparing records and you decide to stop after it identifies a few differences and you don't need all the differences.

Two Database Comparison Enhancements

Reduced Need to Prepare Databases for Two Database Comparison

Previously, the Total Access Detective Prepare step was necessary before comparing modules between two databases. This is no longer needed when comparing MDB/ACCDB databases. Prepare is still required for ADPs.

Finish Button Eliminates Manual Selections

The Database Comparison wizard has a Finish button on all its pages. Simply select the two databases and press Finish to compare all the identically named objects. It skips the Wizard pages for the options, and uses the previously specified values.

Command Line Support

To eliminate manually selecting the database and options, a Windows shortcut can pass the names of the two databases to compare, which automatically selects all the common objects and compares them.

Text Comparison Feature Added

The text comparison feature which was previously only available under the two object comparison feature, is now available on the two database comparison side as well.

Improved User Interface

- With Access 2007, the user interface is enhanced to support new features such as maximized tabbed views, transparent buttons with graphics, filtered datasheet views, navigation bar captions, colors, fonts, etc.
- Two object comparisons now show the object and other differences (data or modules) as separate tabs

Vista and User Security Support

- Total Access Detective is compatible with Vista and the new User Access Control features.
- Temporary files are placed in your user folder rather than the Total Access Detective folder
- The Help file is in the new CHM format rather than HLP format.

Version 9.7, 10.7, and 11.7 Updates

In conjunction with the release of Version 12.0 for Access 2007, updates were released to offer similar features for Access 2000 (version 9.7), 2002 (version 10.7), and 2003 (version 11.7).

Version 11 for Access 2003

Version 11 for Access 2003 includes many new features including:

- Ability to combine data differences from two tables into a new table.
- Comparison of Access Data Projects
- Export of database comparison results to another database
- Relationship comparison
- Several additional reports, including:
 - Database Comparison Summary
 - Objects with Differences
 - Data Differences Summary
 - Identical Objects in Both Databases

Version 9.5 and 10.5 Updates

In conjunction with the enhancements added to version 11 for Access 2003, updates were released to offer similar features for Access 2002 (version 10.5) and Access 2000 (version 9.5).

Version 10 for Access 2002

Version 10 supported Access 2002. It added simplified selection of modified objects, data differences options for memo fields, and more accurate comparison of numeric fields.

Version 9 for Access 2000

Version 9 was created for Access 2000. It added the Text Comparison feature and support for Data Access Pages.

Version 8 for Access 97

Version 8 was created for Access 97.

Version 2 for Access 2.0

The first version was created for Access 2.0.

Visit Our Web Site

FMS is constantly developing new and better developer solutions. Total Access Detective is part of our complete line of products designed specifically for the Access developer. Please take a moment to visit us online at <https://fmsinc.com> to find out about new products and updates.

Product Updates

FMS is committed to quality software. When we find problems in our products, we fix them and post the new builds on our web site. Check our Product Updates page in the Technical Support area for the latest build, or see **Using the Update Wizard** on page 21 for information on how to check for the availability of updates.

Product Announcements and Press Releases

Read the latest information on new products, new versions, and future products. Press releases are available the same day they are sent to the press. Sign up in our Feedback section to have press releases automatically sent to you via email.

Product Descriptions and Demos

Detailed descriptions for all of our products are available. Each product has its own page with information about features and capabilities. Demo versions for most of our products are also available.

Technical Papers, Tips, and Tricks

FMS personnel often speak at conferences and write magazine articles, papers, and books. Copies and portions of this information are available to you online. Learn about our latest ideas and tricks for developing more effectively.

Social Media: Blog, Facebook, Twitter

Keep in touch with us:

- Like our Facebook page: <https://facebook.com/MicrosoftAccessProducts>
- Signup for our blog: <https://blog.fmsinc.com/>
- Follow us on Twitter: <https://twitter.com/fmsinc>

Links to Other Development Sites

Jump to other locations, including forums, user groups, and other sites with news, techniques, and related services from our [web site](#).

Chapter 2: Installation and Startup

Total Access Detective comes with an automated setup program to get you up and running as quickly as possible. This chapter describes the system requirements, installation steps, instructions for upgrading from previous versions, and instructions for uninstalling. It also provides instructions for international users, and tips for troubleshooting startup errors.

Topics in this Chapter

-  [System Requirements](#)
-  [Upgrading from Previous Versions](#)
-  [Installing Total Access Detective](#)
-  [Using the Update Wizard](#)
-  [Uninstalling Total Access Detective](#)
-  [Running Total Access Detective](#)
-  [International Users](#)
-  [Startup Errors](#)

System Requirements

Total Access Detective is a Microsoft Access library database that runs within Access. Its system requirements are similar to the requirements of Microsoft Access, and include:

- A copy of the Microsoft Access version corresponding to the Total Access Detective version.
- Hardware and operating system supported by Microsoft Access.
- 60 MB free disk space to install the product, and additional disk space to store your documentation.



Total Access Detective can only be opened through its associated version of Access and only works with database formats supported by the specific version of Access.

Upgrading from Previous Versions

Just as multiple versions of Access can reside on the same machine, multiple versions of Total Access Detective can exist on the same machine provided that they are installed in separate directories.

Note that only one version from Access/Office 2016 onwards can be installed on a machine, so Total Access Detective also follows this requirement. If you have Total Access Detective 2016 installed, when you install Total Access Detective 2026, the 2016 will no longer be available.

Each version of Total Access Detective is a completely separate program and does not share any files with other versions. If you are no longer using any previous versions of Microsoft Access, you can remove the older version of Total Access Detective from your machine. See **Uninstalling Total Access Detective** on page 21 for details.

Installing Total Access Detective

Total Access Detective is installed using an automated setup program. To install Total Access Detective, follow these steps:

1. Locate and run the setup program.
2. Enter your registration information and product key (serial number).
3. Choose to install it for your machine or just for you; Installing it for the machine allows other users of your PC to run Total Access Detective.
4. Specify the destination folder for the files.
5. Be sure to read the readme file for any late breaking.

Where to Install Total Access Detective

For best performance, install Total Access Detective on a local hard drive. Installing to a network drive may cause slower performance.

Total Access Detective is an Access add-in which needs to modify itself to link to different tables, databases, etc. Be sure to install it to a folder where you have read/write permissions.

Do NOT install it in the C:\Program Files folder which Windows User Access Control (UAC) normally sets to READONLY after installation.

Using the Update Wizard

Total Access Detective includes a built-in mechanism to check the availability of updates via the Internet. If you have an active Internet connection, you can use the Total Access Detective Update Wizard to ensure that you have the latest version.

From the About form, click the [Check Updates] button.

You can also launch it from the Windows Start menu under Total Access Detective, Update Wizard. Follow the prompts on the form to check for the latest update.

Uninstalling Total Access Detective

Total Access Detective follows standard Windows installation protocol, so uninstalling is straightforward. From the Windows Start Menu, select:

1. Add or Remove Programs
2. Select Total Access Detective from the list of installed programs
3. Click Uninstall and follow the prompts.

For Windows 7 or earlier, use the Control Panel, then open Programs and Features to uninstall.

If you prepared databases with Total Access Detective (as explained on page 50), a *.DDB, *.DDE, or *.DDA file is created for each database. This file is stored in the same folder as your database. Use the Windows Search feature to locate these files, and remove them if desired.

Running Total Access Detective

Total Access Detective runs from within Microsoft Access. If you are familiar with Microsoft Access, you will be very comfortable using Total Access Detective.

Total Access Detective performs comparison in two modes:

- Two objects within one database (described in **Chapter 3: Comparing Two Objects in One Database**)
Open your database and select **Total Access Detective** from the Database Tools ribbon Add-ins menu
- Objects between two databases(described in **Chapter 4: Comparing Objects in Two Databases**)
Launch Total Access Detective Database Compare from the Windows Start menu, then select the two databases to compare

Comparing Databases on a Network

Total Access Detective allows you to compare databases residing on a network drive, but we recommend documenting local copies of these databases for two reasons:

1. When you compare a database, you don't want other users opening or changing objects. Total Access Detective cannot compare objects that are opened or locked by others.
2. Performance over a network is substantially slower than a local drive. Total Access Detective is a disk-intensive program—it may need to open objects in design view and read properties and/or compare data records. Because of this, running across a network connection may cause slower performance and may affect other users on the network.

Comparing Password-Protected Databases

When comparing two objects in the same database, Total Access Detective can compare all object types, regardless of whether the database is protected by a password.

When comparing two databases, simply provide the password for each and all their objects can be compared.

Comparing Databases with Workgroup Security

Total Access Detective can run database comparison on databases with Workgroup security provided that:

1. Both databases use the same workgroup security file (*.MDW).
2. The user group has open/run permissions for the database (not necessary for specific objects, just needed at the database level).
3. The databases are not set to "Read Only".

Follow these steps to compare two secured databases:

1. Start Access with your Workgroup Security settings.
2. Open TADetect.accdb (or TADetect.mdb version 2003 or earlier), which is located in Total Access Detective's installation folder.

Comparing Access Data Projects

Total Access Detective can compare native Access objects in Access Data Projects (ADPs and ADEs), including: forms, reports, pages, macros, modules, and command bars. It cannot, however, compare objects that exist in SQL Server, such as tables, views, and diagrams. When comparing ADPs, you must run the Total Access Detective Prepare process on each ADP.


ADPs were deprecated by Access 2013, so this is only available in the Access 2010 and earlier versions. To compare two Access Data Projects (ADPs), select Total Access Detective ADP Compare from the Windows menu.

International Users

Total Access Detective automatically detects international versions of Access and adjusts its behavior accordingly. The program's documentation, forms, and help file are in English, but the property values it detects are displayed in your Access version's local language.

Printing Reports on A4 Paper

By default, the reports in Total Access Detective are set for US Letter size; however, you can use A4 paper instead. This option is accessible from any report dialog box:



Reports Dialog Box with A4 Paper Option

Startup Errors

Most errors with Total Access Detective occur when you first start it. This section explains the most common startup errors and offers suggestions on how to fix them.

Microsoft Access cannot find Wizard, or there is a syntax error in the Declarations section of a Visual Basic module

Microsoft Access uses the registry to store information about add-ins. The setup program places several entries in the Windows Registry to identify the location and name of the Total Access Detective library database, and the name of the main Total Access Detective function. If these registry entries are incorrect, or if the Total Access Detective installation is corrupt, this error message appears.

Re-install Total Access Detective to resolve this problem.

The current database is not updateable

You have opened the current database in read-only mode, or another condition has forced the database to be read-only. Total Access Detective cannot analyze a database opened in read-only mode. Close the database, open it in normal mode, and restart Total Access Detective.

Please close any forms or reports that are open and re-start Total Access Detective

You must close all forms, reports, and modules in your database before running Total Access Detective. Open forms, reports, and modules interfere with the operation of Total Access Detective. Close all windows except the database window and restart Total Access Detective.

This copy of Total Access Detective is in use

Total Access Detective can be installed on a network drive but can only be accessed by one user at a time. If more than one user attempts to start Total Access Detective at the same time, the second user sees a dialog box saying the copy of Total Access Detective is already in use.

This message also appears if you attempt to run Total Access Detective in two instances of Access on the same workstation. Click [OK] to return to Microsoft Access and try again later.

Total Access Detective exclusively locks the database to ensure that only one user is accessing it at one time. If Microsoft Access exits abnormally while Total Access Detective is running, an LDB lock file may be left in place, and may erroneously report that Total Access Detective is in use. If this happens, you should manually delete the lock file by following these steps:

1. Ensure that no other users are running Total Access Detective. This step is very important. If you manually delete the lock file while a user is running Total Access Detective, you may cause that user's system to crash.
2. Close all instances of Microsoft Access on your workstation.
3. From Windows Explorer, locate the folder where Total Access Detective is installed. Locate and delete the lock file (TAD_C.LDB).
4. Restart Microsoft Access, and run Total Access Detective again.

Chapter 3: Comparing Two Objects in One Database

Total Access Detective's Object Comparison feature finds all differences between any two objects in one database. This chapter explains how to use the Object Comparison feature to quickly see the differences in properties, fields, controls, macro lines, module lines, import export specifications, command bars, and data.


Topics in this Chapter

-  [Comparison Wizard](#)
-  [Table and Query Comparison Options](#)
-  [Data Comparison Options](#)
-  [Form and Report Comparison Options](#)
-  [Module and Macro Text Comparison Options](#)
-  [Property Selection](#)
-  [Data Comparison Results](#)
-  [Combining Data Between Two Tables](#)
-  [Macro and Module Comparison Results](#)
-  [Text Comparison](#)

Comparison Wizard

Starting the Object Comparison Wizard

Open the database containing the objects to compare, and launch Total Access Detective from the Add-ins menu.



Microsoft Access 365/2024-2016 Add-ins Menu for Launching Total Access Detective

The *Total Access Detective Prepare* menu item is for Database Comparisons and is described on page 50.

When you select Total Access Detective from the Add-ins menu, the Comparison Wizard appears:



Comparison Wizard Main Form

Launch Database Comparison from the Add-in

If you are looking to compare two databases, the Database Comparison program is normally launched from a shortcut on the Windows Start menu while the add-in is designed to compare objects in your database. If you intended to compare differences between two databases, click the [Compare Databases] button.



New Compare Database button on the Total Access Detective Add-in form

The [Compare Databases] button launches the Database Comparison program and closes the add-in. It does not close your database.

Selecting Objects for Comparison

Select the object type from the drop down list box.

Then, specify the names of the two objects to compare, set comparison options, and click [Run].

Permissions

In order to compare objects, Total Access Detective needs to open them in design mode. For Total Access Detective to do this, you must have Read Design permission on the objects you are comparing.

Object Type to Compare:

- Tables
- Queries
- Forms
- Reports
- Macros
- Modules
- Command Bars
- ImportExportSpecs

Table and Query Comparison Options

When comparing tables and queries, you can compare the objects (fields, indexes, and properties), table data, or both.

Data comparison only occurs if the two objects have the same fields. This can take significant time if there are many records. For faster performance, compare databases on your desktop rather than across a network.

Comparison Options

- Object and Data
- Object Only
- Data Only

Current Data Comparison Settings:
Record Identifier: First Field (Table)
Field Comparison: All Fields
Document: All (Record); All (Memo)
Display: Compressed
Numerical Accuracy: Exact

Data Comparison

Data Comparison identifies records that are new, deleted, or modified. When viewing the results, you can also combine the data from the two data sources into a new table.

In addition to comparing data with identical fields, tables with similar structures, different field names, and different field order can be compared. Options also customize the way results are displayed. An overview of the selected options shows on the main screen.

Data Comparison Options


Click the [Data Options] button to open the Data Comparison Options form.

When comparing data between tables or queries, several options are available to let you control how the comparisons are made and the results.

 Data Options

Record Identifier Tab

The Record Identifier tab displays options for comparing queries and tables that do not have a primary key:



Data Comparison Options, Record Identifier

For tables with a primary key, the key fields are used to match up rows for comparison, and the options on this tab do not apply.

For tables without a primary key or queries, you can compare the rows sequentially, or specify that the first field in is the “identifier” (uniquely identifies the row). For example, if you’re comparing these two queries:

ID	First	Last
1	Nancy	Davolio
2	Andrew	Fuller
3	Janet	Leverling


ID	First	Last
1	Nancy	Davolio
3	Janet	Leverling
2	Andy	Fuller

Comparing the fields sequentially reports that the second record is completely different—none of the fields match. Total Access Detective does not continue comparing data after the first difference is found.

Designating the first field as unique, on the other hand, reports the difference in ID 2: “Andrew” does not match “Andy.” Since a unique identifier is found, Total Access Detective continues comparing the rest of the data in the table.

Field Comparison Tab

The Field Comparison tab includes options for how the fields are compared:




Data Comparison Options, Field Comparison

- **All Field Names and Types Match:** Tables or queries have the same field names and structure (column count and data types).
- **Field Order:** Table structures match, but field names differ between the two tables or queries.
- **Identical Field Names Only:** Field names and data types match, but column count and/or order is different. Choosing this option compares identically named fields and skips fields that are not in both tables.

Note that only fields with the same data types can be compared, i.e. a Text field cannot be compared to a Number field.

Documentation Tab

The Documentation tab specifies what to display when differences are detected between records. Decide whether to show all differences for a record, or to limit the differences that are shown:



Data Comparison Options, Documentation

Limit the Amount of Differences to Document

By default, all the differences between two records are shown listing the values of every field that differs. This can be quite extensive, especially if you have large text or memo fields.


You can limit what's documented with the "First 255 Characters" option. This truncates the record difference to the first 255 characters. This is useful, if you simply want to know a record was modified regardless of every field modification.

Limit Memo Fields Differences

For large memo fields, the results can be very large when different memo field values are documented. Choose whether to show all differences up to 3K, show only the first 255 characters, or to only show that a difference exists (for example, 1: Memo 2: Memo).

Display Tab

The Display tab controls how data differences are displayed:



Data Comparison Options, Display

Compressed Display

Select Compressed to save space and show each field's difference on one line. This compact format shows the field values side-by-side.

In this example, differences are found for two fields named FirstName and ZipCode, and the values for the two tables (1 and 2):

```
[FirstName] 1:John 2:Jon  
[ZipCode] 1:22182 2:22102
```


Expanded Display

However, this can be difficult to see the actual difference, especially with large text or numbers. With the Expanded option, each field value is on a separate line. With the pair of field values stacked, it's easier to see differences:

```
[FirstName]  
1:John  
2:Jon  
[ZipCode]  
1:22182  
2:22102
```

Numerical Accuracy Tab

The Numerical Accuracy tab includes options for comparing numbers:



Data Comparison Options, Numerical Accuracy

By default, any difference between numbers is considered a difference that's documented. However, due to rounding and floating point issues, numbers with decimals may be very close but not identical. Flagging these differences may not be helpful, or you may not care about such tiny differences.


This option allows you to set an acceptable difference, based on the ratio of the difference to the field values. Select an acceptable difference between 0% (fields must match exactly) and 10% (numbers can be up to 10% different, and still considered identical).

The % difference is calculated by dividing the difference in the two values by their average.

Form and Report Comparison Options

When comparing forms and reports, choose to compare the objects (controls, sections, and properties), the modules behind the objects, or both.

If you compare Modules, there are additional comparison options to select the number of identical lines needed to resynchronize, and whether differences in blank lines, capitalization, comments or indentations should be considered changes. Details about these options are provided in the Module Comparison section.



Comparing Embedded Macros

Embedded Macros were introduced with Microsoft Access 2007. They can be added as events at the form or report level or for individual controls. Total Access Detective has a macro parser that compares the differences between embedded macros to identify differences at the command by command level. Rather than simply reporting that two embedded macros are different, Total Access Detective can identify changes in arguments and comments, adding or deleting commands, etc.


Embedded macro comparisons also respect your selection of Module Comparison options such as ignoring comments.

Module and Macro Text Comparison Options

The [Text Options] button lets you specify several settings for customizing how modules and macros are compared.

There are two parts. After a different line is found, the number of identical lines after it that define a new block of code differences. Then the types of text to ignore:

Text Options



Module Comparison Options

of Lines to Resync

Total Access Detective compares module procedures on a line-by-line basis, and determines whether differences are due to modified or new lines. If it detects new lines, Total Access Detective shows the new lines from one module plus the line where the code is resynchronized between the two modules. The lines that follow in both modules are not considered different even though they are on different lines.

Total Access Detective defines this resynchronization based on a repetition of identical lines in both modules. By default, this value is 3 lines. That is, when three identical lines are encountered in both modules, the prior lines' differences are documented and the code is resynchronized.

You can increase or decrease this setting if the resynchronization is incorrect. If the value is too low, small amounts of code within an added group cause resynchronization. If the value is too high, groups do not get resynchronized. We recommend using the default value; we have found 3 lines to work well.

Module Code to Ignore

There are four options for ignoring module code that may be slightly different:

- Blank Lines
- Case

- Comments
- Indentations
- Line Numbers

Ignore Blank Lines

This option lets you ignore differences due to blank lines. If a procedure has more or less blank lines than another, they are not considered different.

Ignore Case

This lets you ignore differences due to capital and lower case letters. This is especially useful if you have code where the case of procedure or variable definitions is modified. Without this option, references to all those procedures or variables are flagged as differences.

However, with this option selected, case differences that you may want to find (e.g. messages displayed to the user) would be ignored.

Ignore Comments

This is a powerful option that lets you ignore differences in comments. The VBA code parser identifies comments on their own lines, multiple lines, or the end of lines and ignores any differences between procedures due to comments. The only differences will be changes to the actual VBA code.

Ignore Indentations

This avoids flagging lines where the text is identical but the indentation is not. Checking this option ignores differences due to spaces or tabs at the beginning of a line of code.

This option is particularly important if new control blocks are added. For instance, you may have added an IF...END IF statement around existing code and indented the block. With this option on, only the IF and END IF lines are considered different. With the option off, every line in the block is flagged as different because of the indentation.

Regardless of this setting, all blank lines at the beginning or end of a module or procedure are ignored.

Ignore Line Numbers

This option lets you ignore the line numbers in the VBA code. Developers often add line numbers so error handling can pinpoint the line where a crash occurs. Our Total Visual CodeTools product lets you do that easily.

However, when comparing modules, one may have line numbers and the other not, or the line numbers may be different even though the VBA code that's numbered hasn't changed. With this option, the line numbers can be ignored in the comparison so that only the difference with the actual VBA code is shown.


Property Selection

By default, all Access properties that could indicate differences are compared.



The Property Selection button lets you reduce this by unselecting properties

you may not care about. For instance, you may not care about the DateCreated property for the objects. By removing this, you eliminate flagging objects that are different solely based on this property.



Property Selection Screen

The properties are organized by Object Type. Unselect the properties you don't want to compare. Press the Select All button to reset the selections.

Property Comparison Results

When you click [Run], Total Access Detective compares the two objects and finds their differences. If property comparison were conducted on the objects, their differences are shown on the first tab. The list of properties that are compared can be reduced from the [Property Selection] button. See **Property Selection** on page 34 for more details.

Each difference is displayed as a separate record. The list shows the item and property name, along with the property values for Object 1 and Object 2. Each object contains many items (fields, controls, etc.), each with many properties. If an item exists in one object and not the other, it is listed as *".Not Defined"* in the object's column where it does not exist. For identically named items, each property is compared and those with different values are shown.

Total Access Detective - Compare Two Objects X

Comparison Differences Object 1: tblExample1
Object 2: tblExample2

Table Data Records Modified Fields

Item	Property	Object 1	Object 2
Field [Counter]	Attributes	17	1
Field [Counter]	AutoIncrement	Yes	No
Field [Counter]	DecimalPlaces	.Not Defined.	255
Field [Counter]	DisplayControl	.Not Defined.	Text Box
Field [Counter]	Seed	8	1
Index [PrimaryKey]	DistinctCount	7	6
Index [Run]	Index	.Not Defined.	
Property	DatasheetForeColor	0	33554432

Differences ▶ 2 of 11 ▶ Unfiltered Search

Help Report Export Combine Close Exit

Property Comparison Results

When there are many differences, it's hard to find the important ones. Depending on the object type, a check box is available to reduce the list to just the most important items to quickly see major differences rather than trivial property settings.

Total Access Detective - Compare Two Objects X

Comparison Differences Object 1: Customers
Object 2: Customers_summary

Table

Item	Property	Object 1	Object 2
Field [Attachments]	Field		.Not Defined.
Field [Country/Region]	Field		.Not Defined.
Field [Country]	Field	.Not Defined.	
Field [Email Address]	Field	.Not Defined.	
Field [E-mail Address]	Field		.Not Defined.
Field [Fax Number]	Field		.Not Defined.
Field [Notes]	Field		.Not Defined.
Field [Postal Code]	Field	.Not Defined.	
Field [State/Province]	Field		.Not Defined.
Field [State]	Field	.Not Defined.	
Field [Web Page]	Field		.Not Defined.
Field [ZIP/Postal Code]	Field		.Not Defined.
Index [State/Province]	Index		.Not Defined.
Index [State]	Index	.Not Defined.	

Differences ▶ 1 of 14 ▶ Filtered Search

Only show New/Deleted Fields and Indexes

Help Report Export Close Exit

Filter Table Differences to Just Fields in One Table But Not the Other


- Tables: Fields and Indexes in one table and not the other:
 Only show New/Deleted Fields and Indexes
- Queries: Fields and Parameters in one query and not the other:
 Only show New/Deleted Fields and Indexes
- Forms: Controls and Sections in one form and not the other:
 Only show New/Deleted Controls and Sections
- Reports: Controls, Groups and Sections in one report and not the other:
 Only show New/Deleted Controls, Groups and Sections

These buttons are available on the Results form for Object differences:

Button	Description
Report	Select reports to print, preview, report view, and export.
Export	Export results into a table in your database. See page 37.
Close	Return to the first screen (select objects).
Exit	Close Total Access Detective.

Report

The [Report] button opens a dialog with a list of available reports for your current view:



Select Reports Dialog

These options are available:


Button	Description
Preview	Preview the current report your cursor is on (it does not need to be selected).
View	Open the current report in Report View.
Print	Send the selected (checked) reports to the printer.
Export	Export the selected (checked) reports to a variety of formats in a folder you specify.

For the current report (the current report record), you can Preview it or put it into Report View.

For printing or exporting, select the reports you want by checking them, and press [Print] to send them to your default printer, or [Export] to send them to a destination and format you specify.

Report Export

You can select one or more reports to export to files by clicking the [Export] button:




Export Reports to File

Specify the type of output and destination folder. The export formats include Adobe PDF, HTML, Snapshot, Text, rich text, and XPS. PDF and XPS formats are not available in Microsoft Access 2003 or earlier. Snapshot is not available in Access 2010 or later.

Click [OK] to generate the files. Each report has a default file name. If any of the files already exists, you are prompted to confirm overwriting them.

Export Data

Unlike the Export button when selecting reports, the [Export] button while viewing the results lets you to save the results to a table in your database:



Export Results to a Table in Your Database

Data Comparison Results

If you choose to compare data between your tables or queries, and the object have the same fields, the data comparison results are show on the Data Records and Modified Fields tabs:



Table Results View Options

Data Records Tab

The Data Records tab shows all the data differences:

Data Differences for Each Record

The following types of records are flagged:

- Records in table/query 1 but not table/query 2 (based on key fields)
- Records in table/query 2 but not table/query 1 (based on key fields)
- Modified records (identical key field values) with the fields with different values listed
- For unkeyed tables/queries, the first record that differs (further analysis cannot be performed)

The results include the following information:

Fields	Description
Key Field(s)	The key field or fields that identify the record
Diff Type	The difference type (see below)
Differences	Description that the record is in one but not the other, or for modified records, values for each field difference
Num Diffs	The number of fields with different values
Diff Fields	The names of the fields that differ



The [Diff Type] field identifies how the record differs:

Diff Type	Description
1	The record exists in table/query 1 but not table/query 2.
2	The record exists in table/query 2 but not table/query 1.
M	The record exists in both tables/queries and is modified.
N	Differences exist (for comparisons without a primary key).

Use the “Filter” drop down at the top of the form to limit the list by difference type:

For modified records, each field difference is shown with the field name in brackets ([]) and the values for table/query 1 and 2 listed after the number (“1:” or “2:”). If multiple fields are different, each difference is on a separate line.

To see more than the first two lines, expand the record’s height or move to the field and press [Shift]+[F2] to zoom:



Zoom to See Contents of the Field




Tip

How the data differences are generated and displayed depend on the data comparison options you selected. For instance, if you selected the option to show only the first 255 characters, the text in the Differences column is truncated after 255 characters.

Modified Fields Tab

The Modified Fields tab shows the field by field difference for modified records. Each table's field value is in its own field to make it easier to copy.



#	CustomerID	Record Diff	Field Name	Table 1	Table 2
1	ANATR	1	ContactName	Ana Trujillo	Anna Trujillo
2	ANTON	1	ContactName	Antonio Moreno	Antonio Morales
3	CHOPS	1	CompanyName	Chop-suey Chinese	Chop-chop Chinese
4	EASTC	1	ContactName	Ann Devon	Ann Dolin

Table Data Differences, Modified Records

This does not show new or deleted records (records in one table but not the other):


Result Options

The following options are available at the bottom of the form:

Button	Description
Report	Reports to print, preview, view and export.
Export	Export results into a table in your database. See page 37 for details.
Combine	Combine the data from the tables that you compared into a new table. See page 41 for details.
Close	Return to the first screen (select objects).
Exit	Close Total Access Detective.

Combining Data Between Two Tables

One of the most useful features of Total Access Detective is combining data between two data sources into a new table. Click the [Combine] button when viewing the data differences to display the Combine Data form:



Total Access Detective - Combine Data

Combine Data Between Two Tables

This feature works if both tables were not modified after the data comparison was run. If the data changed, run the analysis again before trying to combine them.

Make sure the new table doesn't have settings that prevent adding the data to it. For instance, secondary indexes that prevent duplicates, field and record validation, etc.

Table 1: **tblExample1**
Table 2: **tblExample2**

Table Name:

Create New Table From:

Include All Identical Records
 Include Records from Table 1 Not in Table 2
 Include Records from Table 2 Not in Table 1
 Include Modified Records from:
 Table 1 Table 2

Combine Table Data Form



Since it is not possible to determine modified records, data from tables and queries without a unique identifier cannot be combined.

These options are available:

Table Name

Specify the name of the table to create in the current database.

Create New Table From

Select the table to use for the combined table. If both tables' properties are identical, it doesn't matter which one you choose, but if they are different, you may prefer one over the other.

The rest of the options determine which records are included in the combined table:

Include All Identical Records

Select this option to include the identical records between the two compared tables.

Include Records from Table 1 Not in Table 2

Select this option to include records that are in Table 1, but not in Table 2.

Include Records from Table 2 Not in Table 1

Select this option to include records that are in Table 2, but not in Table 1.

Include Modified Records From

Select this option to include records that exist in both tables, but are modified. Then, specify which table's modified records you want in the combined table.

Use Caution If Data Changed Since Comparison

Total Access Detective does not store a copy of the data it compared, just the differences. When it combines the data from the two tables, it's using the current data in those sources to populate the new table and apply the modifications it found. If your data changed since the comparison, the results may not be what you expect. To avoid problems, run the data comparison again if your data was modified.

Macro and Module Comparison Results

Unlike other comparisons that list different property values, macro and module comparisons (including code behind forms and reports) show different lines of macro definitions or module code.

Module Procedures are Compared by Name

A module is composed of procedures and properties (the General Declarations section is treated as the first procedure). Total Access Detective understands VBA syntax and compares each procedure or property to its corresponding name in the other module. This means that their sort order does not matter, which makes Total Access Detective much more powerful than a simple text comparison program.

Macros are Compared by Sub-Macro Name

Most macros only contain one set of lines that run from start to finish. However, they may contain multiple sub-macros if macro names are assigned. Total Access Detective compares macros similar to the way it compares modules. Again, sort order doesn't matter—identically named macro names (sub-macros) are compared to each other, and those that exist in one, but not the other are flagged.

Object Match then Line-by-Line Comparisons

Total Access Detective flags procedures (or sub-macros) that exist in one module (macro) and not the other.

For identically named procedures and macros, Total Access Detective conducts a line-by-line comparison. When lines differ, the different lines in both objects are shown. If a resync occurs before the end of the procedure, the last line of each block is shown so you can see they are identical. This technique clearly reveals new, modified, and deleted lines of code.

For procedures with completely different code (an inability to resync), it tells you they are completely different rather than listing every line.

Total Access Detective - Compare Two Objects X

Comparison Differences Object 1: frmExample1
Object 2: frmExample2

Form Module Differences Identical Procedures Procedures with Differences Embedded Macros

```

Declarations Section
Module: [frmExample1]
4: ' 64 bit version
5: Private Type OpenFileName
6: lStructSize As Long
7: hwndOwner As LongPtr
8: hInstance As LongPtr
9: lpstrFilter As String

Module: [frmExample2]
4: ' 32 bit version
5: Private Type OpenFileName
6: lStructSize As Long
7: hwndOwner As Long
8: hInstance As Long
9: lpstrFilter As String

-----
Declarations Section
Module: [frmExample1]
23: lCustData As LongPtr
24: lpfnHook As LongPtr
25: lpTemplateName As String

Module: [frmExample2]
23: lCustData As Long
24: lpfnHook As Long
25: lpTemplateName As String

```

Help Report Export Close Exit

Module Comparison Results

For every difference, the procedure name is listed followed by each version of it in each module. Differences in the sort order of the procedures are not documented, since the order is not important.

The Identical Procedures tab lists all the procedures that had no differences.

Total Access Detective - Compare Two Objects X

Comparison Differences Object 1: frmExample1
Object 2: frmExample2

Form Module Differences Identical Procedures Procedures with Differences Embedded Macros

```

(General Declarations)
cboCountry_AfterUpdate
Form_AfterUpdate
Form_BeforeUpdate

```

List of Identical Procedures in both Forms



The module and macro comparison results depend on the options that you selected. See page 33 for details.

Embedded Macro Differences

For embedded macros on forms and reports, the differences are shown on the Embedded Macros tab:

The screenshot shows the 'Comparison Differences' window with 'Object 1: frmExample1' and 'Object 2: frmExample2'. The 'Embedded Macros' tab is selected. The table displays differences for various events and controls. For example, the 'OnOpenEmMacro' event for the form has a difference: 'frmExample1' has 'Macros are totally different (no lines match)' while 'frmExample2' has a specific macro definition. The 'Version1' and 'Version2' columns show the detailed macro code for each object.

Item	Event	Differences	Version1	Version2
	OnOpenEmMacro	Macros are totally different (no lines match)	Version =196611 ColumnsShown =0 Begin Action ="MsgBox" Argument ="Greetings"	Version =196611 ColumnsShown =0 Begin Action ="MsgBox" Argument ="Salutations"
	OnCloseEmMacro	[frmExample1] does not contain embedded macro [OnCloseEmMacro]		Version =196611 ColumnsShown =0 Begin Action ="MsgBox" Argument ="Goodbye"
Control [cmdHello]	OnClickEmMacro	Form: [frmExample1] 4: MsgBox {Message} Before 2011 {Beep} Yes {Type} None {Title} 5: Else {1} {2}	Version =196611 ColumnsShown =0 Begin Action ="MsgBox" Argument ="How are"	Version =196611 ColumnsShown =0 Begin Action ="MsgBox" Argument ="How are"
Control [cmdClose]	OnClickEmMacro	Form: [frmExample1] 3: End If Form: [frmExample2] 3: Beep	Version =196611 ColumnsShown =0 Begin Condition ="MsgBox(\"Do you want"	Version =196611 ColumnsShown =0 Begin Condition ="MsgBox(\"Do you want"

Differences between Embedded Macros

They are listed by Item (control name or blank for the form/report level), event name, and the differences. The original complete embedded macro values in the two objects are displayed under Version1 and Version2. Reports are also available for Embedded Macro differences.

Macro and Module Comparison Reports

Three sets of reports are available for module differences. Click [Report] to access these reports.

Macro and Module Differences Report

List of differences at the object level (procedure or sub-macro) and line-by-line level for identically named objects.

Source Code Reports

A listing of the source code for the entire macro or module. This includes line numbers (which restart for each submacro or procedure), and makes it easy to identify lines referenced in the Differences report.

Identical Procedures Report

The list of procedures with no differences is available. This list is not generated if the two modules are identical.

Viewing Last Analysis

The Last Analysis button retrieves your most recent results after you close or exit the comparison wizard. This button is only enabled if your current database is the same as the database where the last analysis was run. Additionally, if your objects were modified since the last analysis, the results will not be current.



Last Analysis Button

Text Comparison

Total Access Detective offers a module (text) comparison feature that does not require your code to be in an existing module. Simply type, paste, or retrieve the text from a file. Press the [Compare Text] button at the bottom of the main form.




Compare Text Button


The text can be compared as regular blocks of text, or as VBA code, which performs procedure/property comparisons (similar to module comparison, described on page 33).

Entering Text Blocks for Comparison

Click [Compare Text] on the main form to launch the text comparison form:




There are sections for the two blocks of text to compare.

1. You can select the text from a file using the [...] button. It automatically puts the file name in the Name section and the text contents below it.
 - a. Use the Refresh button  to update the text from the file.
 - b. The [Refresh All] button  updates both text blocks with their current file text.
2. You can paste the text into the form and give it a name. By default, the names are Block 1 and 2, so use a better name to make the comparison results more understandable.

Clear Text

To clear the text for a block, click the Trash can button  next to it.

To reset the both names and text blocks, click the [Clear All] button .

Comparison Options

At the bottom of the form, there are options to specify how the text should be compared.

Treat as VBA Code

When you select the Treat as VBA option, Total Access Detective analyzes your text as if it is module or class code. This is similar to the analysis performed on modules in your database—it breaks your text into its parts (declarations, procedures, and properties) and compares it to the corresponding sections in the other text block. Identically named objects are compared (regardless of where they are located in each text block), and any lines that don't match are reported as differences. If there is not a corresponding procedure or property, the results simply show that the procedure or property exists in one but not the other.

Treat as Code

If you check this option and your text is not code, Total Access Detective treats your entire text block as if it were the general declarations section of a module. If you are not comparing code, uncheck this option to perform a simple text comparison.


Text Options

The Text Options button lets you specify how to compare the text. These options are identical to the Module Comparison options described in **Module and Macro Text Comparison Options** on page 33. The items selected to ignore are displayed next to the button.

Text Options

Text Comparison Results


Press [Run] to perform the analysis and the results are displayed:



Text Comparison Results: Differences Tab

The results are similar to macro and module comparison results. Print the results by clicking [Report], or use the [Export] button to export them.

The Identical Procedures tab displays the list of procedure names that did not have any differences. This makes it easy to confirm that no changes occurred in those procedures:




The screenshot shows a software window titled "Total Access Detective - Text Comparison Results". At the top, there are three tabs: "Text Block Differences", "Identical Procedures" (which is selected and highlighted in blue), and "Procedures with Differences". The main content area displays a list of procedures that are identical across the compared objects. The list includes:

```
(General Declarations)
GetCommandLine
GetCommandLineValues
OpenAllDatabases
OpenBackendDatabase
RelinkAllTables
RelinkTable
SetErrorTrapping
```

Text Comparison Results: Identical Procedures Tab

In addition to the Text Block Differences, see the list of procedures with differences:



The screenshot shows the same software window with the "Procedures with Differences" tab selected. The main content area displays a list of procedures that show differences between the compared objects. The list includes:

```
EncryptNumber
EncryptTables
EncryptTableField
```

Text Comparison Results: Procedures with Differences Tab

Chapter 4: Comparing Objects in Two Databases

This chapter explains Total Access Detective's Database Comparison feature, which compares objects between two databases. The results show unmatched objects, modified objects, and differences in objects with identical names. Table relationships, data, security permissions, database properties, and library references can also be compared.

Topics in this Chapter

-  [Database Comparison Overview](#)
-  [Database Preparation](#)
-  [Database Comparison Wizard](#)
-  [Generating Database Comparison](#)
-  [Viewing Results and Printing Reports](#)
-  [Results Overview](#)
-  [Unmatched Objects](#)
-  [Errors](#)
-  [Object Differences](#)
-  [Macro Differences](#)
-  [Module Differences](#)
-  [Data Differences](#)
-  [Reports](#)
-  [Compare Two Blocks of Text](#)

Database Comparison Overview

The Database Comparison wizard guides you through selecting the databases and objects to compare.

Preparing Your Database

If you want to compare certain object types in an Access database (command bars or library references), you must complete a preparation step before running the wizard (see **Database Preparation** below for details).

Starting the Database Comparison

If you prepared your database, or if you do not want to compare the objects listed above, open the TADETECT.ACCDB database.

This database is located in the folder where you installed Total Access Detective, and the Setup program creates a shortcut to the database in the Windows Start menu.

Using the Database Comparison Wizard

When the Wizard opens, follow these steps to compare the databases:

1. Specify the two databases to compare
2. Review the list of unmatched objects (objects that exist in one database but not the other)
3. Select the identically named objects for detailed analysis
4. Specify the comparison options
5. Generate the comparison and view/print the results


Database Preparation

Database preparation is not necessary if you are just comparing tables, queries, forms, reports, macros, and modules between your Access ACCDB/MDB databases. It is necessary to compare certain objects like command bars and library references.

Database preparation is required because Microsoft Access does not allow certain objects to be examined without having the database itself open. Because Database Comparison doesn't open either database, it cannot see these properties. When you prepare your database, Total Access Detective creates a separate database that contains these objects, and that database is used during analysis.


Launch the Database Prepare Add-in

To prepare your databases for comparison, open each database in Microsoft Access. Then from each database, run *Total Access Detective Prepare*.



Microsoft Access 365/2024-2016 Add-ins Menu for Launching Total Access Detective

This screen appears:



Confirm Database Preparation

Click [OK] to proceed, and a database is created in the same folder and name as your database with an extension of .DDB or .DDE for your databases with extensions *.ACCDB/*.MDB, and *.ACCDE/*.MDE respectively). This database contains information necessary for Total Access Detective to compare these objects.

Once you prepare a database, you do not need to repeat this process unless you modified or added a command bar or VBA library reference.


If you no longer need the preparation files, you can safely delete them to reclaim disk space.

Database Comparison Wizard

To compare databases, open the TADetect.ACCDB database from the folder where you installed the program, or use the shortcut in the Windows start menu under:

Total Access Detective 2026 Database Compare

This can also be found from the Windows Search bar by searching "Detective":



Windows 11 Search for "Detective"

For Windows 8, 10 and later, the Windows shortcut doesn't include the FMS level.

Total Access Detective is launched with the correct version of Microsoft Access even if you have multiple Access versions installed on your machine. This is handled by our Total Access Startup program. Please visit fmsinc.com or contact us for additional information.

When the database opens, the main form appears:




Database Comparison Wizard Main Form

The main form has the following buttons:

Button	Description
Generate New Comparison	Launch the Database Comparison wizard to compare two databases
View, Filter, and Print	View the results of the databases compared, and print reports. You can also open previously compared results.
Compare Two Blocks of Text	Compare any two blocks of text

Generating Database Comparison

To compare two databases, click [Generate New Comparison Between Two Databases], and the wizard guides you through the process:




1. Specify the two databases to compare
2. Review the list of identically named objects, and the list objects found in only one of the databases
3. Select the identically named objects to compare
4. Specify the comparison options
5. Start the object comparison

When you click [Finish], Total Access Detective examines the databases and generates the results. You can then see the database differences by selecting [View, Filter, and Print Comparison Results] from the main form.

Page 1 — Select Databases to Compare

From the main form, click [Generate New Comparison Between Two Databases] to start the comparison.




Select the Two Databases to Compare

Use the [...] buttons to locate the databases to compare, and click [Next]. If you press [Finish], all identically named objects in the two databases are compared using your last specified options.

Page 2 — Review the Identically Named Objects

Total Access Detective performs a quick analysis and displays all the identically named objects in the two databases:



Select Objects for Comparison

Use the icons on the left side to filter the list by object type. The Status column can help you determine which objects to select for comparison:

Status	Description
<none>	Objects have the same dates (most likely identical).
?	Two tables have identical dates, but their data may differ. For tables, modification dates are based on structural changes, not data entry.
!	Objects are not the same. Last Modified dates do not match.

The LinkedTable1 and LinkedTable2 columns are checked if the row is a Table and it is a linked table.

LinkedTable1 is for the table in database 1. LinkedTable2 is for the table in database 2.

Selecting Objects for Comparison

To select an object for analysis, use its corresponding check box. The [Select All] button selects all objects in the current filter, and the [Select Diffs] button selects all objects with different last modification dates (objects with the ! symbol in the status column).




Keep in mind that the last modified date does not change when data changes are made. If you want to compare table data, be sure to flag all tables with the ? symbol in the status column.

Note: For ADPs, only Access objects (forms, reports, macros, modules, command bars, and library references) can be compared.

Printing the List of Identically Named Objects

The list of identically named objects gives a quick overview of the databases— use the [Report] button for a report of these objects:



Unmatched Objects

Click the [Unmatched Objects] button for a list of objects that exist in one database, but not the other:

Unmatched Objects

Database 1: C:\Total Access Detective 2025\Samples\NorthwindDev.accdb
 Database 2: C:\Total Access Detective 2025\Samples\NorthwindStarter.accdb

Objects in Database 1 that are not in Database 2:

Type	Name
Table	Catalog_TableOfContents
Table	Companies
Table	CompanyTypes
Table	Contacts
Table	EmployeePrivileges
Table	Learn
Table	MRU
Table	OrderDetailStatus
Table	Privileges
Table	ProductCategories
Table	ProductVendors
Table	PurchaseOrderDetails
Table	PurchaseOrders
Table	PurchaseOrderStatus
Table	States
Table	StockTake
Table	Strings
Table	TaxStatus
Table	Titles
Table	UserSettings
Query	qrycboCompanyType
Query	qrycboOrderDetailStatus
Query	qrycboProductCategories

Objects in Database 2 that are not in Database 1:

Type	Name
Table	Customers
Query	qryActiveCustomers
Query	qryCustomerList
Query	qryCustomerProductSummary
Query	qryDistinctProductsThisWeek
Query	qryEmployeeDetails
Query	qryEmployeeList
Query	qryOrderDetails
Query	qryOrders
Query	qryOrders_MostRecent_OrderDate
Query	qryProducts
Query	qry rpt Sales By Product
Query	qrySales_YTD
Form	frmCustomerDetail
Form	frmCustomerList
Form	frmEmployeeDetail
Form	frmHidden
Form	frmMainMenu
Form	sfrmCustomerDetail_OrderList
Form	sfrmCustomerDetail_ProductList
Form	sfrmEmployeeDetail_OrderList
Form	sfrmMainMenu_Learn
Form	sfrmMainMenu_OrderList

Object 14 | 1 of 140 | < > | No Filter | Search | Object 14 | 1 of 37 | < > | No Filter | Search | Help | Report | Close

Unmatched Objects

This list shows you all objects that were added or deleted from either database. Review this list for a quick overview of the different objects in the databases, or use the [Report] button to generate a report.

Page 3 — Specify Comparison Options

A variety of comparison options are available for the selected objects:

Total Access Detective - Compare Databases Wizard (Page 3 of 5)

Database Comparison Options

Database 1: C:\Total Access Detective 2025\Samples\NorthwindDev.accdb
 Database 2: C:\Total Access Detective 2025\Samples\NorthwindStarter.accdb

Compare Table Data

Data Options

Record Identifier: Sequential (Table)
 Record Identifier: Sequential (Query)
 Field Comparison: All Fields
 Ignore Case: No
 Document: All (Record); All (Memo)
 Display: Compressed
 Numerical Accuracy: Exact

Compare Field Properties

Compare References

Compare Permissions
 (Only if databases are secured)

Compare Form Modules

Compare Report Modules

Text Options

Resync Lines: 3

 Property Selection

Help | Cancel | Back | Next | Finish

Database Comparison Options

Compare Table Data

When comparing tables, you can optionally compare data. Note that only data in local tables can be compared—linked tables cannot be compared. To compare linked tables, either import the tables or use the Object Comparison feature described in the previous chapter. Because tables cannot be compared between ADPs, data comparison is not available in ADPs.



Tip

Data comparison can take a significant amount of time for tables with many records. Compare local copies of your databases to reduce the documentation time.

Additional data comparison options are available from the Data Options button:

These options are identical to the data options for Object Comparison and are explained in **Data Comparison Options** on page 27.

Compare Field Properties

Select this option to compare table and query field properties. Retrieving field properties for linked tables is relatively slow. If you have many linked tables, consider using the database that contains these tables in your documentation, or unselect this option if you are not interested in field properties.

Compare References

Select this option to compare VBA (library) references between the two databases. To compare references, your databases must be prepared using the instructions on page 50.

Compare Permissions

Select this option to compare security (permissions) settings.



Tip

Microsoft Access does not allow you to access the permissions of objects unless you have sufficient security rights. The best way to avoid problems with permissions comparisons is to log into Microsoft Access as a member of the Admin group before starting Total Access Detective.

Compare Form and Report Modules

Select these options to compare the code behind the selected forms and reports. If you are only interested in layout information, you can speed up processing by turning these options off.


Module and Macro Options

Text Options

You can specify the *# of Lines to Resync* and the types of code to ignore to adjust how Total Access Detective finds differences in modules and macros. These are identical to the options under Object Comparison (explained on page 33).

Page 4 — Database Verification

If you select command bars or references for comparison, Total Access Detective checks if the database was properly prepared (as explained on page 50). Page 4 displays the preparation status:



Database Preparation Status

If you've properly prepared both databases, the indicators on this page display "Yes." If either database is not prepared, one or more of the indicators display "No," and a message appears at the bottom of the page. If this occurs, you should prepare the problem database, and restart the Database Comparison wizard.


If everything is okay, click [Next].



If you have no data access pages, command bars, or references selected, one or more of the indicators on this page will display "None Selected."

Page 5 — Storage Database

By default, Total Access Detective stores the database comparison results in a database called TAD_DB.TDA in your application data folder (it's just an Access MDB file with a TDA extension). You can change this from this screen:



Specify Database Storage Name

If the file already exists, information on the databases and when it was compared is displayed.


If you specified a file in a different folder, the [Make this the Default Storage Folder] button is enabled to let you set that as your new default folder for your output databases.

When you're ready, press [Finish] to start the analysis.

Comparisons Completed

While Total Access Detective is comparing the databases, it displays the current progress and the objects being compared. The processing time depends on the number of objects selected and their complexity.

When the comparison finishes, Total Access Detective displays the number of differences, the number of errors found, and the elapsed time for the comparison process:





Comparison Completed

Click [OK] to return to the main menu, and use the [View, Filter, and Print Comparison Results] button to see the results.

Viewing Results and Printing Reports

From the main form, select the [View, Filter, and Print Comparison Results] button to examine the results of the Database Comparison.







Database Comparison Results Menu

The top of the form shows the database name where the comparisons are stored, the names of the two databases that were compared, and when the comparison occurred. If you saved the results in different database names, you can load it with the browse [...] button.

Buttons are enabled or disabled based on the results of the comparison.





Data Differences

Table data differences.

Reports

Results reports for previewing and printing.

Results Overview



View a summary of all the differences between the objects compared between the databases.

Two tabs are available to see the number of differences by Object Type and Object Name.

Summary by Object Type Tab

The screenshot shows the 'Comparison Overview' window with two tabs: 'Summary by Object Type' (selected) and 'Summary by Object'. The main area is a table with the following data:

Object Type	Total	Number of Objects			Differences				
		In DB 1	In DB2	Identical	Selected	Different	Properties	Code	Errors
Database	1			1	1	1	8		
Table	61	1	20	20	8	8	204	14	
Query	95	12	47	18	18	18	480		
Form	70	16	26	14	14	14	828	110	
Report	22	2	10	5	5	5	132	31	
Macro	5	3		1	1	1	2	1	
Module	26	1	11	7	7	7	14	70	
Reference	12		2	5	5				
Relation	32	2	24	3	3				
Total	324	37	140	74	62	54	1,668	212	14

At the bottom are buttons for Help, Report, Export, and Close.

Comparison Overview, Object Type Tab

For each object type see:

- Number of total items for the object type
- Number in one database and not the other
- Number of identically named object
- Number selected for comparison and of those, the number that have differences
- For the differences that were found, the number of property and code differences
- Number of objects with errors that prevented them from being compared

Summary by Object Tab

For each object name, see the number of property differences and code differences, if any.

Comparison Results X Comparison Overview X

Database 1: C:\Total Access Detective 2025\Samples\NorthwindStarter.accdb
 Database 2: C:\Total Access Detective 2025\Samples\NorthwindDev.accdb

Summary by Object Type Summary by Object

Type	Name	Property Differences	Code Differences
Database	Database	8	
Form	Design	10	
Form	frmAbout	26	
Form	frmAdmin	43	14
Form	frmCredentials	23	8
Form	frmLogin	15	10
Form	frmNorthwindFeatures	158	1
Form	frmOrderDetails	156	34
Form	frmProductDetail	267	28
Form	frmStartup	2	
Form	frmWelcome	43	4
Form	sfrmAdmin_DeleteTestData	6	1
Form	sfrmAdmin_InternetOrders	14	4
Form	sfrmAdmin_ResetDates	13	1
Form	sfrmAdmin_SystemSettings	52	2
Total		1668	212

Object 14 1 of 54 > No Filter Search

Help Report Export Close

Comparison Overview, Object Tab

Unmatched Objects



Total Access Detective lists objects (tables, queries, forms, reports, macros, modules, command bars, relations, references) in one database but not the other.
 Quickly discover new or deleted objects.

Comparison Results X Unmatched Objects X

Database 1: C:\Total Access Detective 2025\Samples\NorthwindStarter.accdb
 Database 2: C:\Total Access Detective 2025\Samples\NorthwindDev.accdb

Objects in Database 1 that are not in Database 2:

Type	Name
Table	Customers
Query	qryActiveCustomers
Query	qryCustomerList
Query	qryCustomerProductSummary
Query	qryDistinctProductsThisWeek
Query	qryEmployeeDetails
Query	qryEmployeeList
Query	qryOrderDetails
Query	qryOrders
Query	qryOrders_MostRecent_OrderDate
Query	qryProducts
Query	qry rptSalesByProduct
Query	qrySales_YTD
Form	frmCustomerDetail
Form	frmCustomerList
Form	frmEmployeeDetail
Form	frmHidden
Form	frmMainMOM

Object 14 1 of 37 > No Filter Search

Objects in Database 2 that are not in Database 1:

Type	Name
Table	Catalog_TableOfContents
Table	Companies
Table	CompanyTypes
Table	Contacts
Table	EmployeePrivileges
Table	Learn
Table	MRU
Table	OrderDetailStatus
Table	Privileges
Table	ProductCategories
Table	ProductVendors
Table	PurchaseOrderDetails
Table	PurchaseOrders
Table	PurchaseOrderStatus
Table	States
Table	StockTake
Table	Strings
Table	TaxStatus

Object 14 1 of 140 > No Filter Search

Help Report Close


Unmatched Objects

See **Unmatched Objects** on page 54 for more information

Errors



Total Access Detective may be unable to compare certain objects. For instance, data comparison on tables with different structures, corrupt objects, and queries based on missing tables cannot be compared. These objects and errors (or warnings) are listed on the Errors form.



The screenshot shows the 'Comparison Errors' window with two databases selected: 'NorthwindStarter.acdb' and 'NorthwindDev.acdb'. The table lists various objects (Tables, Forms, Reports, etc.) and the error encountered during comparison. Most errors are 'Cannot compare data in tables with different structures.'.

Database	Type	Name	Error Encountered
C:\Total Access Detective 2025\Samples\	Table	Employees	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	NorthwindFeatures	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	OrderDetails	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	Orders	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	OrderStatus	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	Products	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	Welcome	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	Employees	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	NorthwindFeatures	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	OrderDetails	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	Orders	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	OrderStatus	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	Products	Cannot compare data in tables with different structures.
C:\Total Access Detective 2025\Samples\	Table	Welcome	Cannot compare data in tables with different structures.

Comparison Errors


Object Differences



Differences in property values for identically named objects are listed under [Object Differences].

If an item exists in one object and not the other, it is listed as Unmatched, but its properties are not listed.

Object Tab



The screenshot shows the 'Object Differences' window for the 'Object' tab, comparing 'NorthwindStarter.acdb' and 'NorthwindDev.acdb'. The table lists differences for various objects (Forms, Reports, etc.) across different properties like Name, Item, Property, Database 1, and Database 2. One difference is highlighted: 'frmAbout' Control [cmdClose] OnClick property in Database 1 is '[Embedded Macro]' and in Database 2 is '[Event Procedure]'.


Type	Name	Item	Property	Database 1	Database 2
Form	frmAbout	Control [Box254]	HorizontalAnchor	Both	Left
Form	frmAbout	Control [Box255]	HorizontalAnchor	Both	Left
Form	frmAbout	Control [Box256]	HorizontalAnchor	Both	Left
Form	frmAbout	Control [cmdClose]	ForeTint	60	100
Form	frmAbout	Control [cmdClose]	Left	10740	10920
Form	frmAbout	Control [cmdClose]	OnClick	[Embedded Macro]	[Event Procedure]
Form	frmAbout	Control [cmdClose]	Top	7080	6960
Form	frmAbout	Control [cmdClose]	Width	1140	1020
Form	frmAbout	Control [imgNorthwindTr]	SizeMode	Stretch	Zoom
Form	frmAbout	Control [imgNorthwindTr]	Top	120	60
Form	frmAbout	Control [Label290]	Unmatched		.Not Defined.
Form	frmAbout	Control [lblVersion]	Unmatched		
Form	frmAbout	Control [txtAbout]	ControlSource	About	=GetString(41)
Form	frmAbout	Control [txtAbout]	ForeColor	2770250	0

Object Differences, Object Tab

While viewing the results, you can view reports and export the results to a table in another database.

Filtering the List

Since the list of object differences can be large, a filter is available to limit the list by object type, name, and property. The object type and optional name filter makes it easy to select a specific object type, then by name.



Filter by Object Type and/or Name

When filtered by object type, the Object tab displays a check box to filter the list for major differences such as:

- Tables: Fields and Indexes in one table and not the other:
- Queries: Fields and Parameters in one query and not the other:
- Forms: Controls and Sections in one form and not the other:
- Reports: Controls, Groups and Sections in one report and not the other:

For more detailed filtering by object and property, select the Advanced option and click the [...] button.

Embedded Macros tab


If there are differences between embedded macros on forms and reports, an additional Embedded Macros tab is available:

Object	Embedded Macros				
Type	Name	Item	Event	Differences	Database 1
Form	frmAdmin	Control [cmdResetDates]	OnClickEmMacro	[C:\Total Access Detective 2025\Samples\Northwind.accdb] does not contain embedded macro [OnClickEmMacro]	Version =196611 ColumnsShown =0 Begin Action =SetValue Argument =[sfrmAdmin].[SourceObject] Argument ="\sfrmAdmin_ResetDates\"
Form	frmAdmin	Control [cmdDeleteTestData]	OnClickEmMacro	[C:\Total Access Detective 2025\Samples\Northwind.accdb] does not contain embedded macro [OnClickEmMacro]	Version =196611 ColumnsShown =0 Begin Action =SetValue Argument =[sfrmAdmin].[SourceObject] Argument ="\sfrmAdmin_DeleteTestData\"


Embedded Macro Differences between Forms and Reports

Advanced Filtering by Object and Property

Select the Advanced option and click the [...] button:




The Objects tab lists the objects included in the comparison.



Object and Property Filter, Objects Tab

The Properties tab lists the properties where differences were found between the two databases.



Object and Property Filter, Properties Tab .

Use the icon menu on the left to filter the object or property list, and the [Select All] and [Clear All] buttons to help you select the desired items

After selecting the objects and properties to include in the filter, click [OK] to return to the results form with the filter applied.

Filters Also Apply to Export and Reports

The filter that you select is respected when you export and print the results. For example, if you filter the list to show only differences in the Customers table, and then export the results, only the differences for that table are exported. If you filter the list to show only the RowSource property, and then print the report, only RowSource differences are printed.


Macro Differences



Total Access Detective performs line-by-line comparisons for the selected macros, and displays code differences (including modified lines and blocks of added or deleted code).

Each macro may have sub-macros (macro names) within it— Total Access Detective reports differences in sub-macros as well.

Note: Total Access Detective does not document differences in the sort order of macro names, since sort order doesn't affect the macro's behavior.



Macro Differences

These buttons are available:

Button	Description
Report	Reports for the differences and source code for each macro. Reports are available for the currently viewed macro or all the macros with differences.
Export	Export the results into a table in the database you specify

Module Differences




Total Access Detective performs line-by-line comparisons for the selected modules. If you selected the option to compare form and report modules, the code behind the selected forms and reports is also compared.

Total Access Detective does not document differences in the sort order of procedures since sort order doesn't affect the VBA code's behavior.

There are three tabs:

- Module Differences: Differences between the lines of code for identically named procedures and properties, as well as a list of unmatched procedures and properties. This includes modified lines and blocks of added or deleted code.
- Identical Procedures: List of all procedures with no differences
- Procedures with Differences: List of procedures with differences.



```
Declarations Section
Database: [C:\Total Access Detective 2025\Samples\NorthwindStarter.accdb]
4: Private Const MinCount      As Integer = 1
5: Private Const MaxCount      As Integer = 5

Database: [C:\Total Access Detective 2025\Samples\NorthwindDev.accdb]
4: Const MinCount              As Integer = 1
5: Const MaxCount              As Integer = 5


-----
Procedure cmdCreate_Click
Database: [C:\Total Access Detective 2025\Samples\NorthwindStarter.accdb]
4:           'Validation.
5: 20      If IsNull(Me.txtCount) Then
6: 30          MsgBox "Please enter a number between " & MinCount & " and " & MaxCount & ".", vbExclamation
7: 40      Else
8: 50          CreateRandomOrders Me.txtCount
9: 60      End If
10:
11: Exit_Handler:
12: 70      Exit Sub
13:
14: Err_Handler:
15: 80          g_ErrorHandler.HandleError "Form_sfrmAdmin_InternetOrders", "cmdCreate_Click"
16: 90      End If
```

Module Differences and Identical Procedures

These buttons are available:

Button	Description
Report	Reports for the differences and source code of each module. Reports are available for the currently viewed module or all the modules with differences.
Export	Export the results into a table in the database you specify

Data Differences



If you selected the option to compare table data, Total Access Detective compares the data in the two databases based on the Data Comparison options specified.

If the tables have the same key fields, the data differences results show all missing and modified records (modified records have identical key values but differences in other fields).

If the table is not keyed and you did not choose the option to treat the first field as the key field, Total Access Detective cannot determine which records are new, deleted, or modified. It compares the tables in their default sort order and reports the first record that is different.

Each table's comparison is available by selecting the table from the drop down list of table names. Only tables with data differences are listed.

Data Tab

The Data tab shows all data differences, including modified rows and rows in one table but not the other:

Comparison Results X Data Differences X

Database 1: C:\Total Access Detective 2025\samples\NorthwindDev.accdb
Database 2: C:\Total Access Detective 2025\samples\NorthwindStarter.accdb

Table: SystemSettings

Data Modified Fields

Filter: None

Diff Type Differences Num Diffs Diff Fields

1 M [SettingValue] 1:2023-03-30 2:2025-05-05 00:00:00 1 [SettingValue]
2 M [Notes] 1:[boolean] Show the Welcome Screen 2:[boolean] 1 [Notes]
3 M [SettingName] 1:TaxRate_Vendors 2:FirstTimeProcessingSuccess
[SettingValue] 1:90 2:-1
[Notes] 1:[percent] Rate paid by Northwind Traders to its vendors. Divide 3 [SettingName], [SettingValue], [Notes]
4 1 Row not present in database 2

Differences 1 2 of 4 No Filter Search Close

Help Report Export Combine

Data Differences, Data Tab

Modified Fields Tab

The Modified Fields tab displays rows that exist in both tables, but are different:

Comparison Results X Data Differences X

Database 1: C:\Total Access Detective 2025\samples\NorthwindDev.accdb
Database 2: C:\Total Access Detective 2025\samples\NorthwindStarter.accdb

Table: SystemSettings

Data Modified Fields

SettingID Record Diff Field Name Table 1 Table 2

1 4 1 SettingValue 2023-03-30 2025-05-05 00:00:00
2 5 1 Notes [boolean] Show the Welcome Screen [boolean]
3 6 1 SettingName TaxRate_Vendors FirstTimeProcessingSuccess
4 6 2 SettingValue 90 -1
5 6 3 Notes [percent] Rate paid by Northwind Traders to its [boolean] Did we successfully complete first-time run

Field Diff 1 3 of 5 No Filter Search Close

Help Report Export Combine

Data Differences, Modified Fields Tab

While viewing the results, these options are available:

Button	Description
Report	Select a report to print, preview, report view, or export
Export	Export the results to a table in a database you specify
Combine	Combine the data from the tables into a new table

The results include these fields:


Fields	Description
Differences	The field values which differ. This can be quite large. Expand the height of the record or use the zoom feature ([Shift]+[F2]) to view the whole field.
Num Diffs	Number of fields with different values
Diff Type	Difference type (see below)
Diff Fields	Names of the fields that differ
Key Field(s)	Key field(s) that identify the record

The “Diff Type” field identifies how the record differs—use this field to identify differences quickly:

Diff Type	Description
1	Record exists in table 1 but not table 2.
2	Record exists in table 2 but not table 1.
M	Record exists in both tables and is modified.
N	Differences exist for tables without a primary key.

Combine Tables

When viewing table data differences, Total Access Detective allows combining the data into a new table. This powerful feature is available by clicking the [Combine] button to open this form:




Combine Table Data Form

Browse for a database to create the combined table in, and select a name for the table.

The remaining options are similar to the **Combining Data Between Two Tables** feature on page 41.

Reports



The Reports feature allows you to print several reports simultaneously, rather than from each of their respective sections.

This form lets you select the reports:

Select Reports			
Selected	Category	Report Name	Description
<input checked="" type="checkbox"/>	Summary	Database Comparison Summary	Summary of database differences
<input type="checkbox"/>	Summary	Objects in Both Databases	Objects with the same name in both databases
<input type="checkbox"/>	Summary	Objects in Database 1 Not in Database 2	Object names in database 1 but not in database 2
<input type="checkbox"/>	Summary	Objects in Database 2 Not in Database 1	Object names in database 2 but not in database 1
<input type="checkbox"/>	Summary	Selected Objects	List of selected objects
<input type="checkbox"/>	Summary	Selected Objects with Differences	Objects with the same name in both databases and Selected objects with no differences
<input type="checkbox"/>	Summary	Selected Objects that are Identical	Selected objects with no differences
<input type="checkbox"/>	Objects	Object Property Differences (Portrait)	Property differences for each object in portrait mode
<input type="checkbox"/>	Objects	Object Property Differences (Landscape)	Property differences for each object in landscape mode
<input type="checkbox"/>	Objects	Object Embedded Macro Differences	Differences between embedded macros on forms and reports
<input type="checkbox"/>	Objects	Embedded Macro Lines for Database 1	Embedded macro lines in database 1
<input type="checkbox"/>	Objects	Embedded Macro Lines for Database 2	Embedded macro lines in database 2
<input type="checkbox"/>	Data	Data Differences Summary	Summary of data differences between tables
<input type="checkbox"/>	Data	Table Record Count Overview	List of all selected tables, records, and differences
<input type="checkbox"/>	Data	Data Differences Fields Compared	List of fields compared for data differences
<input type="checkbox"/>	Data	Data Differences (All)	All new, modified, and deleted records between tables
<input type="checkbox"/>	Data	Data Differences (New in Database 1)	New records in database 1 for indexed tables

Report Selections

The following options are available on the Reports form:

Button	Description
Preview	Preview the current report your cursor is on (it does not need to be selected).
View	Open the current report in Report View which supports ad hoc filtering.
Print	Send the selected (checked) reports to the printer.
Export	Export the selected (checked) reports to a variety of formats in a folder you specify.

Note that the reports here do not have filtering. They include all the objects and properties or code for its category. If you only want a subset, view the data from the other forms and print it from there. You can also use the [View] button to open reports in Report View and use the built-in Access options to apply filtering.

See **Appendix: Sample Reports** on page 79 for details and examples.

Compare Two Blocks of Text

From the main form, select [Compare Two Blocks of Text] to compare. The functionality is identical to the “Text Comparison” feature available under Object Compare, which is described on page 45.



Chapter 5: Additional Topics

This chapter contains additional information about the Total Access Detective files and functionality. You do not need to read this chapter to use Total Access Detective, however it provides a deeper understanding of how the program works.

Topics in this Chapter

-  **How the Program Works**
-  **Comparing Two Databases from a Command Line**
-  **Special Date Comparison Issues**

How the Program Works

Architecture

Total Access Detective is written completely in Microsoft Access using VBA. It works in two distinct modes:

- **Two Object Comparison**

Launched as an Access add-in while you are in the database with the objects to compare

- **Two Database Comparison**

Launched as an Access database to point to your two databases

In both cases, Total Access Detective compares your objects without modifying them.

For two object comparison, the objects are placed into design mode, compared, and closed without saving any changes. For two database comparisons, objects are imported into our database and opened for comparison without affecting the source object.

Temporary Files

Total Access Detective stores its results as temporary files in your Windows Profile folder which is usually in:

C:\Users\<UserName>\AppData\Roaming\FMS\Total Access Detective\26.0

The location of your Application Data folder depends on your Windows user settings.

By default, Object Comparison stores its results in an Access database (extension*.TDA) in your Windows Application Data folder.

Comparing Two Databases from a Command Line

There may be situations where you want to compare the same two databases repeatedly. You can create a Windows shortcut to point to your two databases to launch Total Access Detective and have it automatically compare all the common objects between your two databases using the settings from the last session and store the results in a database you specify.

Here's an example:

```
"C:\Program Files\Microsoft Office\Office16\MSACCESS.EXE"  
"C:\Total Access Detective 2026\tadetect.accdb"  
/cmd "C:\Northwind1.accdb;C:\Northwind2.accdb;  
C:\Output\NorthwindCompare.tda"
```

Shortcut Syntax

There are three parts to the command line. The first two are for Access to open the Total Access Detective database for comparing the two databases:

1. Microsoft Access path

The first part is the full path to the Microsoft Access program (MSACCESS.EXE).

2. Total Access Detective database path.

The second part is the full path to the Total Access Detective database comparison file: TADETECT.ACCDB.

3. Command Line Parameter

The third part is the command /cmd parameter with quotes around the full path to the two databases separated by a semicolon.

You can optionally add a third database name which is the database that stores the results. If you don't include it, the default Total Access Detective database name is used, but that is overwritten the next time it runs. If you

are comparing multiple pairs of databases, you'll want to specify the output database name uniquely for each pair so you can view them later.

You can name the storage database with any extension but we recommend using the *.TDA extension for consistency with other Total Access Detective storage files.

Only One Comparison at a Time

You can only run one instance of Total Access Detective at a time. You can run Total Access Detective with the command line consecutively but not simultaneously.

Special Date Comparison Issues

Total Access Detective uses Visual Basic for Applications (VBA) code to retrieve and store property values, and stores them in an Access table. If the property value is a date (for example, the DateModified property), Total Access Detective reads the value as a date. Since it stores all differences internally as string values, it stores dates according to the current Windows settings for date handling.

This means that Total Access Detective's date comparison results may not display the full four digits year. If Total Access Detective shows a date property difference, you should use Access to view the actual property values to determine the differences.



Use the Windows Control Panel Regional Settings to view and change your date settings. Refer to your Windows help file for more information about regional settings.

Chapter 6: Troubleshooting and Support

This chapter provides information about troubleshooting problems that arise and obtaining support for Total Access Detective.

Topics in this Chapter

-  **Support Resources**
-  **Web Site Support**
-  **Technical Support Options**
-  **Contacting Technical Support**

Support Resources

There are many resources available to help you resolve issues you may encounter. Please check the following:

Readme File

Check the README file for the latest product information. The README file is located in the directory where you installed the product.

Product Documentation

We've spent a great deal of care and time to make sure the Total Access Detective manual and help file are very detailed. Check the Table of Contents and Index for your question, and read the appropriate pages.

Web Site Support

The FMS web site contains extensive resources to help you use our products better. Resources include product updates, frequently asked questions (FAQs), forums, information on new versions, betas, and other resources.

Web Site

The FMS web site is located at:

<https://fmsinc.com/>

News and important announcements are posted here.

Support Site

The main support page is located at:

<https://support.fmsinc.com/>

From this page, you can quickly locate the other support resources.

Product Updates

FMS takes product quality very seriously. When bugs are reported and we can fix them, we make the updates available on our web site. If you are encountering problems with our product, make sure you are using the latest version.

Product updates can also be checked using the update wizard. See **Using the Update Wizard** on page 21 for details.

Frequently Asked Questions (FAQs)

Common questions and additional information beyond what is in the manual is often available from our FAQs.

Microsoft Patches

Our support site also includes links to Microsoft patches that are related to our products. Make sure you're using the latest versions by checking here or visiting the Microsoft site.

Technical Support Options

FMS is committed to providing professional support for all of our products. We offer free access to our online FAQs and forums. Bug reports, feature requests, suggestions, and general pre-sales questions related to our products are always available at no cost.

Additional maintenance plans are available to provide subscribers with enhanced technical support. This is the best way for you to stay current with the rapidly changing technologies that impact project development, and to ensure you are getting the maximum return from your software investment. Please visit our web site, <https://fmsinc.com/>, for the most up-to-date information.

Features & Benefits	Premium	Incident	Standard
Access to FAQs	✓	✓	✓
Access to Forums	✓	✓	✓
Minor Upgrades/ Bug Fixes	✓	✓	✓
Telephone Support	✓	Per incident	First 30 Days
Email Support	✓	Per incident	First 30 Days
Priority Response Time ¹	✓	✓	
Senior Engineer Support Team	✓	✓	
Email Project for Testing	✓	✓	
Programmatic Code Assistance ²	✓	✓	
Major Upgrades for Current Version (not between Access versions)	✓	Additional fee	Additional fee
Cost	Annual Fee	Fee Per Incident	Included
<p>1. Response generally within two business days. Actual resolution may take longer depending on complexity of the issue reported.</p> <p>2. Custom Programming implementation is not provided in our Support Maintenance plans. For products that include a programmatic interface, we can provide instructions for using our programmatic interface, and show examples, but we do not implement this into your projects. This service is available from our Professional Solutions Group.</p>			

Premium Subscription

The Premium Subscription is the ideal option for customers seeking the highest level of support from FMS. The annual fee entitles you to telephone and email technical support from a senior support engineer.

From time to time, FMS may release new versions of existing products which add new features. These are point releases (e.g. from version 26.0 to 26.1) and are different from new builds that correct problems in existing features (e.g. from version 16.00.0001 to 16.00.0002).

These point releases are available for a nominal upgrade fee to existing customers. Premium Technical Support subscribers receive these upgrades automatically and for no additional charge during their subscription term.

NOTE: Upgrades between versions (for instance going from Access 2013 to Access 2016) are not considered Point Release Upgrades and are not included in the Premium Subscription.

Subscriptions are available for a twelve month period, and may be purchased at any time. You must be the registered owner of the product to purchase a subscription and the only person contacting FMS for support under the subscription.

Please ensure you have purchased the Subscription you need for Total Access Detective.

Per Incident

Our Per Incident package is available individually or by purchasing multiple incidents in advance. The Per Incident support package provides telephone and email technical support from a Senior Technical Support Engineer for resolving one incident.

An incident is defined as a single question related to one of our products. The Per Incident period is from start to finish (report of the incident to resolution) for a single incident. If you anticipate multiple questions for a single product, we recommend purchasing the Premium Subscription.

Standard Subscription

Our Standard Subscription comes with every product purchased for no additional cost. The standard subscription comes with access to our FAQs and forums, and responses to bug reports and feature requests for that version.

Please note that the person requesting support must also be the registered user of the product. Registration is required and will be requested by our Technical Support professionals.

Contacting Technical Support

If the troubleshooting suggestions and other support resources fail to resolve your problem, please contact our technical support department. We are very interested in making sure you are satisfied with our product.

Registering Your Software

You must be registered to receive technical support. Registration also entitles you to free product updates, notifications, information about upcoming products, and beta invitations. You can even receive free email notification of our latest news.

If you purchased your product directly from FMS, you are already registered. If not, Contact Us.

Contact Us

The best way to contact us is to submit a ticket on our support site:

<https://support.fmsinc.com/>

Please provide detailed information about the problem that you are encountering. This should include the name and version of the product, your operating system, and the specific problem. If the product generated an error file, please submit that as well.

Our ticketing system will let you track the progress of your issue and see the entire thread of communications and file attachments.

Please bear in mind that a unique issue may involve meetings between the technical support staff and product developers, so your patience is appreciated.

Microsoft Technical Support

FMS only provides technical support for its products. If you have questions regarding Microsoft products, please contact Microsoft technical support.

Appendix: Sample Reports

This section provides samples of the reports available in Total Access Detective.

Items in the Appendix

Object Comparison Reports

- Object Property Differences
- Fields Compared for Data Differences
- Data Differences by Record
- Field Differences of Modified Records
- Macro Differences
- Macro Lines
- Module Differences
- Module Printout

Database Comparison Reports

- Summary of Database Differences
- Objects in Both Databases
- Objects Not in One Database
- Selected Objects with Differences
- Selected Objects that are Identical
- Object Property Differences
- Data Differences Summary
- Data Differences Fields Compared
- Data Differences
- Macro Differences
- Macro Lines
- Module Differences
- Module Printout
- Comparison Errors
- List of Reports

Object Comparison Reports

The Object Comparison feature includes several reports for viewing and printing the differences between two objects in a database.

Object Property Differences

This report shows the differences between the two selected objects. It can display differences between tables, fields, data access pages, queries, forms, reports, controls, command bars, permissions, and relationships.

Total Access Detective		Form Differences		Compared: 18-Jun Time: 1:47:33 PM
Item	Property	Contact Details	Contact Details1	
	Control [Attachments]			
	BeforeUpdate			[Event Procedure]
	Left	5880		5640
	Top	915		795
	Control [Auto_Title0]			
	ControlSource	=Nz([Contact Name],"Untitled")		=Nz([Contact Name],"No Title")
	TabIndex	6		3
	Control [ZIP/Postal Code_Label]			
	Left	600		360
	Module	Contact Details	Contact Details1	
	Property			
	AllowDatasheetView	No		Yes
	AllowPivotChartView	No		Yes
	AllowPivotTableView	No		Yes

Object Property Differences Report

Fields Compared for Data Differences

This report shows the fields that were matched for data comparison. The field names are identical between tables, unless comparison was performed by field order. The report displays the field name from each table, and whether it is a key field. For non-keyed tables or queries, if the option is selected to treat the first field as a unique identifier, that field is shown as a Key Field.

Total Access Detective		Fields Compared for Data Differences		Compared: 18-Jun Time: 1:06:46 PM
		Table 1 : Contacts	Table 2 : Contacts1	
Field ID	Field Name from Table 1	Field Name from Table 2	Key Field	
1	ID	ID	<input checked="" type="checkbox"/>	
2	Company	Company	<input type="checkbox"/>	
3	Last Name	Last Name	<input type="checkbox"/>	
4	First Name	First Name	<input type="checkbox"/>	
5	E-mail Address	E-mail Address	<input type="checkbox"/>	
6	Job Title	Job Title	<input type="checkbox"/>	
7	Business Phone	Business Phone	<input type="checkbox"/>	

Fields Compared for Data Differences

Data Differences by Record

This report shows the data differences between the selected tables. It displays the key fields for the new and modified records, along with the number of fields that differ, the field names, and the actual differences. See **Data Comparison** on page 38 for more information.

Total Access Detective		Data Differences by Record	Compared: 18-Jun
		All Differences	Time: 1:06:46 PM
Table 1 : Contacts			
Table 2 : Contacts1			
1	Key Fields: [ID]=2 Field Diffs: [Attachments] Differences: [Attachments] No data in 2		Modified Num Diffs: 1
2	Key Fields: [ID]=3 Field Diffs: [Attachments] Differences: [Attachments] No data in 1		Modified Num Diffs: 1
3	Key Fields: [ID]=4 Field Diffs: [Job Title] Differences: [Job Title] 1:Sales Manager 2:Sales Representative		Modified Num Diffs: 1

Data Differences by Record Report

Field Differences of Modified Records

This report shows the data differences for modified records in the selected tables side by side. It displays the key fields, along with the number of fields that differ, the field names, and the actual differences. This report only shows records that were modified, not records that exist in one table and not in the other (records that were inserted or deleted).

Total Access Detective		Field Differences of Modified Records		Compared: 18-Jun		
				Time: 1:06:46 PM		
Table 1: Contacts						
Table 2: Contacts1						
Key Fields	Record Diff	Field	Table 1	Table 2		
[ID]=2	1	Attachments		No data in 2		
[ID]=3	1	Attachments	No data in 1			
[ID]=4	1	Job Title	Sales Manager	Sales Representative		
[ID]=6	1	Category	Null	Personal		
[ID]=8	1	Last Name	King	Smith		

Field Differences of Modified Records

Macro Differences

This report shows the differences between the selected macros.

Total Access Detective	Macro Differences	Compared: 18-Jun Time: 1:58:07 PM
Macro 1: Search Macro 2: Search1		
Macro: [Search] 1: {Condition} [Form]![SearchBox] Is Null Or [Form]![SearchBox]="" {Filter Name} {Where Condition} "" {Control Name} {Comment} Clear Filter when search box empty 2: {Condition} ... {Control Name} SearchBox 3: {Condition} ... {Control Name} SearchClear {Property} 0 {Value} 0 4: {Condition} ... {Control Name} SearchGo {Property} 0 {Value} -1 5: {Condition} [CurrentProject].[IsTrusted] And ([Form]![SearchBox] Is Null Or [Form]![SearchBox]=""") {Item} [SearchBox].[Text] {Expression} "" Macro: [Search1] 1: {Condition} [Form]![SearchBox] Is Null {Filter Name} {Where Condition} "" {Control Name} {Comment} Clear Filter when search box empty 2: {Condition} ... {Control Name} SearchBox 3: {Condition} ... {Control Name} SearchClear {Property} 0 {Value} 0 4: {Condition} ... {Control Name} SearchGo {Property} 0 {Value} 0 5: {Condition} [CurrentProject].[IsTrusted] And ([Form]![SearchBox] Is Null Or [Form]![SearchBox]=""") {Item} [SearchBox].[Text] {Expression} ""		

Macro Differences Report

There are similar reports for Embedded Macro differences on forms and reports.



This report displays the blocks of code that are different. If your code is large and complex, use this report in conjunction with the Macro Lines report to determine the complete context of each block of code.

Macro Lines

This report shows the complete source code for the selected macros. Along with the code, the report displays line numbers, which are reset to 1 at the beginning of each macro name. These line numbers are referenced in the **Macro Differences** report.

Total Access Detective	Macro Lines	Compared: 18-Jun Time: 11:57:41 AM
Macro: Search		
1 {Condition} [Form]![SearchBox] Is Null Or [Form]![SearchBox]="" {Filter Name} {Where Condition} "" {Control Name} {Comment} Clear Filter when search box empty 2 {Condition} ... {Control Name} SearchBox 3 {Condition} ... {Control Name} SearchClear {Property} 0 {Value} 0 4 {Condition} ... {Control Name} SearchGo {Property} 0 {Value} -1 5 {Condition} [CurrentProject].[IsTrusted] And ([Form]![SearchBox] Is Null Or [Form]![SearchBox]=""") {Item} [SearchBox].[Text] {Expression} "" 6 {Condition} [Form]![SearchBox] Is Null Or [Form]![SearchBox]="" 7 8 {Condition} VarType([Form]![SearchBox])<>8		

Macro Lines Report

There are similar reports for Embedded Macro differences on forms and reports.

Module Differences

This report shows the differences between the selected modules.

Total Access Detective	Module Differences	Compared: 18-Jun Time: 2:02:43 PM
Module 1: CFile Module 2: CFileDialog		
Procedure (General Declarations) Module: [CFile] 5: ' Class : CFileDialog Module: [CFileDialog] 5: Option Compare Database 6: Option Explicit 7: 8: ' Class : CFileDialog		

Procedure (General Declarations) Module: [CFile]		

Module Differences Report



This report only displays the blocks of code that are different. If your code is large and complex, use this report in conjunction with the Module Source Code report to determine the complete context of each block of code.

Identical Procedures

This report shows the list of procedures that are identical between the two modules. This makes it easy to confirm nothing changed in those procedures. Procedures are not listed if the entire module is identical.

Total Access Detective	Identical Procedures	Compared: 25-Oct Time: 5:08:48 PM
Module 1: clsTAD_Prepares Module 2: clsTAD_Prepares2		
(General Declarations) Initialize Class_Terminate pPrepareFileCreate pDDBPropsTableFill PrepareDatabase WriteDB PrepareImportExport PrepareCommandBars pPrepareCommandBarControls WriteCB WriteCBB PreparePages WritePage PrepareReferences WriteRef WriteObject WriteModule WriteProperty pCheckWriteNewProperty		

Identical Procedure Names

Module Printout

This report shows the complete source code for the selected modules. Along with the code, the report displays line numbers, which are reset to 1 at the beginning of each procedure. These line numbers are referenced in the **Module Differences** report.

Total Access Detective	Source Code Printout	Compared: 18-Jun Time: 2:02:43 PM
Module: CFile		
<pre>1 Attribute VB GlobalNameSpace = False 2 Attribute VB Creatable = False 3 Attribute VB PredeclaredId = False 4 Attribute VB Exposed = False 5 ' Class : CFileDialog 6 ' Description : Class for displaying the File Open/Save Common Dialog. 7 ' Source : Total Visual SourceBook 8 9 Private Type OPENFILENAME 10 lStructSize As Long 11 hwndOwner As Long 12 hInstance As Long 13 lpstrFilter As String</pre>		

Module Printout Report

Database Comparison Reports

The Database Comparison feature includes several reports for viewing and printing the differences between two databases. View a list of all available reports by clicking the [Reports] button from the View Menu.

Summary of Database Differences

This report shows a summary of the database comparison:

Total Access Detective		Summary of Database Differences					Compared: 18-Jun Time: 11:00:19 AM			
Object Type	Total Objects	In DB 1		In DB 2		Identical Names	Selected Objects	Differences		
		Not DB 2	Not DB 1	Not DB 1	Objects			Properties	Code	Errors
Database	2			1	1	1	1	2		
Table	11	1	2	4	4	4	4	50		
Query	2			1	1	1	1	44		
Form	8			4	4	2	2	134		
Report	7		3	2	2	1	1	35		
Page	0									
Macro	7		1	3	3	2	2	4	6	
Module	5	1		2	2	1	1	3	52	
CommandBar	0									
Reference	8			4	4					
ImportExport	4	2	2							
Total	54	4	8	21	21	12	272	58		

Data Difference Summary for Tables with or without a Primary Key					
Primary Key	Tables with Differences	Records New in 1	Records New in 2	Records Modified	Total Records New + Modified
<input checked="" type="checkbox"/>	1			7	7

Summary of Database Differences Report

Objects in Both Databases

This report shows a list of objects that have identical names and object types in both databases, along with their modification dates and whether they were selected for comparison. This report is also available from page 2 of the Database Comparison wizard (see [Printing the List of Identically Named Objects](#) on page 54 for details).

Total Access Detective		Objects in Both Databases			Compared: 18-Jun	Time: 11:00:19 AM
		Object Name	Selected	Different Dates	Database 1 Last Modified	Database 2 Last Modified
Form						
Contact Details		<input checked="" type="checkbox"/>	<input type="checkbox"/>		6/16 2:56:12 PM	6/16 2:56:12 PM
Contact List		<input checked="" type="checkbox"/>	<input type="checkbox"/>		6/16 2:56:13 PM	6/16 2:56:13 PM
Filter Details		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		6/18 10:34:55 AM	6/18 10:33:50 AM
Getting Started		<input checked="" type="checkbox"/>	<input type="checkbox"/>		6/16 2:56:12 PM	6/16 2:56:12 PM
Macro						
AutoExec		<input checked="" type="checkbox"/>	<input type="checkbox"/>		6/16 2:56:13 PM	6/16 2:56:13 PM
Filters		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		6/18 10:34:56 AM	6/18 10:33:50 AM
Search		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		6/18 10:34:56 AM	6/18 10:33:50 AM
Module						
CFileDialog		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		6/17 3:02:20 PM	6/18 10:31:46 AM
modMapping		<input checked="" type="checkbox"/>	<input type="checkbox"/>		6/16 2:56:13 PM	6/16 2:56:13 PM
Query						
Contacts Extended		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		6/16 2:56:13 PM	6/18 10:41:17 AM

Objects in Both Databases Report

The Selected Objects report is similar and only shows the objects selected for comparison.

Objects Not in One Database

Two reports show objects only in one of the two databases:

- Objects in Database 1 Not in Database 2
- Objects in Database 2 Not in Database 1

Use these reports to determine which objects were added or deleted.

Total Access Detective		Objects in Database 1 Not In Database 2		Compared: 18-Jun	Time: 11:00:19 AM
		Object Type	Object Name		
ImportExport					
ImportExport					
Export-Contacts Table					
ImportExport					
Import-Students Table					
Module					
Module					
CFile					
Table					
Table					
Contacts1					

Objects Not in One Database Report

Selected Objects with Differences

This report shows a list of objects that exist in both databases that have differences with the number of property and/or code differences in each, plus a summary by object type.

Total Access Detective		Objects with Differences		Compared: 18-Jun					
				Time: 11:00:19 AM					
Database 1: C:\Contacts\Contacts.accdb									
Database 2: C:\Contacts\Contacts_New.accdb									
Object Type	Object Name		Property Differences	Code Differences					
Database			2						
	Total Database Differences		2						
Form	Contact Details		132						
	Filter Details		2						
	Total Form Differences		134						
Macro	Filters		2	2					
	Search		2	4					
	Total Macro Differences		4	6					
Module	CFileDialog		3	52					
	Total Module Differences		3	52					
Query	Contacts Extended		44						
	Total Query Differences		44						

Selected Objects with Differences Report

Selected Objects that are Identical

This report shows objects selected for comparison that do not have differences.

Total Access Detective		Identical Objects in Both Databases		Compared: 18-Jun					
				Time: 11:00:19 AM					
Database 1: C:\Contacts\Contacts.accdb									
Database 2: C:\Contacts\Contacts_New.accdb									
Object Name		Different Dates	Database 1 Last Modified	Database 2 Last Modified					
Form									
	Contact List	<input type="checkbox"/>	6/16 2:56:13 PM	6/16 2:56:13 PM					
	Getting Started	<input type="checkbox"/>	6/16 2:56:12 PM	6/16 2:56:12 PM					
Macro									
	AutoExec	<input type="checkbox"/>	6/16 2:56:13 PM	6/16 2:56:13 PM					
Module									
	modMapping	<input type="checkbox"/>	6/16 2:56:13 PM	6/16 2:56:13 PM					
Reference									
	Access								
	DAO								
Report									
	Phone Book	<input type="checkbox"/>	6/16 2:56:13 PM	6/16 2:56:13 PM					

Selected Objects that are Identical Report

Object Property Differences

This report shows the property differences between the selected pairs of identically named objects in the two databases. It includes differences in tables, fields, queries, forms, reports, data access pages, controls, command bars, and permissions. This report does not include macro, module, or data differences.

There are two Object Property Differences reports with different layouts:

- Object Property Differences (Portrait)
- Object Property Differences (Landscape)

Total Access Detective		Object Differences		Compared: 18-Jun Time: 11:00:19 AM					
Database 1: C:\Contacts\Contacts.accdb									
Database 2: C:\Contacts\Contacts_New.accdb									
Property		Database 1		Database 2					
Object Type: Database									
Database									
Name		C:\Contacts\Contacts.accdb		C:\Contacts\Contacts_New.accdb					
UseMDIMode		Overlapping Windows		Tabbed Documents					
Object Type: Form									
Form Contact Details									
AllowDatasheetView	No			Yes					
AllowPivotChartView	No			Yes					
AllowPivotTableView	No			Yes					
AutoCenter	Yes			No					
AutoResize	Yes			No					
BorderStyle	Sizable			None					
Caption				Contact Details					

Object Property Differences Report

Data Differences Summary

This report shows a summary of the data differences between the selected tables. It displays the number of new records and modified records in each table. See **Compare Table Data** on page 56 for details.

Total Access Detective		Summary of Data Differences				Compared: 18-Jun Time: 11:00:19 AM							
Database 1: C:\Contacts\Contacts.accdb													
Database 2: C:\Contacts\Contacts_New.accdb													
Table Name		Records in 1	Records in 2	New in 1	New in 2	Modified	New + Modified						
Tables with a Primary Key													
Contacts		8	8			7	7						
Totals		8	8	0	0	7	7						
Grand Total		8	8	0	0	7	7						

Data Differences Summary Report

Data Differences Fields Compared

By default, identical field names are compared. If you choose another data comparison option such as comparing fields based on field order or only comparing identically named tables, this report shows which fields were compared to each other. For non-keyed tables, if you choose to treat the first field as a unique identifier, it is shown as the Key Field.

Total Access Detective		Fields Compared for Data Differences		Compared: 18-Jun Time: 11:00:19 AM		
Database 1: C:\Contacts\Contacts.accdb						
Database 2: C:\Contacts\Contacts_New.accdb						
Name	Field ID	Field Name from Database 1	Field Name from Database 2	Key Field		
Contacts						
	1	ID	ID	<input checked="" type="checkbox"/>		
	2	Company	Company	<input type="checkbox"/>		
	3	Last Name	Last Name	<input type="checkbox"/>		
	4	First Name	First Name	<input type="checkbox"/>		
	5	E-mail Address	E-mail Address	<input type="checkbox"/>		
	6	Job Title	Job Title	<input type="checkbox"/>		
	7	Business Phone	Business Phone	<input type="checkbox"/>		
	8	Home Phone	Home Phone	<input type="checkbox"/>		
	9	Mobile Phone	Mobile Phone	<input type="checkbox"/>		
	10	Fax Number	Fax Number	<input type="checkbox"/>		
	11	Address	Address	<input type="checkbox"/>		

Data Differences Fields Compared Report

Data Differences

Several reports are available to show the data differences between the selected tables:

- Data Differences (All):
Shows all data differences between tables.
- Data Differences (New in Database 1)
Shows new records in database 1 for indexed tables.
- Data Differences (New in Database 2)
Shows new records in database 2 for indexed tables.
- Data Differences (Modified Only)
Shows modified records for indexed tables.
- Data Differences (Non-Keyed Tables)
Shows the first modified record for un-indexed (non-keyed) tables.

These reports display the key fields for the new and modified records, along with the number of fields that differ, the field names, and the actual differences. See **Compare Table Data** on page 56 for details.

Total Access Detective	Data Differences All Differences	Compared: 18-Jun Time: 11:00:19 AM
Database 1: C:\Contacts\Contacts.accdb		
Database 2: C:\Contacts\Contacts_New.accdb		
Table: Contacts		
1	Key Fields: [ID]=2 Field Diffs: [Attachments] Differences: [Attachments] No data in 2	Modified Num Diffs: 1
2	Key Fields: [ID]=3 Field Diffs: [Attachments] Differences: [Attachments] No data in 1	Modified Num Diffs: 1
3	Key Fields: [ID]=5 Field Diffs: [Last Name], [First Name], [Job Title], [Home Phone], [Address], [ZIP/Postal Code], [Notes], [Category] Differences: [Last Name] 1:Buchanan 2:Suyama [First Name] 1:Steven 2:Michael [Job Title] 1:Sales VP 2:Sales Representative	Modified Num Diffs: 8

Data Differences (All) Report

Macro Differences

This report shows the differences between the selected macros.

Total Access Detective	Macro Differences	Compared: 18-Jun Time: 11:00:19 AM
Macro: Search		
Database: [C:\Contacts\Contacts.accdb]		
1: {Condition} [Form]![SearchBox] Is Null Or [Form]![SearchBox]="" {Filter Name} {Where Condition} "" {Control Name} {Comment} Clear Filter when search box empty		
2: {Condition} ... {Control Name} SearchBox		
3: {Condition} ... {Control Name} SearchClear {Property} 0 {Value} 0		
4: {Condition} ... {Control Name} SearchGo {Property} 0 {Value} -1		
Database: [C:\Contacts\Contacts_New.accdb]		
1: {Condition} [Form]![SearchBox] Is Null {Filter Name} {Where Condition} "" {Control Name} {Comment} Clear Filter when search box empty		
2: {Condition} ... {Control Name} SearchBox		
3: {Condition} ... {Control Name} SearchClear {Property} 0 {Value} 0		
4: {Condition} ... {Control Name} SearchGo {Property} 0 {Value} 0		
Database: [C:\Contacts\Contacts.accdb]		
18: {Condition} [Form].[Name]=""Guardian List" SetTempVar {Name} strFilter {Expression} [Temp\Vars]![strFilter] & " OR ([Company] Like ""*"" & [Temp\Vars]![strSearch] & "*""")		

Macro Differences Report

There are similar reports for Embedded Macro differences on forms and reports.



This report only displays the blocks of code that are different. If your code is large and complex, use this report in conjunction with the Macro Source Code report for the complete context of each block of code.

Macro Lines

This report shows the complete source code for the selected macros. Along with the code, the report displays line numbers, which start at 1 for each macro name. These line numbers are referenced in the **Macro Differences** report. This report is available in these formats:

- Macro Lines from Database 1
- Macro Lines from Database 2
- Macro Lines from Both Databases

The lines from the same macro from each database are printed one after the other. For short macros, both macros can appear on one page for visual comparison.

Total Access Detective	Macro Lines	Compared: 18-Jun Time: 11:00:19 AM
AutoExec	C:\Contacts\Contacts.accdb	
1 {Form Name} Contact List {View} Form {Filter Name} {Where Condition} {Data Mode} -1 {Window Mode} Normal		
2 {Condition} DFirst("ShowGettingStarted","Settings") {Form Name} Getting Started {View} Form {Filter Name} {Where Condition} {Data Mode} -1 {Window Mode} Normal		
Filters	C:\Contacts\Contacts.accdb	
1		
2 {Comment} Macro can't be run from the navigation pane.		
3 {Control Name} cboFilterFavorites {Property} 0 {Value} 0		
4		
Macro Group: ApplyFilterFavorite		
1		
2 {Condition} IsNull([Screen].[ActiveControl]) Or [Screen].[ActiveControl]=0 {Macro Name} Filters.ClearFilter {Repeat Count} {Repeat Expression} {Comment} Clear Filters.		
3 {Condition} ...		
4 {Condition} [Screen].[ActiveControl]=-1 {Macro Name} Filters.Manage {Repeat Count} {Repeat Expression} {Comment} Manage Filters.		

Macro Lines Report

There are similar reports for Embedded Macro differences on forms and reports

Module Differences

These reports show the differences between the selected modules:

- All Module Differences (Form, Report and Standard Module differences)
- Standard Module Differences
- Form Module Differences
- Report Module Differences

Total Access Detective	Module Differences	Compared: 18-Jun Time: 11:00:19 AM
Module: CFileDialog		
<pre>Procedure (General Declarations) Database: [C:\Contacts\Contacts.accdb] 5: Option Compare Database 6: Option Explicit 7: 8: ' Class : CFileDialog Database: [C:\Contacts\Contacts_New.accdb] 5: ' Class : CFileDialog</pre> <hr/> <pre>Procedure (General Declarations) Database: [C:\Contacts\Contacts.accdb] 35: Private Declare Function GetOpenFileName Lib "comdlg32.dll" Alias "GetOpenFileNameA" (pOpenfilename As OPENFILENAME) As Long 36: Private Declare Function GetSaveFileName Lib "comdlg32.dll" Alias "GetSaveFileNameA" (pOpenfilename As OPENFILENAME) As Long 37: Database: [C:\Contacts\Contacts_New.accdb] 32: Private Declare Function GetOpenFileName _</pre>		

Module Differences Report



Tip

This report only displays the blocks of code that differ. If your code is large and complex, use this report with the Module Code report to determine the complete context of each block of code.

Module Identical Procedures

This report shows all the procedure names with no differences for modules that have other differences. If a module has no differences at all, its procedures are not listed.

Four reports are available:

- All Module Identical Procedures
- Standard Module Identical Procedures
- Form Module Identical Procedures
- Report Module Identical Procedures

Total Access Detective	Identical Procedures	Compared: 25-Oct Time: 4:33:09 PM
<hr/>		
Module: basWinAPI		
GetFileSize GetFileHandle		
Module: clsBlastManager		
(General Declarations) Class_Initialize Class_Terminate SendBlast SendEmail		
Module: modEmbeddedObject		
p_FilterDataExport p_RemoveTempName ReadCombineHTMLReport ReadOneHTMLFile FMS_SplitFileName FMS_DoubleStringQuotes FMS_GetTextFromFile FMS_GetObjectString FMS_GetReportRecordSource FMS_AddEmbeddedSetup FMS_WriteEmbeddedItem FMS_OpenReportHidden		

Identical Procedures Report

Module Printout

These reports show the complete source code for the selected modules. Along with the code, the report displays line numbers, which start at 1 for each procedure. These line numbers are referenced in the **Module Differences** reports.

Six reports are available:

- Module Code from Database 1
- Module Code from Database 2
- Form Module Code from Database 1
- Form Module Code from Database 2
- Report Module Code from Database 1
- Report Module Code from Database 2

Total Access Detective	Module Printout	Compared: 18-Jun Time: 11:00:19 AM
Module: CFileDialog		C:\Contacts\Contacts_New.accdb
<pre>1 Attribute VB_GlobalNameSpace = False 2 Attribute VB_Creatable = False 3 Attribute VB_PredeclaredId = False 4 Attribute VB_Exposed = False 5 ' Class : CFileDialog 6 ' Description : Class for displaying the File Open/Save Common Dialog. 7 ' Source : Total Visual SourceBook 8 9 Private Type OPENFILENAME 10 lStructSize As Long 11 hwndOwner As Long 12 hInstance As Long</pre>		

Module Printout Report

Comparison Errors

This report shows any errors encountered by Total Access Detective during the comparison process. You should always check this report to ensure that all objects were correctly compared.

Total Access Detective	Errors Encountered	Compared: 1/18 Time: 3:58:06 PM
Object Type	Object Name	Error
Database:	C:\Sales\Cust.mdb	
Table	Orders	Cannot compare data in tables with different structures. Attributes of field [Order ID] differ.
Table	Suppliers	Cannot compare linked tables during two database comparison.
Database:	C:\Sales\Custnew.mdb	
Table	Orders	Cannot compare data in tables with different structures. Attributes of field [Order ID] differ.

Errors Report

List of Reports

There is a system report listing the available reports and their export file names which are used when you export the report to a format like PDF, HTML, etc.

Total Access Detective	List of Reports	
Report Name and Description		Export File Name
1 Database Comparison Summary <i>Summary of database differences</i>		DatabaseComparisonSummary
2 Objects in Both Databases <i>Objects with the same name in both databases</i>		ObjectsInBothDatabases
3 Objects in Database 1 Not in Database 2 <i>Object names in database 1 but not in database 2</i>		ObjectsIn1NotIn2
4 Objects in Database 2 Not in Database 1 <i>Object names in database 2 but not in database 1</i>		ObjectsIn2NotIn1
5 Selected Objects <i>List of selected objects</i>		SelectedObjects

List of Reports

Index

#

of lines to resync, 33

3

32 and 64 bit versions, 12

A

A4 paper, 22
add-ins menu, 50
ADP comparison, 14, 22
advanced filtering, 63

B

BigInt, 6
blog, 18
browse button, 8

C

combine table data, 41, 68
command line, 14, 72
compare data, 56
compare databases
button, 7, 27
compare field properties, 56
compare modules, 56
compare permissions, 56
compare references, 56
compare text. *see* Text
Comparison
comparison options, 27–34, 55–56
of lines to resync, 33
compare data, 56
compare field
properties, 56
compare modules, 56
compare permissions, 56

compare references, 56
data options, 56
form options, 31–33, 56
ignore blank lines, 34
ignore case, 34
ignore comments, 34
ignore indentations, 34
line numbers, 34
module options, 56
report options, 31–33, 56
table/query options, 56
text options, 33

D

data comparison
combine results, 41, 68
data, 39
display, 31
documentation, 30
field comparison, 29
modified fields, 40
numerical accuracy, 32
options, 27–32, 56
record identifier, 28
results, 38–42, 66–68
unkeyed tables, 39, 68
data differences, 66
data differences report, 67, 81, 82, 89, 90
Database Comparison, 49–69
compare data, 56
compare field
properties, 56
compare permissions, 56
compare references, 56
data results, 66–68

databases, 53
errors, 62
filter results, 64
form options, 56
macro results, 65
main menu, 52
module options, 56
object differences, 62
object status, 54
objects, 53
options, 55–56
report options, 56
reports, 54, 58–69, 58–69, 86–96
results, 58–69
startup, 51
table/query options, 56
unmatched objects, 54, 61
verification, 56
database differences
library references, 5
permissions, 5
relations, 5
database differences
report, 86
database is not
updateable error, 23
database preparation, 50–51
database verification, 56
databases

network databases, 21
password-protected, 21
secured, 22
date comparison issues, 73
DateTime2, 6
disk space, 20
display options, 31
documentation options, 30

E

embedded macro
comparison, 12
embedded macro
differences, 44
embedded macros, 33, 63
enhancements, 5
errors, 22–23, 57, 62
startup errors, 22–23
exclude properties, 13
export, 38, 65, 66, 67
export button, 9

F

field comparison options, 29
field differences, 4
filter
object filter, 64
property filter, 64
filter by type, 63
filter differences, 6
FMS web site, 17, 76
form comparison, 4
form options, 31–33, 56
compare modules, 56

I

identical procedures, 12
ignore blank lines, 13, 34
ignore case, 13, 15, 34
ignore comments, 13, 34
ignore indentations, 34
import/export spec
comparison, 5
index differences, 4
installation, 19–23
location, 20
international settings, 22

L

last analysis, 45
license agreement, i–ii
line numbers, 34
linked tables, 56

M

macro comparison, 4
macro differences, 65
macro differences report, 65, 83, 92
macro lines report, 83, 92
macro source code report, 65
Microsoft Access 2003, 10
Microsoft Access 2007, 10
Microsoft Access 2010, 10, 12
Microsoft Access 2013, 10
Microsoft Access 2016, 10
Microsoft Access 2019, 6
Microsoft Access 2024, 5
Microsoft Access 365, 5
modified fields, 67
module comparison, 5
 ignore case, 15
module differences, 65
module differences report, 66, 84, 93, 94
module options, 56
 # of lines to resync, 33
 ignore blank lines, 34
 ignore case, 34
 ignore comments, 34
 ignore indentations, 34
 ignore line numbers, 34
module printout report, 66, 85, 95

N

network databases, 21
new buttons, 9

new features, 5
newsgroups, 18
numerical accuracy, 32

O

Object Comparison, 23–48
 # of lines to resync, 33
 compare modules, 56
 data results, 38–42
 export results, 38
 form options, 31–33
 ignore blank lines, 34
 ignore case, 34
 ignore comments, 34
 ignore indentations, 34
 ignore line numbers, 34
 macro results, 42–44
 module results, 42–44, 65
 options, 27–34
 property results, 35
 report options, 31–33
 reports, 80–85
 text options, 33
object differences, 62
object property differences report, 80, 89
objects in both databases report, 87
objects not in one database report, 55
objects not in one database report, 87
overview form, 8

P

paper size, 22
password-protected databases, 21
permission differences, 5
permissions, 27, 56
prepare database, 50–51
print
 Database Comparison reports, 58–69, 86–96

identically named objects, 54
list of reports, 96
Object Comparison reports, 80–85
objects not in one database, 55
procedure comparison, 5
property comparison results, 35
property selection, 34

Q

query comparison, 4
query options, 56

R

record identifier options, 28
references, 5, 56
relations comparison, 5
report
 objects in both databases, 87
 selected objects with differences, 88
report comparison, 4
report options, 56
 compare modules, 56
reports, 37, 54, 69, 79–96
 data differences, 67, 81, 82, 89, 90
Database Comparison, 58–69, 58–69, 86–96
 database differences, 86
 export, 38
macro differences, 65, 83, 92
macro lines, 83, 92
macro source code, 65
module differences, 66, 84, 93, 94
module printout, 85
module source code, 66, 95
Object Comparison, 80–85

object property differences, 80, 89
objects not in one database, 55
objects not in one database, 87
paper size, 22
results form, 7
results overview, 60
resync lines, 33

S

sample reports, 79–96
secured databases, 22
security, 56
selected objects with differences report, 88
setup, 19–23
startup, 21, 51
 errors, 22–23
status, 54
storage database, 13, 14, 57
storage folder, 13
summary by object, 60
summary by object type, 60
swap button, 9
syntax error, 23
system requirements, 20

T

table comparison, 4
 data, 4
 fields, 4
 indexes, 4
table data comparison.
 see data comparison
table options, 56
 compare data, 56
 compare field properties, 56
 compare permissions, 56
 compare references, 56
TAD_DB.TDA, 57
TADTECT.MDB, 50
technical support, 78

Text Comparison, 5, 45–
48

results, 47

text comparison options,
33

Total Access Detective is

in use error, 23

troubleshooting, 76

trusted folder, 14

Two Database
Comparison. *see*
Database Comparison

Two Object Comparison.
see Object
Comparison

U

uninstalling, 21
unkeyed tables, 39, 68
unmatched objects, 54,
61
Update Wizard, 21

updates, 9, 17, 21
upgrading, 20
user access control
(UAC), 14

V

VBA references, 56
version history, 10
view last analysis, 45

W

web site, 17, 76
wizard, 26
workgroup security, 22