

This list contains all the error numbers and descriptions for Access 2007.

We hope you find this list useful for reviewing errors that may appear in your application.



Supporting the Microsoft Access community since 1992.

FMS, Inc.

<http://www.fmsinc.com/MicrosoftAccess>

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

5	Invalid procedure call or argument
6	Overflow
7	Out of memory
9	Subscript out of range
10	This array is fixed or temporarily locked
11	Division by zero
13	Type mismatch
14	Out of string space
16	Expression too complex
17	Can't perform requested operation
18	User interrupt occurred
28	Out of stack space
47	Too many DLL application clients
48	Error in loading DLL
49	Bad DLL calling convention
51	Internal error
52	Bad file name or number
53	File not found
54	Bad file mode
55	File already open
57	Device I/O error
58	File already exists
59	Bad record length
61	Disk full
62	Input past end of file
63	Bad record number
67	Too many files
68	Device unavailable
70	Permission denied
71	Disk not ready
74	Can't rename with different drive
75	Path/File access error
76	Path not found

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

93	Invalid pattern string
96	Unable to sink events of object because the object is already firing events to the maximum number of event receivers that it supports
97	Can not call friend function on object which is not an instance of defining class
98	A property or method call cannot include a reference to a private object, either as an argument or as a return value
321	Invalid file format
322	Can't create necessary temporary file
325	Invalid format in resource file
380	Invalid property value
381	Invalid property array index
382	Set not supported at runtime
383	Set not supported (read-only property)
385	Need property array index
387	Set not permitted
393	Get not supported at runtime
394	Get not supported (write-only property)
422	Property not found
423	Property or method not found
424	Object required
429	ActiveX component can't create object
430	Class does not support Automation or does not support expected interface
432	File name or class name not found during Automation operation
438	Object doesn't support this property or method
440	Automation error
442	Connection to type library or object library for remote process has been lost. Press OK for dialog to remove reference.
443	Automation object does not have a default value
445	Object doesn't support this action
446	Object doesn't support named arguments
447	Object doesn't support current locale setting
448	Named argument not found
449	Argument not optional
450	Wrong number of arguments or invalid property assignment
451	Property let procedure not defined and property get procedure did not return an object
452	Invalid ordinal
453	Specified DLL function not found
454	Code resource not found
455	Code resource lock error
457	This key is already associated with an element of this collection
458	Variable uses an Automation type not supported in Visual Basic
459	Object or class does not support the set of events

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

460	Invalid clipboard format
461	Method or data member not found
462	The remote server machine does not exist or is unavailable
463	Class not registered on local machine
481	Invalid picture
482	Printer error
735	Can't save file to TEMP
744	Search text not found
746	Replacements too long
2001	You canceled the previous operation.
2002	You tried to perform an operation involving a function or feature that was not installed in this version of Microsoft Office Access.
2004	There isn't enough memory to perform this operation. Close unneeded programs and try the operation again.
2005	There isn't enough free memory to start Microsoft Office Access. Close unneeded programs and try again. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2006	The object name '!' you entered doesn't follow Microsoft Office Access object-naming rules. For more information about naming objects, click Help.
2007	You already have an open database object named '!'. Use a different name for each database object of the same type. If you want this object to replace the original object, close the original object, and then save this object using the same name. For more information on renaming a database object, click Help.
2008	You can't delete the database object '!' while it's open. Close the database object, and then delete it.
2009	You can't rename the database object '!' while it's open. Close the database object, and then rename it.
2010	You can't delete the database object '!' while it's open. Close the database object, and then delete it.
2011	The password you entered is incorrect.
2014	You have given this !1 the same name as an existing !2 in your database. You can't give a table and a query the same name. Give this object a name that isn't already used by another table or query.
2015	There are no registered wizards of this type. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall the wizards. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2016	You can't modify the attributes of System Tables.
2017	Microsoft helps protect this Visual Basic for Applications Project with a password. You must supply the password in the Visual Basic Editor before you can perform this operation.
2018	The data access page name '!' you entered is misspelled or refers to a data access page that isn't open or doesn't exist.
2019	The number you used to refer to the data access page is invalid. Use the Count property to count the open data access pages and make sure that the page number is not greater than the number of open data access pages minus one.
2020	Application-defined or object-defined error

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2021 One or more operators in the filter expression is invalid. For a valid list of operators refer to the help file.
- 2022 You entered an expression that requires a data access page to be the active window.
- 2023 Application-defined or object-defined error
- 2024 The report snapshot was not created because you don't have enough free disk space for temporary work files. To fix this, free up disk space (for example, empty the Recycle Bin or delete unnecessary files).
- 2025 The file is not in the correct format for a Microsoft Office Access project.
- 2026 Application-defined or object-defined error
- 2027 This operation is not supported for Microsoft Office Access 1.X databases.
- 2028 Microsoft Office Access was unable to close the database object.
- 2029 Microsoft Office applications cannot suspend while you have documents open from a network location. Exit the applications or close the open documents and try again.
- 2030 The Microsoft Office Access project 'I' will be opened read-only because one of the following occurred: Either the file is locked for editing by another user, the file (or the folder in which it is located) is marked as read-only, or you specified that you wanted to open the file read-only.
- 2031 You can't convert or enable an MDE file.
- 2032 Application-defined or object-defined error
- 2033 Name conflicts with existing module, project, or object library.
- 2034 Cannot Compile Project.
- 2035 Cannot Load Project of wrong version.
- 2036 Application-defined or object-defined error
- 2037 Microsoft Office Access could not perform name AutoCorrect during this operation. The 'Log name AutoCorrect' option is set, but the Data and Misc. Objects is not checked out.
- 2038 The file 'I' cannot be opened because it has been locked by another user.
- 2039 Application-defined or object-defined error
- 2040 Microsoft Office Access can't run.
- 2041 Microsoft Office Access couldn't find file 'I'. This file is required for startup.
- 2042 A system error occurred, or there isn't enough free memory to start Microsoft Office Access. Close unneeded programs and try again.
- 2043 Microsoft Office Access can't find the database file 'I'. Make sure you entered the correct path and file name.
- 2044 You can't exit Microsoft Office Access now. If you're running a Visual Basic module that is using OLE or DDE, you may need to interrupt the module.
- 2045 The command line you used to start Microsoft Office Access contains an option that Microsoft Office Access doesn't recognize. Exit and restart Microsoft Office Access using valid command-line options.
- 2046 The command or action 'I' isn't available now. * You may be in a read-only database or an unconverted database from an earlier version of Microsoft Office Access. The type of object the action applies to isn't currently selected or isn't in the active view. Use only those commands and macro actions that are currently available for this database.
- 2047 Application-defined or object-defined error
- 2048 There isn't enough free memory to open the file 'I'. Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2049 Application-defined or object-defined error
- 2050 Enter an OLE/DDE Timeout setting from 0 through 300 seconds.@@@1@@@1
- 2051 The object name '|1' can't be longer than |2 characters according to Microsoft Office Access object-naming rules.@@@1@@@1
- 2052 There isn't enough free memory to update the display. Close unneeded programs and try again.
- 2053 The command name can't be blank.@Please choose a name.@@1@@@1
- 2054 Microsoft Office Access is unable to load the Visual Basic for Applications dynamic-link library (DLL) Vbe6.@Rerun the Microsoft Office Access Setup program.@@1@@@3
- 2055 The expression '|' you entered is invalid.@@@1@1@11732@1
- 2056 Microsoft Office Access can't supply context-sensitive Help.@@@1@@@1
- 2057 There isn't enough stack memory left to perform the operation.@The operation is too complicated. Try simplifying the operation.@@1@@@3
- 2058 The file '|' is incompatible. Microsoft Office Access needs to be reinstalled.@Run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.@@1@@185309@3
- 2059 Microsoft Office Access cannot find the object '|'.@Make sure the object exists and that you spell its name correctly.@@1@@@1
- 2060 You can't create a field list based on the action query '|'.@Action queries don't have fields. A form or report must be based on a table, or on a select or crosstab query.@Change the RecordSource property for the form or report, or open the action query and change it to a select query.@1@1@9232@1
- 2061 Enter a zero or greater-than-zero number for this option.@@@1@@@1
- 2062 The command name must be shorter than 255 Characters.@Please choose a name.@@1@@@1
- 2063 Microsoft Office Access can't create, open, or write to the index file '|'; the information (.inf) file it uses to keep track of dBASE indexes.@The index file may be damaged, or you may not have read/write permission for the network drive you're trying to link to.@You can link to the dBASE file without specifying any dBASE indexes, but the existing indexes will not be used with the linked table.@1@@@1
- 2064 The menu bar value '|' is invalid.@You supplied an argument to the DoMenuItem method that refers to a menu bar that is invalid.@Use an intrinsic constant or numeric value that refers to a valid menu bar value, such as acFormbar.@1@1@11895@1
- 2065 The name for the menu, command, or subcommand you entered is invalid.@You supplied an argument to the DoMenuItem method that refers to a menu name, command, or subcommand that is invalid.@Use an intrinsic constant or numeric value that refers to a valid menu, command, or subcommand value, such as acRecordsMenu.@1@1@11895@1
- 2066 Application-defined or object-defined error
- 2067 A menu bar macro can only be run if the menu bar macro name is the setting used by particular properties or options.@You tried to run a menu bar macro containing the AddMenu action. Set one of the following properties or options to the name of the menu bar macro: The MenuBar property of a form or report. The ShortcutMenuBar property of a form, report, or control. The Menu Bar or Shortcut Menu Bar option in the Startup dialog box. This error also occurs if Microsoft Office Access attempts to run a menu bar macro containing an AddMenu action that follows an action that makes some other object the active object. For example, the OpenForm action.@@2@1@3704@1
- 2068 The selected item is customized and doesn't have context-sensitive Help.@For more information on creating custom Help for a form, report, or control, click Help.@@2@1@10930@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2069 The key or key combination |1 in |2 has invalid syntax or is not allowed. Use the SendKeys syntax to specify the key or key combinations. For the allowed key or key combinations, click Help. @2@1@10144@1
- 2070 You already assigned the key or key combination |1 in |2 to another macro. Only the first key or key combination will be used. @2@1@10144@1
- 2071 The Docking property can't be set to '|1' at this time. If you want to set the Docking property to '|2', move the toolbar from its current position and try again. @1@@@1
- 2072 All objects were imported successfully.
- 2073 Successfully exported '|'.
- 2074 This operation is not supported within transactions. @@@1@@@1
- 2075 This operation requires an open database. @@@1@@@1
- 2076 Successfully linked '|'.
- 2077 This Recordset is not updatable
- 2078 Help isn't available due to lack of memory or improper installation of Microsoft Windows or Microsoft Office Access. For more information on troubleshooting a low memory problem, search the Microsoft Windows Help index for 'memory, troubleshooting'. If you need to reinstall Microsoft Office Access, you may want to preserve your security or custom settings. To do so, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@@3
- 2079 Form is read-only, because the Unique Table property is not set.
- 2080 The toolbar or menu | already exists. Do you want to replace the existing toolbar or menu? @19@@@2
- 2081 The Create From Macro command only works when a macro is selected in the Navigation Pane. @@@1@@@1
- 2082 Application-defined or object-defined error
- 2083 The database '|' is read-only. You can't save changes made to data or object definitions in this database. @1@@@1
- 2084 Field '|' is based on an expression and can't be edited
- 2085 The ODBC Refresh Interval setting must be from 1 through 32,766 seconds. @@@1@@@1
- 2086 Recordset requires a form to be updatable.
- 2087 Microsoft Office Access can't display the Add-ins submenu. The Add-ins submenu expression '|' you entered exceeds the 256-character limit. Shorten the macroname or functionname expression in the Menu Add-ins key of the Windows Registry setting, and then restart Microsoft Office Access. For more information on customizing Microsoft Office Access settings in the Windows Registry, click Help. @2@1@9015@3
- 2088 Microsoft Office Access can't display the Add-ins submenu | because a setting you entered in the Windows Registry is missing a macro name or function name expression. Supply the missing expression in the Menu Add-ins key of the Windows Registry, and then restart Microsoft Office Access. For more information on customizing Microsoft Office Access settings in the Windows Registry, click Help. @2@1@9015@3
- 2089 Microsoft Office Access can't display the same menu more than once in a menu bar. @@@1@1@3704@1
- 2090 An action within the current global menu's macro group can't change the global menu bar. Microsoft Office Access can't display the global menu bar because the macro called when you first set the global menu includes another action that tries to reset the global menu. Check your menu bar macros, and make sure that you set the global menu bar only once. @1@@@1
- 2091 '|' is an invalid name. @@@1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2092 The value you specified for the Setting argument in the SetOption method is not the correct type of Variant for this option. You specified a string when Microsoft Office Access expected a number. See the Access Options dialog box (click the Microsoft Office Button, and then click Access Options) to see what type of data is required to set this particular option. For example, the setting for the Default Database Folder option must be a string. To see what type of Variant you passed to the SetOption method, use the VarType function. For more information, search the Help index for 'Variant data type' and 'VarType function'.
- 2093 The numeric value for the Setting argument in the SetOption method does not correspond to any list box or option group settings in the Access Options dialog box. Valid settings are 0 (the first item in the list) through | (the last item in the list).
- 2094 Microsoft Office Access cannot find the toolbar '|.' You tried to run a macro that includes a ShowToolbar action or a Visual Basic for Applications procedure that includes a ShowToolbar method. The toolbar name might be misspelled or might refer to a legacy toolbar that is no longer available. This action might refer to a custom toolbar that was deleted from or renamed in the current database. This action might refer to a custom toolbar that exists in a different database.
- 2095 Application-defined or object-defined error
- 2096 Application-defined or object-defined error
- 2097 The table for which you tried to create an import/export specification was created in an earlier version of Microsoft Office Access. To convert this database to the current version of Microsoft Office Access, click the Microsoft Office Button, and then click 'Convert'.
- 2098 The operation could not be completed because the Smart Tag '|' is not recognized by your system.
- 2100 The control or subform control is too large for this location. The number you entered for the Left, Top, Height, or Width property is too large or is a negative number. Reduce the size of the control or subform control, or enter a positive number.
- 2101 The setting you entered isn't valid for this property. To see the valid settings for this property, search the Help index for the name of the property.
- 2102 The form name '|' is misspelled or refers to a form that doesn't exist. If the invalid form name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct form name.
- 2103 The report name '|' you entered in either the property sheet or macro is misspelled or refers to a report that doesn't exist. If the invalid report name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct report name.
- 2104 You entered the control name '|,' which is already in use. You already have a control on the form with this name, or an existing control has its name mapped to this name for Visual Basic. Visual Basic maps spaces in control names to underscores. For example, My Control and My_Control are treated as duplicate names.
- 2105 You can't go to the specified record. You may be at the end of a recordset.
- 2106 | errors occurred when you loaded the form or report. You loaded a form or report that has controls or properties that Microsoft Office Access doesn't recognize and will ignore.
- 2107 The value you entered does not meet the validation rule defined for the field or control. To see the validation rule, switch to Design view, click the appropriate field, and then, if the property sheet is not open, press F4. Then, click the Data tab in the property sheet. Enter a value that meets the validation rule, or press ESC to undo your changes.
- 2108 You must save the field before you execute the GoToControl action, the GoToControl method, or the SetFocus method. You tried to move the focus to another control using the SetFocus method, GoToControl action, or the GoToControl method. Set the macro or method to the AfterUpdate property instead of the BeforeUpdate property so it saves the field before changing the focus.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2109 There is no field named '|' in the current record.
- 2110 Microsoft Office Access can't move the focus to the control |. The control may be a type that can't receive the focus, such as a label. The control's Visible property may be set to No. The control's Enabled property may be set to No.
- 2111 The changes you made can't be saved. The save operation may have failed due to the temporary locking of the records by another user. Click OK to try again. You may need to click OK several times (or wait until the other user closes the table). Click Cancel if repeated attempts to save your changes fail.
- 2112 The item on the Clipboard can't be pasted into this control.
- 2113 The value you entered isn't valid for this field. For example, you may have entered text in a numeric field or a number that is larger than the FieldSize setting permits.
- 2114 Microsoft Office Access doesn't support the format of the file '|,' or file is too large. Try converting the file to BMP format.
- 2115 The macro or function set to the BeforeUpdate or ValidationRule property for this field is preventing Microsoft Office Access from saving the data in the field. If this is a macro, open the macro in the Macro window and remove the action that forces a save (for example, GoToControl). If the macro includes a SetValue action, set the macro to the AfterUpdate property of the control instead. If this is a function, redefine the function in the Module window.
- 2116 The value violates the validation rule for the field or record. For example, you might have changed a validation rule without verifying whether the existing data matches the new validation rule. Click Undo to restore the previous value, or enter a new value that meets the validation rule for the field or record.
- 2117 Microsoft Office Access has canceled the Paste operation. The text on the Clipboard is too long to paste into the form. For example, you may have pasted too much text into a label or entered too much text in the ColumnWidths property. Paste smaller sections. For labels, you must paste fewer than 2,048 characters.
- 2118 You must save the current field before you run the Requery action. If you are running a macro from the Navigation Pane, save the field first, and then run the macro. If the macro name is the setting of the BeforeUpdate property in a Visual Basic function, set the AfterUpdate property to the name of the macro instead.
- 2119 The Requery action can't be used on the control '|.' Certain controls, such as labels and rectangles, can't receive the focus; therefore, you can't apply a Requery action to them.
- 2120 To create a form, report or data access page using this wizard, you must first select the table or query on which the form, report or data access page will be based.
- 2121 Microsoft Office Access can't open the form '|.' It contains data that Microsoft Office Access doesn't recognize. Re-create the form or, if you maintain backup copies of your database, retrieve a copy of the form.
- 2122 You can't view a form as a continuous form if it contains a subform, an ActiveX control, or a bound chart. Set the DefaultView property of the form to Single Form, Datasheet, PivotTable, or PivotChart.
- 2123 The control name you entered doesn't follow Microsoft Office Access object-naming rules.
- 2124 The form name you entered doesn't follow Microsoft Office Access object-naming rules.
- 2125 The setting for the FontSize property must be from 1 through 127.
- 2126 The setting for the ColumnCount property must be from 1 through 255.
- 2127 The setting for the BoundColumn property can't be greater than the setting for the ColumnCount property.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2128 Microsoft Office Access encountered errors while importing |1. For more detailed error information, see the file '|2'. @1@@@1
- 2129 The setting for the DefaultEditing property must be Allow Edits, Read Only, Data Entry, or Can't Add Records. Enter 1, 2, 3, or 4 for the DefaultEditing property. @1@@@1
- 2130 The settings for the GridX and GridY properties must be from 1 through 64. @@@1@@@1
- 2131 An expression can't be longer than 2,048 characters. @@@1@@@1
- 2132 The setting for the DecimalPlaces property must be from 0 through 15, or 255 for Auto (default). @@@1@@@1
- 2133 You can't place a form (or report) within itself. Select or enter a different form or report to serve as the subform or subreport. @1@@@1
- 2134 The setting for the Width property must be from 0 through 22 inches (55.87 cm). @@@1@@@1
- 2135 This property is read-only and can't be set. @@@1@@@1
- 2136 To set this property, open the form or report in Design view. For more information on this property, search the Help index for the name of the property. @1@@@1
- 2137 You can't use Find or Replace now. The fields are not searchable due to one of the following: The fields are controls (such as buttons or OLE objects). The fields have no data. There are no fields to search. @1@@@1
- 2138 You can't search the field for the specified value. Resolve the error given in the previous error message before you attempt to search again. @1@@@1
- 2139 You can't replace the current value of the field with the replacement text. Resolve any errors before making further replacements. @1@@@1
- 2140 Microsoft Office Access cannot save the change you made to the record in the Replace operation for the reason shown in the previous message. Click Undo or enter a new value in the field. @1@@@1
- 2141 Microsoft Office Access can't find the text you specified in the Find What box. @@@1@@@1
- 2142 The FindRecord action requires a Find What argument. You tried to run a macro set to one of the current field's properties, but you left the Find What argument blank. When you click OK, an Action Failed dialog box will display the macro name and the macro's arguments. In the Macro window, enter text or an expression for the Find What argument, and try the Search operation again. @1@1@3015@1
- 2143 You didn't specify search criteria with a FindRecord action. In the Macro window, insert a FindRecord action before the FindNext action. @1@1@3015@1
- 2144 The setting for the ListRows property must be from 1 through 255. @@@1@1@4055@1
- 2145 The ColumnWidths property setting must be a value from 0 through 22 inches (55.87 cm) for each column in a list box or a combo box. If there is more than one column, separate the numbers with either a semicolon or the list separator character. List separator characters are defined in the Regional Settings section of Windows Control Panel. @1@1@847@1
- 2146 Application-defined or object-defined error
- 2147 You must be in Design view to create or delete controls. @@@1@2@5054@1
- 2148 The number you used to refer to the form or report section is invalid. Make sure that the number is less than the number of sections in the form or report. @1@@@1
- 2149 The constant you entered for the control type is invalid. For a list of valid constants you can use to create a control, click Help. @2@1@10905@1
- 2150 This type of control can't contain other controls. @@@1@@@1
- 2151 The parent control can't contain the type of control you selected. For example, you used the CreateControl function to designate an option group as the parent of a text box. @1@@@1
- 2152 You can set group levels for reports only, not for forms. @@@1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2153 You can't specify more than 10 group levels.
- 2154 You can't call this function when the Group, Sort, and Total Pane is open.
- 2155 Application-defined or object-defined error
- 2156 Application-defined or object-defined error
- 2157 The sum of the top margin, the bottom margin, the height of the page header, and the height of the page footer is greater than the length of the page you are printing on.
- 2158 You can use the Print method and the report graphics methods (Circle, Line, PSet, and Scale) only in an event procedure or a macro set to the OnPrint, the OnFormat, or the OnPage event property.
- 2159 There isn't enough memory to initialize the Print method or one of the report graphics methods (Circle, Line, PSet, Scale). Close unneeded programs and try again to print or preview the report. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
- 2160 Microsoft Office Access couldn't create the graphic or text. An error occurred while initializing the Print method or one of the report graphics methods (Circle, Line, PSet, Scale). Close unneeded programs and try again to print or preview the report. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
- 2161 The text or expression you entered doesn't match the type of data you are searching for. Redefine the text or expression, or search in a different field.
- 2162 A macro set to one of the current field's properties failed because of an error in a FindRecord action argument. In the Macro window, change the Search As Formatted argument to Yes. If you want the argument setting to remain No, do all of the following: Select No for the Match Case argument. Select Yes for the Only Current Field argument. Make sure you are searching in a bound control.
- 2163 The page number you used as an argument for the GoToPage action or method doesn't exist in this form.
- 2164 You can't disable a control while it has the focus.
- 2165 You can't hide a control that has the focus.
- 2166 You can't lock a control while it has unsaved changes.
- 2167 This property is read-only and can't be modified.
- 2169 You can't save this record at this time. Microsoft Office Access may have encountered an error while trying to save a record. If you close this object now, the data changes you made will be lost. Do you want to close the database object anyway?
- 2170 There isn't enough memory to retrieve data for the list box. Close unneeded programs. Then close and reopen the active form, and click the list box again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
- 2171 You can't have more than seven nested subforms in a main form. Remove the eighth nested subform.
- 2172 You can't use a pass-through query or a non-fixed-column crosstab query as a record source for a subform or subreport. Before you bind the subform or subreport to a crosstab query, set the query's ColumnHeadings property.
- 2173 The control 'I' the macro is attempting to search can't be searched. Try one of the following: Add a GoToControl action before the FindRecord action. For the FindRecord action, change the Only Current Field action argument from Yes to No. Change the focus to a searchable control.
- 2174 You can't switch to a different view at this time. Code was executing when you tried to switch views. If you are debugging code, you must end the debugging operation before switching views.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2175 There isn't enough free memory to continue the Search operation. Close unneeded programs. Then try the Search operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
- 2176 The setting for this property is too long. You can enter up to either 255 or 2,048 characters for this property, depending on the data type.
- 2177 You can't insert a report into a form. A report can be inserted only into a report.
- 2178 You can't add another section now. The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm). Remove or reduce the height of at least one section, and then add the new section.
- 2181 You can't sort on a calculated field in a form. You can sort on a calculated field only in a query. Create a calculated field in a query, sort the field, and then base the form on the query. Because the query must execute before the form opens, the form will open more slowly.
- 2182 You can't sort on this field.
- 2183 Microsoft Office Access can't create an object of the type requested. You are trying either to create a form from a report that has been saved as text, or to create a report from a saved form.
- 2184 The value you used for the TabIndex property isn't valid. The correct values are from 0 through |.
- 2185 You can't reference a property or method for a control unless the control has the focus. Try one of the following: Move the focus to the control before you reference the property. In Visual Basic code, use the SetFocus method. In a macro, use the GoToControl action. Reference or set the property from a macro or event procedure that runs when the GotFocus event for the control occurs.
- 2186 This property isn't available in Design view. Switch to Form view to access this property, or remove the reference to the property.
- 2187 This property is available only in Design view.
- 2188 The object you attempted to load from text has an invalid value for the property '|1' on a |2.
- 2189 The code contains a syntax error, or a Microsoft Office Access function you need is not available. If the syntax is correct, check the Control Wizards subkey or the Libraries key in the Microsoft Office Access section of the Windows Registry to verify that the entries you need are listed and available. If the entries are correct, either you must correct the Microsoft Office Access Utility Add-in, or the file acWzlib or this wizard has been disabled. To reenable this wizard, run Microsoft Office Access or Microsoft Office Setup again to reinstall Microsoft Office Access. Before you reinstall Microsoft Office Access, delete the Windows Registry keys for the Microsoft Office Access Utility Add-in and acWzlib.
- 2190 This property has been replaced by a new property; use the new property instead.
- 2191 You can't set the | property in print preview or after printing has started. Try setting this property in the OnOpen event.
- 2192 The bitmap you specified is not in a device-independent bitmap (.dib) format. You tried to set the PictureData property of a form, report, button, or image control.
- 2193 The left margin, right margin, or both margins are wider than the paper size specified in the Print Setup dialog box.
- 2194 You can't set the PictureData property in Datasheet view. To see the valid settings for this property, search the Help index for 'PictureData property'.
- 2195 The section name you entered doesn't follow Microsoft Office Access object-naming rules.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2196 Microsoft Office Access can't retrieve the value of this property. The property isn't available from the view in which you're running the macro or Visual Basic code, or Microsoft Office Access encountered an error while retrieving the value of the property. To see the valid settings for this property, search the Help index for the name of the property.
- 2197 You can't set a subform control's SourceObject property to a zero-length string if you're displaying the main form in Form view. You can set this property to a zero-length string from Design view, Datasheet view, or Print Preview.
- 2200 The number you entered is invalid.
- 2201 There was a problem retrieving printer information for the |1 on |2. The object may have been sent to a printer that is unavailable.
- 2202 There are currently no printers installed on your computer. To use this feature, you must first install a printer in Windows. For more information about how to install a printer, search for "install printer" in Windows Help.
- 2203 The dynamic-link library Commdlg failed: error code '0x|'. The printer driver for the selected printer may be incorrectly installed. For information on selecting another printer or reinstalling this printer from Microsoft Windows, search the Windows Help index for 'printer setup'.
- 2204 The default printer driver isn't set up correctly. For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.
- 2205 The default printer driver isn't set up correctly. For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.
- 2206 The page number you entered is invalid. For example, it may be a negative number or an invalid range, such as 6 to 3.
- 2207 Microsoft Office Access can't print macros. You tried to use the PrintOut action or method, but the active object is a macro. If you want to print an object other than a macro, use the SelectObject action or method to select the desired object before you run the PrintOut action.
- 2210 Microsoft Office Access can't print or preview the page because the page size you selected is larger than 22.75 inches.
- 2211 Microsoft Office Access can't print or preview the Debug window.
- 2212 Microsoft Office Access couldn't print your object. Make sure that the specified printer is available. For information on setting a default printer, search the Windows Help index for 'default printer, setting'.
- 2213 There was a problem retrieving printer information for this object. The object may have been sent to a printer that is unavailable.
- 2214 There was a problem retrieving information from the printer. New printer has not been set.
- 2215 Microsoft Office Access cannot print this PivotTable because its |1 exceed(s) 22.75 inches. Reduce the |1 by making changes to the formatting or included data of the PivotTable view, and then try to print again.
- 2220 Microsoft Office Access can't open the file '|'.|
- 2221 The text is too long to be edited.
- 2222 This control is read-only and can't be modified.
- 2223 The file name '|' is too long. Enter a file name that's 256 characters or less.
- 2225 Microsoft Office Access couldn't open the Clipboard. The Clipboard isn't responding, probably because another application is using it. Close all other applications and try the operation again.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2226 The Clipboard isn't responding, so Microsoft Office Access can't paste the Clipboard's contents. Another application may be using the Clipboard. There may not be enough free memory for the paste operation. Close all other applications, and then copy and paste again.
- 2227 The data on the Clipboard is damaged, so Microsoft Office Access can't paste it. There may be an error in the Clipboard, or there may not be enough free memory. Try the operation again.
- 2229 Microsoft Office Access can't start the OLE server. You tried to use a form, report, or datasheet that contains an OLE object, but the OLE server (the application used to create the object) may not be registered properly. Reinstall the OLE server to register it correctly.
- 2234 Microsoft Office Access can't paste the OLE object.
- 2237 The text you entered isn't an item in the list. Select an item from the list, or enter text that matches one of the listed items.
- 2239 Microsoft Office Access has detected that this database is in an inconsistent state, and cannot attempt to recover the database because the file is read-only. To allow Access to recover the database, close the database and set the file to read/write, and then open the database.
- 2243 The data in the Clipboard isn't recognizable; Microsoft Office Access can't paste the OLE object.
- 2244 The file name you specified in the Picture property for a command button or toggle button can't be read. The file you specified may be corrupted. Restore the file from a backup copy or re-create the file. The disk where the file is located may be unreadable.
- 2245 The file you specified doesn't contain valid icon data. Specify a valid icon file.
- 2246 Application-defined or object-defined error
- 2260 An error occurred while sending data to the OLE server (the application used to create the object). You may have tried to send too much data. If you're creating a chart and the chart is based on a query, modify the query so that it selects less data. If the chart is based on a table, consider basing it on a query instead so that you can limit the data. You may be using an OLE server that doesn't accept the Clipboard format. You may not be able to start the OLE server because it's not properly registered. Reinstall it to register it. Your computer may be low on memory. Close other application windows to free up memory.
- 2262 This value must be a number.
- 2263 The number is too large.
- 2264 Microsoft Office Access didn't recognize the unit of measurement. Type a valid unit, such as inches (in) or centimeters (cm).
- 2265 You must specify a unit of measurement, such as inches (in) or centimeters (cm).
- 2266 '!' may not be a valid setting for the RowSourceType property, or there was a compile error in the function. For information on valid settings for the RowSourceType property, click Help.
- 2267 There is not enough disk space to create a temporary buffer file for printing. Free up some disk space to make room for the temporary buffer file.
- 2269 Some library databases couldn't be loaded because too many were specified. To change library database references, click References on the Tools menu.
- 2272 The setting for the Update Retry Interval must be from 0 through 1,000 milliseconds.
- 2273 The setting for Update Retries must be from 0 through 10.
- 2274 The database '!' is already open as a library database.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2275 The string returned by the builder was too long. The result will be truncated.
- 2276 The custom builder you're using caused an error by changing the focus to a different window while you were using it. Enter a value without using the custom builder.
- 2277 There was a font initialization error.
- 2278 Microsoft Office Access can't save your changes to this bound OLE object. Either you don't have permission to write to the record in which the object is stored, or the record is locked by another user. Copy the object to the Clipboard (select the object and click Copy on the Edit menu), and click Undo Current Record on the Edit menu. Then open the application you used to create the object, paste the object from the Clipboard, and save it.
- 2279 The value you entered isn't appropriate for the input mask '|' specified for this field.
- 2280 You have added more output formats to the Windows Registry than Microsoft Office Access can initialize. Some output formats will not be available. Remove those formats that you never or least often use.
- 2281 Output format information is missing. There appears to be a problem with your Microsoft Office Access installation. Please reinstall Microsoft Office Access or contact your system administrator or help desk representative.
- 2282 The format in which you are attempting to output the current object is not available. Either you are attempting to output the current object to a format that is not valid for its object type, or the formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing from the Windows Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.
- 2283 The format specification for '|' is invalid. You can't save output data to a file in this format until you correct the setting for the format in the Windows Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.
- 2284 Microsoft Office Access can't write to the file. * The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.
- 2285 Microsoft Office Access can't create the output file. * You may be out of disk space on the destination drive. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.
- 2286 Microsoft Office Access can't close the file. * The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.
- 2287 Microsoft Office Access can't open the mail session. Check your mail application to make sure that it's working properly.
- 2288 Microsoft Office Access can't load the '|' format. The setting for this format in the Windows Registry is incorrect. You can't save the output data to a file in this format until you correct the setting in the Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.
- 2289 Microsoft Office Access can't output the module in the requested format.
- 2290 There were too many message recipients; the message was not sent.
- 2291 There are too many message attachments; the message was not sent.
- 2292 The message text is too long, so it was not sent.
- 2293 Microsoft Office Access can't send this e-mail message. Before attempting to send an e-mail message from Microsoft Office Access, resolve the problem identified in the previous message, or configure your computer to send and receive e-mail messages.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2294 Microsoft Office Access can't attach the object; the message was not sent. @* The network may not be working. Wait until the network is working, and then try again. ☒ You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again. @1@@@1
- 2295 Unknown message recipient(s); the message was not sent. @@@1@@@1
- 2296 The password is invalid; the message wasn't sent. @@@1@@@1
- 2297 Microsoft Office Access can't open the mail session. @You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again. You may also want to check your mail application to ensure that it's working properly. @1@@@1
- 2298 Microsoft Office Access can't start the wizard, builder, or add-in. @* The library database containing the wizard, builder, or add-in may not be installed. Point to Add-ins on the Tools menu, and then click Add-in Manager to see if the library database is installed. ☒ The wizard, builder, or add-in code may not be compiled and Microsoft Office Access can't compile it. There may be a syntax error in the code. ☒ The key for the add-in in the Windows Registry file may be incorrect. @2@1@9015@1
- 2299 Microsoft Office Access can't open the Zoom box. @The Microsoft Office Access Utility add-in is missing or was modified. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access and the Microsoft Office Access Utility add-in. @1@1@12620@1
- 2300 Microsoft Office Access can't output because there are too many controls selected that have different styles, such as color and font. @Select fewer controls, and then try again. @1@@@1
- 2301 There are not enough system resources to output the data. @Close one or more Microsoft Office Access windows and close other applications. Then try to output the data again. @1@@@1
- 2302 Microsoft Office Access can't save the output data to the file you've selected. @* The file may be open. If so, close it, and then save the output data to the file again. ☒ If you are using a template, check to make sure the template exists. ☒ If the file isn't open, check to make sure that you have enough free disk space. ☒ Make sure that the file exists on the path specified. ☒ Check to make sure you have permission to write to the specified folder. @1@@@1
- 2303 Microsoft Office Access can't output data now. @* The network may not be working. Wait until the network is working, and then try again. ☒ You may be out of disk space. Free up disk space and try again. @1@@@1
- 2304 Microsoft Office Access can't save output data to the specified file. @Make sure that you have enough free disk space on your destination drive. @1@@@1
- 2305 There are too many columns to output, based on the limitation specified in the output format or by Microsoft Office Access. @@@1@@@1
- 2306 There are too many rows to output, based on the limitation specified by the output format or by Microsoft Office Access. @@@1@@@1
- 2307 Application-defined or object-defined error
- 2308 The file '|' already exists. @Do you want to replace the existing file? @20@@@2
- 2309 There is an invalid add-in entry for '|'. @There is an error in the Windows Registry for this add-in. Correct the setting and restart Microsoft Office Access. For information on the Registry, click Help. @2@1@9015@1
- 2311 There isn't enough memory to run the NotInList event procedure. @@@1@@@1
- 2312 The shortcut '|' must be re-created. @The file may be missing, damaged, or in an older format that can't be read. @1@@@1
- 2313 Microsoft Office Access can't find the shortcut databases '|1' or '|2.'. @Re-create the shortcut with the correct locations of the databases. @2@1@9032@1
- 2314 Microsoft Office Access can't find the shortcut database '|'. @Re-create the shortcut with the correct location of the database. @2@1@9032@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2315 The input string is too long.
- 2316 This table or query can't be opened because it has no visible fields. This can result if the table or query has only system fields, and the Show System Objects option is off. To turn on the Show System Objects option, click Options on the Tools menu, click the View tab, and select the System Objects check box.
- 2317 The database 'I' can't be repaired or isn't a Microsoft Office Access database file.
- 2319 Application-defined or object-defined error
- 2320 Microsoft Office Access can't display the field for which you entered Where in the Total row. Clear the Show check box for that field. If you want this field to appear in the query's results, add it to the design grid twice. For the field that will appear in the query's results, don't specify Where in the Total row, and make sure the Show check box is checked.
- 2321 You can't set criteria before you add a field or expression to the Field row. Either add a field from the field list to the column and enter an expression, or delete the criteria.
- 2322 You can't sort on the asterisk (*). Because the asterisk represents all fields in the underlying table or query, you can't sort on it. Add the asterisk to the query design grid, along with the specific fields you want to sort on. Clear the Show check box for the sorting fields, and then specify a sort order.
- 2323 You can't specify criteria for the asterisk (*). Because the asterisk represents all the fields in the underlying table or query, you can't specify criteria for it. Add the asterisk to the query design grid, along with the field(s) you want to set criteria for, and then enter criteria for the specific fields. In the query design grid, clear the Show check box for the criteria field(s), before you run the query.
- 2324 You can't calculate totals on the asterisk (*). Because the asterisk represents all the fields in the table, you can't calculate totals on it. Remove the asterisk from the query design grid. Add the fields you want to use to the design grid, and then select the total you want to calculate for specific fields.
- 2325 The field name you entered exceeds the 64-character limit of the LinkMasterFields property. When you use the Relationships command (on the Database Tools tab, click Relationships) to define a relationship between the tables underlying a form and subform, Microsoft Office Access links the form and subform automatically and sets the LinkChildFields and LinkMasterFields properties.
- 2326 You can't specify Group By, Expression, or Where in the Total row for this column. Specify an aggregate function, such as Sum or Count, for the field or expression you designate as the Value in the crosstab query. For more information on aggregate functions, click Help.
- 2327 You must enter Group By in the Total row for a field that has Column Heading in the Crosstab row. The values derived from the field or expression that you designate as the Column Heading are used to group data in the crosstab query.
- 2328 You can't run an update query on the asterisk (*). Because the asterisk represents all the fields in the table, you can't update it. Remove the asterisk from the query design grid. Add the fields you want to update to the design grid.
- 2329 To create a crosstab query, you must specify one or more Row Heading(s) options, one Column Heading option, and one Value option.
- 2330 Microsoft Office Access can't represent the join expression | in Design view. One or more fields may have been deleted or renamed. The name of one or more fields or tables specified in the join expression may be misspelled. The join may use an operator that isn't supported in Design view, such as > or <.
- 2331 You must enter Group By in the Total row for at least one of the Row Heading options you enter in the Crosstab row.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2332 Microsoft Office Access can't match the fields you added using the asterisk (*) in the append query. Because the asterisk represents all the fields in the underlying table or query, you can't append an asterisk to one field or expression, and you can't append a single field or expression to an asterisk. Append an asterisk to an asterisk (for example, a table to a table), or append specific fields.
- 2333 You must enter the name of the table you are creating or appending records to. You tried to define a make-table or append query without specifying a destination table.
- 2334 Microsoft Office Access can't print '|' because it is an action query. Because action queries don't produce a recordset, you can't print a Datasheet view of them. Note that an exclamation point (!) joined to a query icon in the Navigation Pane marks an action query. To print a Datasheet view of the records that will be selected by the query, display the query in Design view, click the Datasheet button, and then click the Print button.
- 2335 You must specify the same number of fields when you set the LinkChildFields and LinkMasterFields properties. You entered a different number of fields for one property than you did for the other. If you use the Relationships command (on the Database Tools tab, click Relationships) to define a relationship between the tables underlying the form and subform, Microsoft Office Access will link the form and subform automatically and then set the LinkChildFields and LinkMasterFields properties.
- 2337 You can't specify criteria on the same field for which you entered Value in the Crosstab row. You tried to display a crosstab query after entering Value in the Crosstab row and criteria in the Criteria row. If you want this field to supply the cross-tabulated values in the crosstab query, delete the entry in the Criteria row. If you want this to be a criteria field, leave the Crosstab row blank.
- 2338 Microsoft Office Access truncated the expression you entered. The expression '|' exceeds the 1,024-character limit for the query design grid.
- 2339 Microsoft Office Access can't create a temporary link. You reached the limit for the number of links in your database. Microsoft Office Access needs to create a temporary link in order to import your ODBC table. Remove all unneeded links or tables.
- 2340 The expression you entered exceeds the 1,024-character limit for the query design grid.
- 2342 A RunSQL action requires an argument consisting of an SQL statement. For example, an action query that appends records starts with INSERT INTO. A data-definition query that creates a table starts with CREATE TABLE.
- 2343 The value you entered exceeds the Alias property's 64-character limit.
- 2344 For the TopValues property in the query property sheet, you must enter an integer greater than zero.
- 2345 For the TopValues property in the query property sheet, you must enter a percentage from 1 through 100.
- 2346 For the TopValues property in the query property sheet, you must enter a number greater than zero.
- 2347 Microsoft Office Access can't find the file name you entered for the DestinationDB property in an action query's property sheet. You may have misspelled the database file name, or the file may have been deleted or renamed.
- 2348 You can't leave the Alias property blank.
- 2349 For the TopValues property in the query property sheet, you must enter a number smaller than 2,147,483,647.
- 2350 Microsoft Office Access can't save the query. The query is a pass-through query and can't be represented as a simple SQL string. Save the query as a named query from the Query Builder. When you close the Query Builder, Microsoft Office Access will fill the RecordSource or RowSource property with the saved query name. Make sure the query doesn't have an SQL syntax error.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2351 Microsoft Office Access can't represent an implicit VALUES clause in the query design grid. @Edit this in SQL view. @1@@@1
- 2352 You can't modify this query because it has been deleted or renamed by another user. @@@1@@@1
- 2353 Bad query parameter '|'. @@@1@@@1
- 2354 This query or table has an expression that is failing to evaluate.
- 2355 You can select up to | values in a column filter for a multi-valued field. Remove some values, and then try again.
- 2356 You cannot assign a multivalued or Attachment field to the Link Master Fields or Link Child Fields properties. @@@1@@@1
- 2360 A field name is missing. @You have defined a data type or a description for a field without specifying the field name. @Enter a name for the field, or delete the row. @1@@@1
- 2361 Microsoft Office Access can't save this table. @There are no fields in this table. @Define at least one field by entering a field name and selecting a data type. @1@@@1
- 2362 You already have a field named '|'. @@@1@@@1
- 2363 Microsoft Office Access allows only one AutoNumber field per table. @Use the Number data type for similar fields. @1@@@1
- 2364 Microsoft Office Access can't open the table in Datasheet view. @@@1@@@1
- 2366 Microsoft Office Access was unable to save the field ordering. All other changes were saved successfully. @Click the Microsoft Office Button, point to Manage, and then click Compact and Repair Database. @1@@@1
- 2370 Removing or changing the index for this field would require removal of the primary key. @If you want to delete the primary key, select that field and click the Primary Key button. @1@@@1
- 2371 Microsoft Office Access can't create a primary key. Your changes weren't saved. @@@1@@@1
- 2372 The field name is not valid. @Make sure that the name doesn't contain a period (.), exclamation point (!), bracket ([]), leading space, or non-printable character such as a carriage return. If you have pasted the name from another application, try pressing ESC and typing the name again. @2@1@13793@1
- 2373 The setting for the FieldSize property must be from 0 through 255. @@@1@@@1
- 2374 You can't create an index or primary key on more than 10 fields. @@@1@@@1
- 2375 You can't paste beyond the end of a table. @You have attempted to paste fields beyond the 255th row in a table in Design view. @1@@@1
- 2376 Microsoft Office Access can't create a primary key. @You have selected too many fields for a multiple-field primary key. @1@@@1
- 2377 Once you enter data in a table, you can't change the data type of any field to AutoNumber, even if you haven't yet added data to that field. @Add a new field to the table, and define its data type as AutoNumber. Microsoft Office Access then enters data in the AutoNumber field automatically, numbering the records consecutively starting with 1. @1@@@1
- 2378 This table is read-only. @Use a different name in the Save As dialog box to save your changes. @1@@@1
- 2379 You can't create a primary key on a field of this data type. @You can't define a primary key on fields with an OLE Object, Memo, Attachment, or Multi-valued lookup field. @1@@@1
- 2380 Microsoft Office Access can't create a primary key because no fields have been selected. @You have selected a row with no fields defined. @Place the insertion point somewhere in the row of the field you want to define as the primary key. @1@@@1
- 2381 Microsoft Office Access can't create a primary key because the field doesn't have a name. @Name the field, and then define it as a primary key field. @1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2382 You can't switch to Datasheet view and you can't return to Design view. @Another user has opened this table or a query, form, or report that is bound to this table. @1@@@1
- 2383 Microsoft Office Access can't change the data type. @There isn't enough disk space or memory. @1@@@1
- 2384 You cannot change one field from an AutoNumber data type and add another AutoNumber field at the same time. @Do the following: □ Delete the AutoNumber field you just added, click the Microsoft Office Button, and then click Save. □ Add the new AutoNumber field, and then save the table again. @1@@@1
- 2385 Errors were encountered during the save operation. |@@@1@@@1
- 2386 Microsoft Office Access was unable to create the table. @@@1@@@1
- 2387 You can't delete the table '|'; it is participating in one or more relationships. @If you want to delete this table, first delete its relationships in the Relationships window. @1@@@1
- 2388 You can't change the primary key. @This table is the primary table in one or more relationships. @If you want to change or remove the primary key, first delete the relationship in the Relationships window. @1@@@1
- 2389 You can't delete the field '|.' @It is part of one or more relationships. @If you want to delete this field, first delete its relationships in the Relationships window. @1@@@1
- 2390 You can't change the data type or field size of this field; it is part of one or more relationships. @If you want to change the data type of this field, first delete its relationships in the Relationships window. @1@@@1
- 2391 Field '|1' doesn't exist in destination table '|2.' @Microsoft Office Access was unable to complete the append operation. The destination table must contain the same fields as the table you are pasting from. @1@@@1
- 2392 You can't set the Unique property of a primary key to No. @A primary key, by definition, contains only unique values. @If you want to allow nonunique values in this field, remove the primary key definition by setting the Primary property to No. @1@@@1
- 2393 You can't set the IgnoreNulls property of a primary key to Yes. @A primary key, by definition, can't allow null values. @If you want null values in this field, remove the primary key definition by setting the Primary property to No. @1@@@1
- 2394 The index name is invalid. @The index name may be too long (over 64 characters) or contain invalid characters. @1@@@1
- 2395 Indexes must have names. @@@1@@@1
- 2396 Microsoft Office Access can't create an index or primary key. @One or more field names are missing. @Enter or select at least one field in the Field Name column for each index you name. @1@@@1
- 2397 You already have an index named '|.' @@@1@@@1
- 2398 The primary key has been changed. @This table is the primary table in one or more relationships. Changes to the primary key won't be saved. @1@@@1
- 2399 The setting for the FieldSize property must be from 1 through 8000. @@@1@@@1
- 2400 The row you inserted in the grid exceeds the limit of 255 rows (fields) for a table or 1,000 rows (actions) for a macro. @@@1@@@1
- 2401 You can't delete the '|1' column at this time. @The '|1' column is part of the primary key for the '|2' table. It is used to identify and store the rows in your table in the database. @You cannot delete a primary key while using Datasheet view. To delete the primary key, open the table in Design view and remove the primary key field. @1@@@1
- 2420 The expression you entered has an invalid number. @@@2@1@11732@1
- 2421 The expression you entered has an invalid date value. @@@2@1@11729@1
- 2422 The expression you entered has an invalid string. @A string can be up to 2048 characters long, including opening and closing quotation marks. @1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2423 The expression you entered has an invalid . (dot) or ! operator or invalid parentheses. You may have entered an invalid identifier or typed parentheses following the Null constant.
- 2424 The expression you entered has a field, control, or property name that Microsoft Office Access can't find.
- 2425 The expression you entered has a function name that Microsoft Office Access can't find.
- 2426 The function you entered can't be used in this expression. You may have used a DoEvents, LBound, UBound, Spc, or Tab function in an expression. You may have used an aggregate function, such as Count, in a design grid or in a calculated control or field.
- 2427 You entered an expression that has no value. The expression may refer to an object that has no value, such as a form, a report, or a label control.
- 2428 You entered an invalid argument in a domain aggregate function. A field in the string expression may not be in the domain. A field specified in the criteria expression may not be in the domain.
- 2429 The In operator you entered requires parentheses.
- 2430 You did not enter the keyword And in the Between...And operator. The correct syntax is as follows: Expression [Not] Between value1 And value2
- 2431 The expression you entered contains invalid syntax. You may have entered a comma without a preceding value or identifier.
- 2432 The expression you entered contains invalid syntax, or you need to enclose your text data in quotes. You may have entered an invalid comma or omitted quotation marks. For example, if the Default Value property of a text field is "Huey, Louie, and Dewey," it must be enclosed in quotes if you mean it as a literal text string. This avoids the confusion with the expression "Huey Louie" And "Dewey".
- 2433 The expression you entered contains invalid syntax. You may have entered an operator, such as the + operator, in an expression without a corresponding operand.
- 2434 The expression you entered contains invalid syntax. You may have entered an operand without an operator.
- 2435 The expression you entered has too many closing parentheses.
- 2436 The expression you entered is missing a closing parenthesis, bracket (]), or vertical bar (|).
- 2437 The expression you entered has invalid vertical bars (|).
- 2438 The expression you entered contains invalid syntax. You omitted an operand or operator, you entered an invalid character or comma, or you entered text without surrounding it in quotation marks.
- 2439 The expression you entered has a function containing the wrong number of arguments.
- 2440 You must enclose IIf function arguments in parentheses.
- 2442 The expression you entered has invalid parentheses. You may have used the parenthesis syntax for an identifier in a query. Use the standard identifier syntax: Forms![Form]![Control].
- 2443 You can use the Is operator only in an expression with Null or Not Null.
- 2445 The expression you entered is too complex.
- 2446 There isn't enough memory available to perform this calculation. Close unneeded programs, and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
- 2447 There is an invalid use of the . (dot) or ! operator or invalid parentheses. You may have entered an invalid identifier or typed parentheses following the Null constant.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2448 You can't assign a value to this object. The object may be a control on a read-only form. The object may be on a form that is open in Design view. The value may be too large for this field.
- 2449 There is an invalid method in an expression. For example, you may have tried to use the Print method with an object other than Report or Debug.
- 2450 Microsoft Office Access can't find the form '!' referred to in a macro expression or Visual Basic code. The form you referenced may be closed or may not exist in this database. Microsoft Office Access may have encountered a compile error in a Visual Basic module for the form.
- 2451 The report name '!' you entered is misspelled or refers to a report that isn't open or doesn't exist.
- 2452 The expression you entered has an invalid reference to the Parent property. For example, you may be using the Parent property with a control on a main form or report rather than with a control on a subform or subreport.
- 2453 The control name '!' you entered in your expression is misspelled or refers to a control on a form or report that isn't open or doesn't exist.
- 2454 The object name '!' you entered following the ! operator in the expression is invalid. For example, you may have tried to enter an identifier with two control names separated by the ! operator.
- 2455 You entered an expression that has an invalid reference to the property |. The property may not exist or may not apply to the object you specified.
- 2456 The number you used to refer to the form is invalid. Use the Count property to count the open forms and make sure that the form number is not greater than the number of open forms minus one.
- 2457 The number you used to refer to the report is invalid. Use the Count property to count the open reports and make sure that the report number is not greater than the number of open reports.
- 2458 The control number you specified is greater than the number of controls. Use the Count property to count the controls on the form or report and then check that the control number you cite is within the range of existing controls.
- 2459 You can't refer to the Parent property of a form or report when either is open in Design view.
- 2460 You can't refer to the RecordsetClone property of a form open in Design view.
- 2461 Use a section number, not a string, to refer to a form or report section.
- 2462 The section number you entered is invalid.
- 2463 Use a number, not a string, to refer to a group level.
- 2464 There is no sorting or grouping field or expression defined for the group level number you used. A valid group level number can be from 0 (for the first field or expression you sort or group on) through 9 (for the tenth). Count the group levels in the report starting with zero.
- 2465 Microsoft Office Access can't find the field '!' referred to in your expression. You may have misspelled the field name, or the field may have been renamed or deleted.
- 2466 The expression you entered has an invalid reference to the Dynaset property. For example, you may have used the Dynaset property with a form that isn't based on a table or query.
- 2467 The expression you entered refers to an object that is closed or doesn't exist. For example, you may have assigned a form to a Form object variable, closed the form, and then referred to the object variable.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2468 The value you entered for the interval, number, or date argument in the function is invalid. Check the argument to make sure that you entered it correctly. For more information on valid argument values, search the Help index for 'DatePart function,' 'DateAdd function,' or 'DateDiff function'.
- 2469 The expression you entered in the form control's ValidationRule property contains the error. Microsoft Office Access can't parse the ValidationRule expression you entered. For example, if you enter the expression =MyFunction() in the ValidationRule property, and the function MyFunction doesn't exist, Microsoft Office Access displays the following message: Unknown function name in validation rule: 'MyFunction'. To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'.
- 2470 There is a(n) '!' in the form control's ValidationRule property. To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'.
- 2471 The expression you entered as a query parameter produced this error: '!'.
- 2472 The LinkMasterFields property setting has produced this error: '!'.
- 2473 The expression you entered as the event property setting produced the following error: * The expression may not result in the name of a macro, the name of a user-defined function, or [Event Procedure]. There may have been an error evaluating the function, event, or macro.
- 2474 The expression you entered requires the control to be in the active window. Try one of the following: Open or select a form or report containing the control. Create a new control in the active window, and try the operation again.
- 2475 You entered an expression that requires a form to be the active window.
- 2476 You entered an expression that requires a report to be the active window.
- 2477 You entered an invalid objecttype value '!' in an If TypeOf object Is objecttype condition of an If...Then...Else statement. The objecttype can be any one of the following: BoundObjectFrame, CheckBox, ComboBox, CommandButton, Label, Line, ListBox, UnboundObjectFrame, OptionButton, OptionGroup, PageBreak, Rectangle, Subform, Subreport, TextBox, ToggleButton, ImageControl, or OLEControl.
- 2478 Microsoft Office Access doesn't allow you to use this method in the current view. Most methods, including the SetFocus and Requery methods, can't be used in form or report Design view.
- 2479 The event procedure '!' can't be a Function procedure; it must be a Sub procedure. If you want to run a Function procedure when an event occurs, try one of the following: Set the event property to the name of a macro containing a RunCode action that runs the Function procedure. Set the event property to =FunctionName().
- 2480 You referred to a property by a numeric argument that isn't one of the property numbers in the collection. Check the property numbers in the collection.
- 2481 You can't set a value while a document is in Print Preview.
- 2482 Microsoft Office Access can't find the name '!' you entered in the expression. You may have specified a control that wasn't on the current object without specifying the correct form or report context. To refer to a control on another form or report, precede the control name with the name of a collection, usually either Forms or Reports, and the name of the form or report to which the control belongs. For example, Forms![Products]![Units In Stock].
- 2483 You can't move to a previous control when only one control has had the focus. Use the PreviousControl property only after you've moved the focus to a second control.
- 2484 There is no active datasheet.
- 2485 Microsoft Office Access can't find the object '!'.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2486 You can't carry out this action at the present time. You tried to run a macro or used the DoCmd object in Visual Basic to carry out an action. However, Microsoft Office Access is performing another activity that prevents this action from being carried out now. For example, no actions on a form can be carried out while Microsoft Office Access is repainting a control or calculating an expression. Carry out the action later.
- 2487 The Object Type argument for the action or method is blank or invalid. For a Close, GoToRecord, SearchForRecord or RepaintObject action, enter values for both arguments, or leave both blank to perform the action on the active object. For a DeleteObject, Rename, or CopyObject action, enter values for both arguments, or leave both blank to perform the action on the object currently selected in the Navigation Pane. For a SendObject or OutputTo action, enter values for both arguments, or leave the Object Name argument blank if you want the action performed on the active object of the specified object type. If you're using a method with the DoCmd object, use an intrinsic constant that equates to a valid object type or the corresponding numeric value for the argument name.
- 2488 You can't use the ApplyFilter action on this window. You tried to use the ApplyFilter action or method, but you didn't apply the filter to a table, query, form, or report. You may have applied the filter to a form, but the form wasn't open in Form or Datasheet view. You may have applied the filter to a report but didn't use the ApplyFilter action in a macro specified by the OnOpen property setting. Use the SelectObject action or method to select the table, query, form, or report before applying the filter.
- 2489 The object '!' isn't open. The macro you are running (directly or indirectly) contains a GoToRecord, RepaintObject, or SelectObject action, but the Object Name argument names an object that is closed. The objectname argument for the GoToRecord, RepaintObject, or SelectObject method names an object that is closed. Use one of the Open actions or methods to open the object so that you can carry out the desired action.
- 2491 The action or method is invalid because the form or report isn't bound to a table or query. You tried to use the ApplyFilter or SearchForRecord action or method. However, the form or report you applied the filter to is not based on a table or query, so the form or report doesn't have any records to apply a filter to. Use the SelectObject action or method to select the desired form or report before you run the ApplyFilter action. To base a form or report on a table or query, open the form or report in Design view, and enter the table or query name in the RecordSource property.
- 2492 Microsoft Office Access can't find the macro '!2' in the macro group '!1.' You used the macrogroupname.macroname syntax to specify a macro. You then tried to run the macro (directly or indirectly), or you used the RunMacro method to run the macro. However, the macro you specified isn't in this macro group. Create the macro in the macro group, specify the correct macro group, or specify the correct macro name.
- 2493 This action requires an Object Name argument.
- 2494 The action or method requires a Form Name argument. You tried to use the OpenForm action or method, but you left the Form Name argument blank. In the Form Name argument, enter the name of a form in the current database.
- 2495 The action or method requires a Table Name argument. You tried to use the OpenTable, TransferSpreadsheet, or TransferText action or method, but you left the Table Name argument blank. In the Table Name argument, enter the name of a table that is in the current database.
- 2496 The action or method requires a Query Name argument. You tried to use the OpenQuery action or method, but you left the Query Name argument blank. In the Query Name argument, enter a query name.
- 2497 The action or method requires a Report Name argument. You tried to use the OpenReport action or method, but you left the Report Name argument blank. In the Report Name argument, enter the name of a report.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2498 An expression you entered is the wrong data type for one of the arguments. You tried to run a macro or use a method to carry out an action, but an expression evaluated to the wrong data type. For example, for the Close method you specified a string for the Object Type argument, but this argument can be set only to certain intrinsic constants or their numeric equivalents.
- 2499 You can't use the GoToRecord or SearchForRecord action or method on an object in Design view. Try one of the following: Switch to Form or Datasheet view for a form. Switch to Datasheet view for a query or table. If you are running a macro or Visual Basic procedure containing an action that opens the object, set the View argument to the correct view before you carry out the GoToRecord action.
- 2500 You must enter a number greater than zero for a Repeat Count argument. You tried to use the RunMacro action or method, but you entered a value less than zero (or an expression that evaluates to less than zero) in the Repeat Count argument. To run the macro once, leave this argument blank.
- 2501 The | action was canceled. You used a method of the DoCmd object to carry out an action in Visual Basic, but then clicked Cancel in a dialog box. For example, you used the Close method to close a changed form, then clicked Cancel in the dialog box that asks if you want to save the changes you made to the form.
- 2502 The action or method requires a Macro Name argument. You tried to use the RunMacro action or method, but you left the Macro Name argument blank. Microsoft Office Access tried to create a custom menu bar for a form or report, but the Menu Macro Name argument of the AddMenu action is blank. In the Menu Macro Name argument, enter the name of a macro or macro group that is in the current database.
- 2503 You can't use this action with the DoCmd object. For a list of the actions that the DoCmd object doesn't support and some alternatives to using these actions, click Help. Why actions that aren't in this list can be used with the DoCmd object.
- 2504 The action or method requires at least | argument(s). You tried to run a macro containing an action or used a method or action with the DoCmd object, but you didn't set the required number of arguments. For example, if you use the MoveSize action, you must set at least one of the four arguments.
- 2505 An expression in argument | has an invalid value. You tried to run a macro or used the DoCmd object in Visual Basic. The argument number above is the position of the argument as it appears in the Macro window, the Action Failed dialog box, or the Object Browser (if you're using the DoCmd object). Try one of the following: Select a setting from the drop-down list box in each argument. Use an intrinsic constant equating to a valid object type. Substitute the correct corresponding expression.
- 2506 A value you entered for the Transfer Type argument is invalid. An expression in the Transfer Type argument doesn't evaluate to a valid numeric value. Valid values for the Transfer Type argument are as follows: 0, 1, and 2 for the TransferDatabase action. 0, 1, and 2 for the TransferSpreadsheet action. 0 through 6 for the TransferText action.
- 2507 The | type isn't an installed database type or doesn't support the operation you chose. You used the TransferDatabase method, but an expression in the databasetype argument doesn't evaluate to a valid database type for importing, exporting, or linking. For information on valid database types, click Help.
- 2508 A value you entered for the spreadsheettype argument is invalid. You used the TransferSpreadsheet method, and an expression in the spreadsheettype argument doesn't evaluate to a valid numeric value. Valid values are 0, 2, 3, 4, 5, 6, 7, and 8. Note that 1 is an invalid value; you can't import or export to a Lotus .wks format file.
- 2509 The setting for the Range argument can't be longer than 255 characters.
- 2510 The expression you entered in the Specification Name argument exceeds the 64-character limit. Select one of the existing specification names from the argument list box when you use the TransferText action in a macro, or enter a name in Visual Basic that follows Microsoft Office Access object-naming rules.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2511 The action or method requires a Specification Name argument. You tried to use the TransferText action or method and you specified a Transfer Type argument but left the Specification Name argument blank. In the Specification Name argument, enter an existing specification name from the argument list box. 11113131
- 2512 Microsoft Office Access can't parse the expression: '|'. Click OK to return to the action argument or conditional expression where this expression appears, and then correct the syntax. 1111
- 2513 The Macro Name argument can't be longer than 64 characters according to Microsoft Office Access object-naming rules. 11117341
- 2514 The action or method requires a Control Name argument. You tried to use the GoToControl action or method, but you left the control name blank. In the Control Name argument, enter a control or field name from the active form or datasheet. 11113131
- 2515 Microsoft Office Access can't open the macro '|' because it was saved using a different version of Microsoft Office Access. Re-create the macro in the current version of Microsoft Office Access. 1111
- 2516 Microsoft Office Access can't find the module '|'. You tried to use the OpenModule action or method, but Microsoft Office Access can't find the module you specified in the Module Name argument. Enter a valid module name from the current database. 1111
- 2517 Microsoft Office Access can't find the procedure '|'. * You may have used the Run method in Visual Basic but entered an invalid procedure name, or you used the Run method without first opening a database. You tried to use the OpenModule action or method, but you used an invalid procedure name. 1111
- 2519 Application-defined or object-defined error
- 2520 The action or method requires a Module or Procedure Name argument. You tried to use the OpenModule action or method, but you didn't enter a name in either the Module Name or the Procedure Name argument in the Macro window. Enter a valid name in one of these arguments. 1111
- 2521 You have specified a Transfer Type that doesn't support the HTML Table Name argument. Leave the HTML Table Name argument blank unless you are using the Import HTML or Link HTML Transfer Types. 1111
- 2522 The action or method requires a File Name argument. You tried to use the TransferSpreadsheet or TransferText action or method. In the File Name argument, enter a file name. 11113131
- 2523 The value you entered for the show argument is invalid. You used the ShowToolbar method. Valid values for this argument are acToolbarYes, acToolbarWhereApprop, and acToolbarNo, or the corresponding numeric values 0, 1, and 2. 111124461
- 2524 Microsoft Office Access can't invoke the application using the RunApp action. The path to the application is invalid, or a component of the application is missing. Check the path in Windows Explorer or File Manager. 1111
- 2525 A macro can call itself a maximum of 20 times. Your macro contains a RunMacro action that calls the same macro more than 20 times. Use a condition to stop the macro after it has been run 20 times, or call another macro with the RunMacro action. 1111
- 2526 The SendKeys action requires the Microsoft Office Access Utility Add-in to be loaded. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access and the Microsoft Office Access Utility Add-in. 1111853091
- 2527 Lotus .wks file formats aren't supported in the current version of Microsoft Office Access. Convert your .wks file to a more recent format, such as .wk1. 1111
- 2528 The RunCommand macro action argument is missing, or you entered an invalid command ID for the RunCommand method. 1111
- 2529 The Toolbar argument can't be longer than 64 characters. 1111
- 2530 The SelectObject method can't be used on a report that is currently printing. 1111

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2531 Your HTML file does not contain any tabular data that Microsoft Office Access can import.
- 2532 Microsoft Office Access can't find the macro or sub procedure ' | '. The specified macro, macro group, or sub procedure doesn't exist. Note that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under. Also, ensure that the referenced macro has been saved, or that the referenced sub procedure expects 0 arguments.
- 2533 The ApplyFilter action requires that either the Filter Name or Where Condition argument is set. You tried to run a macro containing an ApplyFilter action, but you didn't set the required arguments.
- 2534 The action or method requires a data access page Name argument. You tried to use the OpenDataAccessPage action or method, but you left the data access page Name argument blank. In the data access page Name argument, enter the name of a data access page in the current database.
- 2535 The ApplyFilter action contains a Filter Name that cannot be applied. The filter name is not a valid argument in the ApplyFilter action in Client Server.
- 2536 Application-defined or object-defined error
- 2537 The feature ' | ' is not available while the database is opened in disabled mode.
- 2538 The ' | ' macro action cannot be run in disabled mode.
- 2540 The file ' | ' you tried to replace is a Microsoft Office Access system file that is in use and can't be replaced or deleted.
- 2541 The contents of the Clipboard have been deleted and can't be pasted. Some applications do not put large objects on the Clipboard. Instead, they put a pointer to the object on the Clipboard. The pointer may vanish before the paste happens.
- 2542 Specify the database name in the command line so that Microsoft Office Access can find the macro.
- 2543 You can't paste a database object onto itself.
- 2544 Application-defined or object-defined error
- 2545 The CopyObject action requires you to specify a different destination database or a new name to copy from the current database. The macro you are running includes a CopyObject action. Open the macro in the Macro window, and select the CopyObject action. Enter a destination database or a new name in the appropriate argument box.
- 2546 Select a database object in the Navigation Pane before you run the macro containing the | action.
- 2547 The database ' | ' you tried to delete and replace is read-only and can't be deleted or replaced. Enter a different name for the new database.
- 2548 Microsoft Office Access can't run the Security Wizard because this database is open in exclusive mode. Do you want Microsoft Office Access to open the database in shared mode and run the Security Wizard?
- 2549 Microsoft Office Access can't delete |1 after compacting it. The compacted database has been named |2. If you compact a database using the same name, Microsoft Office Access creates a new compacted database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only. If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2550 Microsoft Office Access can't delete |1 after encoding it. The encoded database has been named |2. @If you encode a database using the same name, Microsoft Office Access creates a new encoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only. @If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator. @1@1@10299@1
- 2551 Microsoft Office Access can't delete |1 after decoding it. The decoded database has been named |2. @If you decode a database using the same name, Microsoft Office Access creates a new decoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only. @If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator. @1@1@10299@1
- 2552 You can't encode a database that you didn't create or don't own. @See the owner of the database or your workgroup administrator. @@1@@@1
- 2553 You can't decode a database that you didn't create or don't own. @See the owner of the database or your workgroup administrator. @@1@@@1
- 2554 Can't find the database you specified, or you didn't specify a database at all. @Specify a valid database name in the command line, and include a path if necessary. @1@1@10283@1
- 2556 Microsoft Office Access can't run the Security Wizard because the database uses a password. @Remove the database password by clicking Unset Database Password in the Database Tools group on the Database Tools tab. @1@@@1
- 2557 The database you tried to convert was either created in or was already converted to the requested version of Microsoft Office Access. @@1@@@1
- 2558 Application-defined or object-defined error
- 2559 Microsoft Office Access was unable to refresh the linked table '|1' in database '|2' during conversion. Try to refresh the links manually by using the Linked Table Manager command in the Database Tools group on the Database Tools tab.
- 2560 Microsoft Office Access is unable to load the Database Properties. @@@1@@@3
- 2561 Microsoft Office Access can't display the Database Properties dialog box. @@@1@@@1
- 2562 Microsoft Office Access is unable to save the Database Properties. @@@1@@@1
- 2563 Application-defined or object-defined error
- 2564 You can't hide the document '|1' while it is open. @Close the database object first, and then hide it. @1@@@1
- 2565 You can't unhide the database object '|1' while it is open. @Close the database object first, and then unhide it. @1@@@1
- 2566 Microsoft Office Access is unable to set the application's icon to the file '|1'. @Make sure the file is a valid icon (.ico) file. If you're using Microsoft Windows, you can also use .bmp files. @1@@@1
- 2567 Microsoft Office Access can't open or convert this previous version database. @The database was created in an earlier version of Microsoft Office Access. You don't have appropriate security permissions to open or convert databases created in earlier versions. @1@@@1
- 2568 Microsoft Office Access can't undo this operation. @An object with the same name already exists. Another user might have created an object named '|1' after you had performed this operation on an object with the same name. @1@@@1
- 2569 Application-defined or object-defined error
- 2570 Application-defined or object-defined error
- 2571 You cannot modify objects created in an earlier version of Microsoft Office Access. @To convert this database to the current version of Microsoft Office Access, close the database, click the Microsoft Office Button, and then click Convert. @1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2572 This database is in an unexpected state and Microsoft Office Access cannot open it. @This database has been converted from a prior version of Microsoft Office Access by using the DAO CompactDatabase method instead of the Convert Database command (click the Microsoft Office Button and then click Convert). Converting by using the DAO CompactDatabase method has left the database in a partially converted state. @If you have a copy of the database in its original format, click the Microsoft Office Button and then click Convert to convert it. If the original database is no longer available, create a new database and import your tables and queries to preserve your data and try again. Your other database objects cannot be recovered. @1@@@1
- 2573 This database is a replica created in a different version of Access. @You can only convert this replica by synchronizing with its Design Master. @Convert the Design Master of this replica set then synchronize the replica with the Design Master. @1@@@1
- 2574 You can't create another Microsoft Office Access database with the same name and location as an existing database. @You carried out the Make MDE File command, but tried to give the new database the same extension as the old one. @Accept the default .mde extension for your new MDE database. @1@@@1
- 2575 You can't create a Microsoft Office Access MDE database from a database replica. @@@1@@@1
- 2576 This database is a Microsoft Office Access 7.0/8.0/9.0 Design Master/Replica. @If you click OK, the database you selected will be renamed to |1 and then converted to |2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2000 after the next synchronization. @4@@@2
- 2577 The database | is already open. @Close the database before carrying out the Make MDE File command. @1@@@1
- 2578 Microsoft Office Access was unable to create the .accde, .mde, or .ade file. @@@1@@@1
- 2579 Local forms, reports, macros, and modules in this replica will not be converted. @To retain these objects, please be sure to import them into the Design Master from the original replica. @1@@@1
- 2580 The record source '|' specified on this form or report does not exist. @The name of the recordsource may be misspelled, the recordsource was deleted or renamed, or the recordsource exists in a different database. @In the Form or Report's Design view, display the property sheet by clicking the Properties button, and then set the RecordSource property to an existing table or query. @1@@@1
- 2581 You must define a sort field or expression for the group header or footer in the report you tried to preview or print. @@@1@1@8753@1
- 2582 You cannot set the GroupInterval property to 0 when the GroupOn property is set to Interval. @Click the Sorting and Grouping Design tab and try one of the following: Change the GroupInterval property setting to a number higher than 0. Change the GroupOn property setting to Each Value. @1@@@1
- 2583 The ApplyFilter action or method can be carried out only from an Open macro or Open event procedure. @* You may have tried to run a macro or procedure containing the ApplyFilter action or method from a report property other than the OnOpen property. You may have tried to run a macro or event procedure on a report that is already open. @To use the ApplyFilter action in a report, set the OnOpen property to the name of the macro, close the report, and then reopen it. @1@1@3004@1
- 2584 You can't use aggregate functions in a page header or footer. @The page header or footer of the report you tried to preview contains a calculated control with an aggregate function in its expression. @If you want to show the result of an aggregate function in a page header or footer, create a hidden calculated control in an appropriate section of the report. Then create an unbound text box in the page header or footer. You are running a macro, use the SetValue action to set the unbound text box value to the value in the hidden control. @1@1@11839@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2585 This action can't be carried out while processing a form or report event. A macro specified as the OnOpen, OnLoad, OnClose, OnFormat, OnRetreat, OnPage, or OnPrint property setting contains an invalid action for the property. When you click OK, an Action Failed dialog box will display the name of the macro that failed and its arguments. 111909
- 2586 Microsoft Office Access changed the MoveLayout and NextRecord properties to True from False. The macro or Visual Basic function run by the OnFormat property of one of the sections of the report set both the MoveLayout and NextRecord properties to False. Having both properties set to False can make the report print continuously. Revise the macro or function so that it sets these properties to the values you want. 14656
- 2587 Microsoft Office Access can't complete the Output operation. The Visual Basic code you entered contains a syntax error or the Output procedures are not available. Make sure there isn't a syntax error in your code. If the syntax is correct, run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. 185309
- 2588 You must select a form to save as a report. 1
- 2589 The expression '|' is invalid. Aggregate functions are only allowed on output fields of the Record Source. 1
- 2590 The Var and VarP aggregate functions are not supported in an Access project. 1
- 2591 You can't change printer properties in the OnOpen event of a report. 1
- 2592 Application-defined or object-defined error
- 2593 This feature is not available in an MDB or ACCDB. 1
- 2594 You cannot Filter By Form when form record source is a recordset object. 1
- 2595 Microsoft Office Access cannot set this property when DefaultSize property is set to True. 1
- 2596 Printer object is not available on subforms and subreports. 1
- 2597 Unable to bind the report to the specified recordset because the shape does not match the sorting and grouping specified on the report. 1
- 2598 Application-defined or object-defined error
- 2599 Report view is not available for this report. 1
- 2600 Verify the new password by retyping it in the Verify box and clicking OK. 1
- 2601 You don't have permission to read '|'. To read this object, you must have Read Design permission for it. For more information on permissions and who can set them, click Help. 2110222
- 2602 You don't have permission to modify '|'. To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. For more information on permissions and who can set them, click Help. 2110222
- 2603 You don't have permission to run '|'. To run this object, you must have Open/Run permission for it. For more information on permissions and who can set them, click Help. 2110222
- 2604 You can't view this object's permissions. To view or change permissions for this object, you must have Administer permission for it. For more information on permissions and who can set them, click Help. 2110222
- 2605 You can't remove this user account from group '|'. * You may have tried to remove a user account from the default Users group. Microsoft Office Access automatically adds all users to the default Users group. To remove a user account from the Users group, you must first delete the account. You may have tried to remove all users from the Admins group. There must be at least one user in the Admins group. 1110212
- 2606 The object type is invalid. 1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2607 You don't have permission to cut '|.'@To cut this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
- 2608 You don't have permission to copy '|.'@To copy this object, you must have Read Design permission for it. If the object is a table, you must also have Read Data permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
- 2609 You don't have permission to delete '|.'@To delete this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
- 2610 You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.@Microsoft Office Access uses the combination of the user or group name and the PID to identify the user or group. Note that Microsoft Office Access hides the PID after you create it, so make sure to write down the exact user or group account name and the PID entries. If you ever have to re-create the account, you must supply the same name and PID entries.@@1@@@1
- 2611 Microsoft Office Access can't find the workgroup file '|.' Would you like to use the default workgroup file?@@@20@@@1
- 2612 The account name is invalid.@For information about naming conventions, click Help.@@2@1@10213@1
- 2613 You don't have permission to rename '|.'@To rename a database object, you must have Modify Design permission for the object. For more information on permissions and who can set them, click Help.@@2@1@10222@1
- 2614 You don't have permission to insert this form into another form.@To insert a form into another form as a subform, you must have Read Design permission for the form being inserted. For more information on permissions and who can set them, click Help.@@2@1@10222@1
- 2615 You don't have permission to change the owner of '|.'@To change the owner of a database object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.@@5@1@10222@1
- 2616 You can't change permissions for '|.'@To change permissions for this object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.@@5@1@10222@1
- 2617 You don't have permission to import, export, or link to '|.'@To import, export, or link to this object, you must have Read Design and Read Data permissions for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
- 2618 You must have the database open for exclusive use to set or remove the database password.@To open the database exclusively, close the database, and then reopen it by clicking the Microsoft Office Button and using the Open command. In the Open dialog box, click the arrow next to the Open button, and then select Open Exclusive.@@1@@@1
- 2619 You can't change permissions for '|' in a replica.@Permissions may only be changed in the Design Master for the replica set.@@3@@@1
- 2620 The password you entered in the Old Password box is incorrect.@Please enter the correct password for this account.@@1@@@1
- 2621 That password isn't valid.@You may have used a semicolon.@@1@@@1
- 2622 You cannot save '|' because it is read-only.@To save, switch to Design View, click the Microsoft Office Button, point to Save As, and enter a new name.@@3@@@1
- 2623 Application-defined or object-defined error
- 2624 An error has occurred while changing workgroup database.@@@1@@@1
- 2625 Workgroup Administrator couldn't create the workgroup information file. Make sure that you have specified a valid path and file name, that you have adequate permissions to create the file, and that you have enough disk space on the destination drive. (|)@@@1@@@1
- 2626 Reserved error (|); there is no message for this error.@@@1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2627 There's not enough disk space.
- 2628 One of your parameters is invalid.
- 2629 Could not open workgroup file. This is a directory.
- 2630 The specified path is invalid.
- 2631 The specified path is too long.
- 2632 Change Workgroup cannot proceed without your Name, PIN, and a path to the new Workgroup Information File.
- 2633 Microsoft Office Access cannot change the password for the logon account '|' because the current connection is using Microsoft Windows NT integrated security.
- 2634 The new password doesn't match the verify password value.
- 2635 Microsoft Office Access is unable to change the password because the old password doesn't match the password of the currently logged in user.
- 2636 Workgroup file already exists.
- 2637 Unable to start SQL Server service. To restart the SQL Server service, double-click the SQL Server System Manager icon in the system tray and click Start/Continue. When the service is started, in Microsoft Office Access, click the Microsoft Office Button, point to Server Tasks, click Connection, and then click OK.
- 2638 Unable to start SQL Server service. To restart the SQL Server service, double-click the SQL Server System Manager icon in the system tray and click Start/Continue. If the service fails to start, go to the Services console and verify that the MSSQLServer service Log On information is correct. When the service is started, in Microsoft Office Access, click the Microsoft Office Button, point to Server Tasks, click Connection, and then click OK.
- 2639 Microsoft Office Access cannot open | due to security restrictions. Security settings restrict access to the file because it is not digitally signed.
- 2646 Microsoft Office Access can't create this relationship and enforce referential integrity. Data in the table '|' violates referential integrity rules. For example, there may be records relating to an employee in the related table, but no record for the employee in the primary table. Edit the data so that records in the primary table exist for all related records. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
- 2648 Application-defined or object-defined error
- 2649 Microsoft Office Access can't enforce referential integrity for this relationship. Make sure the fields you drag are primary key fields or uniquely indexed and that the unique index or primary key is correctly set. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
- 2650 Microsoft Office Access can't create this relationship and enforce referential integrity. * The fields you chose may have different data types. The fields may have the Number data type but not the same FieldSize property setting. Try one of the following: Select fields with the same data type. Open the tables in Design view, and change the data types and field sizes so that the fields match. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
- 2651 You can't create a relationship between fields with the Memo, OLE Object, Yes/No, or Hyperlink data type. You tried to enforce referential integrity for a relationship, but one or more of the fields you chose have the Memo, OLE Object, Yes/No, or Hyperlink data type. Select fields in the grid that don't have these data types, or open the tables in Design view and change data types.
- 2652 You can't delete a relationship inherited from a linked database.
- 2680 The form or report includes more OLE objects than Microsoft Office Access can display at one time. Delete some of the bound or unbound object frames.
- 2683 There is no object in this control.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2684 The OLE object is empty. You can't edit a bound object frame if the field in the underlying table doesn't contain an OLE object. Right-click the field, click Insert Object, and use the dialog box to locate and add the object to the field.
- 2685 The object doesn't have an OLE object data type. The bound object frame containing the object you tried to edit isn't bound to a field with the OLE object data type. If you want to display an OLE object, set the ControlSource property for the bound object frame to a field with the OLE object data type. Or use a different control, such as a text box, to display the data.
- 2686 Microsoft Office Access is unable to save the object. Your computer ran out of disk space while Microsoft Office Access was saving the OLE object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
- 2687 Application-defined or object-defined error
- 2690 A system resource necessary for displaying the object isn't available. Your computer may be low on memory. Close unneeded programs, and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
- 2691 Microsoft Office Access can't communicate with the OLE server. The OLE server may not be registered. To register the OLE server, reinstall it.
- 2694 The Clipboard isn't available. The Clipboard may be in use by another application, or your computer may be low on memory. If your computer is low on memory, close unneeded programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
- 2695 Microsoft Office Access is unable to display the converted object. Delete the object in the bound object frame, and then re-create it.
- 2696 Microsoft Office Access can't read the OLE object. Delete the object in the bound object frame, and then re-create it.
- 2697 There was a problem loading the object. The object you tried to create or edit is not a valid OLE object. Re-create the object, and then embed or link it again.
- 2698 The object you tried to create or edit is too large to save. Your database may not contain enough space for the object. Your computer may be out of disk space. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
- 2699 The connection with the OLE server was lost, or the OLE server encountered an error while you were using it. Restart the OLE server, and then try the operation again.
- 2700 Microsoft Office Access can't find an OLE server or a dynamic-link library (DLL) required for the OLE operation. The OLE server or DLL may not be registered. To register the OLE server or DLL, reinstall it.
- 2701 The OLE server for the OLE object you tried to create is already open. Switch to the OLE server window and close it. Then try to create or edit the OLE object again.
- 2702 The object isn't registered. The object may be calling an application that isn't installed. To register the application, reinstall it.
- 2703 Microsoft Office Access can't read the object because communication was interrupted. If the OLE server application is located on a network server, make sure your computer is connected to it.
- 2704 The object you tried to edit doesn't have any displayable information.
- 2707 Microsoft Office Access can't open the file containing the OLE object. You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. The file you specified may not be available because it's locked by another user or you don't have permission to use it. Try one of the following: Make sure the file is available and that you used the correct file name. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2711 The file name argument in the GetObject function of the Visual Basic procedure you ran is invalid. You may not have entered, or may have misspelled, the file name. The unit of data (such as a range of cells from a worksheet) may not be valid. Try one of the following: Make sure the file is installed on your computer and that you used the correct file name. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
- 2713 A problem occurred when Microsoft Office Access tried to access the | object. You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. The file you specified may not be available because it's locked by another user or you don't have permission to use it. Try one of the following: Make sure that the file is installed on your computer and that you used the correct file name. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
- 2714 The | object doesn't support verbs that can be performed on an OLE object, such as play or edit. Check the OLE server's documentation for information on the verbs the OLE object supports, or use the ObjectVerbs property or the ObjectVerbsCount property to find the verbs supported by an OLE object.
- 2715 The index for the Action or the Verb property for the | object is invalid. The setting you entered may be a negative number or may be too large.
- 2717 The | object has no information that can be displayed. You tried to perform an operation on a bound or unbound object frame containing an OLE object, but the OLE object is empty. Right-click the frame, click Insert Object, and then use the dialog box to locate and either add or link to an object from a file that is not empty.
- 2719 A problem occurred while accessing the | object. The OLE server may not be available because it's on a network server and you lost the connection. Try re-establishing the connection. The OLE object may be stored in a linked file, but the file isn't available. Activate the OLE server outside of Microsoft Office Access, and then open the file containing the OLE object to verify that it still exists and can be accessed.
- 2723 The | object doesn't support the attempted operation. The OLE object was changed to a picture, or the link to the object was broken. If you want to perform the operation, delete the OLE object, and then embed or link it again.
- 2724 One or more dynamic-link libraries required for using OLE objects is an incorrect version. Run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
- 2725 The OLE server isn't registered. To register the OLE server, reinstall it.
- 2726 Microsoft Office Access can't perform the OLE operation because it was unable to read the Windows Registry where the OLE server is registered. Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Office Access, you may want to back up your Microsoft Office Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.
- 2727 Microsoft Office Access can't perform the OLE operation because it was unable to write to the Windows Registry where the OLE server is registered. Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Office Access, you may want to back up your Microsoft Office Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.
- 2729 The OLE object you tried to edit is busy. Try again later.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2730 There was a problem communicating with the OLE server. Try again later. If you still can't access the object, try one or more of the following:
- Free up system memory. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
 - Reinstall the OLE server to make sure it's registered.
 - Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
- 2731 An error occurred while accessing the OLE server. The OLE server may not be registered. To register the OLE server, reinstall it.
- 2732 Microsoft Office Access can't read the | object. Communication between Microsoft Office Access and the OLE server was interrupted. Make sure your computer is connected to the network server on which the OLE server is located.
- 2733 The OLE object you tried to edit can't be accessed. You don't have permission to change the object, or another user opened and locked the object.
- 2734 You can't save the | object now. The OLE server is running an operation, or another user opened and locked the object. Try to save the object again later.
- 2735 This disk is write-protected. You can't save the | object to it.
- 2737 Microsoft Office Access can't find the file containing the linked OLE object you tried to update using the OLE/DDE Links command. You may have misspelled the file name, or the file may have been deleted or renamed. If the file has been moved to a different location, use the OLE/DDE Links command to change the source. Or delete the object, and create a new linked object.
- 2738 There isn't enough memory to complete the operation. Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
- 2739 An error occurred during the operation with an OLE object. The object is in use.
- 2741 Your computer ran out of disk space while Microsoft Office Access was saving the changes you made to the | object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
- 2742 Microsoft Office Access was unable to create more files. Your computer may be low on memory or disk space. Close unneeded programs and try the operation again. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.
- 2743 The | object is stored in a format that is incompatible with the version of OLE on your computer.
- 2744 Microsoft Office Access can't find the OLE server. The setting for the SourceDoc property may be invalid, or the file may have been deleted, renamed, or moved.
- 2745 Share.exe or Vshare.386 is missing from your computer; OLE support needs these files to work correctly. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access, the Share program, and Vshare.386. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. Then restore the file to its original location. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
- 2746 You can't switch to Design view because your form contains too many OLE objects. Close other applications, close the form, and then open the form again in Design view. Then delete some of the OLE objects or move them to a different form.
- 2747 The OLE server can't display the | object. There is a problem with the file containing the OLE object, or there isn't enough memory available. Open the OLE server outside of Microsoft Office Access, and then open the OLE object file. If you can do this, then your computer may be low on memory. Close other programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2748 The Automation object operation isn't available for the | object. @Check the component's documentation for information on which operations are available for an Automation object. @1@@@1
- 2749 There isn't enough memory to complete the Automation object operation on the | object. @Close unneeded programs and try the operation again. @For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
- 2750 The operation on the | object failed. @The OLE server may not be registered. @To register the OLE server, reinstall it. @1@@@1
- 2751 The Exit or Update operation failed. @You pressed the ESC key (or another key used in the OLE server to stop an operation) while Microsoft Office Access was saving the changes you made to an OLE object in a form or report. @Try to exit or update again. @1@@@1
- 2753 A problem occurred while Microsoft Office Access was communicating with the OLE server or ActiveX Control. @Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again in Microsoft Office Access. @1@@@1
- 2754 A problem occurred while Microsoft Office Access was communicating with the OLE server. @Try one or more of the following: ☐ Make sure you're connected to the network server where the OLE server application is located. ☐ Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again from within Microsoft Office Access. ☐ Reinstall the OLE server to ensure that it's registered. @1@@@1
- 2755 There was a problem referencing a property or method of the object. @You tried to run a Visual Basic procedure that references an object property or method. @Try one or more of the following: ☐ Make sure the component is properly registered. ☐ Make sure your computer is connected to the network server where the component is located. ☐ Close the component and restart it outside of Microsoft Office Access. Then try again to run the procedure in Microsoft Office Access. @1@@@1
- 2756 A problem occurred when Microsoft Office Access tried to access the OLE object. @Close the Microsoft Office Access form or report that displays the OLE object, and close the OLE server. Then reopen the form or report to see if it can display the OLE object. @1@@@1
- 2757 There was a problem accessing a property or method of the OLE object. @Try one or more of the following: ☐ Verify that the OLE server is registered correctly by reinstalling it. ☐ Make sure your computer is connected to the server on which the OLE server application resides. ☐ Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again from within Microsoft Office Access. @1@@@1
- 2758 Application-defined or object-defined error
- 2759 The method you tried to invoke on an object failed. @* You may have specified too many or too few arguments for a property or method of an object. Check the component's documentation for information on the properties and methods it makes available for Automation operations. ☐ There may not be enough memory to run the procedure. Close unneeded programs and try to run the procedure again. @For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
- 2760 An error occurred while referencing the object. @You tried to run a Visual Basic procedure that improperly references a property or method of an object. @1@@@1
- 2761 There was a problem referencing a property or method of an object. @Check the component's documentation for information on the properties and methods it makes available for Automation operations. @1@@@1
- 2762 | returned an error while referencing a property of an object. @Check the component's documentation for information on the properties and methods it makes available for Automation operations. @1@@@1
- 2763 |1 returned the error: |2. @Check the component's documentation for information on the properties and methods it makes available for Automation operations. @1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2764 The object's property or method can't be set. You tried to run a Visual Basic procedure to set a property or apply a method for an object. However, the property or method doesn't support named arguments. Check the component's documentation for information on the properties and methods it makes available to Automation operations.
- 2765 Visual Basic can't convert the data type of one of the arguments you entered. You tried to run a Visual Basic procedure that executes a method or sets a property of an object. Check the component's documentation for information on the properties and methods it makes available for Automation operations.
- 2766 The object doesn't contain the Automation object '|'. You tried to run a Visual Basic procedure to set a property or method for an object. However, the component doesn't make the property or method available for Automation operations. Check the component's documentation for information on the properties and methods it makes available for Automation operations.
- 2767 The object doesn't support American English; it was developed using a different language. Use a version of the object developed in Visual Basic that supports the language you are using.
- 2768 The number you used to reference an element in the array is outside the bounds of the array. For example, the array is from 0 through 10, and you entered a -1 or an 11. Check the component's documentation for information on the properties and methods it makes available for Automation operations.
- 2769 A property of the Automation object requires or returns a data type that isn't supported by Visual Basic. You tried to run a Visual Basic procedure that references an Automation object's property. However, the value of the property isn't supported by Visual Basic. Check the component's documentation for information on the properties and methods it makes available for Automation operations.
- 2770 The object you referenced in the Visual Basic procedure as an OLE object isn't an OLE object.
- 2771 The bound or unbound object frame you tried to edit does not contain an OLE object. Right-click the frame, click Insert Object, and then use the dialog box to locate and either add or link to an object from a file that is not empty.
- 2774 The component doesn't support Automation. You tried to run a Visual Basic procedure that references an Automation object. Check the component's documentation for information on whether it supports Automation.
- 2775 You specified too many arguments in the Visual Basic procedure, or there isn't enough memory to run the procedure. Specify fewer arguments, or close unneeded programs, and then try to run the procedure again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
- 2777 The class argument in the CreateObject function of the Visual Basic procedure you're trying to run is invalid. Try one of the following:
- Make sure the file is installed on your computer and that you used the correct file name.
 - Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
- 2778 Microsoft Office Access tried to create an OLE link, but there was no source document for this object.
- 2782 You must specify a property or method for the object. You tried to run a Visual Basic procedure that references and sets a property or method for the object. Enter a property or method for the object.
- 2783 You entered an invalid setting for the Action property. Use one of the Microsoft Office Access intrinsic constants for the Action property. For a list of valid settings you can use with the Action property, click Help.
- 2784 The path you entered for the SourceDoc property setting for a linked OLE object is too long. Move the file to a location with a shorter path.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2785 The OLE server wasn't able to open the object. The OLE server may not be installed. You may have specified an invalid setting for the SourceDoc or SourceItem property in a property sheet, a macro, or a Visual Basic procedure. To see the valid settings for either of these properties, search the Help index for the property topic.
- 2786 The OLE server doesn't support linking. You tried to run a Visual Basic procedure using the Action property. However, you provided insufficient information to establish a link.
- 2788 The object isn't a linked object. The property you tried to set in Visual Basic applies only to linked objects.
- 2790 You can't embed an OLE object into a bound or unbound object frame if the OLETypeAllowed property for the bound or unbound object frame is set to Linked. Insert a linked object, or set the OLETypeAllowed property to Embedded or Either, and then embed the object.
- 2791 Microsoft Office Access can't link the OLE object or the bound or unbound object frame. The OLETypeAllowed property for the bound or unbound object frame is set to Embedded. Embed the object, or set the OLETypeAllowed property to Linked or Either, and then link the object.
- 2792 You can't save a locked OLE object.
- 2793 Microsoft Office Access can't perform the operation specified in the Action property of the Visual Basic procedure you're trying to run. The object frame may be locked or disabled. Set the Locked property to No and the Enabled property to Yes.
- 2794 The ActiveX control you tried to insert isn't registered. For information on registering an ActiveX control, click Help.
- 2797 This OLE object was created in an earlier version of OLE so it can't be displayed as an icon. For an effect similar to displaying an object as an icon, add an image control to your form, and add the icon for the application to the image control. Then set the image control's OnDbClick property to a Visual Basic procedure that opens the OLE object.
- 2798 You can't use the Action property to delete a bound OLE object from its underlying table or query. You tried to run a Visual Basic procedure that deletes the object in a bound object frame by setting the Action property to acOLEDelete. Delete the object in a different way, such as with the DAO Delete method in Visual Basic.
- 2799 The OLE object can't be activated upon receiving the focus. If you selected an OLE object or a chart, and the AutoActivate property for that control is set to GetFocus, the OLE object or chart should be activated automatically when it receives the focus. However, the ActiveX component doesn't support this operation. Check the component's documentation for information on the properties and methods it makes available to Automation operations.
- 2800 This object is locked. Any changes you make will be discarded when the form is closed. Click the Microsoft Office Button, point to Save As, and save the object under a different name.
- 2801 The OLE object isn't loaded because the unbound ActiveX control hasn't been initialized.
- 2802 You can't insert an ActiveX control in a bound or unbound object frame. ActiveX controls are automatically contained in ActiveX control frames.
- 2803 You don't have the license required to use this ActiveX control. You tried to open a form containing an OLE object or an ActiveX control or you tried to create an ActiveX control. To obtain the appropriate license, contact the company that provides the licensed OLE object or ActiveX control.
- 2804 You can't create an ActiveX control in an unbound object frame. ActiveX controls are automatically contained in ActiveX control frames.
- 2805 There was an error loading an ActiveX control on one of your forms or reports. Make sure all the controls that you are using are properly registered. For information on registering an ActiveX control, click Help.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

2806	Microsoft Office Access doesn't support this ActiveX control.
2807	You can't paste this object as the type you specified. Choose another object type.
2808	Microsoft Office Access can't find the Active Accessibility dynamic-link library (DLL) OleAcc. Rerun the Microsoft Office Access Setup program.
2809	Application-defined or object-defined error
2811	Microsoft Office Access is unable to create the data access page.
2812	The path specified was invalid, or may be too long. Please check the path and ensure it is correct.
2813	The file could not be opened. It may currently be in use.
2814	Unable to save the file.
2815	Unable to save the file to an alternate location.
2816	Unable to close the file.
2817	Microsoft Office Access is unable to save (or send) the data access page.
2818	Microsoft Office Access is unable to retrieve the file: . Either the file is not available, or you do not have enough disk space to copy the file.
2819	Microsoft Office Access is unable to open the data access page.
2820	Microsoft Office Access is unable to change the BASE HREF for your document.
2821	File in use
2822	Microsoft Office Access encountered an unexpected error while attempting to recover from a failed save (or send). Your data access page may not be in a usable state. Please attempt to save to a different location.
2823	The Microsoft Office Access data access page name ' ' is misspelled or refers to a Page that doesn't exist. If the invalid Page name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct Page name.
2824	You do not have adequate file permissions.
2825	The file does not exist, or you do not have read access to the file.
2827	File read error.
2828	File write error. The disk may be full.
2832	Check file permissions and delete them from their location in your computer's file system.
2833	An unexpected error has occurred.
2835	An attempt to create this file has failed. Please select another location and retry the operation.
2837	There was not enough memory. Please close other applications and try the operation again.
2838	Microsoft Office Access is unable to preview the selected theme.
2839	An attempt to create a temporary file has failed. Please confirm that you have adequate disk space on your system drive and try the operation again.
2840	Unable to read the list of supporting files from the data access page.
2842	Microsoft Office Access encountered an error after saving (or sending) your data access page.
2845	Microsoft Office Access is unable to open the data access page from the mail envelope.
2846	The save destination is full. Please clear space at the destination or save to another location.
2847	Unable to create a folder for the supporting files. You may not have adequate permissions at the save destination.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2848 |@The maximum path length was exceeded.@Please specify a shorter filename, or use a folder that is closer to the root.@1@@@1
- 2849 |@There are too many supporting files in your document.@Please remove a few supporting files from your document, and try again.@1@@@1
- 2850 |@You do not have write permission at the save destination.@@1@@@1
- 2851 |@You are saving to a server that does not support long filenames and do not have permission to create a folder.@You must have permission to create a folder at the save destination to complete this operation.@1@@@1
- 2854 Microsoft Office Access was unable to parse the document properties for this data access page.@They may be corrupted.@@1@@@1
- 2855 Microsoft Office Access could not delete one or more files related to the page.
- 2859 Access could not load the e-mail envelope. This could be caused by a network connection problem or a problem with your Office installation.@@@1@@@1
- 2860 You cannot insert a bound field to a caption or record navigation section.
- 2861 Microsoft Office Access is unable to preview the selected web page.
- 2862 |@Access cannot open the specified file type from a Web server.@You may have selected the wrong file.@1@@@1
- 2863 |@Unable to create or load a file due to network or access permission problems.@@1@@@1
- 2864 |@This file (or a supporting file) is already in use, or has the read-only attribute set.@@1@@@1
- 2865 |@The disk is write-protected.@@1@@@1
- 2866 |@Unexpected data corruption failure.@@1@@@1
- 2867 |@Unexpected data I/O failure.@@1@@@1
- 2868 |@You cannot save this data access page over itself because it is read-only.@Please select a different file for the save.@1@@@1
- 2869 |@The file does not exist.@You do not have adequate permission to modify the data access page link to point to a valid file. Please contact the database administrator.@1@@@1
- 2870 Microsoft Office Access encountered an error synchronizing the HTML from the Microsoft Script Editor.@Please check the HTML for syntax errors and try again.@@1@@@1
- 2871 Microsoft Office Access is unable to create a data access page using the codepage selected in Web Options.@The codepage may not be installed on your system.@Please install the codepage, or select a different one in Web Options.@1@@@1
- 2873 |@The filename specified is a long filename, but you have the 'use long filenames' web option turned off.@Please specify a file name that uses a maximum of eight characters for the name and three characters for the file extension.@1@@@1
- 2874 Cannot move or paste the grouping field '|' into a section at a higher group level
- 2875 |@Unable to complete the save.@The drive or network connection you attempted to save to may no longer be available.@1@@@1
- 2876 The data definition of this data access page has been corrupted and can't be repaired. You must recreate the page. Save has been disabled.
- 2877 In a Microsoft Office Access database (.mdb), you can't group on a control bound to a field that has a Memo or OLE Object data type. In a Microsoft Office Access project (.adp), you can't group on a control bound to a field that has an Image or Text data type.
- 2878 You cannot add a bound field to a caption or record navigation section.
- 2879 Caption and record navigation sections cannot contain bound fields.
- 2880 Can't edit pages that contain framesets.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 2881 This web page contains XML namespaces that may conflict with Access namespaces. You should edit the HTML source to ensure that all namespaces have a unique prefix.
- 2882 |@The folder that this Web page would use to organize supporting files is already reserved for use in the current location.@Please choose a different name or location for this Web page.@1@@@1
- 2883 A supporting file path for this data access page has been altered outside of Access.@Please save this page to a different location and ensure that all supporting files are maintained.@@1@@@1
- 2884 Cannot find the database or some database objects that this page refers to. Update the connection information of the page, or fix the references to the missing database objects.
- 2885 This page uses a database which is not supported. You will not be able to make data changes until you connect to a supported database
- 2886 Components necessary for data access pages are not installed.
- 2887 |@The path specified is not a valid absolute (non-relative) path or URL.@Please enter a valid path.@1@@@1
- 2888 Microsoft Office Access detects some HTML elements between the banner and the section of your data access page. Saving this page in Access will corrupt it. Close the page without saving it, and then edit the page in another HTML editor to remove these elements.
- 2889 This section cannot be deleted.
- 2890 You cannot edit this page because it contains frames.@The data access page designer cannot edit pages with frames.@@1@@@1
- 2891 Application-defined or object-defined error
- 2892 You can't move the group filter control to another section. Delete the group filter control from the current section and create it in a different section.
- 2893 A link to this data access page could not be created because the database cannot be exclusively locked.@To create the link later, open the page by selecting 'Edit web page that already exists', and then save.@@1@@@1
- 2894 The link to the data access page specified could not be updated because the database cannot be exclusively locked.@To update the link, open this page again when you are the only person using the database.@@1@@@1
- 2895 This page was designed with a version of the Microsoft Office Web Components that is not currently installed on this machine. If you have not been prompted to install those components on this page, please contact the page author for the installation location.
- 2896 The operation is only valid on a data access page opened in Design View.@Please switch the page to Design View and try the operation again.@@1@@@1
- 2897 You have opened a page that was last modified using Access 2000. To be able to edit the page, you must save it using a more recent version of the Microsoft Office Web Components.

Do you want Access to convert this page by saving it using a more recent version of the Microsoft Office Web Components?
- 2898 Microsoft Office Access has created a backup copy of your original page. This page can be used if you want to revert to the Office 2000 Web Components. The backup page name is: '|'
- 2899 Microsoft Office Access could not create a backup copy of your original page. This page cannot be opened.
- 2900 Microsoft Office Access could not upgrade the Office Web Components on your page. This page cannot be opened.
- 2901 Error loading ActiveX control '|1' on form or report '|2'.
- 2902 Access is unable to save the | object because it does not support persistence, or your computer may have run out of disk space.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

2903	Do you want to set this folder as the default location for data access pages?
2904	You must match each field on the left with a field on the right.
2905	You must choose a linking field for every parameter.
2906	' ' contains no fields that can participate in a relationship. The contents of the RecordSource property may be invalid, or the RecordSource may contain only fields that are not acceptable for use in a join. Correct the RecordSource property for this form or report and try your field operation again.
2907	Do you want to revert to the saved ' '?
2908	The Control ID ' ' is already in use. Specify a different ID for the control.
2909	This relationship is not valid because the fields in the first table do not match the fields in the second table. To repair the relationship, select at least one field from each table.
2910	This connection file refers to a provider not supported by data access pages. Please select a different connection file.
2911	You cannot change the data access page path while it is open. Please close the page and try again.
2912	If you create a data access page in this version of Access, you cannot open it in Design view in Access 2000. If you have installed the Microsoft Office XP Web Components, however, you can open this page in Page view in Access 2000. Don't show this warning again.
2913	Cannot save to a URL address with a bookmark. Please specify a valid path.
2914	Microsoft Office Access could not link to a connection file. A connection string will be embedded in the page.
2915	Microsoft Office Access is unable to connect to the data source specified in the connection string of this page. The server may not exist on the network, or there may be an error in the connection string information for this page.
2916	You cannot edit HTML pages created using PowerPoint in Microsoft Office Access.
2917	Invalid HTML color value.
2918	Unable to open or read this connection file. Either the file has been damaged or the file format is not valid.
2919	You can't place this control in the section you specified.
2920	Microsoft Office Access is unable to load the database schema. Save has been disabled. Either repair or reinstall Microsoft Office.
2921	Microsoft Office Access cannot open this page because it was created using a newer version of Access. Try opening the page using a newer version of Microsoft Office Access.
2922	Microsoft Office Access has created a backup copy of your original page. This page can be used if you want to revert to the Office XP Web Components. The backup page name is: ' '
2923	You do not have the correct permissions. Contact the server administrator.
2924	You cannot compact a file that was opened from a Web Server.
2925	You cannot encrypt a file that was opened from a Web Server.
2926	Because of your security settings and current security policy, this control is disabled. To modify your policy and enable the database, use the Message Bar.
3000	Reserved error (); there is no message for this error.
3001	Invalid argument.
3002	Could not start session.
3003	Could not start transaction; too many transactions already nested.
3004	*****
3005	' ' is not a valid database name.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3006 Database '|' is exclusively locked.
- 3007 Cannot open library database '|'.
- 3008 The table '|' is already opened exclusively by another user, or it is already open through the user interface and cannot be manipulated programmatically.
- 3009 You tried to lock table '|' while opening it, but the table cannot be locked because it is currently in use. Wait a moment, and then try the operation again.
- 3010 Table '|' already exists.
- 3011 The Microsoft Office Access database engine could not find the object '|'. Make sure the object exists and that you spell its name and the path name correctly.
- 3012 Object '|' already exists.
- 3013 Could not rename installable ISAM file.
- 3014 Cannot open any more tables.
- 3015 Index not found.
- 3016 Field will not fit in record.
- 3017 The size of a field is too long.
- 3018 Could not find field.
- 3019 Operation invalid without a current index.
- 3020 Update or CancelUpdate without AddNew or Edit.
- 3021 No current record.
- 3022 The changes you requested to the table were not successful because they would create duplicate values in the index, primary key, or relationship. Change the data in the field or fields that contain duplicate data, remove the index, or redefine the index to permit duplicate entries and try again.
- 3023 AddNew or Edit already used.
- 3024 Could not find file '|'.
- 3025 Cannot open any more files.
- 3026 Not enough space on disk.
- 3027 Cannot update. Database or object is read-only.
- 3028 Cannot start your application. The workgroup information file is missing or opened exclusively by another user.
- 3029 Not a valid account name or password.
- 3030 '|' is not a valid account name.
- 3031 Not a valid password.
- 3032 Cannot perform this operation.
- 3033 You do not have the necessary permissions to use the '|' object. Have your system administrator or the person who created this object establish the appropriate permissions for you.
- 3034 You tried to commit or rollback a transaction without first beginning a transaction.
- 3035 System resource exceeded.
- 3036 Database has reached maximum size.
- 3037 Cannot open any more tables or queries.
- 3038 System resource exceeded.
- 3039 Could not create index; too many indexes already defined.
- 3040 Disk I/O error during read.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3041 Cannot open a database created with a previous version of your application.
- 3042 Out of MS-DOS file handles.
- 3043 Your network access was interrupted. To continue, close the database, and then open it again.
- 3044 '|' is not a valid path. Make sure that the path name is spelled correctly and that you are connected to the server on which the file resides.
- 3045 Could not use '|'; file already in use.
- 3046 Could not save; currently locked by another user.
- 3047 Record is too large.
- 3048 Cannot open any more databases.
- 3049 Cannot open database '|'. It may not be a database that your application recognizes, or the file may be corrupt.
- 3050 Could not lock file.
- 3051 The Microsoft Office Access database engine cannot open or write to the file '|'. It is already opened exclusively by another user, or you need permission to view and write its data.
- 3052 File sharing lock count exceeded. Increase MaxLocksPerFile registry entry.
- 3053 Too many client tasks.
- 3054 Too many Memo, OLE, or Hyperlink Object fields.
- 3055 Not a valid file name.
- 3056 Could not repair this database.
- 3057 Operation not supported on linked tables.
- 3058 Index or primary key cannot contain a Null value.
- 3059 Operation canceled by user.
- 3060 Wrong data type for parameter '|'.
- 3061 Too few parameters. Expected |.
- 3062 Duplicate output alias '|'.
- 3063 Duplicate output destination '|'.
- 3064 Cannot open action query '|'.
- 3065 Cannot execute a select query.
- 3066 Query must have at least one destination field.
- 3067 Query input must contain at least one table or query.
- 3068 Not a valid alias name.
- 3069 The action query '|' cannot be used as a row source.
- 3070 The Microsoft Office Access database engine does not recognize '|' as a valid field name or expression.
- 3071 This expression is typed incorrectly, or it is too complex to be evaluated. For example, a numeric expression may contain too many complicated elements. Try simplifying the expression by assigning parts of the expression to variables.
- 3072 |
- 3073 Operation must use an updateable query.
- 3074 Cannot repeat table name '|' in FROM clause.
- 3075 |1 in query expression '|2'.
- 3076 | in criteria expression.
- 3077 | in expression.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3078 The Microsoft Office Access database engine cannot find the input table or query '|'. Make sure it exists and that its name is spelled correctly.
- 3079 The specified field '|' could refer to more than one table listed in the FROM clause of your SQL statement.
- 3080 Joined table '|' not listed in FROM clause.
- 3081 Cannot join more than one table with the same name (|).
- 3082 JOIN operation '|' refers to a field that is not in one of the joined tables.
- 3083 Cannot use internal report query.
- 3084 Cannot insert data with action query.
- 3085 Undefined function '|' in expression.
- 3086 Could not delete from specified tables.
- 3087 Too many expressions in GROUP BY clause.
- 3088 Too many expressions in ORDER BY clause.
- 3089 Too many expressions in DISTINCT output.
- 3090 Resultant table not allowed to have more than one AutoNumber field.
- 3091 HAVING clause (|) without grouping or aggregation.
- 3092 Cannot use HAVING clause in TRANSFORM statement.
- 3093 ORDER BY clause (|) conflicts with DISTINCT.
- 3094 ORDER BY clause (|) conflicts with GROUP BY clause.
- 3095 Cannot have aggregate function in expression (|).
- 3096 Cannot have aggregate function in WHERE clause (|).
- 3097 Cannot have aggregate function in ORDER BY clause (|).
- 3098 Cannot have aggregate function in GROUP BY clause (|).
- 3099 Cannot have aggregate function in JOIN operation (|).
- 3100 Cannot set field '|' in join key to Null.
- 3101 The Microsoft Office Access database engine cannot find a record in the table '|2' with key matching field(s) '|1'.
- 3102 Circular reference caused by '|'.
- 3103 Circular reference caused by alias '|' in query definition's SELECT list.
- 3104 Cannot specify fixed column heading '|' in a crosstab query more than once.
- 3105 Missing destination field name in SELECT INTO statement (|).
- 3106 Missing destination field name in UPDATE statement (|).
- 3107 Record(s) cannot be added; no insert permission on '|'.
- 3108 Record(s) cannot be edited; no update permission on '|'.
- 3109 Record(s) cannot be deleted; no delete permission on '|'.
- 3110 Could not read definitions; no read definitions permission for table or query '|'.
- 3111 Could not create; no modify design permission for table or query '|'.
- 3112 Record(s) cannot be read; no read permission on '|'.
- 3113 Cannot update '|'; field not updateable.
- 3114 Cannot include Memo, OLE, or Hyperlink Object when you select unique values (|).
- 3115 Cannot have Memo, OLE, or Hyperlink Object fields in aggregate argument (|).
- 3116 Cannot have Memo, OLE, or Hyperlink Object fields in criteria (|) for aggregate function.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3117 Cannot sort on Memo, OLE, or Hyperlink Object (|).
- 3118 Cannot join on Memo, OLE, or Hyperlink Object (|).
- 3119 Cannot group on Memo, OLE, or Hyperlink Object (|).
- 3120 Cannot group on fields selected with '*' (|).
- 3121 Cannot group on fields selected with '*'.
- 3122 You tried to execute a query that does not include the specified expression '|' as part of an aggregate function.
- 3123 Cannot use '*' in crosstab query.
- 3124 Cannot input from internal report query (|).
- 3125 '|' is not a valid name. Make sure that it does not include invalid characters or punctuation and that it is not too long.
- 3126 Invalid bracketing of name '|'.
- 3127 The INSERT INTO statement contains the following unknown field name: '|'. Make sure you have typed the name correctly, and try the operation again.
- 3128 Specify the table containing the records you want to delete.
- 3129 Invalid SQL statement; expected 'DELETE', 'INSERT', 'PROCEDURE', 'SELECT', or 'UPDATE'.
- 3130 Syntax error in DELETE statement.
- 3131 Syntax error in FROM clause.
- 3132 Syntax error in GROUP BY clause.
- 3133 Syntax error in HAVING clause.
- 3134 Syntax error in INSERT INTO statement.
- 3135 Syntax error in JOIN operation.
- 3136 The LEVEL clause includes a reserved word or argument that is misspelled or missing, or the punctuation is incorrect.
- 3137 Missing semicolon (;) at end of SQL statement.
- 3138 Syntax error in ORDER BY clause.
- 3139 Syntax error in PARAMETER clause.
- 3140 Syntax error in PROCEDURE clause.
- 3141 The SELECT statement includes a reserved word or an argument name that is misspelled or missing, or the punctuation is incorrect.
- 3142 Characters found after end of SQL statement.
- 3143 Syntax error in TRANSFORM statement.
- 3144 Syntax error in UPDATE statement.
- 3145 Syntax error in WHERE clause.
- 3146 ODBC--call failed.
- 3151 ODBC--connection to '|' failed.
- 3154 ODBC--could not find DLL '|'.
- 3155 ODBC--insert on a linked table '|' failed.
- 3156 ODBC--delete on a linked table '|' failed.
- 3157 ODBC--update on a linked table '|' failed.
- 3158 Could not save record; currently locked by another user.
- 3159 Not a valid bookmark.
- 3160 Table is not open.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3161 Could not decrypt file.
- 3162 You tried to assign the Null value to a variable that is not a Variant data type.
- 3163 The field is too small to accept the amount of data you attempted to add. Try inserting or pasting less data.
- 3164 Field cannot be updated.
- 3165 Could not open .inf file.
- 3166 Cannot locate the requested Xbase memo file.
- 3167 Record is deleted.
- 3168 Invalid .inf file.
- 3169 The Microsoft Office Access database engine could not execute the SQL statement because it contains a field that has an invalid data type.
- 3170 Could not find installable ISAM.
- 3171 Could not find network path or user name.
- 3172 Could not open Paradox.net.
- 3173 Could not open table 'MSysAccounts' in the workgroup information file.
- 3174 Could not open table 'MSysGroups' in the workgroup information file.
- 3175 Date is out of range or is in an invalid format.
- 3176 Could not open file '|'.|
- 3177 Not a valid table name.
- 3179 Encountered unexpected end of file.
- 3180 Could not write to file '|'.|
- 3181 Invalid range.
- 3182 Invalid file format.
- 3183 The query cannot be completed. Either the size of the query result is larger than the maximum size of a database (2 GB), or there is not enough temporary storage space on the disk to store the query result.
- 3184 Could not execute query; could not find linked table.
- 3185 SELECT INTO on a remote database tried to produce too many fields.
- 3186 Could not save; currently locked by user '|2' on machine '|1'.
- 3187 Could not read; currently locked by user '|2' on machine '|1'.
- 3188 Could not update; currently locked by another session on this machine.
- 3189 Table '|1' is exclusively locked by user '|3' on machine '|2'.
- 3190 Too many fields defined.
- 3191 Cannot define field more than once.
- 3192 Could not find output table '|'.|
- 3193 (unknown)
- 3194 (unknown)
- 3195 (expression)
- 3196 The database '|' is already in use by another person or process. When the database is available, try the operation again.
- 3197 The Microsoft Office Access database engine stopped the process because you and another user are attempting to change the same data at the same time.
- 3198 Could not start session. Too many sessions already active.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

3199	Could not find reference.
3200	The record cannot be deleted or changed because table ' ' includes related records.
3201	You cannot add or change a record because a related record is required in table ' '.
3202	Could not save; currently locked by another user.
3203	Subqueries cannot be used in the expression ().
3204	Database already exists.
3205	Too many crosstab column headers ().
3206	Cannot create a relationship between a field and itself.
3207	Operation not supported on a Paradox table with no primary key.
3208	Invalid Deleted setting in the Xbase key of the Windows Registry.
3209	*****
3210	The connection string is too long. The connection string cannot exceed 255 characters.
3211	The database engine could not lock table ' ' because it is already in use by another person or process.
3212	Could not lock table ' 1'; currently in use by user ' 3' on machine ' 2'.
3213	Invalid Date setting in the Xbase key of the Windows Registry.
3214	Invalid Mark setting in the Xbase key of the Windows Registry.
3215	Too many Btrieve tasks.
3216	Parameter ' ' specified where a table name is required.
3217	Parameter ' ' specified where a database name is required.
3218	Could not update; currently locked.
3219	Invalid operation.
3220	Incorrect collating sequence.
3221	Invalid settings in the Btrieve key of the Windows Registry.
3222	Query cannot contain a Database parameter.
3223	' ' is invalid because it is too long, or contains invalid characters.
3224	Cannot read Btrieve data dictionary.
3225	Encountered a record locking deadlock while performing a Btrieve operation.
3226	Errors encountered while using the Btrieve DLL.
3227	Invalid Century setting in the Xbase key of the Windows Registry.
3228	Selected collating sequence not supported by the operating system.
3229	Btrieve--cannot change field.
3230	Out-of-date Paradox lock file.
3231	ODBC--field would be too long; data truncated.
3232	ODBC--could not create table.
3234	ODBC--remote query timeout expired.
3235	ODBC--data type not supported on server.
3238	ODBC--data out of range.
3239	Too many active users.
3240	Btrieve--missing Btrieve engine.
3241	Btrieve--out of resources.
3242	Invalid reference in SELECT statement.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3243 None of the import field names match fields in the appended table.
- 3244 Cannot import password-protected spreadsheet.
- 3245 Could not parse field names from the first row of the import table.
- 3246 Operation not supported in transactions.
- 3247 ODBC--linked table definition has changed.
- 3248 Invalid NetworkAccess setting in the Windows Registry.
- 3249 Invalid PageTimeout setting in the Windows Registry.
- 3250 Could not build key.
- 3251 Operation is not supported for this type of object.
- 3252 Cannot open a form whose underlying query contains a user-defined function that attempts to set or get the form's RecordsetClone property.
- 3254 ODBC--Cannot lock all records.
- 3256 Index file not found.
- 3257 Syntax error in WITH OWNERACCESS OPTION declaration.
- 3258 The SQL statement could not be executed because it contains ambiguous outer joins. To force one of the joins to be performed first, create a separate query that performs the first join and then include that query in your SQL statement.
- 3259 Invalid field data type.
- 3260 Could not update; currently locked by user '|2' on machine '|1'.
- 3261 Table '|' is exclusively locked by user '|2' on machine '|1'.
- 3262 Could not lock table
- 3263 Invalid Database object.
- 3264 No field defined--cannot append TableDef or Index.
- 3265 Item not found in this collection.
- 3266 Cannot append a Field that is already a part of a Fields collection.
- 3267 Property can be set only when the Field is part of a Recordset object's Fields collection.
- 3268 Cannot set this property once the object is part of a collection.
- 3269 Cannot append an Index that is already a part of an Indexes collection.
- 3270 Property not found.
- 3271 Invalid property value.
- 3272 Object is not a collection.
- 3273 Method not applicable for this object.
- 3274 External table is not in the expected format.
- 3275 Unexpected error from external database driver (|).
- 3276 Invalid database object reference.
- 3277 Cannot have more than 10 fields in an index.
- 3278 The Microsoft Office Access database engine has not been initialized.
- 3279 The Microsoft Office Access database engine has already been initialized.
- 3280 Cannot delete a field that is part of an index or is needed by the system.
- 3281 Cannot delete this index or table. It is either the current index or is used in a relationship.
- 3282 Operation not supported on a table that contains data.
- 3283 Primary key already exists.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3284 Index already exists.
- 3285 Invalid index definition.
- 3286 Format of memo file does not match specified external database format.
- 3287 Cannot create index on the given field.
- 3288 Paradox index is not primary.
- 3289 Syntax error in CONSTRAINT clause.
- 3290 Syntax error in CREATE TABLE statement.
- 3291 Syntax error in CREATE INDEX statement.
- 3292 Syntax error in field definition.
- 3293 Syntax error in ALTER TABLE statement.
- 3294 Syntax error in DROP INDEX statement.
- 3295 Syntax error in DROP TABLE or DROP INDEX.
- 3296 JOIN expression not supported.
- 3297 Could not import table or query. No records found, or all records contain errors.
- 3298 There are several tables with that name. Please specify owner in the format 'owner.table'.
- 3299 ODBC Specification Conformance Error (()). Report this error to the developer of your application.
- 3300 Cannot create a relationship.
- 3301 Cannot perform this operation; features in this version are not available in databases with older formats.
- 3302 Cannot change a rule while the rules for this table are in use.
- 3303 Cannot delete this field. It is part of one or more relationships.
- 3304 You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.
- 3305 Invalid connection string in pass-through query.
- 3306 You have written a subquery that can return more than one field without using the EXISTS reserved word in the main query's FROM clause. Revise the SELECT statement of the subquery to request only one field.
- 3307 The number of columns in the two selected tables or queries of a union query do not match.
- 3308 Invalid TOP argument in select query.
- 3309 Property value is too large.
- 3310 This property is not supported for external data sources or for databases created with a previous version of Microsoft Jet.
- 3311 Property specified already exists.
- 3312 Validation rules and default values cannot be placed on system or linked tables.
- 3313 Cannot place this validation expression on this field.
- 3314 You must enter a value in the '|' field.
- 3315 Field '|' cannot be a zero-length string.
- 3316 |
- 3317 One or more values are prohibited by the validation rule '|2' set for '|1'. Enter a value that the expression for this field can accept.
- 3318 Values specified in a TOP clause are not allowed in delete queries or reports.
- 3319 Syntax error in union query.
- 3320 | in table-level validation expression.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3321 No database specified in connection string or IN clause.
- 3322 Crosstab query contains one or more invalid fixed column headings.
- 3323 The query cannot be used as a row source.
- 3324 The query is a DDL query and cannot be used as a row source.
- 3325 Pass-through query with ReturnsRecords property set to True did not return any records.
- 3326 This Recordset is not updateable.
- 3327 Field '|' is based on an expression and cannot be edited.
- 3328 Table '|2' is read-only.
- 3329 Record in table '|' was deleted by another user.
- 3330 Record in table '|' is locked by another user.
- 3331 To make changes to this field, first save the record.
- 3332 Cannot enter value into blank field on 'one' side of outer join.
- 3333 Records in table '|' would have no record on the 'one' side.
- 3334 Can be present only in version 1.0 format.
- 3335 DeleteOnly called with non-zero cbData.
- 3336 Btrieve: Invalid IndexDDF option in initialization setting.
- 3337 Invalid DataCodePage option in initialization setting.
- 3338 Btrieve: Xtrieve options are not correct in initialization setting.
- 3339 Btrieve: Invalid IndexDeleteReNumber option in initialization setting.
- 3340 Query '|' is corrupt.
- 3341 The current field must match the join key '|' in the table that serves as the 'one' side of one-to-many relationship. Enter a record in the 'one' side table with the desired key value, and then make the entry with the desired join key in the 'many-only' table.
- 3342 Invalid Memo, OLE, or Hyperlink Object in subquery '|'.
- 3343 Unrecognized database format '|'.
- 3344 The database engine does not recognize either the field '|1' in a validation expression, or the default value in the table '|2'.
- 3345 Unknown or invalid field reference '|'.
- 3346 Number of query values and destination fields are not the same.
- 3347 Cannot add record(s); primary key for table '|' not in recordset.
- 3348 Cannot add record(s); join key of table '|' not in recordset.
- 3349 You cannot record your changes because a value you entered violates the settings defined for this table or list (for example, a value is less than the minimum or greater than the maximum). Correct the error and try again.
- 3350 Object is invalid for operation.
- 3351 The ORDER BY expression (|) includes fields that are not selected by the query. Only those fields requested in the first query can be included in an ORDER BY expression.
- 3352 No destination field name in INSERT INTO statement (|).
- 3353 Btrieve: Cannot find file Field.ddf.
- 3354 At most one record can be returned by this subquery.
- 3355 Syntax error in default value.
- 3356 You attempted to open a database that is already opened exclusively by user '|2' on machine '|1'. Try again when the database is available.
- 3357 This query is not a properly formed data-definition query.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3358 Cannot open the Microsoft Office Access database engine workgroup information file.
- 3359 Pass-through query must contain at least one character.
- 3360 Query is too complex.
- 3361 Unions not allowed in a subquery.
- 3362 Single-row update/delete affected more than one row of a linked table. Unique index contains duplicate values.
- 3363 Record(s) cannot be added; no corresponding record on the 'one' side.
- 3364 Cannot use Memo, OLE, or Hyperlink Object field '|' in the SELECT clause of a union query.
- 3365 Property value not valid for REMOTE objects.
- 3366 Cannot append a relation with no fields defined.
- 3367 Cannot append. An object with that name already exists in the collection.
- 3368 Relationship must be on the same number of fields with the same data types.
- 3369 *****
- 3370 Cannot modify the design of table '|'. It is in a read-only database.
- 3371 Cannot find table or constraint.
- 3372 No such index '|2' on table '|1'.
- 3373 Cannot create relationship. Referenced table '|' does not have a primary key.
- 3374 The specified fields are not uniquely indexed in table '|'.
- 3375 Table '|1' already has an index named '|2'.
- 3376 Table '|' does not exist.
- 3377 No such relationship '|2' on table '|1'.
- 3378 There is already a relationship named '|' in the current database.
- 3379 Cannot create relationships to enforce referential integrity. Existing data in table '|2' violates referential integrity rules in table '|1'.
- 3380 Field '|2' already exists in table '|1'.
- 3381 There is no field named '|2' in table '|1'.
- 3382 Size of field '|' is too long.
- 3383 Cannot delete field '|'. It is part of one or more relationships.
- 3384 Cannot delete a built-in property.
- 3385 User-defined properties do not support a Null value.
- 3386 Property '|' must be set before using this method.
- 3387 Cannot find TEMP directory.
- 3388 Unknown function '|2' in validation expression or default value on '|1'.
- 3389 Query support unavailable.
- 3390 Account name already exists.
- 3391 An error has occurred. Properties were not saved.
- 3392 *****
- 3393 Cannot perform join, group, sort, or indexed restriction. A value being searched or sorted on is too long.
- 3394 Cannot save property; property is a schema property.
- 3395 *****
- 3396 Cannot perform cascading operation. Since related records exist in table '|', referential integrity rules would be violated.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3397 Cannot perform cascading operation. There must be a related record in table '|1'.
- 3398 Cannot perform cascading operation. It would result in a null key in table '|1'.
- 3399 Cannot perform cascading operation. It would result in a duplicate key in table '|1'.
- 3400 Cannot perform cascading operation. It would result in two updates to field '|2' in table '|1'.
- 3401 Cannot perform cascading operation. It would cause field '|' to become Null, which is not allowed.
- 3402 Cannot perform cascading operation. It would cause field '|' to become a zero-length string, which is not allowed.
- 3403 Cannot perform cascading operation: '|1'.
- 3404 Cannot perform cascading operation. The value entered is prohibited by the validation rule '|2' set for '|1'.
- 3405 Error '|' in validation rule.
- 3406 The expression you are trying to use for the DefaultValue property is invalid because '|1'. Use a valid expression to set this property.
- 3407 The server's MSysConf table exists, but is in an incorrect format. Contact your system administrator.
- 3408 Too many FastFind Sessions were invoked.
- 3409 Invalid field definition '|' in definition of index or relationship.
- 3411 Invalid entry. Cannot perform cascading operation in table '|1' because the value entered is too large for field '|2'.
- 3412 Cannot perform cascading update on the table because it is currently in use by another user.
- 3413 Cannot perform cascading operation on table '|1' because it is currently in use by user '|3' on machine '|2'.
- 3414 Cannot perform cascading operation on table '|1' because it is currently in use.
- 3415 Zero-length string is valid only in a Text or Memo field.
- 3416 |
- 3417 An action query cannot be used as a row source.
- 3418 Cannot open '|1'. Another user has the table open using a different network control file or locking style.
- 3419 Cannot open this Paradox 4.x or 5.x table because ParadoxNetStyle is set to 3.x in the Windows Registry.
- 3420 Object invalid or no longer set.
- 3421 Data type conversion error.
- 3422 Cannot modify table structure. Another user has the table open.
- 3423 You cannot use ODBC to import from, export to, or link an external Microsoft Office Access or ISAM database table to your database.
- 3424 Cannot create database because the locale is invalid.
- 3425 This method or property is not currently available on this Recordset.
- 3426 This action was cancelled by an associated object.
- 3427 Error in DAO automation.
- 3428 A problem occurred in your database. Correct the problem by repairing and compacting the database.
- 3429 Incompatible version of an installable ISAM.
- 3430 While loading the Microsoft Excel installable ISAM, OLE was unable to initialize.
- 3431 This is not a Microsoft Excel 5.0 file.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3432 Error opening a Microsoft Excel 5.0 file.
- 3433 Invalid setting in Excel key of the Engines section of the Windows Registry.
- 3434 Cannot expand named range.
- 3435 Cannot delete spreadsheet cells.
- 3436 Failure creating file.
- 3437 Spreadsheet is full.
- 3438 The data being exported does not match the format described in the Schema.ini file.
- 3439 You attempted to link or import a Microsoft Word mail merge file. Although you can export such files, you cannot link or import them.
- 3440 An attempt was made to import or link an empty text file. To import or link a text file, the file must contain data.
- 3441 Text file specification field separator matches decimal separator or text delimiter.
- 3442 In the text file specification '|1|', the |2 option is invalid.
- 3443 The fixed width specification '|1|' contains no column widths.
- 3444 In the fixed width specification '|1|', column '|2|' does not specify a width.
- 3445 Incorrect version of the DLL file '|1|' was found.
- 3446 The VBA file (VBAJET.dll for 16-bit versions, or VBAJET32.dll for 32-bit versions) is missing. Try reinstalling the application that returned the error.
- 3447 The VBA file (VBAJET.dll for 16-bit versions, or VBAJET32.dll for 32-bit versions) failed to initialize when called. Try reinstalling the application that returned the error.
- 3448 A call to an OLE system function was not successful. Try reinstalling the application that returned the error.
- 3449 No country/region code found in connection string for a linked table.
- 3450 Syntax error in query. Incomplete query clause.
- 3451 Illegal reference in query.
- 3452 You cannot make changes to the design of the database at this replica.
- 3453 You cannot establish or maintain an enforced relationship between a replicated table and a local table.
- 3455 Cannot make the database replicable.
- 3456 Cannot make the |2 object in |1 container replicable.
- 3457 You cannot set the KeepLocal property for an object that is already replicated.
- 3458 The KeepLocal property cannot be set on a database; it can be set only on the objects in a database.
- 3459 After a database has been replicated, you cannot remove the replication features from the database.
- 3460 The operation you attempted conflicts with an existing operation involving this member of the replica set.
- 3461 The replication property you are attempting to set or delete is read-only and cannot be changed.
- 3462 Failure to load a DLL.
- 3463 Cannot find the .dll '|2|'.
- 3464 Data type mismatch in criteria expression.
- 3465 The disk drive you are attempting to access is unreadable.
- 3468 Access was denied while accessing dropbox folder '|2|'.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3469 The disk for dropbox folder '|2' is full.
- 3470 Disk failure accessing dropbox folder '|2'.
- 3471 Failure to write to the Synchronizer log file.
- 3472 Disk full for path '|1'.
- 3473 Disk failure while accessing log file '|1'.
- 3474 Cannot open the log file '|1' for writing.
- 3475 Sharing violation while attempting to open log file '|1' in Deny Write mode.
- 3476 Invalid dropbox path '|2'.
- 3477 Dropbox address '|2' is syntactically invalid.
- 3478 The replica is not a partial replica.
- 3479 Cannot designate a partial replica as the Design Master for the replica set.
- 3480 The relationship '|' in the partial filter expression is invalid.
- 3481 The table name '|' in the partial filter expression is invalid.
- 3482 The filter expression for the partial replica is invalid.
- 3483 The password supplied for the dropbox folder '|2' is invalid.
- 3484 The password used by the Synchronizer to write to a destination dropbox folder is invalid.
- 3485 The object cannot be replicated because the database is not replicated.
- 3486 You cannot add a second Replication ID AutoNumber field to a table.
- 3487 The database you are attempting to replicate cannot be converted.
- 3488 The value specified is not a ReplicaID for any member in the replica set.
- 3489 The object specified cannot be replicated because it is missing a necessary resource.
- 3490 Cannot create a new replica because the '|2' object in '|1' container could not be replicated.
- 3491 The database must be opened in exclusive mode before it can be replicated.
- 3492 The synchronization failed because a design change could not be applied to one of the replicas.
- 3493 Cannot set the specified Registry parameter for the Synchronizer.
- 3494 Unable to retrieve the specified Registry parameter for the Synchronizer.
- 3495 There are no scheduled synchronization's between the two Synchronizers.
- 3496 Replication Manager cannot find the ExchangeID in the MSysExchangeLog table.
- 3497 Unable to set a schedule for the Synchronizer.
- 3499 Cannot retrieve the full path information for a member of the replica set.
- 3500 You cannot specify two different Synchronizers to manage the same replica.
- 3502 The Design Master or replica is not being managed by a Synchronizer.
- 3503 The Synchronizer's Registry has no value set for the key you queried.
- 3504 The Synchronizer ID does not match an existing ID in the MSysTranspAddress table.
- 3505 You attempted to delete or get information about a partial filter that does not exist in MSysFilters.
- 3506 The Synchronizer is unable to open the Synchronizer log.
- 3507 Failure writing to the Synchronizer log.
- 3508 There is no active transport for the Synchronizer.
- 3509 Could not find a valid transport for this Synchronizer.
- 3510 The member of the replica set you are attempting to synchronize is currently being used in another synchronization.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

3512	Failed to read the dropbox folder.
3513	Failed to write to the dropbox folder.
3514	Synchronizer could not find any scheduled or on-demand synchronization's to process.
3515	The Microsoft Office Access database engine could not read the system clock on your computer.
3516	Destination synchronizer is not configured to support indirect synchronronization, and the destination replica is unavailable for direct synchronization.
3517	Synchronizer could not find any messages to process.
3518	Could not find Synchronizer in the MSysTranspAddress table.
3519	Failed to send a message.
3520	The replica name or ID does not match a currently managed member of the replica set.
3521	Two members of the replica set cannot be synchronized because there is no common point to start the synchronization.
3522	Synchronizer cannot find the record of a specific synchronization in the MSysExchangeLog table.
3523	Synchronizer cannot find a specific version number in the MSysSchChange table.
3524	The history of design changes in the replica does not match the history in the Design Master.
3525	Synchronizer could not access the message database.
3526	The name selected for the system object is already in use.
3527	The Synchronizer or Replication Manager could not find the system object.
3528	There is no new data in shared memory for the Synchronizer or Replication Manager to read.
3529	The Synchronizer or Replication Manager found unread data in the shared memory. The existing data will be overwritten.
3530	The Synchronizer is already serving a client.
3531	The wait period for an event has timed out.
3532	Synchronizer could not be initialized.
3533	The system object used by a process still exists after the process has stopped.
3534	Synchronizer looked for a system event but did not find one to report to the client.
3535	Client has asked the Synchronizer to terminate operation.
3536	Synchronizer received an invalid message for a member of the replica set that it manages.
3537	The Synchronizer's client is no longer present and cannot be notified.
3538	Cannot initialize Synchronizer because there are too many applications running.
3539	A system error has occurred or your swap file has reached its limit.
3540	Your swap file has reached its limit or is corrupted.
3541	Synchronizer could not be shut down properly and is still active.
3542	Process stopped when attempting to terminate Synchronizer client.
3543	Synchronizer has not been set up.
3544	Synchronizer is already running.
3545	The two replicas you are attempting to synchronize are from different replica sets.
3546	The type of synchronization you are attempting is not valid.
3547	Synchronizer could not find a replica from the correct set to complete the synchronization.
3548	GUIDs do not match or the requested GUID could not be found.
3549	The file name you provided is too long.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3550 There is no index on the GUID column.
- 3551 Unable to delete the specified Registry parameter for the Synchronizer.
- 3552 The size of the Registry parameter exceeds the maximum allowed.
- 3553 The GUID could not be created.
- 3555 All valid nicknames for replicas are already in use.
- 3556 Invalid path for destination dropbox folder.
- 3557 Invalid address for destination dropbox folder.
- 3558 Disk I/O error at destination dropbox folder.
- 3559 Failure to write because destination disk is full.
- 3560 The two members of the replica set you are attempting to synchronize have the same ReplicaID.
- 3561 The two members of the replica set you are attempting to synchronize are both Design Masters.
- 3562 Access denied at destination dropbox folder.
- 3563 Fatal error accessing a local dropbox folder.
- 3564 Synchronizer cannot find the source file for messages.
- 3565 There is a sharing violation in the source dropbox folder because the message database is open in another application.
- 3566 Network I/O error.
- 3567 Message in dropbox folder belongs to the wrong Synchronizer.
- 3568 Synchronizer could not delete a file.
- 3569 This member of the replica set has been logically removed from the set and is no longer available.
- 3570 The filters defining a partial replica have been changed. The partial replica must be repopulated.
- 3571 The attempt to set a column in a partial replica violated a rule governing partial replicas.
- 3572 A disk I/O error occurred while reading or writing to the TEMP directory.
- 3573 The directory you queried for a list of replicas is not a managed directory.
- 3574 The ReplicaID for this member of the replica set was reassigned during a move or copy procedure.
- 3575 The disk drive you are attempting to write to is full.
- 3576 The database you are attempting to open is already in use by another application.
- 3577 Cannot update replication system column.
- 3578 Failure to replicate database; cannot determine whether the database is open in exclusive mode.
- 3579 Could not create replication system tables needed to make the database replicable.
- 3580 Could not add rows needed to make the database replicable.
- 3581 Cannot open replication system table '|1' because the table is already in use.
- 3582 Cannot make a new replica because the |2 object in |1 container could not be made replicable.
- 3583 Cannot make the |2 object in |1 container replicable.
- 3584 Insufficient memory to complete operation.
- 3585 Cannot replicate the table; the number of columns exceeds the maximum allowed.
- 3586 Syntax error in partial filter expression on table |1.
- 3587 Invalid expression in the ReplicaFilter property.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3588 Error when evaluating the partial filter expression.
- 3589 The partial filter expression contains an unknown function.
- 3590 Violates the rules for partial replicas.
- 3591 Log file path '|1' is invalid.
- 3592 You cannot replicate a password-protected database or set password protection on a replicated database.
- 3593 You cannot change the data master attribute for the replica set.
- 3594 You cannot change the data master attribute for the replica set. It allows data changes only at the Design Master.
- 3595 The system tables in your replica are no longer reliable and the replica should not be used.
- 3600 Aggregation expressions cannot use GUIDs.
- 3605 Synchronizing with a non-replicated database is not allowed. The '|' database is not a Design Master or replica.
- 3607 The replication property you are attempting to delete is read-only and cannot be removed.
- 3608 Record length is too long for an indexed Paradox table.
- 3609 No unique index found for the referenced field of the primary table.
- 3610 Same table '|' referenced as both the source and destination in make-table query.
- 3611 Cannot execute data definition statements on linked data sources.
- 3612 Multi-level GROUP BY clause is not allowed in a subquery.
- 3613 Cannot create a relationship on linked ODBC tables.
- 3614 GUID not allowed in Find method criteria expression.
- 3615 Type mismatch in expression.
- 3616 Updating data in a linked table is not supported by this ISAM.
- 3617 Deleting data in a linked table is not supported by this ISAM.
- 3618 Exceptions table could not be created on import/export.
- 3619 Records could not be added to exceptions table.
- 3620 The connection for viewing your linked Microsoft Excel worksheet was lost.
- 3621 Cannot change password on a shared open database.
- 3622 You must use the dbSeeChanges option with OpenRecordset when accessing a SQL Server table that has an IDENTITY column.
- 3623 Cannot access the FoxPro 3.0 bound DBF file '|'.
- 3624 Could not read the record; currently locked by another user.
- 3625 The text file specification '|' does not exist. You cannot import, export, or link using the specification.
- 3626 The operation failed. There are too many indexes on table '|'. Delete some of the indexes on the table and try the operation again.
- 3627 Cannot find the executable file for the Synchronizer (mstran40.exe).
- 3628 Partner replica is not managed by a Synchronizer.
- 3629 Synchronizer '|1' is also using the same File System dropbox '|2'.
- 3630 Synchronizer '|1' is also using the same File System dropbox '|2'.
- 3631 Invalid Table Name In Filter
- 3632 Internet Transport not enabled on the remote Synchronizer.
- 3633 Cannot load DLL: '|'

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3634 Cannot create a replica using a partial replica.
- 3635 Cannot create partial replica of a system database.
- 3636 Cannot populate the replica or change the replica's filter because the replica has conflicts or data errors.
- 3637 Cannot use the crosstab of a non-fixed column as a subquery.
- 3638 A Source Controlled database cannot be made replicable.
- 3639 Cannot create a replica of a System database.
- 3640 The fetch buffer was too small for the amount of data you requested.
- 3641 There are fewer records remaining in the recordset than you requested.
- 3642 A cancel was performed on the operation.
- 3643 One of the records in the recordset was deleted by another process.
- 3645 One of the binding parameters is incorrect.
- 3646 The specified row length is shorter than the sum of the column lengths.
- 3647 A column requested is not being returned to the recordset.
- 3648 Cannot synchronize a partial replica with another partial replica.
- 3649 The language-specific code page was not specified or could not be found.
- 3650 Either the Internet is very slow or there is some problem in the replication manager setup on the internet server machine.
- 3651 Invalid internet address.
- 3652 Internet login failure.
- 3653 Internet not set up.
- 3654 Internal internet failure.
- 3655 The wininet.dll cannot be loaded or initialized.
- 3656 Error in evaluating a partial expression
- 3657 Error in evaluating the boolean filter expression for table '|1|'.
- 3658 Binary column '|' cannot be used in a boolean filter.
- 3659 Relationship '|1|' is unenforced. Relationship in a partial filter expression must be enforced.
- 3660 Requested exchange failed because '|1|'.
- 3661 Requested exchange failed because '|1|'
- 3663 This operation requires a different cursor library.
- 3664 An asynchronous OpenConnection call is not yet complete; you cannot yet reference the returned connection object until it is complete.
- 3665 You cannot modify the replication system object '|'.
- 3666 You cannot modify the replication system object '|'.
- 3667 A different operation is preventing this operation from being executed.
- 3668 Cannot perform this operation because there is no active connection.
- 3669 Execution cancelled.
- 3670 Cursor is not valid.
- 3671 Cannot find table to update.
- 3672 Failed to load RDOCURS.DLL.
- 3673 This table contains cells that are outside the range of cells defined in this spreadsheet.
- 3674 Internet dll (wininet.dll) could not be found or loaded.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3710 MAPI folder or address book not found.
- 3711 Recovered replicable data. This row was recovered from a corrupted replicable database. Verify that the record contents are correct and then reinsert the record, or delete this conflict record.
- 3712 Other. This record was rejected due to an undefined replication conflict problem.
- 3713 Update/update conflict. Another replica also updated this record. This record lost the conflict. Either resubmit your update or delete this conflict record.
- 3714 Locked table. This record could not be applied during synchronization since the table was locked by another user. Resubmit this conflict record.
- 3715 Unique key violation. This record has the same key value as another record, whereas only unique values are permitted. Either change the key value in this conflict record or the winning record and then resubmit this record, or delete this conflict record.
- 3716 TLV violation. This record contains a field value that does not meet the table level validation constraint. Either update the field value that is violating the validation rule and then resubmit this conflict record, or delete this conflict record.
- 3717 Delete/RI conflict. The primary key record has been deleted by another replica, therefore this referencing record has been rejected. Either create a new primary key record that satisfies the referential integrity constraint and then resubmit your update, or delete this conflict record.
- 3718 Update/RI conflict. The primary key record has been updated by another replica, therefore this referencing record has been rejected. Either create a new primary key record that satisfies the referential integrity constraint, modify the foreign key value in this conflict record to match a valid primary key value and then resubmit your update, or delete this conflict record.
- 3719 Foreign key violation resulting from an invalid primary key record that was involved in a replication conflict. Either create a new primary key record that satisfies the referential integrity constraint, modify the foreign key value in this conflict record to match a valid primary key value and then resubmit this conflict record, or delete this conflict record.
- 3720 Cannot change field '|'. It is part of one or more relationships.
- 3721 Invalid SQL syntax - expected constraint name.
- 3722 Invalid SQL syntax - expected token: DEFAULT.
- 3723 Invalid SQL syntax - expected token: COMPRESSION to follow WITH.
- 3724 Invalid SQL syntax - expected token: UPDATE or DELETE.
- 3725 Invalid SQL syntax - expected token: CASCADE, SET NULL, or NO ACTION.
- 3726 Invalid SQL syntax - expected token: NULL.
- 3727 Invalid SQL syntax - only one update rule and/or one delete rule allowed.
- 3728 Invalid SQL syntax - expected token: AS.
- 3729 Invalid SQL syntax - expected token: SELECT.
- 3730 VIEW cannot contain a parameter.
- 3731 The number of aliases specified shall be the same as the number of output columns.
- 3732 Expected query name after EXECUTE.
- 3733 The database has been placed in a state by an unknown user that prevents it from being opened or locked.
- 3734 The database has been placed in a state by user '|2' on machine '|1' that prevents it from being opened or locked.
- 3735 Too many columns in inverted index.
- 3736 Update/delete conflict. This updated record was deleted at another replica. Either reinsert this conflict record or delete it.
- 3737 Cannot create this type of replica from the given source replica.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3738 Local or Anonymous replicas must synch only to their designated hub replica.
- 3739 The proxy replica has been removed.
- 3740 Cannot add a new column to conflict table '|'. Delete obsolete columns and compact the database.
- 3741 Invalid partner synchronizer. Local or anonymous replica must synchronize with designated hub replica.
- 3742 An internet function timed out.
- 3743 Replica has not been synchronized within the replica set retention period.
- 3744 Counter columns in replicable tables cannot be modified.
- 3745 The combined length of Internet Server Name, HTTP Share name, and FTP alias name should not be greater than 252 characters.
- 3746 Syntax error in parameters clause. Make sure the parameter exists and that you typed its value correctly.
- 3747 Parameter has no default value.
- 3748 Parameter | has no default value.
- 3749 The object is not a stored procedure.
- 3750 Object | is not a stored procedure.
- 3751 Requested row locking, but DB is in page lock mode.
- 3752 Requested page locking, but DB is in row lock mode.
- 3753 Cannot create replica of a Microsoft Office Access database engine SQL replica.
- 3754 Cannot delete from a Prevent Deletes Replica.
- 3755 CHECK constraint '|' does not exist.
- 3756 CHECK constraint '|' already exists.
- 3757 The Microsoft Office Access database engine sorting DLLs could not be loaded properly.
- 3758 Scaling of decimal value resulted in data truncation.
- 3759 Scaling of decimal value resulted in data truncation.
- 3760 Scaling of decimal value resulted in data overflow.
- 3761 The decimal field's precision is too small to accept the numeric you attempted to add.
- 3762 Invalid SQL syntax - expected token: ACTION.
- 3763 Concurrent schema changes caused the create replica operation to fail. Try again.
- 3764 Failed to re-create one or more indexes.
- 3765 Syntax error in CHECK constraint clause.
- 3766 Only simple SELECT queries are allowed in VIEWS.
- 3767 Table '|' could not be made replicable because it could not be opened exclusively.
- 3768 FastFind cannot search on non-column references.
- 3769 Conflict tables cannot be renamed.
- 3770 Counter definition not in valid range.
- 3771 Local or Anonymous replicas cannot be made the design master.
- 3772 Without Administer permission, replica priority must be in the range 0 - |.
- 3773 Cannot delete one or more objects: |.
- 3774 Pin value is not valid.
- 3775 Unable to load Microsoft Office Access database SQL Server Reconciler - MSRPJT40.dll.
- 3776 Unable to exchange between two Microsoft Office Access database SQL Server Replicas.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3777 Illegal Operation performed on a Microsoft Office Access database SQL Server Replica.
- 3778 The Microsoft Office Access database is wrong or missing for this SQL/Microsoft Office Access database replica set.
- 3779 Unable to change Column Level Tracking Property on objects that are already Replicable.
- 3780 Invalid SQL syntax - expected a view name.
- 3781 Invalid SQL syntax - expected a procedure name.
- 3782 Invalid SQL syntax - currently only one column-level CHECK constraint is allowed.
- 3783 Invalid SQL syntax - cannot use multiple columns in a column-level CHECK constraint.
- 3784 Database is already replicable.
- 3785 Invalid SQL syntax - expected token: Database.
- 3786 Invalid SQL syntax - expected a database privilege, such as CREATEDB or CONNECT.
- 3787 This operation is not allowed in subqueries.
- 3788 Cannot create an index on this MAPI folder/addressbook.
- 3789 Illegal column-level constraint.
- 3790 This object requires a newer version of the Microsoft Office Access database engine.
- 3791 This index requires Microsoft Office Access database engine |.
- 3792 The index '|2' requires Microsoft Office Access database engine |1.
- 3793 The column '|2' requires Microsoft Office Access database engine |1.
- 3794 This table requires Microsoft Office Access database engine |.
- 3795 The table '|2' requires Microsoft Office Access database engine |1.
- 3796 The version of AceRecr.DLL that was loaded was too old. Run setup again to get the correct version of this file.
- 3797 The SQL/Microsoft Office Access database engine exchange failed, look in the SQLServer Agent history for details.
- 3798 CHECK constraints are not allowed on replicable databases.
- 3799 Could not find field '|'.
- 3800 '|' is not an index in this table.
- 3801 The object (|) cannot be used in a CHECK constraint clause.
- 3802 Error evaluating | CHECK constraint. |
- 3803 DDL cannot be completed on this table because it is referenced by constraint | on table |.
- 3804 There are no MAPI clients installed on this machine. Install a MAPI client (like Outlook) on this machine.
- 3805 CHECK constraints on table | will not be transferred to this table. CHECK constraints can only be created via SQL DDL statements.
- 3806 Cannot set multiple NULL, NOT NULL attributes.
- 3807 Query | contains an ambiguous column name that is conflicting with the correlation (alias) name |. Either fully qualify the column name or change the correlation (alias) name.
- 3808 Need a version 4.x or greater format system database to perform this operation.
- 3809 Query | was created with a later release of Microsoft Office Access database engine and may have syntax that this version of Microsoft Office Access database engine cannot execute. This query can only be executed with the version of Microsoft Office Access database that created it.
- 3810 Unrecognized keyword WHEN.
- 3811 Query could not be executed.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3812 You cannot update this field because the value you're trying to apply is not valid or would break a data integrity rule. Please correct and try again.
- 3813 SQL pass through queries are disabled.
- 3814 Columns that accept multiple values for a record cannot be included in a multiple-column relationship.
- 3815 Columns that accept multiple values for a record cannot be included in a multiple-column index.
- 3816 The unique index on the '|' column cannot be deleted.
- 3817 The multi-valued field '|' is not valid in a CROSSTAB query.
- 3818 Operation cannot be completed on this database because it uses attachments or multi-valued lookup fields.
- 3819 Find cannot be executed on columns that accept multiple values for a record.
- 3820 You cannot enter that value because it duplicates an existing value in the multi-valued lookup or attachment field. Multi-valued lookup or attachment fields cannot contain duplicate values.
- 3821 You cannot change a multi-valued lookup field to the selected data type.
- 3822 The value cannot be added to this new row until the row has been committed. Commit the row first, and then try adding the value.
- 3823 You cannot edit this field because it resides in a linked Excel spreadsheet. The ability to edit data in a linked Excel spreadsheet has been disabled in this Access release.
- 3824 An INSERT INTO query cannot contain a multi-valued field.
- 3825 SELECT * cannot be used in an INSERT INTO query when the source or destination table contains a multi-valued field.
- 3826 An UPDATE or DELETE query cannot contain a multi-valued field.
- 3827 Cannot perform an aggregate function on a multi-valued column when a JOIN clause contains a different multi-valued column.
- 3828 Cannot reference a table with a multi-valued field using an IN clause that refers to another database.
- 3829 The multi-valued field '|' cannot be used in an ORDER BY clause.
- 3830 The multi-valued field '|' cannot be used in an GROUP BY clause.
- 3831 The multi-valued field '|' cannot be used in a WHERE or HAVING clause.
- 3832 The current file format no longer supports user-level security. The conversion or compaction process has removed any user-level permissions.
- 3833 The multi-valued field '|' is not valid in the specified JOIN clause.
- 3834 The multi-valued field '|1' is not valid in the expression '|2'.
- 3835 The DISTINCT keyword cannot be used with the multi-valued field '|'.
- 3836 You are attempting to work with a Paradox file that requires the Borland Database Engine (BDE). Microsoft Office Access cannot load the BDE, or the BDE is not correctly installed. To correct this, run the setup program for the BDE.
- 3837 The multi-valued field '|' cannot be used in a UNION query.
- 3838 Multi-valued fields are not allowed in SELECT INTO statements.
- 3839 The specified file exists already.
- 3840 The attachment you are adding exceeds the system resources available.
- 3841 Cannot connect to the Sharepoint site '|'. Try again later.
- 3842 The expression '|' must be part of an aggregate function.
- 3843 An INSERT INTO query that contains a multivalued field cannot contain another field.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 3844 Cannot reference a multi-valued field in an UPDATE or DELETE statement that contains other fields.
- 3845 Microsoft Office Access does not support linking to an Access database or Microsoft Office Excel workbook saved in a format that is a later version than the current database format.
- 3846 The multi-valued field '|' in an ORDER BY must also appear in the SELECT list.
- 3847 ODBCDirect is no longer supported. Rewrite the code to use ADO instead of DAO.
- 3848 You cannot record your changes because a value you entered violates the settings defined for field '|' (for example, a value is less than the minimum or greater than the maximum). Correct the error and try again.
- 3849 Replication is only supported on Access 2000 or Access 2002-2003 format databases. Use the conversion feature in your application to convert the database to the proper format.
- 3850 This file was created in a previous beta version of Excel 2007. Open the file with Excel 2007 to save it to the most recent version of the Excel 2007 file format before opening the file in Access 2007.
- 3851 The schema for this table has changed. You must refresh the table before editing or adding new records
- 3852 Cannot update a multivalued field if its parent recordset is not in edit mode. To place the parent recordset in edit mode use the AddNew or Edit method.
- 3853 Microsoft Office Access cannot create the database in the specified format because of a Group Policy set by your administrator. Create the database using a different file format or contact your administrator.
- 3854 This operation will fail because the text file you are about to import contains more than 255 columns. We recommend that you first make a backup copy of your source file, reduce the number of columns to 255 or less, and then try again.
- 6000 Errors were encountered during the save operation.@@@1@@@1
- 6001 A form or report cannot be the subdatasheet of a table or query.@Only a table or query can be inserted into another table or query.@@1@@@1
- 6002 Microsoft Office Access cannot expand this subdatasheet because all of the records are locked. @Either the RecordLocks property of the form or report or the Default Record Locking option in the Advanced section of the Access Options dialog box (click the Microsoft Office Button, and then click Access Options) is set to All Records.@Reset the value to No Locks or Edited Record, as appropriate.@1@1@472@1
- 6003 The setting for the Precision property must be from 1 through 28.@@@1@@@1
- 6004 The setting for the Scale property must be from 0 through 28.@@@1@@@1
- 6005 The table or query name '|' you entered in either the property sheet or macro is misspelled or refers to a table or query that doesn't exist.@If the invalid name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct name.@@1@@@1
- 6006 Filter by selection of a partial value is only supported for fields containing character data.@@@1@@@1
- 6007 Cannot open a form bound to a stored procedure in server filter by form mode.@@@1@@@1
- 6008 Microsoft Office Access encountered an error closing your connection. @Please close all of your application windows before trying again.@@1@@@1
- 6009 Invalid connection string.@You may need to specify a valid connection string and try it again.@@1@@@1
- 6010 Invalid use of Move method.@The Move method is not applicable to subforms or subreports.@@1@@@1
- 6011 Do you want to save the data changes on form '|'?@@@13@@@4

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 6012 Microsoft Office Access can't set this property to No right now. You cannot set the Allow Form View, Allow Datasheet View, Allow PivotTable View, and Allow PivotChart View properties to No at the same time. Set one of the other properties to Yes before changing this one to No.
- 6013 Unable to remove item. '|' not found in list.
- 6014 The RowSourceType property must be set to 'Value List' to use this method.
- 6015 Can't add this item. The index is too large.
- 6016 Application-defined or object-defined error
- 6017 Microsoft Office Access doesn't support the requested property for this type of database object. The DateCreated and DateModified properties are not supported for Tables, Queries, Stored Procedures, Database Diagrams, and Functions in a Client Server database.
- 6018 The form or report template is open in Design view. Before creating a new form or report, close the corresponding template.
- 6019 Application-defined or object-defined error
- 6020 This format does not support objects named '|'. Rename the object and try again.
- 6021 Microsoft Office Access cannot build a form or report based on the data returned by the function object that you have currently selected. Select a table, query, form, or report, and try again.
- 6022 Application-defined or object-defined error
- 6023 The Maximum Record Count setting cannot be a negative number.
- 6024 The Maximum Record Count setting cannot contain text - please enter a number.
- 6025 The Requery action cannot be used on a control bound to a Recordset.
- 6026 The RowSourceType property must be set to 'Table/Query' to use this method.
- 6027 Application-defined or object-defined error
- 6028 The OLE object failed to persist itself. You will not be able to undo this operation.
- 6029 |
- 6030 The current record in |1 |2 must be saved before you can complete this operation. Do you want to save the current record in |1 |2?
- 6031 You can't modify the structure of table '|', because it is already in use by another person or process.
- 6032 The value you entered isn't valid for this field. For example, you may have entered a null value.
- 6033 The '|1' form does not exist. Enter the name of an existing form in the List Items Edit Form property of the '|2' control or leave the property empty.
- 6034 This property is only available for attachment controls bound to attachment fields.
- 6035 Layout view is unavailable for this |.
- 6036 You cannot add a form to another form that shows multiple items.
- 6037 This object was saved in an invalid format and cannot be read.
- 6038 Microsoft Office Access was not able to update the value list. The table may be locked by another user, it may be read-only, or you may not have permission to modify the table.
- 6039 Do you want to save the datasheet so that it will be available for use by other forms and reports?

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 6040 Because dependency checking is not enabled on this database, Access cannot verify whether this datasheet is used on other forms or reports. @Do you want to save the datasheet so that it will be available for use by other forms and reports? @33@1@151798@4
- 6041 Grouping information can only be changed in Layout View and Design View. @1@2@5054@1
- 6042 Deleting the |1 control will permanently remove filter, grouping, or sort order settings that are based on the control from the form or report. Are you sure you want to delete the |1 control? @20@1@5833@4
- 6043 Deleting the selected controls will permanently remove filter, grouping, or sort order settings that are based on those controls from the form or report. Are you sure you want to delete the controls? @20@1@5833@4
- 6044 You will not be able to undo the creation or deletion of this object. @Do you still want to continue? @20@1@@4
- 6045 Microsoft Office Access cannot save the form or report, because it displays characters from a language that cannot be saved in your current system locale. @Switch your system locale to the language in the form or report, and then try again. @1@2@5054@1
- 6046 Your changes cannot be saved because the field '|' has been updated by another user. @1@@@1
- 6047 The number of fields from your currently selected table or query exceeds the maximum height in Microsoft Office Access forms. @Microsoft Office Access will create a new form with no fields and open the field list so you can individually select fields to add to this object. @3@@@2
- 6048 The number of fields from your currently selected table or query exceeds the maximum width in Microsoft Office Access forms and reports. @Microsoft Office Access will create a new form or report with no fields and open the field list so you can individually select fields to add to this object. @3@@@2
- 6049 Because databases in the current format do not support the Attachment control, you will not be able to complete this operation. @1@@@1
- 7700 Microsoft Office Access is unable to complete the operation. @Try the operation again. If the error persists, restart Microsoft Office Access. @1@@@1
- 7701 Microsoft Office Access can't synchronize with Synchronizer '|1.' @A possible reason for the failure to synchronize with '|1' is that both the Synchronizer and Microsoft Office Access were trying to write to the current database at the same time. Try synchronizing with '|1' again. @Do you want to continue synchronizing with the remaining Synchronizers? @19@@@2
- 7702 The user-supplied function named '|', the program to assist you in resolving conflicts, could not be found. @Contact the author of this customized database application. @1@@@3
- 7703 There are no synchronization conflicts to resolve. @1@@@1
- 7704 You can't modify the design of '|' at a replica. @Design changes to replicated objects can be made only at the Design Master. Db you want to open it as read-only? @19@@@2
- 7705 This member of the replica set has conflicts from synchronizing changes with other members. @Do you want to resolve these conflicts now? @19@@@2
- 7706 Application-defined or object-defined error
- 7707 Application-defined or object-defined error
- 7708 '|1' was the last designated Design Master for the replica set. Has '|2' been moved, renamed, deleted, or corrupted? @You should never have more than one Design Master for each replica set. Having more than one Design Master in a replica set prevents the members of the set from synchronizing correctly. @Use Windows Explorer to determine whether the file has been moved or deleted. Open the file to determine whether it has been corrupted. @13@@@2
- 7709 To make this replica the Design Master for the replica set, on the Database Tools tab, in the Database Tools group, click Replication Options, click Synchronize Now, enter the path to '|' (the current Design Master), and then select the Make ... The Design Master check box. @1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 7710 To make this replica the Design Master for the replica set, first synchronize this replica with all other replicas in the set. This ensures that this replica includes all design changes made at the previous Design Master. If you have already synchronized this replica, do you want to make it the Design Master? @19@@@2
- 7711 This member of the replica set is now the Design Master. Microsoft Office Access will now close and reopen the database in order for the changes to take effect. @@@1@@@1
- 7712 This member of the replica set has exceeded the maximum number of days allowed between synchronizations and can't be synchronized with any other member of the replica set. Delete this replica set member and create a new replica. @1@@@1
- 7713 This member of the replica set will expire in | days because it has not been synchronized with another member of the replica set. If the member is allowed to expire, it can no longer be synchronized with any other member of the replica set. You should synchronize this member with another member as soon as possible. To synchronize, on the the Database Tools tab, in the Database Tools group, click Replication Options, and then click Synchronize Now. @1@@@1
- 7714 Microsoft Office Access cannot close the database at this time. Make sure there is no Visual Basic code executing in the current database. You may need to run Setup again to properly install Briefcase Replication. @1@@@1
- 7715 Microsoft Office Access cannot complete this operation because it can't find or initialize the dynamic-link library AceRclr. Rerun Microsoft Office Access or Microsoft Office Setup again to reinstall Microsoft Briefcase Replication. During Setup, click Add/Remove, and select Microsoft Briefcase Replication. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@@3
- 7716 The database must be closed prior to synchronization. Do you want Microsoft Office Access to close the database and synchronize with '|'? @19@@@2
- 7717 All open objects must be closed before synchronizing. Do you want Microsoft Office Access to close the objects? @19@@@2
- 7718 Microsoft Office Access can't synchronize this member of the replica set because one or more objects are open. Because synchronizing may involve updating the data in or design of the database, all objects must be closed before you synchronize. Close all objects and try again. @1@@@1
- 7719 You can't save design changes to '|' at a replica. Design changes to replicated objects can be made only at the Design Master. @1@@@1
- 7720 You can't save design changes to '|1' at a replica. Design changes to replicated objects can be made only at the Design Master. Do you want to save it as a new, local object? @19@@@2
- 7721 You can't delete or rename '|' at a replica. These operations can't be performed on a replica; they can be performed only at the Design Master. @1@@@1
- 7722 Application-defined or object-defined error
- 7723 Application-defined or object-defined error
- 7724 Microsoft Office Access has converted '|1' to the Design Master for the replica set. Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica. @1@@@1
- 7725 Microsoft Office Access has converted '|1' to the Design Master for the replica set and has created a replica at '|2'. Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica. @1@@@1
- 7726 Microsoft Office Access has created a replica at '|2'. @@@1@@@1
- 7727 Microsoft Office Access can't create a replica because this database is already open in exclusive mode. Do you want Microsoft Office Access to close the database? @19@@@2

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 7728 Microsoft Office Access can't overwrite '|': the replica can't be created at this location. @The file you are trying to overwrite may be open. @Close any other applications that might be using this file. @1@@@1
- 7729 Microsoft Office Access can't make a new replica at '|' because the source has the same path and file name. @Choose a different path or file name for the new replica. @1@@@1
- 7730 The synchronization was completed successfully. @@@1@@@1
- 7731 Microsoft Office Access cannot synchronize this member of the replica set because it is open in Exclusive mode. @To open the database in Shared mode, close and reopen the database. @1@@@1
- 7732 '|' is saved as a local table. Changes made to the table will not be sent to the replicas in the set. @To make this table available to other members of the replica set, close the table, right-click it in the Navigation Pane, click Table Properties on the shortcut menu, and then select the Replicated check box. @1@@@1
- 7733 The synchronization request has been received, and the Synchronizer will complete the process as resources become available. @Make sure that the Synchronizer for this member of the replica set is running. It may be several minutes before the synchronization will occur. @1@@@1
- 7734 Microsoft Office Access has saved the design of table '|,' but it will not be made replicable until the Table window is closed. @@@1@@@1
- 7735 Changes to this object can be made only at the Design Master. @Any changes you make will be discarded when the form is closed. @To save your changes, click the Microsoft Office Button, point to Save As, and then save the object under a different name. @1@@@1
- 7736 Application-defined or object-defined error
- 7737 Microsoft Office Access has converted '|1' to the Design Master for the replica set and has created a replica at '|2'. @The new replica will not appear in the list of potential synchronization partners until this database is closed and reopened. @Do you want Microsoft Office Access to close and reopen the database now? @19@@@2
- 7738 Microsoft Office Access has successfully created a replica at '|2'. @However, the new replica will not appear in the list of potential synchronization partners until this database is closed and reopened. @Do you want Microsoft Office Access to close and reopen the database now? @19@@@2
- 7739 Microsoft Office Access has deleted '|' and removed it from the replica set. @This change isn't reflected until the database is closed and reopened. @Please close and reopen the database when you are finished synchronizing replicas. @1@@@1
- 7740 Microsoft Office Access cannot synchronize with a database from a previous version. @Convert the database you are trying to synchronize with, before synchronizing. @1@@@1
- 7741 Microsoft Office Access can't make a new replica at '|' because the value entered for priority is out of range. @Priority for new replicas should be in the range of 0-100. @1@@@1
- 7742 Microsoft Office Access cannot replicate a password-protected database.
- 7743 Backup, restore, and drop database operations are available only when you have at least Microsoft SQL Server 2000 installed on your local computer.
- 7744 Microsoft Office Access can't make a new replica at '|' because the value entered for priority is out of range. @Priority for anonymous replicas should be 0. @1@@@1
- 7745 You can't copy local objects in a replica. Design changes to replicated objects can be made only at the Design Master.
- 7746 The Database administrative components failed to load or initialize. Verify that the components are installed and registered locally.
- 7747 Database Replicas cannot be converted to prior versions of Microsoft Office Access.
- 7748 This stage of the conversion process is finished. To complete the conversion process, synchronize this replica to the (converted) Design Master.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 7749 Open the Design Master and sync to this replica before opening.
- 7750 In Datasheet view, you can't set a control property if the control is part of an option group.
- 7751 In Design view, you can't retrieve the value of the ObjectPalette property for an OLE object contained in a bound object frame. Microsoft Office Access doesn't display the OLE object in the object frame in Design view. Remove the reference to the ObjectPalette property, or switch to Form view before you run the macro or Visual Basic code that references the ObjectPalette property.
- 7752 Microsoft Office Access cannot apply the filter because all of the records are locked. Either the RecordLocks property of the form or report or the Default Record Locking option in the Advanced section of the Access Options dialog box (click the Microsoft Office Button, and then click Access Options) is set to All Records. Reset the value to No Locks or Edited Record, as appropriate.
- 7753
- 7754 You cannot position columns between two frozen columns in a datasheet. To unfreeze all columns, on the Home tab, in the Records group, click More, and then click Unfreeze All Columns.
- 7755 Microsoft Office Access can't start the Chart Wizard. The wizard may not be installed, or this wizard has been disabled. To install the Chart Wizard, rerun the Microsoft Office Access or the Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box. To reenable this wizard, click the Microsoft Office Button, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go.
- 7756 Application-defined or object-defined error
- 7757 Application-defined or object-defined error
- 7758 This ActiveX control isn't enabled in Form view. You can't set the Enabled or TabStop properties to True.
- 7759 This ActiveX control isn't visible in Form view. You can't set the Visible or TabStop properties to True.
- 7760 This property is locked and can't be changed.
- 7761 An error occurred when you changed the control.
- 7762 The pattern string is invalid.
- 7763 This feature isn't installed, or has been disabled. To install this feature, rerun the Microsoft Office Access or the Microsoft Office Setup program or, if you're using a third-party add-in, reinstall the add-in. To reenable this wizard, click the Microsoft Office Button, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go.
- 7764 Application-defined or object-defined error
- 7765 Application-defined or object-defined error
- 7766 This control can't be changed to the type you requested.
- 7767 An error occurred while Microsoft Office Access was creating a section.
- 7768 In order to change data through this form, the focus must be in a bound field that can be modified.
- 7769 The filter operation was canceled. The filter would be too long.
- 7770 Microsoft Office Access didn't apply the filter. Microsoft Office Access may not be able to apply the filter if you entered an invalid data type in one of the fields. Do you want to close the filter anyway? If you click Yes, Microsoft Office Access will build the filter, but won't apply it to the recordset. Then it will close the Filter By Form window.
- 7771 You can't set the ColumnOrder property when you are in Form view or Print Preview.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 7773 Microsoft Office Access can't set the LimitToList property to No right now. @The first visible column, which is determined by the ColumnWidths property, isn't equal to the bound column. @Adjust the ColumnWidths property first, and then set the LimitToList property. @1@1@929@1
- 7774 You can't set the MenuBar property while an OLE object is in-place active. @@@1@@@1
- 7775 There are too many controls on the form to allow Filter By Form. @@@1@@@1
- 7777 You've used the ListIndex property incorrectly. @@@2@1@6997@1
- 7778 You can't save an object when you are in the Filter By Form window. @Switch to Form view, and then save the object. @1@@@1
- 7779 You cannot set a form's MenuBar property from its menu bar macro. @1@@@1
- 7780 You're trying to insert into a section that can't grow enough for the control you're trying to add. @The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm). @Remove, or reduce the height of, at least one section. Then try to add the control again. @1@@@1
- 7782 You can't create a new instance of this form or report while it is in Design view. @@@1@@@1
- 7784 The object you have selected is already open for design as a subform or subreport. To open this object in Design view, select the subform or subreport in the object in which it is already open, and then on the Design tab, in the Tools group, click Subform in New Window.
- 7785 Microsoft Office Access didn't build the filter. @There is an error in the current field. @Do you want to close the filter anyway? @If you click Yes, Microsoft Office Access will undo the changes to the filter, and then close the Filter By Form window. @19@@@2
- 7788 Application-defined or object-defined error
- 7789 Type mismatch. @@@1@@@1
- 7790 Microsoft Office Access can't create the |1. @Either there was an error getting information from the table or query you selected, or a new |2 could not be created. @1@@@1
- 7791 There was an error creating your |1. @Some fields may have been skipped because there was an error getting information about them or because they didn't fit on the |2. @@1@@@1
- 7792 You can't open a subform or subreport when it is also open in Design view. @@@1@@@1
- 7793 You must save the form '|' before you can embed it. @@@1@@@1
- 7794 Microsoft Office Access couldn't find the toolbar '|'. @@@1@@@1
- 7795 The custom toolbar '|' is the wrong type (menu, shortcut menu, or toolbar) for the property it's being used in. @@@1@@@1
- 7796 The process failed because there is no printer installed. @Because Microsoft Office Access saves the printer settings with each form or report, a printer is needed to convert, enable, copy and paste, import, or export your forms or reports. To install a printer:  Microsoft Windows XP, click Start, and then click Printers and Faxes. Under Printer Tasks, click Add a printer.  Microsoft Windows 2000, click Start, point to Settings, and then click Printers. Double-click Add Printer. @Follow the instructions in the wizard. @1@@@1
- 7797 You must save new objects in the database before you can save them to this external format. @@@1@@@1
- 7798 You can only save select, crosstab, and union queries to this format. @@@1@@@1
- 7799 This form or report is based on a query that exceeds the limit for data in a single record. @Exclude any unnecessary fields from the query, or change some of the field types to Memo in the original tables. @1@@@1
- 7800 You can't create a Microsoft Office Access MDE database from a database in an old format. @Close the database and convert it to the current version of Microsoft Office Access. Then create the MDE database. @1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 7801 This database is in an unrecognized format. The database may have been created with a later version of Microsoft Office Access than the one you are using. Upgrade your version of Microsoft Office Access to the current one, then open this database.
- 7802 The command you specified is not available in an .mde, .accde, or .ade database.
- 7803 Microsoft Office Access can't rename |1 to |2. The convert operation failed.
- 7804 Application-defined or object-defined error
- 7805 This is already an MDE database.
- 7806 This database does not have a Visual Basic project, so it can't be made into an MDE file. Open the database in Microsoft Office Access to create the Visual Basic project.
- 7807 You cannot convert the open database to an MDE file by running a macro or Visual Basic code. Instead of using a macro or code, on the Database Tools tab, in the Database Tools group, click Make MDE.
- 7808 Microsoft Office Access can't replace an existing file as a result of converting the Microsoft Office Access database. You must select a new file name.
- 7809 You can't rename a | object in the client/server version of Microsoft Office Access.
- 7810 You cannot compact the open database by running a macro or Visual Basic code. Instead of using a macro or code, click the Microsoft Office Button, point to Manage, and then click Compact and Repair Database.
- 7811 Microsoft Office Access requires Microsoft SQL Server 6.5 or later for Access projects. You need to upgrade the selected SQL database to Microsoft SQL Server 6.5 or later.
- 7812 Microsoft Office Access projects can only be connected to Microsoft SQL Server
- 7813 Application-defined or object-defined error
- 7814 Application-defined or object-defined error
- 7815 Microsoft Office Access was unable to create an ADE database.
- 7816 Microsoft Office Access requires this Microsoft SQL Server 6.5 installation to be upgraded to service pack 5 in order to successfully connect to this server.
- 7817 The database file '|' is already open. You cannot encode to an open file.
- 7818 Application-defined or object-defined error
- 7819 You have chosen a database template file that is not supported in the current version of Microsoft Office Access. To create a database using the Database Wizard, click the Databases tab in the New dialog box and then double-click a database icon.
- 7820 Application-defined or object-defined error
- 7821 The TEMP environment variable isn't defined. Microsoft Office Access can't find the temporary file directory.
- 7822 Microsoft Office Access can't initialize the transfer object. Make sure you have Microsoft SQL Server or the Microsoft SQL Server Desktop Engine installed on the local machine.
- 7823 The source or destination database name is missing. The transfer operation can't continue.
- 7824 The source or destination server name is missing. The transfer operation can't continue.
- 7825 Microsoft Office Access can't find the server '|'.
- 7826 The database object type isn't supported by the Microsoft Office Access transfer operation.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 7827 The current database '1' has 2 active connections. Microsoft Office Access must disconnect all applications before you can copy the database file. What do you want to do to all the active connections? Disconnect Cancel @@@35@@@
- 7828 The object '1' is not a valid Microsoft SQL Server database object. Microsoft Office Access can't transfer this object. @@@1@@@1
- 7829 The SQL script used to create database objects is corrupted. Microsoft Office Access can't create the new objects. @@@1@@@1
- 7830 The SQL script used to create database object '1' is corrupted. Microsoft Office Access can't create the new object. @@@1@@@1
- 7831 Microsoft Office Access can't create the file '1'. @@@1@@@1
- 7832 The current database '1' is replicated and can't be copied until you disable replication. Use Microsoft SQL Server Enterprise Manager to remove publications and subscriptions before copying the database file. @@@1@@@1
- 7833 The current database '1' has more than one data file and can't be copied. @@@1@@@1
- 7834 The Transfer Database Wizard didn't provide enough information to perform the transfer operation. @@@1@@@1
- 7835 Microsoft Office Access can't copy the database file because one or more objects are open. Do you want to close all the objects? @@@1@@@1
- 7836 Microsoft Office Access can't copy the database file because one or more objects are open. Close all objects and try again. @@@1@@@1
- 7837 Invalid argument in script. @@@1@@@1
- 7838 There were errors during the database transfer operation. Open the transfer log file for details. @@@1@@@1
- 7839 Errors occurred during the database transfer operation. @@@1@@@1
- 7840 The database transfer operation failed. The destination database '1' was created and is in an unknown state. What would you like to do with the destination database? Keep Delete @@@35@@@
- 7841 The destination file '1' already exists. Set the Overwrite flag to TRUE if you want to replace the existing file. @@@1@@@1
- 7842 This operation requires at least Microsoft SQL Server 2000 to be installed on your local computer. @@@1@@@1
- 7843 You can only copy a database that is on your local computer. To make a copy of a database on a remote computer, click the Microsoft Office Button, point to Server Tasks, and then click Transfer Database. @@@1@@@1
- 7844 Microsoft Office Access can't copy the database file because there are active connections to the current database. @@@1@@@1
- 7845 | @@@1@@@1
- 7846 Microsoft Office Access can't compact and repair the current database. @@@1@@@1
- 7847 '1' already exists. Microsoft Office Access must create a backup of your file before performing the repair operation. Enter a name for the backup file. @@@1@@@1
- 7848 The transfer operation has been cancelled. The destination database '1' was created and is in an unknown state. What would you like to do with the destination database? Keep Delete @@@35@@@
- 7849 The repair operation has been canceled because Microsoft Office Access could not create a backup of the file. You might not have adequate permissions or enough disk space to create the backup file. To repair the file manually, click the Microsoft Office Button, point to Manage, and then click Compact and Repair Database. @@@1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 7850 The wizard you've requested is not installed or is in a bad state. Please install or reinstall the wizard. If you do not have permission to do this on your computer, please contact your help desk representative. @@@1@1@153723@1
- 7851 The toolbar name '|' you entered already exists. @Enter a unique name for this toolbar. @1@@@1
- 7852 The toolbar name '|' you entered doesn't follow Microsoft Office Access object-naming rules. @For more information about naming objects, click Help. @@2@1@11734@1
- 7853 The default column width must be at least 0.1 inch. @@@1@@@@1
- 7854 You can't export database objects (except tables) from the current version of Microsoft Office Access to earlier versions of Microsoft Office Access. @@@1@@@@1
- 7855 You must have a database open to create custom toolbars, and the database can't be read-only. @@@1@@@@1
- 7856 '|' cannot be imported, exported, or copied to Access project files. @@@1@@@@1
- 7858 The Tab Width setting in the Options dialog box (Tools menu) for the Module or Debug window must be from 1 through 32. @@@1@@@@1
- 7859 Microsoft Office Access can't start because there is no license for it on this machine.
- 7860 The profile '|' that you specified on the command line doesn't exist in the Windows Registry. @@@1@@@@1
- 7861 '|' cannot be imported, exported, or copied to Access database files. @@@1@@@@1
- 7862 Microsoft Office Access can't find the wizard. This wizard has not been installed, or there is an incorrect setting in the Windows Registry, or this wizard has been disabled. @To reenale this wizard, click the Microsoft Office Button, and click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. Rerun Microsoft Office Access or Microsoft Office Setup program to reinstall the wizards. If the missing wizard is not a Microsoft Office Access wizard, reinstall it using the Add-in Manager. @1@@@@3
- 7863 Links can only be created between Microsoft Office Access database files.
- 7864 Application-defined or object-defined error
- 7865 There is already an existing database with the name you entered. Give the new database a unique name.
- 7866 Microsoft Office Access can't open the database because it is missing, or opened exclusively by another user, or it is not an ADP file.
- 7867 You already have the database open.
- 7868 You can't use a SetMenuItem macro action on a default menu. @SetMenuItem is for custom menus only. @1@@@@1
- 7869 The SetMenuItem action does not have enough information to be carried out. @An argument is invalid, or there are not enough arguments. @1@@@@1
- 7870 Microsoft Office Access can't find the database '|'. @Check the database name (and path, if specified) to make sure you entered it correctly. @1@@@@1
- 7871 The table name you entered doesn't follow Microsoft Office Access object-naming rules. @For more information about naming objects, click Help. @@2@1@11734@1
- 7872 This recordset is not updatable.
- 7873 '|' cannot be imported, exported, or copied to another database or project file. @@@1@@@@1
- 7874 Microsoft Office Access can't find the object '|'. @* You misspelled the object name. Check for missing underscores (_) or other punctuation, and make sure you didn't enter leading spaces. ☐ You tried to open a linked table, but the file containing the table isn't on the path you specified. Use the Linked Table Manager to update the link and point to the correct path. @1@@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 7875 The table '!' already exists. @You created or renamed a table, and then tried to save it. Before Microsoft Office Access could save the table, another user created or renamed one using the same name. @1@@@1
- 7876 There isn't enough temporary disk space to complete the operation. @Free disk space, and then try the operation again. @For more information on freeing temporary disk space, search the Microsoft Windows Help index for 'disk space, freeing'. @For information on compacting a database to free disk space, click Help. @@2@1@9009@3
- 7877 Microsoft Office Access can't sort on the Memo, OLE Object, or Hyperlink '!'. @The ORDER BY clause of an SQL statement can't include any Memo, OLE Object, or Hyperlink fields. @@1@@@@1
- 7878 The data has been changed. @Another user edited this record and saved the changes before you attempted to save your changes. @Re-edit the record. @1@@@@1
- 7879 An invalid IDA has been passed to Microsoft Office Access error handling. @Please report this error and the steps that caused it. @@1@@@@1
- 7880 The value you entered is the wrong data type for this field. @Enter an integer. @@1@@@@1
- 7881 The Macro Conversion Wizard can't be started. @This wizard may not be installed, or this wizard has been disabled. @To reenale this wizard, click the Microsoft Office Button, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. Rerun Microsoft Office Access or the Microsoft Office Setup program to reinstall this wizard. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. @For more information on backing up files, search for 'backing up files' in Microsoft Windows Help. @1@@@@3
- 7882 You can't convert, enable, or encode an Access Project file. @@@1@@@@1
- 7883 You can't set the MenuBar property unless a database is open. @@@1@@@@1
- 7884 You can't export an object to itself. @Select a different database to export to, or give the object a new name. @@1@@@@1
- 7885 Application-defined or object-defined error
- 7886 Microsoft Office Access can't find the dynamic-link library (DLL) Mso. @Rerun the Microsoft Office Access or Microsoft Office Setup program. @@1@@@@3
- 7887 A unique record identifier can't consist of more than 10 fields. @@@1@@@@1
- 7888 You must set the default font size to a number from |1 through |2. @For more information on the FontSize property, click Help. @@2@2@5477@1
- 7889 The file '!' does not exist. @@@1@@@@1
- 7890 The file '!' doesn't contain any data. @You can't import from, or link to, an empty spreadsheet. @@1@@@@1
- 7891 Application-defined or object-defined error
- 7892 An error occurred while saving module options. @You may be running Visual Basic in break mode. @Reset the running code before changing the module options. @1@@@@1
- 7893 You cannot import objects into a database created in an earlier version of Microsoft Office Access. @To convert the database to the current version of Microsoft Office Access, click the Microsoft Office Button, and then click Convert @1@1@9029@1
- 7895 Microsoft Office Access was unable to create a window. @The system is out of resources or memory. @Close unneeded programs and try again. @For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@@3
- 7896 Error '!' in the validation rule. @@@2@1@687@1
- 7897 Error '!' in the default value. @@@2@1@2264@1
- 7898 Execution of this application has stopped due to a run-time error. @The application can't continue and will be shut down. @@1@@@@3

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 7899 Microsoft Office Access can't be started. @Microsoft Office Access was unable to initialize the Windows Registry. @Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access. @1@@185309@3
- 7900 Microsoft Office Access can't convert the database because it can't create an error table. @@@1@@@1
- 7901 Microsoft Office Access can't convert the database because it can't write to the error table. @@@1@@@1
- 7902 Errors occurred converting |1 validation rules and default values. @See error table '|2' for a list of errors. @1@@@1
- 7903 Microsoft Office Access can't insert this field. @There are too many fields in the table. The limit is 255. @1@@@1
- 7904 An error occurred in the Field Builder. @You've replaced or modified the default Field Builder, and Microsoft Office Access is unable to run the new version. Reinstall Microsoft Office Access to correct the error. @1@@185309@1
- 7905 Microsoft Office Access can't change these field data types. @Some data in this table violates the record validation rule. @Before any data types can be changed, remove the record validation rule or correct the data. @1@@@1
- 7906 Microsoft Office Access couldn't launch the Lookup Wizard, or this wizard has been disabled. @Rerun the Microsoft Office Access or the Microsoft Office Setup program, click Add/Remove, and select the Wizards check box. To reenabte this wizard, click the Microsoft Office Button, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. @1@@@1
- 7907 You don't have permission to modify the design of this table. @For more information on permissions and who can set them, click Help. @2@1@10222@1
- 7908 You can't modify this table now because someone else is using it. @@@1@@@1
- 7909 Microsoft Office Access can't add another column to this table. @You can have up to 255 columns in your table. @1@@@1
- 7910 Microsoft Office Access can't delete this column. @Tables must have at least one column. @1@@@1
- 7911 Microsoft Office Access can't delete this index. @This table participates in one or more relationships. @Delete its relationships in the Relationships window first. @1@@@1
- 7912 Once you save the change to the data type of this column, you will not be able to change back to the previous data type. @Are you sure you want change the data type? @20@@@2
- 7913 You can't change a random-valued AutoNumber field to an incremental AutoNumber field. @The values of random-valued AutoNumber fields aren't continuous. @1@@@1
- 7914 You can't convert ReplicationID values to other data types. @@@1@@@1
- 7915 You can't delete the field '|'; it is a replication system field. @Use a make-table query to create a new table that contains all the fields in the table except system fields. For information on make-table queries, click Help. @2@1@9993@1
- 7916 Microsoft Office Access is unable to start the Lookup Wizard. @The Lookup Wizard doesn't apply to fields of this data type. @1@@@1
- 7917 '|' cannot be created because the project is disconnected. @To connect the project to a database, click Connection under Server Tasks on the File menu. @1@@@1
- 7918 Application-defined or object-defined error
- 7919 The default data type you selected is not supported in all versions of Microsoft SQL Server. @If the server doesn't support the data type you have chosen, the varchar data type will be used in its place. @1@@@1
- 7920 The '|' lookup column was changed to store multiple values. You cannot reverse this setting. @@@1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 7921 You have changed the '|' lookup column to store multiple values. You will not be able to undo this change once you save the table. @Do you want to change '|' to store multiple values? @@19@@@2
- 7922 You have changed the '|' lookup column to be displayed by a text box. After you save the table, this change will make the column read-only and lose the lookup properties. @Do you want to change '|' to be displayed by a text box? @@19@@@2
- 7923 The data type for field '|' is of type Attachment and cannot be changed. @@@1@@@1
- 7924 You cannot set '|' to the Attachment data type. You can only set a column to the Attachment data type when that column is first created. @@@1@@@1
- 7925 The table or query you are exporting contains more than one attachment column. Microsoft Windows SharePoint Services only supports one attachment column. Remove all but one attachment column, and then retry exporting the table or query.
- 7926 You can't change the column '|' to store multiple values; it is part of a multiple column relationship. @If you want to change the column to store multiple values, first delete the relationship in the Relationships window. @@1@@@1
- 7927 You can't change the column '|' to store multiple values; it is part of an enforced relationship. @If you want to change the column to store multiple values, first delete the relationship in the Relationships window. @@1@@@1
- 7950 Application-defined or object-defined error
- 7951 You entered an expression that has an invalid reference to the RecordsetClone property. @For example, you may have used the RecordsetClone property with a form or report that isn't based on a table or query. @@1@1@7393@1
- 7952 You made an illegal function call. @Check the syntax of the function you are trying to use. @@1@@@1
- 7953 The value you entered doesn't match the type required. @* The variable, property, or object may not be of the correct type. ☒ You may have used an If TypeOf construct with something other than a control. @@1@@@1
- 7954 The expression you entered requires the control to be in the active window. @Try one of the following: ☒ Open or select a form or report containing the control. ☒ Create a new control in the active window, and try the operation again. @@1@@@1
- 7955 There is no current code context object. @@@1@@@1
- 7956 The syntax of the subquery in this expression is incorrect. @Check the subquery's syntax and enclose the subquery in parentheses. @@2@1@9989@1
- 7957 Application-defined or object-defined error
- 7958 Application-defined or object-defined error
- 7959 Application-defined or object-defined error
- 7960 There was an error compiling this function. @The Visual Basic module contains a syntax error. @Check the code, and then recompile it. @1@@@1
- 7961 Microsoft Office Access can't find the module '|' referred to in a macro expression or Visual Basic code. @The module you referenced may be closed or may not exist in this database, or the name may be misspelled. @@1@@@1
- 7962 The index number you used to refer to the module is invalid. @Use the Count property to count the open modules and make sure that the module number is not greater than the number of open modules minus 1. @@1@@@1
- 7963 Microsoft Office Access can't run the macro or callback function '|'. @Make sure the macro or function exists and takes the correct parameters. @@1@@@1
- 7964 You entered an expression that has an invalid reference to the Recordset property. @You can only use a dynaset or snapshot recordset to set this property. @@1@1@7393@1
- 7965 The object you entered is not a valid Recordset property. @For example, you may have used a forward-only recordset, or tried to set it to null. @@1@1@7393@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 7966 The format condition number you specified is greater than the number of format conditions. @Use the Count property to count the format conditions for the control and then check that the format condition number you cite is within the range of existing format conditions. @1@@1
- 7967 A required minimum or maximum value is missing. @@@1@@@1
- 7968 The format condition Type you specified is invalid. @Valid values for the Type property are 0 to 2 for the first condition, and 0 to 1 for all other format conditions. @1@@@1
- 7969 The format condition Operator you specified is invalid. @Valid values for the Operator property are 0 to 7. @1@@@1
- 7970 Application-defined or object-defined error
- 7971 Microsoft Office Access can't follow the hyperlink to '|'. @Please verify the destination. @1@@@1
- 7972 Microsoft Office Access encountered an error while trying to show the Hyperlink dialog. @@@1@@@1
- 7973 Application-defined or object-defined error
- 7974 Microsoft Office Access failed to insert a hyperlink at the current location. @@@1@@@1
- 7975 You chose an invalid control type for use with hyperlinks. @You can only use hyperlinks with labels, images, command buttons, or bound text boxes. @1@@@1
- 7976 There is no stored hyperlink in this control. @@@1@@@1
- 7977 Microsoft Office Access is unable to paste the data on the clipboard as a hyperlink. @@@1@@@1
- 7978 Microsoft Office Access is unable to add the current hyperlink to the favorites folder. @@@1@@@1
- 7979 You can't use the hyperlink property builder with more than one control selected. @@@1@@@1
- 7980 The HyperlinkAddress or HyperlinkSubAddress property is read-only for this hyperlink. @@@1@@@1
- 7981 The values for 'File or web page name' and/or 'Text to Display' are too long. @The values will be truncated. To keep your original values, click Cancel in the Edit Hyperlink dialog. @1@@@1
- 7982 Application-defined or object-defined error
- 7983 Microsoft Office Access can't follow the hyperlink. @@@1@@@1
- 7990 You entered an invalid project name. @You may have deleted the default project name and forgotten to specify a new one. @1@@@3
- 7991 The Microsoft Office Access Source Code Control Add-in is not available; this object will be opened read-only. @@@1@@@3
- 7992 The Microsoft Office Access Source Code Control Add-in could not be started. @@@1@@@3
- 7993 The object | is currently checked in and is therefore read-only. @To modify the object, close it first, then check it out and reopen it. @1@@@1
- 7994 There was a problem communicating with the Source Code Control Add-in. @@@1@@@3
- 7995 The menus on your form or report that are based on Microsoft Office Access macros will not be visible while the Customize dialog box is open. @To have the full power of menu or toolbar customization, convert your macro-based menus to menus or toolbars. With the macro selected in the Navigation Pane, point to Macro on the Tools menu, and create a menu, a toolbar, or a shortcut menu from that macro. @1@@@1
- 7996 Microsoft Office Access could not create the Data and Misc. objects because the linked table '|' could not be found. @To create the data and miscellaneous objects, use the Linked Table Manager (on the Database Tools tab, in the Database Tools group) to update the link to the source table or file, or delete the link from your current database. @1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 7997 You can't save the standard module '!' over a class module with the same name. @Save the standard module to a different name, or delete the class module first. @1@@@1
- 7998 You can't save the class module '!' over a standard module with the same name. @Save the class module to a different name, or delete the standard module first. @1@@@1
- 7999 Microsoft Office Access can't delete this relationship because you don't have the Data and Misc. Objects checked out. @Check out the Data and Misc. Objects and then delete the relationship. @1@@@1
- 8000 The name you entered already exists for another object of the same type in this database. @Do you want to replace the existing |? @20@@@2
- 8001 '!' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine. @Do you want to replace the changes that you or another user made? @* To save your most recent changes and discard the other user's changes or your previous changes, click Yes. ☑ To save this version of the object with another name, click No. @19@@@2
- 8002 Application-defined or object-defined error
- 8003 You must save the | before you can create a new object based on it. @Do you want to save the | and create a new object? @13@@@2
- 8004 The layout of '!' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine. @Do you want to replace the changes that you or another user made? @* To save your most recent changes and discard the other user's changes or your previous changes, click Yes. ☑ To cancel saving this version of the object, click No. @19@@@2
- 8005 Application-defined or object-defined error
- 8006 The name you entered already exists for another object of the same type in this database. @Do you want to replace the existing |? You will not be able to undo this operation. @20@@@2
- 8007 You cannot get into Exclusive Mode right now because this database is opened by other users or because you do not have permissions to open exclusively. @1@@@1
- 8008 The stored procedure executed successfully but did not return records.
- 8050 Do you want to save changes to the design of |? @13@@@2
- 8051 Application-defined or object-defined error
- 8052 Do you want to delete the | and empty the Clipboard? @You tried to delete a database object that is currently on the Microsoft Office Access Clipboard. If you delete it from your database, you won't be able to paste it later. @20@@@2
- 8053 Do you want to delete the |? Deleting this object will remove it from all groups. @For more information on how to prevent this message from displaying every time you delete an object, click Help. @21@1@9058@2
- 8054 Do you want to exit Microsoft Office Access and empty the Clipboard? @19@@@2
- 8055 Microsoft Office Access can't change the working directory to '|.' @Verify that the drive is valid and the path is 260 characters or less in length. @1@@@1
- 8057 |
- 8058 Do you want to save changes to the layout of |? @13@@@2
- 8059 Do you want to remove the link to the |? @If you delete the link, you delete only the information Microsoft Office Access uses to open the table, not the table itself. @19@@@2
- 8060 The toolbar '!' is partly unreadable. @ Microsoft Office Access can't display all the toolbar buttons. The specified toolbar may be in a different format than the toolbars in the current version of Microsoft Office Access. @Click OK to close the dialog box, and then add the buttons missing from the toolbar. Microsoft Office Access will then update the toolbar to the latest format. @1@1@10064@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 8061 Are you sure you want to restore the default settings to the built-in toolbar or menu bar |?@If you previously customized, moved, changed the visibility, or otherwise altered the toolbar or menu bar, or any of the menus that cascade from it, Microsoft Office Access removes your changes, returns the original buttons to their original order, and shows or hides the toolbar based on the original setting. To return the built-in toolbar or menu bar to its original state, click Yes.@@19@@@2
- 8063 The source application is not responding. Do you want to continue waiting?@The DDE channel has been established, but the data exchange was not completed in the amount of time specified in the OLE/DDE Timeout setting in the Access Options dialog box (click the Microsoft Office Button and then click Access Options).@* To continue waiting for the data exchange to be completed, click Yes. To cancel the data exchange and try again later, click No .@20@@@2
- 8064 This linked table has indexes that use an unsupported sort order.@If you modify this table, the Microsoft Office Access database engine can't correctly maintain the table's indexes. As a result, your data may appear in the wrong order, and functions that use the table's indexes may have unexpected results.@Try one of the following: To cancel this operation. Use the application in which the table was created to re-create the indexes, making sure to specify an ASCII or International sort order. Then try again to link the tables. To use this table on a read-only basis.@1@1@9057@1
- 8065 You can't delete the table '|' until its relationships to other tables have been deleted.@Do you want Microsoft Office Access to delete the relationships now?@@19@@@2
- 8067 Do you want to permanently delete the |?@If you click Yes, you won't be able to undo the deletion.@@19@@@2
- 8069 Microsoft Office Access couldn't create the custom toolbar '|'.@@@1@@@3
- 8071 Would you like to remove the compacted database from Source Code Control?@@@19@@@2
- 8072 Microsoft Office Access must close the | in order to complete this operation.@Would you like Microsoft Office Access to close it now?@@19@@@1
- 8073 You do not have the | checked out.@Microsoft Office Access can't check out an object while it is open, and you can't make design changes until you check it out.@If you want to make design changes to this object, first close it, check it out, and then reopen it.@1@@@1
- 8074 Microsoft Office Access must save the | in order to complete this operation.@Would you like Microsoft Office Access to save it now?@@19@@@1
- 8075 You do not have the Data and Misc. Objects checked out. You can't create a new table or save changes to a data access page.@@@1@@@1
- 8076 To import tables, relationships, menus, toolbars, import/export specs or data access pages you must have the Data and Misc. Objects checked out.@@@1@@@2
- 8077 Are you sure you want to cut the |?@@@19@@@2
- 8078 This object will be removed from your local database, but not from source code control.@The next time you get this database from source code control, the object will reappear. Are you sure that you want to delete the local object?@@20@@@2
- 8079 Microsoft Office Access was not able to add a reference to the type library for this control because Data and Misc. Objects is not checked out.@Check out the Data and Misc. Objects and add a reference to the library '|'.@@1@@@1
- 8080 An error occurred while trying to create the linked table '|'.@Check to make sure that the source table or file is available, and then retry the operation on the Data and Misc. Objects.@@1@@@1
- 8081 You have set |1's Type property to Popup, which changes the toolbar to a shortcut menu.@The shortcut menu disappears because Microsoft Office Access adds |2 to the Shortcut Menus toolbar. To complete the shortcut menu, close the Toolbar Properties sheet, display the Shortcut Menus toolbar, click the Custom category, and then add the commands you want.@@1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 8082 Microsoft Office Access must save the | to the current database in order to complete this operation. @Would you like Microsoft Office Access to save it now? @@19@@@2
- 8086 An error occurred trying to add one or more references from the source code control project. @The library may not be registered on your computer. Check your project references and add any missing references after registering the missing components that this database requires. @1@@@1
- 8087 Restoring a database requires that no one is currently using the database. @Do you want to close all objects, select a backup file, and restore the database from backup? @@19@@@2
- 8088 Dropping a database requires that no one is currently using the database. @Do you want to close all open objects, and drop the database? @@19@@@2
- 8090 Are you sure you want to delete the conflict table |? @You will not be able to undo this operation. @@19@@@2
- 8091 This database is enabled for publication. @Do you want to delete existing publications and drop the database? @@19@@@2
- 8092 Access could not save your project. @Do you want to cancel the close operation? ☒ To cancel the close operation, click Yes. ☒ To close without saving, click No. @@19@@@2
- 8093 Application-defined or object-defined error
- 8094 Application-defined or object-defined error
- 8095 Application-defined or object-defined error
- 8096 Microsoft Office Access can't change the working directory to '|'. @Please enter a non-Internet location. @1@@@1
- 8097 The connection string of this page specifies an absolute path. The page might not be able to connect to data through the network. To connect through a network, edit the connection string to specify a network (UNC) path. @&Don't show this warning again@553714119@@@1
- 8098 Your computer has resumed operation after Critical Suspend mode. Any unsaved changes might have been lost. To ensure proper operation, close and reopen any files. Restarting Microsoft Office Access is recommended. @@@1@@@1
- 8100 The report is still more than one page wide. @To fit the report on one page decrease the report width or increase the page width. @You can decrease the report width by selecting each control that is farthest to the right, moving it to the left, and removing the extra report space. You may need to repeat this multiple times. You can increase the page width by adjusting the page setup options. @1@@@1
- 8101 The report is still more than one page wide. @To fit the report on one page decrease the report width or increase the page width. @You can decrease the report width by selecting each control that is farthest to the left, moving it to the right, and removing the extra report space. You may need to repeat this multiple times. You can increase the page width by adjusting the page setup options. @1@@@1
- 8103 Do you want to discard the pending changes and delete the link to the list |? @The linked list you are attempting to delete has changes that have not been saved to the server. Do you still want to delete the linked list and lose these pending changes? @@19@@@2
- 8104 The name you supplied is a reserved word. Reserved words have a specific meaning to Microsoft Office Access or to the Microsoft Office Access database engine. @If you use a reserved word, you may receive an error when referring to this field. @@5@1@141675@1
- 8105 You must close and reopen the current database for the specified option to take effect.
- 8400 The database '|' is read-only. @You won't be able to save changes made to data or object definitions in this database. @@3@1@9033@1
- 8401 You cannot make changes to the database objects in the database '|'. @This database was created in an earlier version of Microsoft Office Access. @To convert this database to the current version of Microsoft Office Access, click the Microsoft Office Button, and then click Convert. @3@1@9029@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 8402 The file '!' already exists. @Do you want to replace the existing file? If you want to compact or convert to a different file name, click No. Enter the new file name after the /compact or /convert option in the command line, and run the command again. @20@@@2
- 8403 The setting you entered is invalid. @The database's sort order cannot be updated. The setting you entered for the New database sort order option (Personalize category) of the Access Options dialog box (click the Microsoft Office Button and then click Access Options) is not a valid sort order for the version of the database you are compacting. @1@@@1
- 8404 You can't open '!' for exclusive use because another user has the database open or because you do not have permissions to open exclusively. @Microsoft Office Access will open the database for shared access. @3@@@1
- 8405 This database was created using a previous version of Microsoft Office Access. @- You can share the database with users of previous versions of Microsoft Office Access, however some enhancements will be unavailable. You can open the database, view objects and modify records using this release of Microsoft Office Access, but design changes will be disabled. To make design changes you must use an earlier version of Microsoft Office Access that supports the old database format, or upgrade the database. @1@@@1
- 8406 Does the first row of your data contain column headings? @20@@@1
- 8407 Application-defined or object-defined error
- 8408 Application-defined or object-defined error
- 8409 Microsoft Office Access has made a backup of database |1 at |2. Note: Only server-related objects have been backed up. To back up your project, click Back Up Project on the File menu
- 8410 Microsoft Office Access successfully restored database |1 from its backup at |2
- 8411 Application-defined or object-defined error
- 8412 The name you entered already exists for another shortcut in this group. @Do you want to replace the existing shortcut '!'? @20@@@2
- 8413 Application-defined or object-defined error
- 8414 Microsoft Office Access encountered one or more errors during conversion. To view a summary of these errors, open the '!' table. @2@1@553714191@1
- 8415 The HTML file associated with this link has been moved, renamed, or deleted. @File: '!' & Update Link... Cancel @35@@@2
- 8416 Renaming this user-defined function removes any existing permissions and extended properties. @Do you want to complete the rename action? @20@@@2
- 8417 The file '!' cannot be opened because it has been locked by another user. @Try again when the file is available. @3@@@1
- 8500 A form with a subform object can't have its DefaultView property set to Continuous Forms. @You tried to add a subform to a form in Design view. Microsoft Office Access will reset the property to Single Form. @1@@@1
- 8501 You can't modify this field because it is read-only. @Some fields, such as a calculated field, are read-only by design. However, any field can be read-only if its Locked property is set to Yes. @1@1@865@1
- 8502 Microsoft Office Access has reached the end of the records. @Do you want to continue searching from the beginning? @19@@@2
- 8503 Microsoft Office Access has reached the beginning of the records. @Do you want to continue searching from the end? @19@@@2
- 8504 Microsoft Office Access finished searching the records. The search item was not found. @@@1@@@1
- 8505 Do you want to continue to search or replace? @@@19@@@2
- 8506 Application-defined or object-defined error

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 8507 There isn't enough memory to execute the macro that updates the active filter. Microsoft Office Access is closing the Filter window. Close unneeded programs. Then try again to open the Filter window. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
- 8508 Microsoft Office Access can't find '|'. The text string you entered in the Find What box can't be evaluated against the current field. Reenter the text string so that it conforms to the data type of the field.
- 8509 You won't be able to undo this Replace operation. There isn't enough free memory to use the Undo command. Do you want to continue?
- 8510 Microsoft Office Access can't save the current record. Do you want to undo the changes to the record and continue the Paste operation?
- 8511 Records that Microsoft Office Access was unable to paste have been inserted into a new table called '|'. In the Navigation Pane, open the new table to see the unpasted records. After you fix the problems that resulted in the paste errors, copy and paste the records from the new table.
- 8512 None of the field names you pasted onto the Clipboard match the field names on the form. Microsoft Office Access treats the data in the first row on the Clipboard as field names. If you copied the data from another application, the first row of data may have taken the place of the field names. Do you want to paste the field names in the order you defined with the Tab Order command?
- 8513 Some of the field names for the data you tried to paste don't match field names on the form. Microsoft Office Access treats data in the first row on the Clipboard as field names. In this case, some of those field names don't match the field names on the form. Do you want to paste only that data whose names match the field names on the Clipboard?
- 8514 Do you want to suppress further error messages telling you why records can't be pasted? If you click No, a message will appear for every record that can't be pasted.
- 8515 You copied a large amount of data onto the Clipboard. When you copy data onto the Clipboard, only the reference to the object is copied. If you close the source document, however, Microsoft Office Access must paste all the data from its source. Depending on the amount of data, this can take some time. Do you want to save this data on the Clipboard?
- 8516 You selected more records than can be copied onto the Clipboard at one time. Divide the records into two or more groups, and then copy and paste one group at a time. The maximum number of records you can paste at one time is approximately 65,000.
- 8517 Do you want to suppress further error messages telling you why records can't be deleted? If you click No, a message will appear for every record that can't be deleted.
- 8518 You won't be able to undo this Replace operation. Do you want to continue?
- 8519 You are about to delete | record(s). If you click Yes, you won't be able to undo this Delete operation. Are you sure you want to delete these records?
- 8520 You are about to paste | record(s). Are you sure you want to paste these records?
- 8521 You won't be able to undo this Delete operation. The Undo command won't be available because this operation is too large, or there isn't enough free memory. Do you want to delete these items?
- 8522 All timers are in use. Set the TimerInterval property back to zero so that you can start another timer.
- 8523 Do you want to delete the custom palette information from this form or report and revert to the default palette?
- 8524 Do you want to remove this picture from this control?

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 8525 The remote data isn't accessible. You tried to open a form or report that includes a DDE or DDESend function in a calculated control that specifies an OLE server application. Do you want to start the application?
- 8526 Microsoft Office Access encountered a problem while trying to switch views and must close this window.
- 8527 Do you want to delete the group section for the database object '!' and its contents? The group header or footer you want to delete contains controls which will be deleted along with the section.
- 8528 Deleting these sections will also delete all controls in them. You will not be able to undo this action. Do you want to delete these sections anyway?
- 8529 The grouping level that you are trying to delete has a group header or group footer section. The section contains controls that will also be deleted. Do you want to continue?
- 8530 Relationships that specify cascading deletes are about to cause | record(s) in this table and in related tables to be deleted. Are you sure you want to delete these records?
- 8531 The section width is greater than the page width, and there are no items in the additional space, so some pages may be blank. For example, the report width may be wider than the page width.
- 8532 Do you want to remove this picture from the form?
- 8533 Some data may not be displayed. There is not enough horizontal space on the page for the number of columns and column spacing you specified. Click Page Setup on the File menu, click the Columns tab, and then reduce the number of columns or the size of the columns.
- 8534 When you save this form or report, any code behind it will be deleted. You have set the HasModule property to No, creating a form or report that opens more quickly. Any macros associated with this form or report will not be affected, nor will code in separate modules that is called from this property sheet. Are you sure you want to do this?
- 8538 Application-defined or object-defined error
- 8539 Relationships that specify cascading deletes are about to cause record(s) in this table and in related tables to be deleted. Are you sure you want to delete these records?
- 8540 You are about to delete one or more records. If you click Yes, you won't be able to undo this Delete operation. Are you sure you want to delete these records?
- 8541 Microsoft Office Access could not perform the delete operation. An error occurred during the delete operation, no records were deleted.
- 8542 Microsoft Office Access did not detect a relationship between the fields you have chosen. Do you want a relationship to be created for you now?
- 8543 Application-defined or object-defined error
- 8544 You won't be able to undo this paste operation. Do you want to continue?
- 8545 Application-defined or object-defined error
- 8546 Current object must first be saved before exporting data to XML. Would you like to save '!' and then continue?
- 8547 Do you want to save the changes made to the macro and update the property?
- 8548 To complete this operation, Access must modify the RecordSource property of the current form or report. Access will create a new query and embed it directly into the form's or report's RecordSource property. The form or report will no longer be based on the '!' query. Do you want to accept this change?
- 8549 This table contains one or more Lookup fields. Display values for Lookup fields cannot be changed by using the Replace operation.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 8550 A table or query needed in order to create the new form, report, or query is currently open in Design view. @Save or discard the changes to this table or query and open it in Datasheet view, then try again. @@1@@@1
- 8551 Do you want to remove this picture from the report? @@@20@@@2
- 9502 Microsoft Office Access won't be able to undo this action or subsequent actions. To make more resources available so that Access can record further design actions, close and reopen this window. @Do you want to continue anyway? @@19@@@2
- 9504 The file '| ' is not readable by the Access database engine. @If you think you have a valid Access database, this is most likely because of the recent file format change. Do you want to attempt to upgrade the database format? @@19@@@2
- 9505 Microsoft Office Access has detected that this database is in an inconsistent state, and will attempt to recover the database. During this process, a backup copy of the database will be made and all recovered objects will be placed in a new database. Access will then open the new database. The names of objects that were not successfully recovered will be logged in the "Recovery Errors" table. @@@1@@@2
- 9507 Microsoft Office Access was unable to load all the library modules. @@@1@@@1
- 9508 Microsoft Office Access couldn't close database '|'. @Your last change may not have been saved because an internal buffer was locked by another user (whose name was given in the previous message). To avoid losing data, wait for the other user to finish using the record, and then click OK again. If you click Cancel, you may lose changes that haven't been saved. @@3@@@2
- 9509 You can't undo this command and, once it's completed, you won't be able to edit this object. @Do you want to continue anyway? @@19@@@2
- 9510 Application-defined or object-defined error
- 9511 | @@@1@@@1
- 9512 Application-defined or object-defined error
- 9513 Microsoft Office Access was unable to completely repair the '| ' table and deleted some Memo, OLE Object, or Hyperlink field values. @To recover the data, restore from your backup copy of the database. Note that the data in the deleted field may have been damaged by a bad sector on your hard disk. For more information on checking your disk's surface, files, and folders for errors, search the Windows Help index for 'checking for disk errors'. @@1@@@1
- 9514 One or more records were unrecoverable and were deleted from the '| ' table. @@@1@@@1
- 9515 The '| ' table was truncated; data was lost. @@@1@@@1
- 9516 One or more indexes from the '| ' table couldn't be repaired and were deleted. @@@1@@@1
- 9517 The Save As command can't process any subforms contained in your report. @Do you want to proceed anyway? @@19@@@2
- 9518 An error occurred while adding this word to the custom dictionary. @* The dictionary file may be read-only. There may be a disk error. @@1@@@1
- 9519 An error occurred while adding this word to the Change All list. @The dictionary may be full. @@1@@@1
- 9520 An error occurred while adding the word to the Ignore All list. @The dictionary may be full. @@1@@@1
- 9521 The specified word is too large. @Words can't exceed 64 characters. @@1@@@1
- 9523 Microsoft Office Access can't open the '| ' custom dictionary. @@@1@@@1
- 9524 Microsoft Office Access can't start the spelling checker because it isn't installed. @@@1@@@1
- 9525 Microsoft Office Access can't open the main dictionary file. @Verify that this file has been correctly installed. @@1@@@1
- 9526 The spelling checker only works on text fields that contain text data. @You're trying to check a field with a data type other than Text or Memo. @@1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 9527 The spelling checker can't proceed; you must first select data from a table, query, view, stored procedure, or form.
- 9529 Microsoft Office Access cannot run the spell checker because the data in this form or query is not updatable.
- 9530 An error occurred while trying to modify the contents of field ' '. The field may be locked or read-only, or you may not have permissions to change it. For information on security permissions and who can change them, click Help.
- 9531 Application-defined or object-defined error
- 9532 The ' ' field can't be modified because it's a read-only field.
- 9533 An error occurred while trying to add the word pair to the AutoCorrect list.
- 9534 The current selection does not contain any fields that can be checked for spelling errors. You can check the spelling of text box controls with Text or Memo data types.
- 9535 You entered an invalid main dictionary. Please select a valid entry.
- 9536 The spelling check is complete.
- 9537 You must restart the spelling checker for the dictionary change to take effect.
- 9538 Application-defined or object-defined error
- 9539 You have specified a word that isn't found in the main or custom dictionary. Do you want to use this word and continue checking?
- 9540 Application-defined or object-defined error
- 9541 The spelling checker can't undo your last change. The data in field ' ' has been modified by another user. To resume the spelling check, click OK.
- 9542 This database must be closed before you can create a replica. Do you want Microsoft Office Access to close this database and create the replica? If you proceed, Microsoft Office Access will close your database and convert it to a Design Master. The database may increase in size.
- 9543 The Hangul Hanja Converter can't proceed. There is no Hangul or Hanja data to convert.
- 9544 Microsoft Office Access can't register the ' ' custom dictionary.
- 9545 After you have converted this file to Access 2002 - 2003 File Format, the new file cannot be shared with Access 2000 users or Access 97 users. For more information about conversion, click Help.
- 9546 Application-defined or object-defined error
- 9547 After you have converted this file to Access 2000 File Format, the new file cannot be shared with Access 97 users. Any functionality specific to Access 2002 or later will not be available in Access 2000. For more information about conversion, click Help.
- 9548 After you have converted this file to Access 97 File Format, any functionality specific to Access 2000 or later will be lost. For more information about conversion, click Help.
- 9549 This Database has been upgraded to the Access 2007 File Format. The new database cannot be shared with users of Access 2003 or earlier versions. For more information about conversion, click Help.
- 9550 The Text Format property of the bound field ' ' is not currently Rich Text. You should change the Text Format property of the table field before you change the property of this control. If you change the Text Format property of this control to Rich Text before you change the property of the bound field, some data that is not valid HTML might not be displayed. Do you want to continue?

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 9551 The Text Format property of the bound field '|' is not currently Plain Text. You should change the Text Format property of the table field before you change the property of this control. If you change the Text Format property of this control to Plain Text before you change the property of the bound field, some data might be displayed as HTML tags. Do you want to continue? @19@@@2
- 10000 You must first save the table. Do you want to save the table now? @19@@@1
- 10001 You must first save the view. Do you want to save the view now? @19@@@1
- 10002 You must first save the stored procedure. Do you want to save the stored procedure now? @19@@@1
- 10003 You must first save the query. Do you want to save the query now? @19@@@1
- 10004 Do you want to permanently delete the selected field(s) and all the data in the field(s)? To permanently delete the field(s), click Yes. @19@@@2
- 10005 There is no primary key defined. Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define a relationship between this table and other tables in the database. Do you want to create a primary key now? @13@@@2
- 10006 Changing to this data type requires removal of one or more indexes. You can't use indexes on fields with a Memo, OLE Object, or Hyperlink data type. If you click Yes, Microsoft Office Access will delete the indexes that include that field. Do you want to continue anyway? @20@@@2
- 10007 Deleting field '|' requires Microsoft Office Access to delete the primary key. Do you want to delete this field anyway? @19@@@2
- 10008 Deleting field '|' requires Microsoft Office Access to delete one or more indexes. If you click Yes, Microsoft Office Access will delete the field and all its indexes. Do you want to delete this field anyway? @19@@@2
- 10009 Either an object bound to table '|' is open or another user has the table open. Do you want to open the table as read-only? To open the table as read-only, click Yes. To open the table as read/write, click No, make sure the table and all objects bound to it are closed, and then try opening it again in Design view. @19@@@2
- 10010 Table '|' is a linked table whose design can't be modified. If you want to add or remove fields or change their properties or data types, you must do so in the source database. Do you want to open it anyway? @19@@@2
- 10011 Microsoft Office Access encountered errors while converting the data. The contents of fields in |1 record(s) were deleted. Do you want to proceed anyway? @19@@@2
- 10012 Microsoft Office Access cannot retrieve field properties from the system tables. This database needs to be repaired. If you click Yes, Microsoft Office Access will open the table in Design view. The settings of the FieldName, DataType, FieldSize, Indexed, and Primary properties will remain intact, but the settings of other field properties will be lost. You can attempt to redefine the lost properties, but we recommend that you restore the database from a backup copy, or close it and use the Compact and Repair Database command (click the Microsoft Office Button and point to Manage). Do you want to continue? @20@@@2
- 10013 Microsoft Office Access can't save property changes for linked tables. Do you want to continue anyway? @19@@@2
- 10014 Microsoft Office Access was unable to append all the data to the table. The contents of fields in |1 record(s) were deleted, and |2 record(s) were lost due to key violations. If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. If records were lost, either the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables. Do you want to proceed anyway? @22@1@922@1
- 10015 Changing to this data type requires removal of the primary key. Do you want to continue anyway? @19@@@2

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 10016 Some data may be lost. The setting for the FieldSize property of one or more fields has been changed to a shorter size. If data is lost, validation rules may be violated as a result. Do you want to continue anyway?
- 10017 Your computer is out of disk space. You won't be able to undo this paste append. Do you want to continue anyway?
- 10018 Microsoft Office Access was unable to append all the data to the table. The contents of fields in |1 record(s) were deleted, and |2 record(s) were lost due to key violations. If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. If records were lost, the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables.
- 10019 Microsoft Office Access can't find the database containing the linked table '|'. The properties set in Microsoft Office Access for the linked table will be lost. Do you want to continue with the conversion anyway?
- 10020 Data integrity rules have been changed; existing data may not be valid for the new rules. This process may take a long time. Do you want the existing data to be tested with the new rules?
- 10021 Existing data violates the new record validation rule. Do you want to keep testing with the new rule? To keep the new rule and continue testing, click Yes. To revert to the old rule and continue testing, click No. To stop testing, click Cancel.
- 10022 Existing data violates the new setting for the '|1' property for field '|2.'. Do you want to keep testing with the new setting? To keep the new setting and continue testing, click Yes. To revert to the old setting and continue testing, click No. To stop testing, click Cancel.
- 10023 Microsoft Office Access deleted | indexes on the converted fields. Some data did not convert properly.
- 10024 You must save the table first. Microsoft Office Access can't test your data until you save the design changes you made. Do you want to save the table now?
- 10025 This operation will test the table's record and field validation rules, as well as the Required and AllowZeroLength properties, for all data in the table. This process may take a long time. Do you want to continue anyway?
- 10026 All data was valid for all rules.
- 10027 Existing data violates the new record validation rule. Do you want to continue testing data with this new rule? To continue testing for other new rule violations, click Yes. To continue to test only the old validation rules, click No. To stop testing, click Cancel.
- 10028 The existing data violates the '|1' property for field '|2.'. If you continue testing, Microsoft Office Access will inform you if data violates any other property settings in the table. Would you like to continue testing?
- 10029 Application-defined or object-defined error
- 10030 There is no primary key defined. Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define relationships between this table and other tables in the database. Do you want to return to table design and add a primary key now?
- 10031 You must first save the function. Do you want to save the function now?
- 10032 This field will be converted to Plain Text and all the formatting in the field will be removed. Do you want to convert the column to Plain Text?
- 10033 This field will be converted to Rich Text, and all the data it contains will be HTML encoded. If your data already contains valid HTML Rich Text, you can remove any extra HTML encoding by using the PlainText function in an update query. Do you want to convert the column to Rich Text?

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 10250 You can't print the scrollable (unfrozen) columns on the datasheet. The frozen columns are wider than the page. Do you want to print just the frozen columns? If you want to print the unfrozen columns, try one or more of the following: Decrease the column width and increase the row height of the frozen columns. Change the page orientation to Landscape in the printer Properties dialog box. Decrease the size of the left and right page margins in the Page Setup dialog box.
- 10251 The column heading is too tall to fit on the page. Part of the heading will be cut off. Do you want to print the incomplete heading? To prevent headings from being cut off, try one or more of the following: Change the page orientation to Portrait in the printer Properties dialog box. Decrease the size of the top and bottom page margins in the Page Setup dialog box.
- 10252 At least one column is too wide to fit on the page. Data in that column will be cut off. Do you want to print the column with incomplete data? To prevent data from being cut off, try one or more of the following: Decrease the column width and increase the row height. Change the page orientation to Landscape in the printer Properties dialog box. Decrease the size of the left and right page margins in the Page Setup dialog box.
- 10253 The row height exceeds the space between the top and bottom margins. Do you want to print the columns with incomplete data? To prevent data from being cut off, try one or more of the following: Increase the column width and decrease the row height. Change the page orientation to Portrait in the printer Properties dialog box. Decrease the size of the top and bottom page margins in the Page Setup dialog box.
- 10500 You are about to run an update query that will modify data in your table. Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.
- 10501 You are about to run an append query that will modify data in your table. Are you sure you want to run this type of action query? For information on turning off confirmation messages for document deletions, click Help.
- 10502 You are about to run a make-table query that will modify data in your table. Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.
- 10503 You are about to run a delete query that will modify data in your table. Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help.
- 10504 You are about to run a data-definition query that may modify data in your table. Are you sure you want to run this type of an SQL query? If not, click No and then modify the query or close it to run later.
- 10505 You are about to update | row(s). Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to update these records?
- 10506 You are about to append | row(s). Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to append the selected rows?
- 10507 You are about to paste | row(s) into a new table. Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to create a new table with the selected records?
- 10508 You are about to delete | row(s) from the specified table. Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to delete the selected records?
- 10509 Microsoft Office Access can't update all the records in the update query. Microsoft Office Access didn't update |1 field(s) due to a type conversion failure, |2 record(s) due to key violations, |3 record(s) due to lock violations, and |4 record(s) due to validation rule violations. Do you want to continue running this type of action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 10510 Microsoft Office Access can't append all the records in the append query. Microsoft Office Access set |1 field(s) to Null due to a type conversion failure, and it didn't add |2 record(s) to the table due to key violations, |3 record(s) due to lock violations, and |4 record(s) due to validation rule violations. Do you want to run the action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help. @21@1@10020@2
- 10511 Microsoft Office Access can't add all the records in the update or append query. It set |1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or entering text in a numeric field will cause this error. Do you want to ignore the errors and run the update or append query anyway? To ignore the error(s) and run the query, click Yes. @19@1@922@2
- 10512 Microsoft Office Access can't delete |2 record(s) in the delete query due to key violations and |3 record(s) due to lock violations. Do you want to run this action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help. @21@1@10016@2
- 10513 The existing | will be deleted before you run the query. Do you want to continue anyway? @20@@@2
- 10514 You won't be able to undo the changes this action query is about to make to the data in a linked table or tables. Do you want to run this action query anyway? @19@@@2
- 10515 Microsoft Office Access was unable to update all the records in the update query. Microsoft Office Access didn't update |1 field(s) due to a type conversion failure, |2 record(s) due to key violations, |3 record(s) due to lock violations, and |4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help. @2@1@10019@1
- 10516 Microsoft Office Access can't append all the records to the table. Microsoft Office Access set |1 field(s) to Null due to a type conversion failure, and it didn't add |2 record(s) due to key violations, |3 record(s) due to lock violations, and |4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help. @2@1@10020@1
- 10517 Microsoft Office Access can't add all the records in the make-table query. It set |1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or adding text in numeric field will cause this error. @1@1@922@1
- 10518 Microsoft Office Access can't delete all the records in the delete query. Microsoft Office Access didn't delete |2 record(s) due to key violations and |3 record(s) due to lock violations. For an explanation of the causes of the violation, click Help. @2@1@10016@1
- 10519 There isn't enough disk space or memory to undo the data changes this action query is about to make. Do you want to run this action query anyway? For information on freeing disk space or freeing memory, search the Microsoft Windows Help index for 'disk space, freeing' or 'memory, troubleshooting'. @19@@@2
- 10520 Do you want to save the changes made to the SQL statement and update the property? The RecordSource or RowSource property contained an SQL statement when you invoked the Query Builder, so the original SQL statement was modified. To close the Query Builder without changing the original SQL statement, click No. @13@1@4309@2
- 10521 Do you want to save the changes made to the query and update the property? The RecordSource or RowSource property contained the name of a query when you invoked the Query Builder, so the original query was modified. To close the Query Builder without changing the original query, click No. @13@1@4309@2
- 10522 You invoked the Query Builder on a table. Do you want to create a query based on the table? @19@@@2
- 10523 You are about to run a pass-through query that may modify data in your table. Are you sure you want to run this type of an SQL query? For information on how to prevent this message from displaying every time you run an SQL query, click Help. @21@1@9058@2

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 10524 | output column(s) in the query were unnamed and will not show any data.
- 10526 Do you want to save the changes made to the SQL Statement and update the text editor? The Stored Procedure or Function contained an SQL statement when you invoked the Query Builder, so the original SQL statement was modified. To close the Query Builder without changing the original SQL statement, click No.
- 10600 Are you sure you want to permanently delete the selected relationship from your database?
- 10601 A relationship already exists. Do you want to edit the existing relationship? To create a new relationship, click No.
- 10602 The field name is missing in row |. You haven't selected a matching field for this relationship in each row of the grid. Select fields so that the grid has the same number of fields on the left and right sides, and then try to create the relationship again.
- 10603 This relationship has been modified or deleted by another user since you opened the Relationships window. Do you want to edit the relationship and overwrite the other user's changes? To update your Relationships window to include the other user's changes, click No.
- 10604 This relationship has already been deleted by another user. To update your view, click OK.
- 10605 The layout of the Relationships window will be cleared. Do you want to continue?
- 10606 You cannot display queries or linked tables in the Relationships window for this database. The database 'I' was created in an earlier version of Microsoft Office Access. To convert this database to the current version of Microsoft Office Access, click the Microsoft Office Button, and then click Convert.
- 10607 The relationship has been created as a one-to-many relationship because there are duplicate entries in the related field. You've tried to create a one-to-one relationship, but the data in the tables suggests that a one-to-many relationship is more appropriate.
- 10608 To create a relationship, use the mouse to drag a field from one table to another.
- 10700 This document was previously formatted for the printer |1 on |2, but that printer isn't available. Do you want to use the default printer |3?
- 10701 This document was previously formatted for the printer '|1 on |2', but that printer isn't available. The page settings shown in the Print Setup dialog box are for the current default printer '|3'. Do you want to continue?
- 10702 Previewing or printing this PivotTable view might take a long time because it displays a large amount of detail data. Microsoft Office Access might not respond for some time. Do you want to continue? To reduce the amount of time required, hide most or all of the detail data in the view. For more information, consult Microsoft Knowledge Base article Q282315.
- 10750 You must save the macro before you run it. Do you want to save the macro now? To save the macro and then run it, click Yes. To return to the Macro window for this macro or to the window you executed the Run Macro command from, click No.
- 10751 Some of the macro actions you are trying to save cannot be performed in Access 97. These actions will be permanently deleted from the macro in the Access 97 version of your database.
- 10800 Microsoft Office Access finished adding the index '|'. Add another index from the Select Index Files dialog box, or click Close.
- 10801 The Microsoft Office Access index information (.inf) file for '|' already exists. Do you want to replace the existing Microsoft Office Access .inf file for the dBASE or Microsoft FoxPro file you're linking? To create a new .inf file, click Yes. To use the existing file, click No. If the .inf file contains invalid or outdated information, you must click Yes to create a new .inf file before you can link the table.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 10803 The object '|' already exists. Do you want to replace the existing object with the one you are exporting? If you want to export this object without replacing the existing object, click No. You can then choose a new name in the Export dialog box.
- 10804 Not all of the import specifications could be imported due to name conflicts. Conflicts existed in | of the specifications. Rename the conflicting import specifications, and try the import operation again.
- 10805 Application-defined or object-defined error
- 10806 Related data is not supported with the live data option.
- 10807 Please specify XML export location.
- 10808 The current record was not unique. All identical records were exported.
- 10892 A form with a bound ActiveX control or an embedded object bound to a data source can't have its DefaultView property set to Continuous Forms. You tried to add a bound ActiveX control to a form in Design view. Microsoft Office Access will reset the DefaultView property to Single Form.
- 10893 Application-defined or object-defined error
- 10894 Application-defined or object-defined error
- 10895 Application-defined or object-defined error
- 10896 You have chosen to permanently delete the link to the data access page. Delete & Link Cancel
- 10897 | There is a problem with Internet Explorer registry settings. Please reinstall Internet Explorer.
- 10898 Microsoft Office Access data access pages can only be viewed in Windows Internet Explorer, but it is not your default Browser. Do you want to open Internet Explorer to view this page?
- 10899 A link to this data access page could not be created because the Data and Misc. Objects are not checked out.
- 10900 Application-defined or object-defined error
- 10901 Application-defined or object-defined error
- 10902 Application-defined or object-defined error
- 10903 Application-defined or object-defined error
- 10904 Application-defined or object-defined error
- 10905 Application-defined or object-defined error
- 10950 Are you sure you want to delete this account? You can't undo the deletion of a user or group account. To restore a user or group account that has been deleted, you must recreate the account using the same name and personal identifier (PID).
- 10951 You don't have permission to modify '|'. To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. Do you want to save a copy of the object as a new object?
- 10952 You don't have permission to view this macro. To view a macro, you must have Read Design permission for it. Do you want to continue to run the macro?
- 10953 You don't have permission to modify '|'. To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. Do you want to open it as read-only?
- 10954 You changed the permissions of '|1' for '|2'. Do you want to assign these permissions now?

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 10955 You don't have permission to open 'I' for exclusive use. Microsoft Office Access is opening the database for shared access. To open a database for exclusive access, you must have Open Exclusive permission for it. For more information on permissions and who can set them, click Help.
- 10956 ;LCID=0x0409
- 10957 You haven't entered a workgroup ID. To ensure that your workgroup information file is unique, enter a unique workgroup ID of up to 20 numbers or letters. Continue without a workgroup ID?
- 10958 The file 'I' already exists. Replace existing file?
- 10959 Workgroup Files (*.mdw)
- 10960 Select Workgroup Information File
- 10961 Open
- 10962 You have successfully created the workgroup information file 'I'.
- 10963 Application-defined or object-defined error
- 10964 You have successfully joined the workgroup defined by the workgroup information file 'I'.
- 10965 Application-defined or object-defined error
- 10966 Application-defined or object-defined error
- 10967 Application-defined or object-defined error
- 10968 Microsoft Office Access cannot add a digital signature to your file because Access cannot gain exclusive access to the file. Make sure no other person or program has the file open and try to add the digital signature again.
- 10969 Application-defined or object-defined error
- 10970 Application-defined or object-defined error
- 10971 Application-defined or object-defined error
- 10972 Application-defined or object-defined error
- 10973 Application-defined or object-defined error
- 10974 Modifications to the database or project have invalidated the associated digital signature. This may require you to make a trust decision the next time you open the database or project.
- 29000 There isn't enough memory to create an input area. Close unneeded programs. Then try to create the input area again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
- 29001 Microsoft Office Access failed to save module 'I'. Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.
- 29002 Microsoft Office Access failed to create the Visual Basic module 'I'. If your database is on a network drive, check your network connection, and then try again.
- 29003 Microsoft Office Access failed to convert or enable your code modules. Your computer may be low on disk space or memory.
- 29004 The new procedure name you provided is invalid.
- 29005 The procedure 'I' already exists. Choose another procedure name.
- 29006 Microsoft Office Access failed to create a Debug window toolbar. The system may be out of resource memory. Close unneeded programs and try again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 29007 During the paste or import operation, Microsoft Office Access failed to convert the 'l' module from an earlier version of a Microsoft Office Access database. Your computer may be low on disk space or memory.
- 29008 Microsoft Office Access couldn't create storage space for a Visual Basic module. If your database is on a network drive, check your network connection, and then try again.
- 29009 Microsoft Office Access couldn't open the storage space for a Visual Basic module. Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.
- 29010 The function name is too long. Microsoft Office Access will truncate the function name to 255 characters.
- 29011 Microsoft Office Access failed to save the database. Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.
- 29012 Application-defined or object-defined error
- 29013 This action will reset the current code in break mode. Do you want to stop the running code? To halt the execution of the program so the Module window can be closed, select Yes. To leave the code in the current state, select No.
- 29014 You can't add a reference to a Microsoft Office Access workgroup.
- 29015 You can't remove this reference. Microsoft Office Access needs this reference in order to work properly.
- 29016 You can't add a reference to the open database.
- 29017 The database l was created in an earlier version of Microsoft Office Access. Convert this database to the current version of Microsoft Office Access by using the Convert Database command on the Tools menu (Database Utilities submenu).
- 29018 You can't use a standard module for this operation.
- 29019 The module name 'l' is invalid. The module name may start with the prefix Form_ or Report_. The module can't be named Forms, Reports, Modules, Application, Screen, Assistant, CommandBars, References, or DoCmd. The module name may have too many characters.
- 29020 Another user has modified this database. To see the current version, close the database and open it again.
- 29021 This operation isn't available while there is a module in break mode. Reset the executing code and try the operation again.
- 29022 There were compilation errors during the conversion or enabling of this database. The database has not been saved in a compiled state. The performance of this database will be impaired because Microsoft Office Access will need to recompile the database for each session. For information on improving performance, click Help.
- 29023 There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database. These won't work under Microsoft Windows 95 or Microsoft Windows NT. Change your code to call equivalent 32-bit dynamic-link libraries (.dll).
- 29024 The current user account doesn't have permission to convert or enable this database. To convert or enable a database, ensure the following: You must join the workgroup that defines the user accounts used to access the database. Your user account must have Open/Run and Open Exclusive permissions for the database object. Your user account must have Modify Design or Administer permissions for all tables in the database, or it must be the owner of all tables in the database. Your user account must have Read Design permission for all objects in the database. Request that other users close the database.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 29025 There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database. These won't work under Microsoft Windows 95 or Microsoft Windows NT. Translate these calls to equivalent 32-bit dynamic-link libraries. @2@1@11961@
- 29026 The database that you are trying to open or convert is currently in use, or you do not have permission to open it exclusively. When you convert a database, or the first time you open an earlier version database, another user can't have the database open. Try one of the following: Request that other users close the database. Using the version of Microsoft Office Access in which the database is written, have your workgroup administrator grant you the permission to open the database exclusively. Multiple users can share the database after you convert it, or after you open it for the first time. @1@1@9027@1
- 29027 Microsoft Office Access was unable to save the project. Another user is saving the project now. Do you want to retry? @23@@@1
- 29028 The Save operation failed. @@@1@@@1
- 29029 You are trying to open a read-only database. The first time you open an earlier version database, you must be able to write changes to the database. The database file's read-only attribute may be set; clear this attribute. You may have chosen the Open Read Only command in the Open dialog box. Don't choose this command the first time you open the database. Your license to use this application may have expired. @1@@@1
- 29030 Microsoft Office Access can't establish a reference to the specified database. The referenced database can't be found, or it's locked exclusively by another user so it can't be opened. Restore the referenced database from a backup copy or ask the user that has the database locked to open the database in nonexclusive mode. @1@@@1
- 29031 Microsoft Office Access can't create or open the requested database now. The database may be locked exclusively by another user. @1@@@1
- 29032 The '!' module is open; Microsoft Office Access can't set the permissions on an open module. @@@1@@@1
- 29033 Microsoft Office Access can't add references to a replicated database; changes will be ignored. @@@1@@@1
- 29034 Microsoft Office Access is unable to import the module from the source replica. Synchronize the source database. @1@@@1
- 29040 Microsoft Office Access is currently unable to rename the form, report, or module to '!'. Close the database, reopen it, and then try the rename operation again. @1@@@1
- 29041 One or more forms or reports contains an ActiveX control that could not be loaded. These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports. @1@@@1
- 29042 One or more forms or reports contains an ActiveX control that could not be loaded. These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports. @1@@@1
- 29043 Microsoft Office Access has converted the code in '!' to your current version of Visual Basic. To improve the performance of this database, do the following: Open any module in this database in Design view. On the Debug menu, click Compile And Save All Modules. @1@@@1
- 29044 DAO version 3.0 is not compatible with this version of Microsoft Office Access. Create a reference to DAO version 3.5. For information on setting references, click Help. @2@1@13780@1
- 29045 You can't import, export, create, modify, or rename any forms, reports, pages or modules in an ACCDE, MDE or ADE database. @@@1@@@1
- 29046 You can't create a module for a form or report if it is read-only, or if the database is read-only. @@@1@@@1
- 29047 Microsoft Office Access was unable to open the Visual Basic project for this database. Another user is saving the project now. Do you want to retry? @23@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 29048 MDE databases can't reference MDB databases. MDE databases can only reference other MDE databases or type libraries.
- 29049 To add a code module to a form or report, you must switch to Design view and set the HasModule property of the form or report to Yes.
- 29050 Microsoft Office Access couldn't compile this database because one or more references couldn't be resolved. The database has not been saved in a compiled state. The performance of this database will be slower because Microsoft Office Access will need to recompile the database for each session. For information on improving performance, click Help.
- 29051 The current user account doesn't have permission to make an MDE file from this database. To make an MDE file, do the following:
- Join the workgroup that defines the user accounts used to access the database.
 - Make sure the user account has Open/Run and Open Exclusive permissions for the database object.
 - Make sure the user account has Modify Design or Administer permissions for the MSysModules2 table in the database.
 - Request that other users close the database.
- 29052 The Visual Basic for Applications project in the database 'I' can't be converted to the current Visual Basic format. If the database is an MDE, you will need to rebuild the MDE from the source MDB. If you don't have the source MDB, you will need to obtain a new version of the MDE that is compatible with the current version of Visual Basic.
- 29053 Microsoft Office Access can't create any more controls on this form or report. If you have deleted controls from this form or report in the past, you may be able to rename the form or report and then add more controls to it.
- 29054 Microsoft Office Access can't add, rename, or delete the control(s) you requested.
- 29055 The form or report 'I' has too many controls. Reduce the number of controls on the form or report before using it in this version of Microsoft Office Access.
- 29056 Someone else is using 'I' and the Visual Basic for Applications project does not match your version of Visual Basic. You need to open the database exclusively in order to upgrade the Visual Basic for Applications project in this database.
- 29057 The database 'I' is read-only and the Visual Basic for Applications project does not match your version of Visual Basic. You need to open the database read-write in order to upgrade the Visual Basic for Applications project in this database.
- 29058 You can't create a module for a form or report while an instance of the form or report is in browse mode.
- 29059 Microsoft Office Access was unable to display the module.
- 29060 File not found.
- 29061 There were compilation errors during the conversion or enabling of this database. This might be due to old DAO syntax that is no longer supported. For an example on how to fixup the code, click Help.
- 29062 The module name 'I' is misspelled or refers to a module that doesn't exist. If the invalid module name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct module name.
- 29063 The Visual Basic for Applications project in the database is corrupt.
- 29064 You do not have exclusive access to the database at this time. If you proceed to make changes, you may not be able to save them later.
- 29065 Microsoft Office Access can't save design changes or save to a new database object because another user has the file open. To save your design changes or to save to a new object, you must have exclusive access to the file.
- 29066 You do not have exclusive access to the database. Your design changes cannot be saved at this time. Do you want to close without saving your changes?

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 29067 You do not have exclusive access to the database. You cannot convert this database at this time.
- 29068 Microsoft Office Access cannot complete this operation. You must stop the code and try again.
- 29069 Microsoft Office Access cannot save the digital signature at this time. You may be in a database under Source Code Control. You may be in a database which is read only. The database uses either the *.accdb or *.accde file name extension. To sign such a database, click the Microsoft Office Button, point to the Publish menu, and then click Package and Sign.
- 29070 Your Microsoft Office Access database or project contains a missing or broken reference to the file '1'. To ensure that your database or project works properly, you must fix this reference.
- 29071 Missing or broken VBE reference to the file '1'.
- 29072 Microsoft Office Access has detected corruption in this file. To try to repair the corruption, first make a backup copy of the file. Click the Microsoft Office Button, point to Manage and then click Compact and Repair Database. If you are currently trying to repair this corruption, you need to recreate this file or restore it from a previous backup.
- 29073 You do not have exclusive access to the database. You cannot continue with the Source Code Control command.
- 29074 Microsoft Office Access failed to create the Visual Basic module. If your database is on a network drive, check your network connection, and then try again.
- 29075 Access cannot add a digital signature to a file created in Access 97 or earlier. Convert the file to Access 2000 or later file format, and then add a digital signature.
- 29076 There was a problem with the digital certificate. The VBA project could not be signed. The signature will be discarded.
- 29077 Application-defined or object-defined error
- 29078 Application-defined or object-defined error
- 29079 Microsoft Office Access is unable to read the VBA modules in this database and cannot recover the modules because the file is read-only. To recover the VBA modules, close the database and make a backup copy of the database. Then open the database with read/write permission.
- 29080 The VBA modules in this database appear to have been saved with errors. Access can recover the modules, but you should backup the database first. To cancel so you can make a backup copy of the database, click Cancel. Then make a backup copy of the database. If you have a backup copy of the database, click OK. When the database opens, examine the modules to see that they are correct. If they are not, you should revert to a recent backup.
- 29081 The database cannot be opened because the VBA project contained in it cannot be read. The database can be opened only if the VBA project is first deleted. Deleting the VBA project removes all code from modules, forms and reports. You should back up your database before attempting to open the database and delete the VBA project. To create a backup copy, click Cancel and then make a backup copy of your database. To open the database and delete the VBA project without creating a backup copy, click OK.
- 29082 The version of Access used to save this database cannot be detected. This problem cannot be corrected because the database is read-only. Click OK, and after the database closes, make a backup copy of the database. Then open the database with read/write permission.
- 30000 Microsoft Office Access could not find the SQL Server specified. Verify that the server name is correct.
- 30001 Microsoft Office Access could not find the database on the server. Verify that the database name is correct.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 30002 Microsoft Office Access could not log on to the server. Verify that the log on information is correct.
- 30004 The Default Max Records setting must be between 0 and 2147483647.
- 30005 Missing SQL command
- 30006 Access was not able to perform this operation because the project is not connected to a SQL Server database.
- 30007 Can't sort on one or more fields specified in 'Order By' property or sorting/grouping dialog.
- 30008 The server you are trying to access is case sensitive. Objects of the same name but of different case are not supported. Using these objects may result in a loss of data.
- 30009 Another user or application has deleted this record or changed the value of its primary key.
- 30010 Cannot apply Filter on one or more fields specified in the Filter property.
- 30011 Cannot get column information for the database object being browsed.
- 30012 A Server Filter cannot be applied to a stored procedure Record Source. Filter not applied.
- 30013 You can't update the record because another user or application deleted it or changed the value of its primary key.
- 30014 The data was added to the database but the data won't be displayed in the form because it doesn't satisfy the criteria in the underlying record source.
- 30015 The specified record source contains duplicate names for some output fields. Use aliases in your SELECT statement to give each field a unique name.
- 30016 The field '|' is read only.
- 30017 This database is not enabled for publication.
- 30018 Cannot create objects of type '|' against current SQL backend. Please check your permissions and server setup.
- 30019 Microsoft Office Access cannot copy a table with a name that is longer than 64 characters.
- 30020 Cannot find column '|'.
- 30021 Cannot use domain functions on stored procedures.
- 30022 The Access project could not be opened. You may not have adequate permissions, or the project may be read-only.
- 30023 Cannot use domain functions on scalar functions.
- 30024 Your password will not be encrypted before it is saved to the file. @Users who view the source contents of the file will be able to see the account user name and password. [X] Save Password [C]ancel @ @36@1@553714179@
- 30025 Invalid SQL Statement. Check the server filter on the form record source
- 30026 Access is unable to connect to '|1' database on the '|2' server. Make sure that the database still exists and that the server is running.
- 30027 The value you entered is not consistent with the data type or length of the column.
- 30028 The database name for the attached database file is blank. Enter a name for your database.
- 30029 This version of Microsoft Office Access does not support design changes with the version of Microsoft SQL Server to which your Access project is connected. See the Microsoft Office Update Web site for the latest information and downloads. Your design changes will not be saved.
- 31000 You must specify criteria for all conditional formats. @@@1@@@1
- 31001 A conditional format expression can't be longer than 946 characters. @@@1@@@1
- 31002 Microsoft Office Access can't modify the control's conditional formats right now. @Your program tried to modify the conditional format of a control while the conditional format was being evaluated. @1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 31003 The setting for this property is too long. You can enter up to either 255 or 2,048 characters for this property, depending on the data type.
- 31004 The value of an (AutoNumber) field cannot be retrieved prior to being saved. Please save the record that contains the (AutoNumber) field prior to performing this action.
- 31005 Access failed to evaluate one or more expressions because '|' was referenced in an expression. Only functions and properties that are considered to be safe are allowed in expressions when Access runs in sandbox mode. For more information on sandbox mode, search for "Sandbox mode" in Access Help.
- 31006 This method is not supported for Attachment controls in the current database file format.
- 31500 Microsoft Office Access can't send this format in a mail message. To send this format in a mail message, click Export on the File menu, or use the OutputTo method to create the files and attach them to a mail message.
- 31501 The selected transform file '|' cannot be found. Please select a different transform.
- 31502 Microsoft Office Access can't find the Microsoft Office international dynamic-link library (DLL). Reinstall Microsoft Office.
- 31503 The specified transform did not successfully convert the data. Select a different transform.
- 31504 The data was transformed in a format that cannot be imported.
- 31505 Are you sure you want to remove '|' from the list of available transforms? This will not actually delete the transform file.
- 31506 The selected transform file cannot be found. Select a different transform or remove the transform. Then try to export again.
- 31507 Invalid field data type.
- 31508 Cannot load the Office Web Components Access had a problem loading the Office Web Components Version 9.0. Try going through set-up to re-install them.
- 31509 Cannot load the Office Web Components Access had a problem loading the Office Web Components Version 10.0. Try going through set-up to re-install them.
- 31510 Microsoft Office Access can't load the dynamic-link library |. You need to resolve the failure and start Access again.
- 31511 You have chosen to alter the mode in which SQL syntax will be interpreted in this database. This will mean: Existing queries may return different results or not run at all. The range of data-types and reserved words will change. Different wildcards will be used. It is recommended that you make a backup copy of this database before continuing. If you agree to continue, Access will close this database, compact it, and re-open in the new mode. Select OK to continue.
- 31512 Microsoft Office Access can't open the mail session. You may not have configured an e-mail client on this computer. Ensure that your e-mail software has been installed and configured properly.
- 31513 All open objects must be closed prior to converting to a different version. Do you want Microsoft Office Access to close the objects?
- 31514 Microsoft Office Access can't convert this database to a different version because one or more objects are open. Close all objects and try again.
- 31515 Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 2000 has limited support. This will mean: Access 2000 users may not be able to see some queries. Existing queries may return different results or not run at all. The range of data-types and reserved words will change. Different wildcards will be used. It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 2000 file format. Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 31516 Microsoft Office Access can't convert this database to the requested version because it has been 'enabled' to work with newer versions of Microsoft Office Access than it was originally created with. You can convert this database to a newer format, and then retry this operation with the newly converted database.
- 31517 Microsoft Office Access can't convert this database to the requested version because it is from an older version of Microsoft Office Access. You can convert this database to a newer format, and then retry this operation with the newly converted database.
- 31518 The following controls contain expressions that can't be represented in a Microsoft Office Access project PivotTable or PivotChart view: |. Do you still want to switch to PivotTable or PivotChart view?
- 31519 You cannot import this file. You cannot import a text file unless it has one of these extensions: |.
- 31520 You cannot import this file. You cannot import a text file that has one of these extensions: |.
- 31521 Cannot establish connection to the server. |
- 31522 Microsoft SQL Server Desktop Engine must be on the machine running Microsoft Office Access.
- 31523 Microsoft Office Access was unable to open the file '|'. The file may not be an Access file, the path or filename specified may be incorrect, or the file can not be opened exclusively. To repair the file manually, on the File menu, point to Manage Database, and then click Compact and Repair Database.
- 31524 Microsoft Office Access can't transfer the user-defined function '|'. User-defined functions can only be transferred between Microsoft SQL Servers that are version 8.0 or higher.
- 31525 You can copy and paste this object only if at least Microsoft SQL Server 2000 is installed on both the source and destination servers.
- 31526 You cannot create a Microsoft Office Access ADE or MDE file from a database saved in Microsoft Office Access 2000 format. Convert the database to the current version of Microsoft Office Access. Then create the ADE or MDE file.
- 31527 Path not found: |.
- 31528 Table '|' is in use. Please close the table and retry import.
- 31529 View '|' is in use. Please close the view and retry import.
- 31530 Procedure '|' is in use. Please close the procedure and retry import.
- 31531 Microsoft Office Access cannot create table(s) using the information contained in the document(s) you are trying to import.
- 31532 Microsoft Office Access was unable to export the data.
- 31533 Invalid filename.
- 31534 Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 97 has limited support. This will mean: Existing queries may return different results or not run at all. The range of data-types and reserved words will change. Different wildcards will be used. It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 97 file format. Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting.
- 31535 Invalid parameters for ExportXML. Press Help for more information.
- 31536 The XML schema properties do not match the existing table structures. Overwrite existing structures?
- 31537 There is already an object named '|' in the database.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 31538 Microsoft Office Access cannot create this file. To create the file, you must give the file a unique name, provide a valid connection string and user ID, and you must have the necessary connection and file creation permissions.@@@1@@@1
- 31539 There was an error loading the XSL transformation file '|1|. Please make sure that the file is a properly formatted XSL file and is the correct file to use for the data supplied. |2
- 31540 There was an error loading the XML data file '|1|. Please make sure that the file is a properly formatted XML file. |2
- 31541 Microsoft Office Access cannot open this file.@This file is located outside your intranet or on an untrusted site. Microsoft Office Access will not open the file due to potential security problems. @To open the file, copy it to your machine or an accessible network location.@2@@@1
- 31542 The startup action associated with this file may not be safe. Do you want to execute the startup action as you open the file?@@@22@@@1
- 31543 The startup action associated with this file may not be safe. If you choose not to execute the startup action, Microsoft Office Access will not open the file. Do you want to execute the startup action and open the file?@@@22@@@1
- 31544 Microsoft Office Access cannot open this file.@The author of this file has set it to open only when a startup action is executed, and Microsoft Office Access is currently set to disable startup actions.@To address this problem, contact the author of the file or your system administrator.@2@@@1
- 31545 Microsoft Office Access cannot open this file.@The Internet Security Zone Manager is missing or not correctly installed and therefore the safety of this file cannot be verified.@To address this problem, reinstall Windows Internet Explorer or the appropriate Office System Pack.@2@@@1
- 31546 This database is a Microsoft Office Access 7.0/8.0/9.0 Design Master.@If you click OK, the database you selected will be renamed to |1 and then converted to |2. Everyone using a replica of this database will have to upgrade to Microsoft Office Access 2002 after the next synchronization.@@4@@@2
- 31547 Microsoft Office Access cannot export this object to XML when it is open in Print Preview. Close the object and try again.@@@1@@@1
- 31548 Microsoft Office Access cannot export a table to XML when it is open in Design. Close the object and try again.@@@1@@@1
- 31549 Finished importing document '|'.|
- 31550 Not all of your data was successfully imported. Error descriptions with associated row numbers of bad records can be found in the Microsoft Office Access table '|'.|
- 31551 Only XML files can be exported to an Internet address (http://, ftp://). Enter a path that points to a location on your computer or on the network.@@@1@@@1
- 31552 The document(s) you are importing contain XML Schema (XSD) information created outside Microsoft Office Access. XML Schema information created outside Microsoft Office Access is not supported. If you continue, Microsoft Office Access will only import the data, and ignore the XML Schema.@Would you like to continue?@@19@@@1
- 31553 The Smart Tag property value cannot exceed 1024 characters.@@@1@@@1
- 31554 You are attempting to apply more smart tags than the system can handle.@Please uncheck some of the selected tags.@@1@@@1
- 31555 The specified transform did not successfully convert the data. Would you like to save a copy of the Data to Export at '|' for troubleshooting?
- 31556 To view object dependencies or change the Track name AutoCorrect info option, Microsoft Office Access must close all objects and update dependency information.@This could take several minutes. Do you want to continue?@@21@1@553713744@1
- 31557 Microsoft Office Access cannot update dependency information because one or more objects are open.@Close all objects and try again.@@1@@@3

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 31558 The Track name AutoCorrect info option generates name maps for the objects in the database. This may take several minutes.@Do you want to leave this option turned on?@@3@@@1
- 31559 Microsoft Office Access could not connect to the site you specified. Verify the address of the site or contact your site administrator.
- 31560 The site you specified does not support linking to a Microsoft Office Access database. The site must be running Windows SharePoint Services from Microsoft.
- 31561 The site you specified does not support importing data to a Microsoft Office Access database. The site must be running Microsoft Windows SharePoint Services.
- 31562 The site you specified does not contain any lists. Verify the address of the site, or contact your site administrator.
- 31563 Microsoft Office Access could not enable name AutoCorrect for one or more objects because Access could not open and save the objects. An open or save operation could have failed due to one or more of the following reasons - the object is already open, you don't have permissions to open the object in Design view, the database is read-only, or the source of a linked table could not be found.@@@2@1@553713743@1
- 31564 To generate object dependencies, the Track name AutoCorrect info option must be turned on.@Enable name AutoCorrect and continue?@@5@1@553713744@1
- 31565 Dependency information needs to be updated before you can view object dependencies. This could take several minutes.@Do you want to continue?@@5@1@553713744@1
- 31566 The object dependencies feature is not enabled for this database because dependency info needs to be updated.@@@5@1@553713744@1
- 31567 The object that you have selected in the Object Dependencies pane no longer exists in the database.@@@1@@@1
- 31568 You do not have the necessary permissions to generate dependency information for the selected object.@@@2@1@553713744@1
- 31569 To view dependency information, you must select a table, query, form, or report.@@@1@1@553713742@1
- 31570 Dependency information cannot be generated because name maps are either missing or outdated. Turn on the Track name AutoCorrect info option, make sure you have sufficient permissions to open an object in Design view, and make sure the database is not read-only.@@@2@1@553713744@1
- 31571 Dependency information cannot be generated because name maps are outdated, and the database is read-only.@@@2@1@553713744@1
- 31572 Microsoft Office Access cannot generate dependency information for a new unsaved object. Save the new object and then check for object dependencies.@@@2@1@553713744@1
- 31573 Microsoft Office Access cannot generate dependency information for objects in a project.@@@1@@@1
- 31574 Microsoft Office Access cannot export unbound forms or reports as XML documents.
- 31575 All open objects must be closed prior to backing up your database or project.@Do you want Microsoft Office Access to close the objects?@@19@@@2
- 31576 Microsoft Office Access cannot backup this database or project because one or more objects are open.@Close all objects and try again.@@1@@@3
- 31577 Microsoft Office Access could not connect to the site you specified. Verify the address of the site or contact your site administrator.
- 31578 Microsoft Office Access was unable to transfer data to the Microsoft Windows SharePoint Services site. The '|1' step failed.
|2
- 31579 The table could not be exported because you do not have sufficient permissions. Please contact your site administrator.
- 31580 A list with the specified name already exists. Type a different name and try again.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 31581 The list name cannot contain any of the following characters: \/:*?"<>|. Type a different name and try again.
- 31582 Microsoft Office Access cannot generate dependency information for objects in a replica database.
- 31583 Finished importing from '|'.
31584 Finished linking to '|'.
31585 Finished exporting '|1' to '|2'.
- 31586 The site you specified does not support importing data from a Microsoft Office Access database. The site must be running Windows SharePoint Services from Microsoft.
- 31587 Microsoft Office Access cannot generate dependency information because the Track Name AutoCorrect Info option is turned off. This option cannot be turned on because the database is either read-only or you do not have sufficient permissions.
- 31588 Error exporting picture file '|1' to specified path '|2'.
- 31589 Specified transform failed to successfully transform your data. |
- 31590 A list named '|' already exists. You must either use a different name or go to the site and delete the list.
- 31591 Microsoft Office Access is unable to export '|' to Windows SharePoint Services due to limitations on the number of times each data type can appear in a Windows SharePoint Services list. See help to find out exactly what the restrictions are and for details on how to create a query that will define the Windows SharePoint Services list that you would like to create.
- 31592 Cannot find the specified schema file '|'. Remove or update the file reference, and try again to import.
- 31593 Microsoft Office Access has encountered an error processing the XML schema in file '|1'. □
|2'
- 31594 Microsoft Office Access was unable to export XML data to '|'.
31595 This database was saved in the Microsoft Access | file format. For information on how to import data from this database into a new file, click Microsoft Office Online on the Getting Started with Microsoft Office Access page.
- 31596 Cannot load the specification '|'. Try re-creating the specification.
- 31597 The specification XML failed to validate against the schema. There is an error in the following line of the XML document: |.
- 31598 The specification XML failed to validate against the schema. There is an error in the following specification XML string: |1 Possible value could be one of following '|2'.
- 31599 The specified name '|' cannot be set due to one of the following reasons:
- The specified name is not unique.
 - The specified name is blank.
 - The specified name does not follow Microsoft Office Access object-naming rules.
- 31600 The specified description '|' is too long. The description cannot exceed 255 characters.
- 31601 The specification does not contain a description. '|'.
31602 The specification with the specified index does not exist. Specify a different index. '|'.
31603 The name '|' is already in use. Enter a different name or click on the Manage Data Tasks button to rename the existing specification. |.
31604 The required element <Columns> is missing under <ImportText> and <ExportText> for a fixed width format.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 31605 The Width attribute is required for all <column> elements under <ImportText> or <ExportText> for a fixed width format.@@@1@@@1
- 31606 Cannot open the destination database. If the database is open, close it, and then try again.@@@1@@@1
- 31607 The Path attribute is required for all formats except ImportWSS, ImportOutlook and ExportXML.
- 31608 Specify a name for the import specification in the Save As box.
- 31609 Specify a name for the export specification in the Save As box.
- 31610 Do you want to delete '|'?
- 31611 Specify the name of the source or destination file in the File name box.
- 31612 The specification failed to execute. Try re-creating the specification.
- 31613 You have selected "Tables and Related Views" as the way to group objects in the database. Access needs to update information on object dependencies to create the groups. This will take some time for large databases.@Do you want to continue?@@3@@@1
- 31614 Are you sure you want to delete the item '|' from the Categories list?@Note that the individual groups and the shortcuts to the objects in the database will be deleted, but the objects themselves will not be deleted.@@3@@@1
- 31615 Are you sure you want to delete the group?@Note that only the shortcuts, and not the actual objects will be deleted.@@3@@@1
- 31616 Duplicate Item Name@An item with the name | already exists in the Categories list. Specify a different name for the item.@@1@@@1
- 31617 Duplicate Group Name@A group named | already exists. Specify a different name for the group.@@1@@@1
- 31618 Blank Item Name@You have not specified a name for the item that you added to the Categories list.@@1@@@1
- 31619 Blank Group Name@You have not specified a name for the group.@@1@@@1
- 31620 This will clear all the contents in your MSysNavPaneXXX system tables.@Do you want to continue?@@3@@@1
- 31621 There is already a shortcut named '|1' to the '|2' object in this group.@@@1@@@1
- 31622 The table description cannot be changed for a linked table
- 31623 Microsoft Office Access has imported 'Favorites' and other groups into the converted database. If you change the imported groups in Access 2007, you will not see those changes if you open the database in an older version of Access. Also, if you change the imported groups by using an older version of Access, you will not see those changes if you open the database in Access 2007. @@@1@@@1
- 31624 Enter a valid date.@@@1@@@1
- 31625 Enter a valid value.@@@1@@@1
- 31626 | issues were found that could result in unwanted behavior or missing data.@Do you want to cancel the wizard and review the issues?@Click No to ignore the issues and continue with the migration.
- 31627 A copy of the database has moved to |. Continue opening current file?
- 31628 Moving to SharePoint is not supported for databases that have the AllowBypassKey property disabled.
- 31629 Template '|1' could not be instantiated.@|2@@@@@3
- 31630 Failed to set the database property '|'.
- 31631 The object name '|' could not be used because it doesn't follow object-naming rules.
- 31632 Failed to load '|1' into '|2'.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 31633 '|' is not a supported AccessObject type.
- 31634 Failed to create relationship '|'.
- 31635 Manifest.xml does not match the defined schema. |
- 31636 Tables.xml does not exist.
- 31637 This template cannot be used because it requires a later version of Microsoft Office Access.
□
See Microsoft Office Online for the latest templates you can use with your current version of Microsoft Office Access.
- 31638 Errors were encountered while loading Tables.xml.
- 31639 Manifest.xml does not exist.
- 31640 Relationships.xml does not match the required schema.
- 31641 An unexpected error occurred when opening the template.
- 31642 NavPane.xml does not match the required schema.
- 31643 '|' is not a valid template.
- 31644 Failed to create a database with the specified CollatingOrder.
- 31645 Failed to set |1 on |2 '|'3'.
- 31646 Failed to load NavPane.xml.
- 31647 An error occurred while flipping |1 '|'2' right-to-left.
- 31648 An error occurred while performing Name AutoCorrect.
- 31649 An error occurred while fixing up the labels on |1 '|'2'.
- 31650 The source file '|'1' for |2 '|'3' does not exist.
- 31651 The object name '|' could not be used because another object with the same name already exists.
- 31652 You do not have exclusive access to the database. Your SharePoint Lists can not be taken offline or cached at this time. Try again later.
- 31653 Microsoft Office Access is unable to take your lists offline. A circular relationship was detected.
- 31654 Access denied. You do not have permissions to SharePoint server. Verify permissions, and retry this operation.
- 31655 Microsoft Office Outlook could not be started. Make sure Outlook is installed and properly set up on your computer.
- 31656 You must have Microsoft Office Outlook 2007 on this computer to enable this feature.
- 31657 You cannot set up a collecting data using e-mail task, because your database has reached its maximum size limit. Free some disk space and try again.
- 31658 The selected table or query does not have any fields that support collecting data using e-mail.
- 31659 | is read-only. You cannot use e-mail messages to collect or update data on this object.
- 31660 You cannot collect data for action queries, SQL-specific queries, and parameter queries by using e-mail messages.
- 31661 The e-mail address field you have specified does not contain any valid addresses. Specify another field.
- 31662 The value you have entered is not valid for the maximum number of replies.
- 31663 The value you have entered is not valid for the date and time to stop.
- 31664 The date and time to stop processing replies has to be greater than the current date and time.
- 31665 |

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 31666 The UpdateDependencyInfo method could not update one or more objects. Microsoft Office Access has created a Name AutoCorrect Save Failures table in the current database with more information about the failing objects.@@@2@1@553713744@1
- 31667 Do you want to delete all of the selected objects? Deleting these objects will remove them from all groups.@You cannot undelete forms, reports, and modules.@@20@@@1
- 31668 Microsoft Office Access does not support opening HTML pages. @To open a Data Access Page, use Windows Internet Explorer or Microsoft Office Access 2003 or earlier.@@2@@4294967294@1
- 31669 Design changes are not supported for Data Access Pages. @To change the design of a Data Access Page, use Microsoft Office Access 2003 or earlier.@@2@@4294967294@1
- 31670 Microsoft Office Access does not support this operation for Data Access Pages. To perform this operation, use Microsoft Office Access 2003 or earlier.@@@1@@@1
- 31671 |
- 31672 This operation is not supported for SharePoint linked tables. To manage SharePoint linked tables, point to Get External Data on the Data menu, and then click SharePoint List.
- 31673 Changes have been made to this database by an older version of Access or by an external source. In order to use the Tables and Related Views group in the Navigation Pane the dependency tree must be rebuilt. This may take a few moments.@Do you want to continue?@@3@@@1
- 31674 Do you want to delete all of the selected objects? Deleting these objects will remove them from all groups.@@@20@@@1
- 31675 You cannot create an .acdde or .mde file from a disabled (non-trusted) database. If you trust the source of this database, you can enable it by using the Message bar.@@@1@@@1
- 32000 The '|1' macro action cannot run with the specified '|2' argument either when in disabled mode or when called from an embedded macro.@@@1@@@1
- 32001 The '|' RunCommand cannot be run in disabled mode.@@@1@@@1
- 32002 Cannot open or run macro '|', because it is not valid.@@@1@@@1
- 32003 The ApplyFilter action requires a valid control name that corresponds to a subform or subreport.@@@1@@@1
- 32004 The control name '|' is misspelled or refers to a control that doesn't exist.@If the invalid control name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct control name.@@@1@@@1
- 32005 One or more actions are unknown and cannot be pasted.@@@1@@@1
- 32500 The group '|' you entered is invalid.@@@1@@@1
- 32501 The category '|' you entered is invalid.@@@1@@@1
- 32502 The value you entered isn't valid for the field '|'.@For example, you may have entered text in a numeric field or a number that is greater than the FieldSize setting permits.@@@1@@@1
- 32503 Support for export to .PDF or .XPS is not installed on this computer.@@@1@@@1
- 32504 The text you entered isn't an item in the list.@Do you want to edit the items in the list?@@20@@@4
- 32505 Microsoft Office Access has recovered this database. Examine the database to verify that there are no missing database objects.@@@1@@@1
- 32506 Microsoft Office Access has recovered this database, but one or more tables were found to contain data corruption and were deleted. Deleted tables were logged in the MSysRecoveryErrors table. This table is currently displayed in the datasheet.@@@1@@@1
- 32507 Microsoft Office Access has recovered this database, but one or more tables were found to contain data corruption and were deleted. Deleted tables were logged in the MSysRecoveryErrors table. @@@1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 32508 The 'Save as Outlook Contact' command failed.@@@1@@@1
- 32509 The 'Add from Outlook' command failed.@@@1@@@1
- 32510 Microsoft Office Access could not find any fields that match the fields in a Microsoft Office Outlook Contact.@@@1@@@1
- 32511 Successfully added | contact(s).@@@1@@@1
- 32512 You cannot save this database in an earlier version format, because it uses features that require the current file format.@Features that require the current file format include attachments, multivalued fields, offline data, or links to external files that are not supported by earlier versions of Access.@@1@@@1
- 32513 All open objects must be closed before you save the database.@Do you want Microsoft Office Access to close all open objects?@@19@@@2
- 32514 Microsoft Office Access can't save this database to a different version, because one or more objects are open.@Close all objects, and then try again.@@1@@@3
- 32515 You are about to delete the list and all its data from the SharePoint site. Do you want to continue?
- 32516 The filter string you entered is not valid or you cannot apply a filter at this time.
- 32517 This SharePoint list or one of related lists doesn't exist on the SharePoint site.
- 32518 The following errors have occurred:□
- 32519 The value specified for the Type parameter is invalid. Specify one of the following: Report, Form, Query, or Table.
- 32520 The repair operation was cancelled. To repair the file manually, on the File menu, point to Manage Database, and then click Compact and Repair Database.
- 32521 You can't change the value of this property in the OnPaint event.@@@1@@@1
- 32522 No contacts were imported. None of the fields have the necessary '|' property specified.@@@1@@@1
- 32523 A custom macro in this report has failed to run, and is preventing the report from rendering.@@@1@@@1
- 32524 Access could not create '|1'.@|2@Make sure that the file name (and location, if provided) are in the correct format, such as c:\location\file name.@1@@@1
- 32525 Access could not download the template from Microsoft Office Online.
- 32526 You attempted to create an .mdb file on a SharePoint site. You can create only Access 2007 database (.accdb) files on SharePoint sites. Either change the file type or select a different location.
- 32527 You attempted to create an .adp file on a SharePoint site. You can create only Access 2007 database (.accdb) files on SharePoint sites. Either change the file type or select a different location.
- 32528 The application is disabled, and databases may not be created.
- 32529 This operation is not supported for parameterized queries or objects based on parameterized queries.@@@1@@@1
- 32530 Sharing to Windows SharePoint Services requires the database to be in an Access 2007 or greater format.
- 32531 Microsoft Office Access failed to create the SharePoint list. This could be because you don't have the necessary permissions.
- 32532 The project cannot be converted to this format. The project can only be converted to Access 2000 or newer format.
- 32533 Failed to create field '|1' on table '|2'
- 32534 Failed to delete predefined field '|1' on table '|2'

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 32535 Failed to rename the the field '|1' on the SharePoint list '|2'
- 32536 The specified command (OutputTo) is not available now. Close objects open in Design View or Layout View and try again.@@@1@@@1
- 32537 Only 256 TempVars can be created. Be sure to remove any TempVars that are not needed.
- 32538 TempVars can only store data. They cannot store objects.
- 32539 TempVars can only store strings with up to 65,356 characters.
- 32540 The name of this TempVar is too long. TempVar names must be 256 characters or less. Use a shorter name.
- 32541 You must specify a name to set or remove a temporary variable.
- 32542 You must specify a value to set the temporary variable to.
- 32543 Do you want to connect to an existing SQL Server database?@Select No to create a new SQL Server database.@@16@@@4
- 32544 You are trying to convert an encoded database. Decode the database, and then try again.ldb protect the converted database, use the Encrypt with Password command.
- 32545 You are trying to convert a password protected database. Remove the password, and then try again.ldb protect the converted database, use the Encrypt with Password command.
- 32546 You are trying to convert an encoded database that uses a password. Decode the database, remove the password, and then try again.ldb protect the converted database, use the Encrypt with Password command.
- 32547 You are trying to convert a database that is encrypted with a password. Remove the password, and then try again.ldb protect the converted database, use the Set Database Password command.
- 32548 There was an error displaying the mail message. Make sure that there are no open dialogs in Outlook and try again.
- 32549 '|' contains over 10,000 rows. Processing may take several moments. Would you like to continue?
- 32550 '|' is an empty lookup field. You will not be able to collect data for this field. To continue, remove the empty lookup field from the list of fields to be included in this e-mail message.
- 32551 There was an error displaying the task. Make sure that there are no open dialogs in Outlook and try again.
- 32552 This command is not available when the database is opened from the Web server. Would you like to save a local copy of the database?
- 32553 To sign and deploy a database, you must use a database created with Microsoft Office Access 2007 or later. Convert the database to the Access 2007 format and start the signing process again.
- 32554 Microsoft Office Access could not create a deployment package with the current database. Check the path to the file.@@@1@@@1
- 32555 Microsoft Office Access could not sign the current database. Ensure that the digital certificate used to sign the database is valid.@@@1@@@1
- 32556 Microsoft Office Access could not extract the database. Check the file name and the path to the file.@@@1@@@1
- 32557 Microsoft Office Access could not download the packaged database. Network issues or issues with the Web site may have prevented the download. Start the download again or browse to the site and ensure that it is operating.@@@1@@@1
- 32558 You requested an invalid file. The file may be corrupt. Contact the person who created the file and request a new copy.@@@1@@@1
- 32559 The template is in an unknown format and cannot be opened.
- 32560 The specified template does not exist.

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 32561 The specified template contains errors or is not a valid template.
- 32562 The specified template cannot be created in the specified file format. Specify a different file format for the new database.
- 32563 You cannot use a template file to create a database directly on a SharePoint site.
- 32564 This does not appear to be a template file. The file may have become corrupt, or the package format may contain an error.
- 32565 The |0 '|1' could not be read from the template file. The object may be in an unrecognized format or contain invalid data.
- 32566 The table '|0' in the template could not be associated with a SharePoint list with ID |1.
- 32567 The |0 '|1' in the template could not be loaded from text because of a parsing error. □
- 32568 The table |0 or one of its fields could not be successfully renamed.
- 32569 Failed to add the VBA reference |0
- 32570 A Design Master or Replica cannot be converted to the Access 2007 file format.@@@1@@@1
- 32571 The contents of the Navigation Pane may not be changed while it is locked.
- 32572 Access Projects do not support custom groups in the Navigation Pane. You may not import or export custom groups from an Access Project.
- 32573 Microsoft Office Access cannot perform the export operation.
- 32574 This template requires a SharePoint site with a newer version of Windows SharePoint services. Specify a different site.
- 32575 The acCmdExport command for RunCommand has been deprecated. Use the OutputTo action or one of the more specific RunCommands, such as acCmdExportExcel, acCmdExportRTF, and acCmdExportText.
- 32576 The acCmdImport command for RunCommand has been deprecated. Use one of the more specific RunCommands, such as acCmdImportAttachAccess, acCmdImportAttachExcel, and acCmdImportAttachText.
- 32577 The acCmdLinkTables command for RunCommand has been deprecated. Use one of the more specific RunCommands, such as acCmdImportAttachAccess, acCmdImportAttachExcel, and acCmdImportAttachText.
- 32578 Microsoft Office Access could not load the Access database engine. Run setup again and restart the application.@@@1@@@1
- 32579 You do not have permissions to write to this SharePoint site. Contact your site administrator for assistance.
- 32580 Cannot publish the file | as the file is either checked out or locked for editing by another user.
- 32581 SQL Distributed Management Objects (SQL-DMO) must be on the machine running Microsoft Office Access.
- 32582 The specified file name could not be used to create a database. Specify a different database name.
- 32583 An error occurred while trying to create the database.
- 32584 No object with the given name and type exists in the current database.
- 32585 This feature is only available in an ADP.@@@1@@@1
- 32586 This database object cannot be saved as a report.@@@1@@@1
- 32587 The Source value you have specified is not valid.@@@1@@@1
- 32588 The table which you are trying to append to is currently open and must be closed before proceeding. Do you want to save the changes and close the table?@@@20@@@2
- 32589 Microsoft Office Access encountered an error trying to close the table.@@@1@@@1

Error Numbers and Descriptions for Microsoft Access 2007

Number Description

- 32590 You cannot link to a database that is stored on an Internet location. You should first save the database to a location that uses a Universal Naming Convention (UNC), such as a server share, and then link to it.@@@1@@@1
- 32591 The file path you specified is not valid. Please specify a full file path.@@@1@@@1
- 32592 The file name extension of '|' is not valid for the format to which you are trying to export. This action is potentially unsafe. Do you want to continue? @@@20@@@2
- 32593 Overwrite existing table or query '|'?@@@20@@@2
- 32594 The Show Column History command is not available while you are working with a SharePoint list offline. Reconnect to the list and try again.@@@1@@@1
- 32595 Microsoft Office Access cannot delete the SharePoint list, because you don't have the necessary permissions to delete the list or the list has been renamed or no longer exists.
- 32596 The Microsoft Office Access Outlook Add-in is disabled in Microsoft Office Outlook 2007. To collect data by using e-mail messages in Microsoft Office Access 2007, verify that this add-in is installed and enabled from within Office Outlook 2007.
- 32597 This database contains links to lists on the selected SharePoint site. Do you want to be able to add shortcuts to each list's View menu? This will enable other people to open forms and reports from the SharePoint Web page.
- 32598 The name '|' is already in use. Enter a different name. @@@1@@@1
- 32599 Only XML files can be imported from an Internet address (http://, ftp://). Enter a path that points to a location on your computer or on the network.@@@1@@@1
- 32600 The list |1 is already used by the |2 link table. Select a different list.
- 32601 You are about to change sites. Any changes you have made to link tables will be discarded. Do you want to continue without saving these changes?
- 32602 The SetProperty action or method failed because there was no form or report context. To establish the correct context for SetProperty, call OpenForm or OpenReport before calling SetProperty, or call SetProperty from an event on a form or report.@@@1@@@1
- 32603 SharePoint List data will be cached in this database. If this database is shared, users who do not have permissions to view this data will be able to see it.
- 32604 There was an error publishing your database. Verify your publish URL and permissions, and then try again.
- 32605 Your data source contains more than 255 fields (columns). Access will import only the first 255 fields.
- 32606 Attachment fields are not supported in the MDB or ADP database formats. Attachment fields are included in the source database table and those fields will not be exported. Do you want to continue?
- 32607 Attachment fields are not supported in the MDB or ADP database formats. If attachment fields are included in the source database tables, those fields will not be imported. Do you want to continue?
- 32608 This database file cannot be converted because it contains linked tables that refer to one or more files that cannot be found. To continue, delete these linked tables or repair the links.@@@1@@@1
- 32609 |1 cannot load customization '|2'. This customization name was already loaded.
- 32610 Automatic configuration of the current version of Microsoft Office Access has failed. Your database might not function correctly. This can occur if you do not have the necessary permissions to install Microsoft Office Access on this computer.@@@1@@@1
- 32611 The file '|' already exists. Do you want to update the existing file?@@@20@@@2

Error Numbers and Descriptions for Microsoft Access 2007

Number	Description
--------	-------------

32612	<p>Microsoft Office Access cannot open this file.</p> <p>This file was converted to runtime mode by changing its file name extension to .accdr. This file will open only when Access is in runtime mode.</p> <p>To open the file, either double-click it in Windows Explorer, open it by using a shortcut, or use the /runtime command-line switch.</p> <p>To modify the design of this database, rename it with an .accdb file name extension, and then open it in Access.</p>
-------	---

32613	<p>This feature requires the Microsoft Office Access 2007 program to be installed on your computer.</p>
-------	---

The application you are running is powered by the Microsoft Office Access 2007 Runtime. For information about the differences between the Microsoft Office Access program and the Microsoft Office Access Runtime, in the status bar, click Powered by Microsoft Office Access.