

This list contains all the error numbers and error descriptions for Microsoft Access 2007, 2003, 2002, and 2000.

We hope you find this list useful for reviewing errors that may appear in your application.

To minimize the space, duplicate descriptions are eliminated, so if all four Access versions have the same error description for an error ID, only the 2007 version is shown. Similarly, if the Access 2003 version is the same as 2007, it's not shown, but if the 2002 version differs, it is shown.

To reduce space, undefined error descriptions which provide no meaning ("Application-defined or object-defined error") are excluded from this list.



**Supporting the Microsoft Access community since 1992.
FMS, Inc.**

<http://www.fmsinc.com/MicrosoftAccess>

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
5	2007	Invalid procedure call or argument
6	2007	Overflow
7	2007	Out of memory
9	2007	Subscript out of range
10	2007	This array is fixed or temporarily locked
11	2007	Division by zero
13	2007	Type mismatch
14	2007	Out of string space
16	2007	Expression too complex
17	2007	Can't perform requested operation
18	2007	User interrupt occurred
28	2007	Out of stack space
47	2007	Too many DLL application clients
48	2007	Error in loading DLL
49	2007	Bad DLL calling convention
51	2007	Internal error
52	2007	Bad file name or number
53	2007	File not found
54	2007	Bad file mode
55	2007	File already open
57	2007	Device I/O error
58	2007	File already exists
59	2007	Bad record length
61	2007	Disk full
62	2007	Input past end of file

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
63	2007	Bad record number
67	2007	Too many files
68	2007	Device unavailable
70	2007	Permission denied
71	2007	Disk not ready
74	2007	Can't rename with different drive
75	2007	Path/File access error
76	2007	Path not found
93	2007	Invalid pattern string
96	2007	Unable to sink events of object because the object is already firing events to the maximum number of event receivers that it supports
97	2007	Can not call friend function on object which is not an instance of defining class
98	2007	A property or method call cannot include a reference to a private object, either as an argument or as a return value
321	2007	Invalid file format
322	2007	Can't create necessary temporary file
325	2007	Invalid format in resource file
380	2007	Invalid property value
381	2007	Invalid property array index
382	2007	Set not supported at runtime
383	2007	Set not supported (read-only property)
385	2007	Need property array index
387	2007	Set not permitted
393	2007	Get not supported at runtime
394	2007	Get not supported (write-only property)
422	2007	Property not found
423	2007	Property or method not found
424	2007	Object required
429	2007	ActiveX component can't create object
430	2007	Class does not support Automation or does not support expected interface
432	2007	File name or class name not found during Automation operation
438	2007	Object doesn't support this property or method
440	2007	Automation error
442	2007	Connection to type library or object library for remote process has been lost. Press OK for dialog to remove reference.
443	2007	Automation object does not have a default value
445	2007	Object doesn't support this action
446	2007	Object doesn't support named arguments
447	2007	Object doesn't support current locale setting
448	2007	Named argument not found
449	2007	Argument not optional
450	2007	Wrong number of arguments or invalid property assignment

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
451	2007	Property let procedure not defined and property get procedure did not return an object
452	2007	Invalid ordinal
453	2007	Specified DLL function not found
454	2007	Code resource not found
455	2007	Code resource lock error
457	2007	This key is already associated with an element of this collection
458	2007	Variable uses an Automation type not supported in Visual Basic
459	2007	Object or class does not support the set of events
460	2007	Invalid clipboard format
461	2007	Method or data member not found
462	2007	The remote server machine does not exist or is unavailable
463	2007	Class not registered on local machine
481	2007	Invalid picture
482	2007	Printer error
735	2007	Can't save file to TEMP
744	2007	Search text not found
746	2007	Replacements too long
2001	2007 2003	You canceled the previous operation.@@@1@2@5738@1 You canceled the previous operation.@@@1@5738@1
2002	2007 2003 2002	You tried to perform an operation involving a function or feature that was not installed in this version of Microsoft Office Access.@@@1@@@1 You tried to perform an operation involving a function or feature that was not installed in this version of Microsoft Office Access.@@@1@@@1 You tried to perform an operation involving a function or feature that was not installed in this version of Microsoft Access.@@@1@@@1
2004	2007	There isn't enough memory to perform this operation. Close unneeded programs and try the operation again.
2005	2007 2003 2002	There isn't enough free memory to start Microsoft Office Access.@Close unneeded programs and try again.For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@3 There isn't enough free memory to start Microsoft Office Access.@Close unneeded programs and try again.For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@3 There isn't enough free memory to start Microsoft Access.@Close unneeded programs and try again.For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@3
2006	2007 2003 2002	The object name ' ' you entered doesn't follow Microsoft Office Access object-naming rules.@For more information about naming objects, click Help.@@2@1@553714184@1 The object name ' ' you entered doesn't follow Microsoft Office Access object-naming rules.@For more information about naming objects, click Help.@@2@553714184@1 The object name ' ' you entered doesn't follow Microsoft Access object-naming rules.@For more information about naming objects, click Help.@@2@611734@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2007	2007	You already have an open database object named ' '. Use a different name for each database object of the same type. If you want this object to replace the original object, close the original object, and then save this object using the same name. For more information on renaming a database object, click Help. @2@1@9043@1
	2003	You already have an open database object named ' '. Use a different name for each database object of the same type. If you want this object to replace the original object, close the original object, and then save this object using the same name. For more information on renaming a database object, click Help. @2@209043@1
2008	2007	You can't delete the database object ' ' while it's open. Close the database object, and then delete it. @1@@@1
	2003	You can't delete the database object ' ' while it's open. Close the database object, and then delete it. @1@@1
2009	2007	You can't rename the database object ' ' while it's open. Close the database object, and then rename it. @1@@@1
	2003	You can't rename the database object ' ' while it's open. Close the database object, and then rename it. @1@@1
2010	2007	You can't delete the database object ' ' while it's open. Close the database object, and then delete it. @1@@@1
	2003	You can't delete the database object ' ' while it's open. Close the database object, and then delete it. @1@@1
2011	2007	The password you entered is incorrect.
2014	2007	You have given this 1 the same name as an existing 2 in your database. You can't give a table and a query the same name. Give this object a name that isn't already used by another table or query. @1@@@1
	2003	You have given this 1 the same name as an existing 2 in your database. You can't give a table and a query the same name. Give this object a name that isn't already used by another table or query. @1@@1
2015	2007	There are no registered wizards of this type. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall the wizards. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@@1
	2003	There are no registered wizards of this type. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall the wizards. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@1
	2002	There are no registered wizards of this type. Rerun Microsoft Access or Microsoft Office Setup to reinstall the wizards. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@1
2016	2007	You can't modify the attributes of System Tables.
2017	2007	Microsoft helps protect this Visual Basic for Applications Project with a password. You must supply the password in the Visual Basic Editor before you can perform this operation. @1@@@1
	2003	Microsoft helps protect this Visual Basic for Applications Project with a password. You must supply the password in the Visual Basic Editor before you can perform this operation. @1@@1
	2000	This Visual Basic for Applications Project has been protected with a password. You must supply the password in the Visual Basic Editor before you can perform this operation. @1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2018	2007	The data access page name ' ' you entered is misspelled or refers to a data access page that isn't open or doesn't exist.@@@1@@@1
	2003	The data access page name ' ' you entered is misspelled or refers to a data access page that isn't open or doesn't exist.@@@1@@@1
2019	2007	The number you used to refer to the data access page is invalid.@Use the Count property to count the open data access pages and make sure that the page number is not greater than the number of open data access pages minus one.@@1@4@2019460@1
	2003	The number you used to refer to the data access page is invalid.@Use the Count property to count the open data access pages and make sure that the page number is not greater than the number of open data access pages minus one.@@1@2019460@1
	2000	The number you used to refer to the data access page is invalid.@Use the Count property to count the open data access pPage and make sure that the page number is not greater than the number of open data access pages minus one.@@1@2019460@1
2020	2007	
	2003	The data access page theme name ' ' you entered is misspelled or refers to a theme name that doesn't exist.@@@1@@@1
2021	2007	One or more operators in the filter expression is invalid.@For a valid list of operators refer to the help file@@1@@@1
	2003	One or more operators in the filter expression is invalid.@For a valid list of operators refer to the help file@@1@@@1
2022	2007	You entered an expression that requires a data access page to be the active window.@@@1@2@5601@1
	2003	You entered an expression that requires a data access page to be the active window.@@@1@5601@1
2023	2007	
	2003	The file name you specified for the data access page already exists.@@@1@5601@1
2024	2007	The report snapshot was not created because you don't have enough free disk space for temporary work files.@To fix this, free up disk space (for example, empty the Recycle Bin or delete unnecessary files).@@1@@@1
	2003	The report snapshot was not created because you don't have enough free disk space for temporary work files.@To fix this, free up disk space (for example, empty the Recycle Bin or delete unnecessary files).@@1@@@1
2025	2007	The file is not in the correct format for a Microsoft Office Access project.@@@1@@@1
	2003	The file is not in the correct format for a Microsoft Office Access project.@@@1@@@1
	2002	The file is not in the correct format for a Microsoft Access project.@@@1@@@1
	2000	The ADP file is not in the correct format for a Microsoft Access project.@@@1@@@1
2026	2007	
	2003	Your computer is missing at least one of the Microsoft Access 97 object libraries. Your converted database will not work until you open this database using Access 97 and then fix any missing references. @Press OK to continue saving this database in the Access 97 format with missing references, or press Cancel if you no longer wish to save this database.@@4@@2
2027	2007	This operation is not supported for Microsoft Office Access 1.X databases.@@@1@@@1
	2003	This operation is not supported for Microsoft Office Access 1.X databases.@@@1@@@1
	2002	This operation is not supported for Microsoft Access 1.X databases.@@@1@@@1
2028	2007	Microsoft Office Access was unable to close the database object.
	2002	Microsoft Access was unable to close the database object.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2029	2007	Microsoft Office applications cannot suspend while you have documents open from a network location. Exit the applications or close the open documents and try again.
2030	2007	The Microsoft Office Access project 'I' will be opened read-only because one of the following occurred:@Either the file is locked for editing by another user, the file (or the folder in which it is located) is marked as read-only, or you specified that you wanted to open the file read-only.@@3@@@1
	2003	The Microsoft Office Access project 'I' will be opened read-only because one of the following occurred:@The file is locked for editing by another user, or the file (or the folder in which it is located,) is marked as read-only, or you specified that you wanted to open this file read-only.@@1@@1
	2002	The Microsoft Access project 'I' will be opened read-only because one of the following occurred:@The file is locked for editing by another user, or the file (or the folder in which it is located,) is marked as read-only, or you specified that you wanted to open this file read-only.@@1@@1
	2000	The database 'I' will be opened read-only because one of the following occurred:@the file is locked for editing by another user, or the file (or the folder in which it is located,) is marked as read-only, or you specified that you wanted to open this file read-only@@1@@1
2031	2007	You can't convert or enable an MDE file.@@@1@@@1
	2003	You can't convert or enable an MDE file.@@@1@@1
2032	2007	
	2003	Some errors happened during the conversion. No converted database was generated.@@@1@@1
	2000	Some errors happened during the conversion. No converted database is generated.@@@1@@1
2033	2007	Name conflicts with existing module, project, or object library.@@@1@@@1
	2003	Name conflicts with existing module, project, or object library.@@@1@@1
2034	2007	Cannot Compile Project.@@@1@@@1
	2003	Cannot Compile Project.@@@1@@1
2035	2007	Cannot Load Project of wrong version.@@@1@@@1
	2003	Cannot Load Project of wrong version.@@@1@@1
2036	2007	
	2003	Microsoft Office Access does not support using ADP Projects when running in Runtime Mode.@@@1@@1
	2002	Microsoft Access does not support using ADP Projects when running in Runtime Mode.@@@1@@1
2037	2007	Microsoft Office Access could not perform name AutoCorrect during this operation. The 'Log name AutoCorrect' option is set, but the Data and Misc. Objects is not checked out.@@@1@@@3
	2003	Microsoft Office Access could not perform name AutoCorrect during this operation. The 'Log name AutoCorrect' option is set, but the Data and Misc. Objects is not checked out.@@@1@@3
	2002	Microsoft Access could not perform name AutoCorrect during this operation. The 'Log name AutoCorrect' option is set, but the Data and Misc. Objects is not checked out.@@@1@@3
2038	2007	The file 'I' cannot be opened because it has been locked by another user.
	2000	The file 'I' cannot be opened because it has been locked by another user
2039	2007	
	2003	You cannot convert a workgroup file from Microsoft Access2000 to Access 97. You must create new security settings in Access 97.
2040	2007	Microsoft Office Access can't run.@@@1@@@3
	2003	Microsoft Office Access can't run.@@@1@@3

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2040	2002	Microsoft Access can't run.@@@1@@3
2041	2007	Microsoft Office Access couldn't find file ' '. This file is required for startup.
	2002	Microsoft Access couldn't find file ' '. This file is required for startup.
2042	2007	A system error occurred, or there isn't enough free memory to start Microsoft Office Access. Close unneeded programs and try again.
	2002	A system error occurred, or there isn't enough free memory to start Microsoft Access. Close unneeded programs and try again.
2043	2007	Microsoft Office Access can't find the database file ' '.@Make sure you entered the correct path and file name.@@1@@@1
	2003	Microsoft Office Access can't find the database file ' '.@Make sure you entered the correct path and file name.@@1@@@1
	2002	Microsoft Access can't find the database file ' '.@Make sure you entered the correct path and file name.@@1@@@1
2044	2007	You can't exit Microsoft Office Access now.@If you're running a Visual Basic module that is using OLE or DDE, you may need to interrupt the module.@@1@@@1
	2003	You can't exit Microsoft Office Access now.@If you're running a Visual Basic module that is using OLE or DDE, you may need to interrupt the module.@@1@@@1
	2002	You can't exit Microsoft Access now.@If you're running a Visual Basic module that is using OLE or DDE, you may need to interrupt the module.@@1@@@1
2045	2007	The command line you used to start Microsoft Office Access contains an option that Microsoft Office Access doesn't recognize.@Exit and restart Microsoft Office Access using valid command-line options.@@1@@@1
	2003	The command line you used to start Microsoft Office Access contains an option that Microsoft Office Access doesn't recognize.@Exit and restart Microsoft Office Access using valid command-line options.@@1@@@1
	2002	The command line you used to start Microsoft Access contains an option that Microsoft Access doesn't recognize.@Exit and restart Microsoft Access using valid command-line options.@@1@@@1
	2000	The command line you used to start Microsoft Access contains an option that Microsoft Access doesn't recognize.@Exit and restart Microsoft Access using valid command-line options.@@2@510252@1
2046	2007	The command or action ' ' isn't available now.@* You may be in a read-only database or an unconverted database from an earlier version of Microsoft Office Access.☐The type of object the action applies to isn't currently selected or isn't in the active view.@Use only those commands and macro actions that are currently available for this database.@1@@@1
	2003	The command or action ' ' isn't available now.@* You may be in a read-only database or an unconverted database from an earlier version of Microsoft Office Access.☐The type of object the action applies to isn't currently selected or isn't in the active view.@Use only those commands and macro actions that are currently available for this database.@1@@@1
	2002	The command or action ' ' isn't available now.@* You may be in a read-only database or an unconverted database from an earlier version of Microsoft Access.☐The type of object the action applies to isn't currently selected or isn't in the active view.@Use only those commands and macro actions that are currently available for this database.@1@@@1
2047	2007	
	2000	Microsoft Access can't run.@@@1@@3
2048	2007	There isn't enough free memory to open the file ' '.@Close unneeded programs and try again.☒For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1
	2003	There isn't enough free memory to open the file ' '.@Close unneeded programs and try again.☒For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2049	2007 2003	The Tahoma font is not present. To restore it, please run Detect and Repair from the Help menu.
2050	2007 2003	Enter an OLE/DDE Timeout setting from 0 through 300 seconds. Enter an OLE/DDE Timeout setting from 0 through 300 seconds.
2051	2007 2003 2002 2000	The object name ' ' can't be longer than 2 characters according to Microsoft Office Access object-naming rules. The object name ' ' can't be longer than 2 characters according to Microsoft Office Access object-naming rules. The object name ' ' can't be longer than 2 characters according to Microsoft Access object-naming rules. The object name ' ' can't be longer than 64 characters according to Microsoft Access object-naming rules.
2052	2007	There isn't enough free memory to update the display. Close unneeded programs and try again.
2053	2007 2003	The command name can't be blank. The command name can't be blank.
2054	2007 2003 2002	Microsoft Office Access is unable to load the Visual Basic for Applications dynamic-link library (DLL) Vbe6. Microsoft Office Access is unable to load the Visual Basic for Applications dynamic-link library (DLL) Vbe6. Microsoft Access is unable to load the Visual Basic for Applications dynamic-link library (DLL) Vbe6.
2055	2007 2003	The expression ' ' you entered is invalid. The expression ' ' you entered is invalid.
2056	2007 2003 2002	Microsoft Office Access can't supply context-sensitive Help. Microsoft Office Access can't supply context-sensitive Help. Microsoft Access can't supply context-sensitive Help.
2057	2007 2003	There isn't enough stack memory left to perform the operation. There isn't enough stack memory left to perform the operation.
2058	2007 2003 2002	The file ' ' is incompatible. Microsoft Office Access needs to be reinstalled. The file ' ' is incompatible. Microsoft Office Access needs to be reinstalled. The file ' ' is incompatible. Microsoft Access needs to be reinstalled.
2059	2007 2003	Microsoft Office Access cannot find the object ' '. Microsoft Office Access cannot find the object ' '.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2059	2002	Microsoft Access cannot find the object ' '.@Make sure the object exists and that you spell its name correctly.@@1@@1
2060	2007	You can't create a field list based on the action query ' '.@Action queries don't have fields. A form or report must be based on a table, or on a select or crosstab query.@Change the RecordSource property for the form or report, or open the action query and change it to a select query.@1@1@9232@1
	2003	You can't create a field list based on the action query ' '.@Action queries don't have fields. A form or report must be based on a table, or on a select or crosstab query.@Change the RecordSource property for the form or report, or open the action query and change it to a select query.@1@209232@1
2061	2007	Enter a zero or greater-than-zero number for this option.@@1@@@1
	2003	Enter a zero or greater-than-zero number for this option.@@1@@1
2062	2007	The command name must be shorter than 255 Characters.@Please choose a name.@@1@@@1
	2003	The command name must be shorter than 255 Characters.@Please choose a name.@@1@@1
2063	2007	Microsoft Office Access can't create, open, or write to the index file ' '; the information (.inf) file it uses to keep track of dBASE indexes.@The index file may be damaged, or you may not have read/write permission for the network drive you're trying to link to.@You can link to the dBASE file without specifying any dBASE indexes, but the existing indexes will not be used with the linked table.@1@@@1
	2003	Microsoft Office Access can't create, open, or write to the index file ' '; the information (.inf) file it uses to keep track of dBASE indexes.@The index file may be damaged, or you may not have read/write permission for the network drive you're trying to link to.@You can link to the dBASE file without specifying any dBASE indexes, but the existing indexes will not be used with the linked table.@1@@1
	2002	Microsoft Access can't create, open, or write to the index file ' '; the information (.inf) file it uses to keep track of dBASE indexes.@The index file may be damaged, or you may not have read/write permission for the network drive you're trying to link to.@You can link to the dBASE file without specifying any dBASE indexes, but the existing indexes will not be used with the linked table.@1@@1
2064	2007	The menu bar value ' ' is invalid.@You supplied an argument to the DoMenuItem method that refers to a menu bar that is invalid.@Use an intrinsic constant or numeric value that refers to a valid menu bar value, such as acFormbar.@1@1@11895@1
	2003	The menu bar value ' ' is invalid.@You supplied an argument to the DoMenuItem method that refers to a menu bar that is invalid.@Use an intrinsic constant or numeric value that refers to a valid menu bar value, such as acFormbar.@1@611895@1
2065	2007	The name for the menu, command, or subcommand you entered is invalid.@You supplied an argument to the DoMenuItem method that refers to a menu name, command, or subcommand that is invalid.@Use an intrinsic constant or numeric value that refers to a valid menu, command, or subcommand value, such as acRecordsMenu.@1@1@11895@1
	2003	The name for the menu, command, or subcommand you entered is invalid.@You supplied an argument to the DoMenuItem method that refers to a menu name, command, or subcommand that is invalid.@Use an intrinsic constant or numeric value that refers to a valid menu, command, or subcommand value, such as acRecordsMenu.@1@611895@1
2066	2007	
	2003	A video adapter resolution of at least 640 x 480 pixels is required to run Microsoft Office Access.
	2002	A video adapter resolution of at least 640 x 480 pixels is required to run Microsoft Access.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2067	2007	A menu bar macro can only be run if the menu bar macro name is the setting used by particular properties or options. You tried to run a menu bar macro containing the AddMenu action. Set one of the following properties or options to the name of the menu bar macro: The MenuBar property of a form or report. The ShortcutMenuBar property of a form, report, or control. The Menu Bar or Shortcut Menu Bar option in the Startup dialog box. This error also occurs if Microsoft Office Access attempts to run a menu bar macro containing an AddMenu action that follows an action that makes some other object the active object. For example, the OpenForm action. @2@1@3704@1
	2003	A menu bar macro can only be run if the menu bar macro name is the setting used by particular properties or options. You tried to run a menu bar macro containing the AddMenu action. Set one of the following properties or options to the name of the menu bar macro: The MenuBar property of a form or report. The ShortcutMenuBar property of a form, report, or control. The Menu Bar or Shortcut Menu Bar option in the Startup dialog box. This error also occurs if Microsoft Office Access attempts to run a menu bar macro containing an AddMenu action that follows an action that makes some other object the active object. For example, the OpenForm action. @2@603704@1
	2002	A menu bar macro can only be run if the menu bar macro name is the setting used by particular properties or options. You tried to run a menu bar macro containing the AddMenu action. Set one of the following properties or options to the name of the menu bar macro: The MenuBar property of a form or report. The ShortcutMenuBar property of a form, report, or control. The Menu Bar or Shortcut Menu Bar option in the Startup dialog box. This error also occurs if Microsoft Access attempts to run a menu bar macro containing an AddMenu action that follows an action that makes some other object the active object. For example, the OpenForm action. @2@603704@1
2068	2007	The selected item is customized and doesn't have context-sensitive Help. For more information on creating custom Help for a form, report, or control, click Help. @2@1@10930@1
	2003	The selected item is customized and doesn't have context-sensitive Help. For more information on creating custom Help for a form, report, or control, click Help. @2@110930@1
2069	2007	The key or key combination 1 in 2 has invalid syntax or is not allowed. Use the SendKeys syntax to specify the key or key combinations. For the allowed key or key combinations, click Help. @2@1@10144@1
	2003	The key or key combination 1 in 2 has invalid syntax or is not allowed. Use the SendKeys syntax to specify the key or key combinations. For the allowed key or key combinations, click Help. @2@610144@1
2070	2007	You already assigned the key or key combination 1 in 2 to another macro. Only the first key or key combination will be used. @2@1@10144@1
	2003	You already assigned the key or key combination 1 in 2 to another macro. Only the first key or key combination will be used. @2@610144@1
2071	2007	The Docking property can't be set to ' 1' at this time. If you want to set the Docking property to ' 2', move the toolbar from its current position and try again. @1@@@1
	2003	The Docking property can't be set to ' 1' at this time. If you want to set the Docking property to ' 2', move the toolbar from its current position and try again. @1@@@1
2072	2007	All objects were imported successfully.
	2003	Successfully imported ' '.
2073	2007	Successfully exported ' '.
2074	2007	This operation is not supported within transactions. @@@1@@@1
	2003	This operation is not supported within transactions. @@@1@@@1
2075	2007	This operation requires an open database. @@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2075	2003	This operation requires an open database.
2076	2007	Successfully linked 'I'.
2077	2007	This Recordset is not updatable
2078	2007	Help isn't available due to lack of memory or improper installation of Microsoft Windows or Microsoft Office Access. For more information on troubleshooting a low memory problem, search the Microsoft Windows Help index for 'memory, troubleshooting'. If you need to reinstall Microsoft Office Access, you may want to preserve your security or custom settings. To do so, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
	2003	Help isn't available due to lack of memory or improper installation of Microsoft Windows or Microsoft Office Access. For more information on troubleshooting a low memory problem, search the Microsoft Windows Help index for 'memory, troubleshooting'. If you need to reinstall Microsoft Office Access, you may want to preserve your security or custom settings. To do so, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
	2002	Help isn't available due to lack of memory or improper installation of Microsoft Windows or Microsoft Access. For more information on troubleshooting a low memory problem, search the Microsoft Windows Help index for 'memory, troubleshooting'. If you need to reinstall Microsoft Access, you may want to preserve your security or custom settings. To do so, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2079	2007	Form is read-only, because the Unique Table property is not set.
	2000	Form is read-only because the Unique Table property is not set.
2080	2007	The toolbar or menu already exists. Do you want to replace the existing toolbar or menu?
	2003	The toolbar or menu already exists. Do you want to replace the existing toolbar or menu?
2081	2007	The Create From Macro command only works when a macro is selected in the Navigation Pane.
	2003	The Create From Macro command only works when a macro is selected in the Database window.
2082	2007	
	2003	Only fields from the Unique Table can be edited.
2083	2007	The database 'I' is read-only. You can't save changes made to data or object definitions in this database.
	2003	The database 'I' is read-only. You can't save changes made to data or object definitions in this database.
2084	2007	Field 'I' is based on an expression and can't be edited
2085	2007	The ODBC Refresh Interval setting must be from 1 through 32,766 seconds.
	2003	The ODBC Refresh Interval setting must be from 1 through 32,766 seconds.
2086	2007	Recordset requires a form to be updatable.
2087	2007	Microsoft Office Access can't display the Add-ins submenu. The Add-ins submenu expression 'I' you entered exceeds the 256-character limit. Shorten the macroname or functionname expression in the Menu Add-ins key of the Windows Registry setting, and then restart Microsoft Office Access. For more information on customizing Microsoft Office Access settings in the Windows Registry, click Help.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2087	2003	Microsoft Office Access can't display the Add-ins submenu. The Add-ins submenu expression ' ' you entered exceeds the 256-character limit. Shorten the macroname or functionname expression in the Menu Add-ins key of the Windows Registry setting, and then restart Microsoft Office Access. For more information on customizing Microsoft Office Access settings in the Windows Registry, click Help. 2@109015@3
	2002	Microsoft Access can't display the Add-ins submenu. The Add-ins submenu expression ' ' you entered exceeds the 256-character limit. Shorten the macroname or functionname expression in the Menu Add-ins key of the Windows Registry setting, and then restart Microsoft Access. For more information on customizing Microsoft Access settings in the Windows Registry, click Help. 2@109015@3
2088	2007	Microsoft Office Access can't display the Add-ins submenu because a setting you entered in the Windows Registry is missing a macro name or function name expression. Supply the missing expression in the Menu Add-ins key of the Windows Registry, and then restart Microsoft Office Access. For more information on customizing Microsoft Office Access settings in the Windows Registry, click Help. 2@1@9015@3
	2003	Microsoft Office Access can't display the Add-ins submenu because a setting you entered in the Windows Registry is missing a macro name or function name expression. Supply the missing expression in the Menu Add-ins key of the Windows Registry, and then restart Microsoft Office Access. For more information on customizing Microsoft Office Access settings in the Windows Registry, click Help. 2@109015@3
	2002	Microsoft Access can't display the Add-ins submenu because a setting you entered in the Windows Registry is missing a macro name or function name expression. Supply the missing expression in the Menu Add-ins key of the Windows Registry, and then restart Microsoft Access. For more information on customizing Microsoft Access settings in the Windows Registry, click Help. 2@109015@3
2089	2007	Microsoft Office Access can't display the same menu more than once in a menu bar. 1@1@3704@1
	2003	Microsoft Office Access can't display the same menu more than once in a menu bar. 1@603704@1
	2002	Microsoft Access can't display the same menu more than once in a menu bar. 1@603704@1
2090	2007	An action within the current global menu's macro group can't change the global menu bar. Microsoft Office Access can't display the global menu bar because the macro called when you first set the global menu includes another action that tries to reset the global menu. Check your menu bar macros, and make sure that you set the global menu bar only once. 1@@@1
	2003	An action within the current global menu's macro group can't change the global menu bar. Microsoft Office Access can't display the global menu bar because the macro called when you first set the global menu includes another action that tries to reset the global menu. Check your menu bar macros, and make sure that you set the global menu bar only once. 1@@@1
	2002	An action within the current global menu's macro group can't change the global menu bar. Microsoft Access can't display the global menu bar because the macro called when you first set the global menu includes another action that tries to reset the global menu. Check your menu bar macros, and make sure that you set the global menu bar only once. 1@@@1
2091	2007	' ' is an invalid name. 1@@@1
	2003	' ' is an invalid name. 1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2092	2007	The value you specified for the Setting argument in the SetOption method is not the correct type of Variant for this option. You specified a string when Microsoft Office Access expected a number. See the Access Options dialog box (click the Microsoft Office Button, and then click Access Options) to see what type of data is required to set this particular option. For example, the setting for the Default Database Folder option must be a string. To see what type of Variant you passed to the SetOption method, use the VarType function. For more information, search the Help index for 'Variant data type' and 'VarType function'.
	2003	The value you specified for the setting argument in the SetOption method isn't the correct type of Variant for this option. You specified a string when Microsoft Office Access expected a number. Check the Options dialog box (Tools menu) to see what type of data is required to set this particular option. For example, the setting for the Default Database Folder option must be a string. To see what type of Variant you passed to the SetOption method, use the VarType function. For more information, search the Help index for 'Variant data type' and 'VarType function'.
	2002	The value you specified for the setting argument in the SetOption method isn't the correct type of Variant for this option. You specified a string when Microsoft Access expected a number. Check the Options dialog box (Tools menu) to see what type of data is required to set this particular option. For example, the setting for the Default Database Folder option must be a string. To see what type of Variant you passed to the SetOption method, use the VarType function. For more information, search the Help index for 'Variant data type' and 'VarType function'.
2093	2007	The numeric value for the Setting argument in the SetOption method does not correspond to any list box or option group settings in the Access Options dialog box. Valid settings are 0 (the first item in the list) through (the last item in the list).
	2003	The numeric value for the setting argument in the SetOption method doesn't correspond to any list box or option group settings in the Options dialog box. Valid settings are 0 (the first item in the list) through (the last item in the list).
2094	2007	Microsoft Office Access cannot find the toolbar ' '. You tried to run a macro that includes a ShowToolbar action or a Visual Basic for Applications procedure that includes a ShowToolbar method. The toolbar name might be misspelled or might refer to a legacy toolbar that is no longer available. This action might refer to a custom toolbar that was deleted from or renamed in the current database. This action might refer to a custom toolbar that exists in a different database.
	2003	Microsoft Office Access can't find the toolbar ' '. You tried to run a macro that includes a ShowToolbar action or a Visual Basic procedure that includes a ShowToolbar method. The toolbar name may be misspelled. This action may refer to a custom toolbar that was deleted from or renamed in the current database. This action may refer to a custom toolbar that exists in a different database.
	2002	Microsoft Access can't find the toolbar ' '. You tried to run a macro that includes a ShowToolbar action or a Visual Basic procedure that includes a ShowToolbar method. The toolbar name may be misspelled. This action may refer to a custom toolbar that was deleted from or renamed in the current database. This action may refer to a custom toolbar that exists in a different database.
2095	2007	
	2003	Microsoft Office Access can't switch to . The Microsoft application you tried to open can't be found or hasn't been installed on your computer.
	2002	Microsoft Access can't switch to . The Microsoft application you tried to open can't be found or hasn't been installed on your computer.
2096	2007	

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2096	2003	Microsoft Office Access can't open the Microsoft Office application because it can't find the dynamic-link library Mstool32. @Run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@3
	2002	Microsoft Access can't open the Microsoft Office application because it can't find the dynamic-link library Mstool32. @Run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@3
2097	2007	The table for which you tried to create an import/export specification was created in an earlier version of Microsoft Office Access. @To convert this database to the current version of Microsoft Office Access, click the Microsoft Office Button, and then click 'Convert'. @1@@1
	2003	The table you tried to create an import/export specification for was created in an earlier version of Microsoft Office Access. @Convert this database to the current version of Microsoft Office Access by using the Convert Database command (Tools menu, Database Utilities submenu). @1@1
	2002	The table you tried to create an import/export specification for was created in an earlier version of Microsoft Access. @Convert this database to the current version of Microsoft Access by using the Convert Database command (Tools menu, Database Utilities submenu). @1@1
2098	2007	The operation could not be completed because the Smart Tag ' ' is not recognized by your system. @1@@1
	2003	The operation could not be completed because the Smart Tag ' ' is not recognized by your system
2100	2007	The control or subform control is too large for this location. @The number you entered for the Left, Top, Height, or Width property is too large or is a negative number. @Reduce the size of the control or subform control, or enter a positive number. @1@@1
	2003	The control or subform control is too large for this location. @The number you entered for the Left, Top, Height, or Width property is too large or is a negative number. @Reduce the size of the control or subform control, or enter a positive number. @1@1
2101	2007	The setting you entered isn't valid for this property. @To see the valid settings for this property, search the Help index for the name of the property. @1@@1
	2003	The setting you entered isn't valid for this property. @To see the valid settings for this property, search the Help index for the name of the property. @1@1
2102	2007	The form name ' ' is misspelled or refers to a form that doesn't exist. @If the invalid form name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct form name. @1@@1
	2003	The form name ' ' is misspelled or refers to a form that doesn't exist. @If the invalid form name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct form name. @1@1
2103	2007	The report name ' ' you entered in either the property sheet or macro is misspelled or refers to a report that doesn't exist. @If the invalid report name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct report name. @1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2103	2003	The report name ' ' you entered in either the property sheet or macro is misspelled or refers to a report that doesn't exist. If the invalid report name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct report name.
2104	2007	You entered the control name ' ,' which is already in use. You already have a control on the form with this name, or an existing control has its name mapped to this name for Visual Basic. Visual Basic maps spaces in control names to underscores. For example, My Control and My_Control are treated as duplicate names.
	2003	You entered the control name ' ,' which is already in use. You already have a control on the form with this name, or an existing control has its name mapped to this name for Visual Basic. Visual Basic maps spaces in control names to underscores. For example, My Control and My_Control are treated as duplicate names.
2105	2007	You can't go to the specified record. You may be at the end of a recordset.
	2003	You can't go to the specified record. You may be at the end of a recordset.
2106	2007	errors occurred when you loaded the form or report. You loaded a form or report that has controls or properties that Microsoft Office Access doesn't recognize and will ignore.
	2003	errors occurred when you loaded the form or report. You loaded a form or report that has controls or properties that Microsoft Office Access doesn't recognize and will ignore.
	2002	errors occurred when you loaded the form or report. You loaded a form or report that has controls or properties that Microsoft Access doesn't recognize and will ignore.
2107	2007	The value you entered does not meet the validation rule defined for the field or control. To see the validation rule, switch to Design view, click the appropriate field, and then, if the property sheet is not open, press F4. Then, click the Data tab in the property sheet. Enter a value that meets the validation rule, or press ESC to undo your changes.
	2003	The value you entered doesn't meet the validation rule defined for the field or control. To see the validation rule, click Design view, click the appropriate field, and then, if the property sheet isn't open, click the Properties button on the toolbar. Then click the Data tab. To solve this problem, enter a value that meets the validation rule, or press ESC to undo your changes.
2108	2007	You must save the field before you execute the GoToControl action, the GoToControl method, or the SetFocus method. You tried to move the focus to another control using the SetFocus method, GoToControl action, or the GoToControl method. Set the macro or method to the AfterUpdate property instead of the BeforeUpdate property so it saves the field before changing the focus.
	2003	You must save the field before you execute the GoToControl action, the GoToControl method, or the SetFocus method. You tried to move the focus to another control using the SetFocus method, GoToControl action, or the GoToControl method. Set the macro or method to the AfterUpdate property instead of the BeforeUpdate property so it saves the field before changing the focus.
2109	2007	There is no field named ' ' in the current record.
	2003	There is no field named ' ' in the current record.
2110	2007	Microsoft Office Access can't move the focus to the control .* The control may be a type that can't receive the focus, such as a label. The control's Visible property may be set to No. The control's Enabled property may be set to No.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2110	2003	Microsoft Office Access can't move the focus to the control .* The control may be a type that can't receive the focus, such as a label. The control's Visible property may be set to No. The control's Enabled property may be set to No.
	2002	Microsoft Access can't move the focus to the control .* The control may be a type that can't receive the focus, such as a label. The control's Visible property may be set to No. The control's Enabled property may be set to No.
2111	2007	The changes you made can't be saved. The save operation may have failed due to the temporary locking of the records by another user. Click OK to try again. You may need to click OK several times (or wait until the other user closes the table). Click Cancel if repeated attempts to save your changes fail.
	2003	The changes you made can't be saved. The save operation may have failed due to the temporary locking of the records by another user. Click OK to try again. You may need to click OK several times (or wait until the other user closes the table). Click Cancel if repeated attempts to save your changes fail.
2112	2007	The item on the Clipboard can't be pasted into this control.
	2003	The item on the Clipboard can't be pasted into this control.
2113	2007	The value you entered isn't valid for this field. For example, you may have entered text in a numeric field or a number that is larger than the FieldSize setting permits.
	2003	The value you entered isn't valid for this field. For example, you may have entered text in a numeric field or a number that is larger than the FieldSize setting permits.
2114	2007	Microsoft Office Access doesn't support the format of the file ' ,' or file is too large. Try converting the file to BMP format.
	2003	Microsoft Office Access doesn't support the format of the file ' ,' or file is too large. Try converting the file to BMP or GIF format.
	2002	Microsoft Access doesn't support the format of the file ' ,' or file is too large. Try converting the file to BMP or GIF format.
	2000	Microsoft Access doesn't support the format of the file ' ,' so it can't load the picture.
2115	2007	The macro or function set to the BeforeUpdate or ValidationRule property for this field is preventing Microsoft Office Access from saving the data in the field. If this is a macro, open the macro in the Macro window and remove the action that forces a save (for example, GoToControl). If the macro includes a SetValue action, set the macro to the AfterUpdate property of the control instead. If this is a function, redefine the function in the Module window.
	2003	The macro or function set to the BeforeUpdate or ValidationRule property for this field is preventing Microsoft Office Access from saving the data in the field. If this is a macro, open the macro in the Macro window and remove the action that forces a save (for example, GoToControl). If the macro includes a SetValue action, set the macro to the AfterUpdate property of the control instead. If this is a function, redefine the function in the Module window.
	2002	The macro or function set to the BeforeUpdate or ValidationRule property for this field is preventing Microsoft Access from saving the data in the field. If this is a macro, open the macro in the Macro window and remove the action that forces a save (for example, GoToControl). If the macro includes a SetValue action, set the macro to the AfterUpdate property of the control instead. If this is a function, redefine the function in the Module window.
2116	2007	The value violates the validation rule for the field or record. For example, you might have changed a validation rule without verifying whether the existing data matches the new validation rule. Click Undo to restore the previous value, or enter a new value that meets the validation rule for the field or record.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2116	2003	The value in the field or record violates the validation rule for the record or field. For example, you may have changed a validation rule without verifying whether the existing data matches the new validation rule. Click Undo on the Edit menu to restore the previous value, or enter a new value that meets the validation rule for the field.
2117	2007	Microsoft Office Access has canceled the Paste operation. The text on the Clipboard is too long to paste into the form. For example, you may have pasted too much text into a label or entered too much text in the ColumnWidths property. Paste smaller sections. For labels, you must paste fewer than 2,048 characters.
	2003	Microsoft Office Access has canceled the Paste operation. The text on the Clipboard is too long to paste into the form. For example, you may have pasted too much text into a label or entered too much text in the ColumnWidths property. Paste smaller sections. For labels, you must paste fewer than 2,048 characters.
	2002	Microsoft Access has canceled the Paste operation. The text on the Clipboard is too long to paste into the form. For example, you may have pasted too much text into a label or entered too much text in the ColumnWidths property. Paste smaller sections. For labels, you must paste fewer than 2,048 characters.
2118	2007	You must save the current field before you run the Requery action. If you are running a macro from the Navigation Pane, save the field first, and then run the macro. If the macro name is the setting of the BeforeUpdate property in a Visual Basic function, set the AfterUpdate property to the name of the macro instead.
	2003	You must save the current field before you run the Requery action. If you are running a macro from the Database window, save the field first, and then run the macro. If the macro name is the setting of the BeforeUpdate property in a Visual Basic function, set the AfterUpdate property to the name of the macro instead.
2119	2007	The Requery action can't be used on the control ' '. Certain controls, such as labels and rectangles, can't receive the focus; therefore, you can't apply a Requery action to them.
	2003	The Requery action can't be used on the control ' '. Certain controls, such as labels and rectangles, can't receive the focus; therefore, you can't apply a Requery action to them.
2120	2007	To create a form, report or data access page using this wizard, you must first select the table or query on which the form, report or data access page will be based.
	2003	To create a form, report or data access page using this wizard, you must first select the table or query on which the form, report or data access page will be based.
	2000	To create a form, report or data access page using this wizard, you must first select the table or on which the form, report or data access page will be based.
2121	2007	Microsoft Office Access can't open the form ' '. It contains data that Microsoft Office Access doesn't recognize. Create the form or, if you maintain backup copies of your database, retrieve a copy of the form.
	2003	Microsoft Office Access can't open the form ' '. It contains data that Microsoft Office Access doesn't recognize. Create the form or, if you maintain backup copies of your database, retrieve a copy of the form.
	2002	Microsoft Access can't open the form ' '. It contains data that Microsoft Access doesn't recognize. Create the form or, if you maintain backup copies of your database, retrieve a copy of the form.
2122	2007	You can't view a form as a continuous form if it contains a subform, an ActiveX control, or a bound chart. Set the DefaultView property of the form to Single Form, Datasheet, PivotTable, or PivotChart.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2122	2003	You can't view a form as a continuous form if it contains a subform, an ActiveX control, or a bound chart.@Set the DefaultView property of the form to Single Form, Datasheet, PivotTable, or PivotChart.@@1@@1
	2000	You can't view a form as a continuous form if it contains a subform, an ActiveX control, or a bound chart.@Set the DefaultView property of the form to Single Form or Datasheet.@@1@@1
2123	2007	The control name you entered doesn't follow Microsoft Office Access object-naming rules.@@@2@1@11734@1
	2003	The control name you entered doesn't follow Microsoft Office Access object-naming rules.@@@2@611734@1
	2002	The control name you entered doesn't follow Microsoft Access object-naming rules.@@@2@611734@1
2124	2007	The form name you entered doesn't follow Microsoft Office Access object-naming rules.@@@2@1@11734@1
	2003	The form name you entered doesn't follow Microsoft Office Access object-naming rules.@@@2@611734@1
	2002	The form name you entered doesn't follow Microsoft Access object-naming rules.@@@2@611734@1
2125	2007	The setting for the FontSize property must be from 1 through 127.@@@1@1@12551@1
	2003	The setting for the FontSize property must be from 1 through 127.@@@1@612551@1
2126	2007	The setting for the ColumnCount property must be from 1 through 255.@@@1@1@936@1
	2003	The setting for the ColumnCount property must be from 1 through 255.@@@1@600936@1
2127	2007	The setting for the BoundColumn property can't be greater than the setting for the ColumnCount property.@@@1@1@839@1
	2003	The setting for the BoundColumn property can't be greater than the setting for the ColumnCount property.@@@1@600839@1
2128	2007	Microsoft Office Access encountered errors while importing 1.@For more detailed error information, see the file ' 2'.@@@1@@@1
	2003	Microsoft Office Access encountered errors while importing 1.@For more detailed error information, see the file ' 2'.@@@1@@@1
	2002	Microsoft Access encountered errors while importing 1.@For more detailed error information, see the file ' 2'.@@@1@@@1
2129	2007	The setting for the DefaultEditing property must be Allow Edits, Read Only, Data Entry, or Can't Add Records.@Enter 1, 2, 3, or 4 for the DefaultEditing property.@@1@@@1
	2003	The setting for the DefaultEditing property must be Allow Edits, Read Only, Data Entry, or Can't Add Records.@Enter 1, 2, 3, or 4 for the DefaultEditing property.@@1@@@1
2130	2007	The settings for the GridX and GridY properties must be from 1 through 64.@@@1@@@1
	2003	The settings for the GridX and GridY properties must be from 1 through 64.@@@1@@@1
2131	2007	An expression can't be longer than 2,048 characters.@@@1@@@1
	2003	An expression can't be longer than 2,048 characters.@@@1@@@1
2132	2007	The setting for the DecimalPlaces property must be from 0 through 15, or 255 for Auto (default).@@@1@@@1
	2003	The setting for the DecimalPlaces property must be from 0 through 15, or 255 for Auto (default).@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2133	2007	You can't place a form (or report) within itself. @Select or enter a different form or report to serve as the subform or subreport. @1@@@1
	2003	You can't place a form (or report) within itself. @Select or enter a different form or report to serve as the subform or subreport. @1@@1
2134	2007	The setting for the Width property must be from 0 through 22 inches (55.87 cm). @1@@@1
	2003	The setting for the Width property must be from 0 through 22 inches (55.87 cm). @1@@1
2135	2007	This property is read-only and can't be set. @1@@@1
	2003	This property is read-only and can't be set. @1@@1
2136	2007	To set this property, open the form or report in Design view. @For more information on this property, search the Help index for the name of the property. @1@@@1
	2003	To set this property, open the form or report in Design view. @For more information on this property, search the Help index for the name of the property. @1@@1
2137	2007	You can't use Find or Replace now. @The fields are not searchable due to one of the following: <input type="checkbox"/> The fields are controls (such as buttons or OLE objects). <input type="checkbox"/> The fields have no data. <input type="checkbox"/> There are no fields to search. @1@@@1
	2003	You can't use Find or Replace now. @The fields are not searchable due to one of the following: <input type="checkbox"/> The fields are controls (such as buttons or OLE objects). <input type="checkbox"/> The fields have no data. <input type="checkbox"/> There are no fields to search. @1@@1
2138	2007	You can't search the field for the specified value. @Resolve the error given in the previous error message before you attempt to search again. @1@@@1
	2003	You can't search the field for the specified value. @Resolve the error given in the previous error message before you attempt to search again. @1@@1
2139	2007	You can't replace the current value of the field with the replacement text. @Resolve any errors before making further replacements. @1@@@1
	2003	You can't replace the current value of the field with the replacement text. @Resolve any errors before making further replacements. @1@@1
2140	2007	Microsoft Office Access cannot save the change you made to the record in the Replace operation for the reason shown in the previous message. @Click Undo or enter a new value in the field. @1@@@1
	2003	Microsoft Office Access can't save the change you made to the record in the Replace operation for the reason given in the previous error message. @Click Undo Current Record on the Edit menu, or enter a new value in the field. @1@@1
	2002	Microsoft Access can't save the change you made to the record in the Replace operation for the reason given in the previous error message. @Click Undo Current Record on the Edit menu, or enter a new value in the field. @1@@1
2141	2007	Microsoft Office Access can't find the text you specified in the Find What box. @1@@@1
	2003	Microsoft Office Access can't find the text you specified in the Find What box. @1@@1
	2002	Microsoft Access can't find the text you specified in the Find What box. @1@@1
2142	2007	The FindRecord action requires a Find What argument. @You tried to run a macro set to one of the current field's properties, but you left the Find What argument blank. @When you click OK, an Action Failed dialog box will display the macro name and the macro's arguments. In the Macro window, enter text or an expression for the Find What argument, and try the Search operation again. @1@1@3015@1
	2003	The FindRecord action requires a Find What argument. @You tried to run a macro set to one of the current field's properties, but you left the Find What argument blank. @When you click OK, an Action Failed dialog box will display the macro name and the macro's arguments. In the Macro window, enter text or an expression for the Find What argument, and try the Search operation again. @1@603015@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2143	2007	You didn't specify search criteria with a FindRecord action.@In the Macro window, insert a FindRecord action before the FindNext action.@@1@1@3015@1
	2003	You didn't specify search criteria with a FindRecord action.@In the Macro window, insert a FindRecord action before the FindNext action.@@1@603015@1
2144	2007	The setting for the ListRows property must be from 1 through 255.@@@1@1@4055@1
	2003	The setting for the ListRows property must be from 1 through 255.@@@1@604055@1
2145	2007	The ColumnWidths property setting must be a value from 0 through 22 inches (55.87 cm) for each column in a list box or a combo box.@If there is more than one column, separate the numbers with either a semicolon or the list separator character. List separator characters are defined in the Regional Settings section of Windows Control Panel.@@1@1@847@1
	2003	The ColumnWidths property setting must be a value from 0 through 22 inches (55.87 cm) for each column in a list box or a combo box.@If there is more than one column, separate the numbers with either a semicolon or the list separator character. List separator characters are defined in the Regional Settings section of Windows Control Panel.@@1@600847@1
2146	2007	
	2003	Microsoft Office Access can't save the last change for the reason given in the previous error message.@For example, you may have entered a duplicate value in a field with an index that prohibits duplicate values.@Click Undo on the Edit menu, or enter a new value in the field.@1@@1
	2002	Microsoft Access can't save the last change for the reason given in the previous error message.@For example, you may have entered a duplicate value in a field with an index that prohibits duplicate values.@Click Undo on the Edit menu, or enter a new value in the field.@1@@1
2147	2007	You must be in Design view to create or delete controls.@@@1@2@5054@1
	2003	You must be in Design view to create or delete controls.@@@1@5054@1
2148	2007	The number you used to refer to the form or report section is invalid.@Make sure that the number is less than the number of sections in the form or report.@@1@@@1
	2003	The number you used to refer to the form or report section is invalid.@Make sure that the number is less than the number of sections in the form or report.@@1@@@1
2149	2007	The constant you entered for the control type is invalid.@For a list of valid constants you can use to create a control, click Help.@@2@1@10905@1
	2003	The constant you entered for the control type is invalid.@For a list of valid constants you can use to create a control, click Help.@@2@610905@1
2150	2007	This type of control can't contain other controls.@@@1@@@1
	2003	This type of control can't contain other controls.@@@1@@@1
2151	2007	The parent control can't contain the type of control you selected.@For example, you used the CreateControl function to designate an option group as the parent of a text box.@@1@@@1
	2003	The parent control can't contain the type of control you selected.@For example, you used the CreateControl function to designate an option group as the parent of a text box.@@1@@@1
2152	2007	You can set group levels for reports only, not for forms.@@@1@@@1
	2003	You can set group levels for reports only, not for forms.@@@1@@@1
2153	2007	You can't specify more than 10 group levels.@@@1@@@1
	2003	You can't specify more than 10 group levels.@@@1@@@1
2154	2007	You can't call this function when the Group, Sort, and Total Pane is open.@@@1@@@1
	2003	You can't call this function when the Sorting and Grouping box is open.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2155	2007	
	2003	Microsoft Office Access has encountered an error in compiling the Visual Basic code. @You don't have permission to edit code; inform someone who does have permission about this error. @1@@1
	2002	Microsoft Access has encountered an error in compiling the Visual Basic code. @You don't have permission to edit code; inform someone who does have permission about this error. @1@@1
2156	2007	
	2003	Microsoft Office Access has encountered an error in compiling the Visual Basic code. @Do you want to view the error in its context? @19@@2
	2002	Microsoft Access has encountered an error in compiling the Visual Basic code. @Do you want to view the error in its context? @19@@2
2157	2007	The sum of the top margin, the bottom margin, the height of the page header, and the height of the page footer is greater than the length of the page you are printing on. @@@1@@@1
	2003	The sum of the top margin, the bottom margin, the height of the page header, and the height of the page footer is greater than the length of the page you are printing on. @@@1@@@1
2158	2007	You can use the Print method and the report graphics methods (Circle, Line, PSet, and Scale) only in an event procedure or a macro set to the OnPrint, the OnFormat, or the OnPage event property. @@@1@1@10129@1
	2003	You can use the Print method and the report graphics methods (Circle, Line, PSet, and Scale) only in an event procedure or a macro set to the OnPrint, the OnFormat, or the OnPage event property. @@@1@210129@1
2159	2007	There isn't enough memory to initialize the Print method or one of the report graphics methods (Circle, Line, PSet, Scale). @Close unneeded programs and try again to print or preview the report. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
	2003	There isn't enough memory to initialize the Print method or one of the report graphics methods (Circle, Line, PSet, Scale). @Close unneeded programs and try again to print or preview the report. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
2160	2007	Microsoft Office Access couldn't create the graphic or text. @An error occurred while initializing the Print method or one of the report graphics methods (Circle, Line, PSet, Scale). @Close unneeded programs and try again to print or preview the report. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
	2003	Microsoft Office Access couldn't create the graphic or text. @An error occurred while initializing the Print method or one of the report graphics methods (Circle, Line, PSet, Scale). @Close unneeded programs and try again to print or preview the report. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
	2002	Microsoft Access couldn't create the graphic or text. @An error occurred while initializing the Print method or one of the report graphics methods (Circle, Line, PSet, Scale). @Close unneeded programs and try again to print or preview the report. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
2161	2007	The text or expression you entered doesn't match the type of data you are searching for. @Redefine the text or expression, or search in a different field. @1@@@1
	2003	The text or expression you entered doesn't match the type of data you are searching for. @Redefine the text or expression, or search in a different field. @1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2162	2007	A macro set to one of the current field's properties failed because of an error in a FindRecord action argument. In the Macro window, change the Search As Formatted argument to Yes. If you want the argument setting to remain No, do all of the following: Select No for the Match Case argument. Select Yes for the Only Current Field argument. Make sure you are searching in a bound control. @2@1@3015@1
	2003	A macro set to one of the current field's properties failed because of an error in a FindRecord action argument. In the Macro window, change the Search As Formatted argument to Yes. If you want the argument setting to remain No, do all of the following: Select No for the Match Case argument. Select Yes for the Only Current Field argument. Make sure you are searching in a bound control. @2@603015@1
2163	2007	The page number you used as an argument for the GoToPage action or method doesn't exist in this form. @1@1@3017@1
	2003	The page number you used as an argument for the GoToPage action or method doesn't exist in this form. @1@603017@1
2164	2007	You can't disable a control while it has the focus. @1@2@5250@1
	2003	You can't disable a control while it has the focus. @1@5250@1
2165	2007	You can't hide a control that has the focus. @1@@@1
	2003	You can't hide a control that has the focus. @1@@1
2166	2007	You can't lock a control while it has unsaved changes. @1@@@1
	2003	You can't lock a control while it has unsaved changes. @1@@1
2167	2007	This property is read-only and can't be modified. @1@@@1
	2003	This property is read-only and can't be modified. @1@@1
2169	2007	You can't save this record at this time. Microsoft Office Access may have encountered an error while trying to save a record. If you close this object now, the data changes you made will be lost. Do you want to close the database object anyway? @20@@@2
	2003	You can't save this record at this time. Microsoft Office Access may have encountered an error while trying to save a record. If you close this object now, the data changes you made will be lost. Do you want to close the database object anyway? @20@@2
	2002	You can't save this record at this time. Microsoft Access may have encountered an error while trying to save a record. If you close this object now, the data changes you made will be lost. Do you want to close the database object anyway? @20@@2
	2000	You can't save this record at this time. Microsoft Access may have encountered an error while trying to save a record. If you close this object now, the data changes you made will be lost. Do you want to close the database object anyway? @19@@2
2170	2007	There isn't enough memory to retrieve data for the list box. Close unneeded programs. Then close and reopen the active form, and click the list box again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
	2003	There isn't enough memory to retrieve data for the list box. Close unneeded programs. Then close and reopen the active form, and click the list box again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@1
2171	2007	You can't have more than seven nested subforms in a main form. Remove the eighth nested subform. @1@@@1
	2003	You can't have more than seven nested subforms in a main form. Remove the eighth nested subform. @1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2172	2007	You can't use a pass-through query or a non-fixed-column crosstab query as a record source for a subform or subreport. Before you bind the subform or subreport to a crosstab query, set the query's ColumnHeadings property.
	2003	You can't use a pass-through query or a non-fixed-column crosstab query as a record source for a subform or subreport. Before you bind the subform or subreport to a crosstab query, set the query's ColumnHeadings property.
2173	2007	The control 'I' the macro is attempting to search can't be searched. Try one of the following: Add a GoToControl action before the FindRecord action. For the FindRecord action, change the Only Current Field action argument from Yes to No. Change the focus to a searchable control.
	2003	The control 'I' the macro is attempting to search can't be searched. Try one of the following: Add a GoToControl action before the FindRecord action. For the FindRecord action, change the Only Current Field action argument from Yes to No. Change the focus to a searchable control.
2174	2007	You can't switch to a different view at this time. Code was executing when you tried to switch views. If you are debugging code, you must end the debugging operation before switching views.
	2003	You can't switch to a different view at this time. Code was executing when you tried to switch views. If you are debugging code, you must end the debugging operation before switching views.
2175	2007	There isn't enough free memory to continue the Search operation. Close unneeded programs. Then try the Search operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
	2003	There isn't enough free memory to continue the Search operation. Close unneeded programs. Then try the Search operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2176	2007	The setting for this property is too long. You can enter up to either 255 or 2,048 characters for this property, depending on the data type.
	2003	The setting for this property is too long. You can enter up to either 255 or 2,048 characters for this property, depending on the data type.
2177	2007	You can't insert a report into a form. A report can be inserted only into a report.
	2003	You can't insert a report into a form. A report can be inserted only into a report.
2178	2007	You can't add another section now. The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm). Remove or reduce the height of at least one section, and then add the new section.
	2003	You can't add another section now. The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm). Remove or reduce the height of at least one section, and then add the new section.
2181	2007	You can't sort on a calculated field in a form. You can sort on a calculated field only in a query. Create a calculated field in a query, sort the field, and then base the form on the query. Because the query must execute before the form opens, the form will open more slowly.
	2003	You can't sort on a calculated field in a form. You can sort on a calculated field only in a query. Create a calculated field in a query, sort the field, and then base the form on the query. Because the query must execute before the form opens, the form will open more slowly.
2182	2007	You can't sort on this field.
	2003	You can't sort on this field.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2183	2007	Microsoft Office Access can't create an object of the type requested. You are trying either to create a form from a report that has been saved as text, or to create a report from a saved form.
	2003	Microsoft Office Access can't create an object of the type requested. You are trying either to create a form from a report that has been saved as text, or to create a report from a saved form.
	2002	Microsoft Access can't create an object of the type requested. You are trying either to create a form from a report that has been saved as text, or to create a report from a saved form.
2184	2007	The value you used for the TabIndex property isn't valid. The correct values are from 0 through 6348.
	2003	The value you used for the TabIndex property isn't valid. The correct values are from 0 through 606348.
2185	2007	You can't reference a property or method for a control unless the control has the focus. Try one of the following: Move the focus to the control before you reference the property. In Visual Basic code, use the SetFocus method. In a macro, use the GoToControl action. Reference or set the property from a macro or event procedure that runs when the GotFocus event for the control occurs.
	2003	You can't reference a property or method for a control unless the control has the focus. Try one of the following: Move the focus to the control before you reference the property. In Visual Basic code, use the SetFocus method. In a macro, use the GoToControl action. Reference or set the property from a macro or event procedure that runs when the GotFocus event for the control occurs.
2186	2007	This property isn't available in Design view. Switch to Form view to access this property, or remove the reference to the property.
	2003	This property isn't available in Design view. Switch to Form view to access this property, or remove the reference to the property.
2187	2007	This property is available only in Design view.
	2003	This property is available only in Design view.
2188	2007	The object you attempted to load from text has an invalid value for the property 'I' on a 2.
	2003	The object you attempted to load from text has an invalid value for the property 'I' on a 2.
2189	2007	The code contains a syntax error, or a Microsoft Office Access function you need is not available. If the syntax is correct, check the Control Wizards subkey or the Libraries key in the Microsoft Office Access section of the Windows Registry to verify that the entries you need are listed and available. If the entries are correct, either you must correct the Microsoft Office Access Utility Add-in, or the file acWzlib or this wizard has been disabled. To reenale this wizard, run Microsoft Office Access or Microsoft Office Setup again to reinstall Microsoft Office Access. Before you reinstall Microsoft Office Access, delete the Windows Registry keys for the Microsoft Office Access Utility Add-in and acWzlib.
	2003	Your code contains a syntax error, or a Microsoft Office Access function you need isn't available. If the syntax is correct, check the Control Wizards subkey or the Libraries key in the Microsoft Office Access section of the Windows Registry to verify that the entries you need are listed and available. If the entries are correct, you need to correct the Microsoft Office Access Utility Add-in or the file acWzlib or this wizard has been disabled. To reenale this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access. Before you reinstall, delete the Windows Registry keys for the Microsoft Office Access Utility Add-in and acWzlib.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2189	2002	Your code contains a syntax error, or a Microsoft Access function you need isn't available. @If the syntax is correct, check the Control Wizards subkey or the Libraries key in the Microsoft Access section of the Windows Registry to verify that the entries you need are listed and available. @If the entries are correct, you need to correct the Microsoft Access Utility Add-in or the file acWzlib or this wizard has been disabled. To reenale this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access. Before you reinstall, delete the Windows Registry keys for the Microsoft Access Utility Add-in and acWzlib. @1@@1
	2000	Your code contains a syntax error, or a Microsoft Access function you need isn't available. @If the syntax is correct, check the Control Wizards subkey or the Libraries key in the Microsoft Access section of the Windows Registry to verify that the entries you need are listed and available. @If the entries are correct, you need to correct the Microsoft Access Utility Add-in or the file acWzlib. To do so, run Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access. Before you reinstall, delete the Windows Registry keys for the Microsoft Access Utility Add-in and acWzlib. @1@@1
2190	2007	This property has been replaced by a new property; use the new property instead. @@@1@@@1
	2003	This property has been replaced by a new property; use the new property instead. @@@1@@@1
2191	2007	You can't set the property in print preview or after printing has started. @Try setting this property in the OnOpen event. @1@@@1
	2003	You can't set the property in print preview or after printing has started. @Try setting this property in the OnOpen event. @1@@@1
	2000	You can't set the property after printing has started. @Try setting this property in the OnOpen event. @1@@@1
2192	2007	The bitmap you specified is not in a device-independent bitmap (.dib) format. @You tried to set the PictureData property of a form, report, button, or image control. @1@@@1
	2003	The bitmap you specified is not in a device-independent bitmap (.dib) format. @You tried to set the PictureData property of a form, report, button, or image control. @1@@@1
2193	2007	The left margin, right margin, or both margins are wider than the paper size specified in the Print Setup dialog box. @@@1@@@1
	2003	The left margin, right margin, or both margins are wider than the paper size specified in the Print Setup dialog box. @@@1@@@1
2194	2007	You can't set the PictureData property in Datasheet view. @To see the valid settings for this property, search the Help index for 'PictureData property'. @1@@@1
	2003	You can't set the PictureData property in Datasheet view. @To see the valid settings for this property, search the Help index for 'PictureData property'. @1@@@1
2195	2007	The section name you entered doesn't follow Microsoft Office Access object-naming rules. @@@2@1@11734@1
	2003	The section name you entered doesn't follow Microsoft Office Access object-naming rules. @@@2@611734@1
	2002	The section name you entered doesn't follow Microsoft Access object-naming rules. @@@2@611734@1
2196	2007	Microsoft Office Access can't retrieve the value of this property. @The property isn't available from the view in which you're running the macro or Visual Basic code, or Microsoft Office Access encountered an error while retrieving the value of the property. @To see the valid settings for this property, search the Help index for the name of the property. @1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2196	2003	Microsoft Office Access can't retrieve the value of this property. The property isn't available from the view in which you're running the macro or Visual Basic code, or Microsoft Office Access encountered an error while retrieving the value of the property. To see the valid settings for this property, search the Help index for the name of the property.
	2002	Microsoft Access can't retrieve the value of this property. The property isn't available from the view in which you're running the macro or Visual Basic code, or Microsoft Access encountered an error while retrieving the value of the property. To see the valid settings for this property, search the Help index for the name of the property.
2197	2007	You can't set a subform control's SourceObject property to a zero-length string if you're displaying the main form in Form view. You can set this property to a zero-length string from Design view, Datasheet view, or Print Preview.
	2003	You can't set a subform control's SourceObject property to a zero-length string if you're displaying the main form in Form view. You can set this property to a zero-length string from Design view, Datasheet view, or Print Preview.
2200	2007	The number you entered is invalid.
	2003	The number you entered is invalid.
2201	2007	There was a problem retrieving printer information for the 1 on 2. The object may have been sent to a printer that is unavailable.
	2003	There was a problem retrieving printer information for the 1 on 2. The object may have been sent to a printer that is unavailable.
2202	2007	There are currently no printers installed on your computer. To use this feature, you must first install a printer in Windows. For more information about how to install a printer, search for "install printer" in Windows Help.
	2003	You must install a printer before you print. To install a printer, point to Settings on the Windows Start menu, click Printers, and then double-click Add Printer. Follow the instructions in the wizard.
	2000	You must install a printer before you design, print, or preview. To install a printer, point to Settings on the Windows Start menu, click Printers, and then double-click Add Printer. Follow the instructions in the wizard.
2203	2007	The dynamic-link library Commdlg failed: error code '0x '. The printer driver for the selected printer may be incorrectly installed. For information on selecting another printer or reinstalling this printer from Microsoft Windows, search the Windows Help index for 'printer setup'.
	2003	The dynamic-link library Commdlg failed: error code '0x '. The printer driver for the selected printer may be incorrectly installed. For information on selecting another printer or reinstalling this printer from Microsoft Windows, search the Windows Help index for 'printer setup'.
2204	2007	The default printer driver isn't set up correctly. For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.
	2003	The default printer driver isn't set up correctly. For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.
2205	2007	The default printer driver isn't set up correctly. For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.
	2003	The default printer driver isn't set up correctly. For information on setting a default printer, search the Microsoft Windows Help index for 'default printer, setting'.
2206	2007	The page number you entered is invalid. For example, it may be a negative number or an invalid range, such as 6 to 3.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2206	2003	The page number you entered is invalid.@For example, it may be a negative number or an invalid range, such as 6 to 3.@@1@@1
2207	2007	Microsoft Office Access can't print macros.@You tried to use the PrintOut action or method, but the active object is a macro.@If you want to print an object other than a macro, use the SelectObject action or method to select the desired object before you run the PrintOut action.@1@1@3041@1
	2003	Microsoft Office Access can't print macros.@You tried to use the PrintOut action or method, but the active object is a macro.@If you want to print an object other than a macro, use the SelectObject action or method to select the desired object before you run the PrintOut action.@1@603041@1
	2002	Microsoft Access can't print macros.@You tried to use the PrintOut action or method, but the active object is a macro.@If you want to print an object other than a macro, use the SelectObject action or method to select the desired object before you run the PrintOut action.@1@603041@1
2210	2007	Microsoft Office Access can't print or preview the page because the page size you selected is larger than 22.75 inches.@@@1@@@1
	2003	Microsoft Office Access can't print or preview the page because the page size you selected is larger than 22.75 inches.@@@1@@@1
	2002	Microsoft Access can't print or preview the page because the page size you selected is larger than 22.75 inches.@@@1@@@1
2211	2007	Microsoft Office Access can't print or preview the Debug window.@@@1@@@1
	2003	Microsoft Office Access can't print or preview the Debug window.@@@1@@@1
	2002	Microsoft Access can't print or preview the Debug window.@@@1@@@1
2212	2007	Microsoft Office Access couldn't print your object.@Make sure that the specified printer is available.For information on setting a default printer, search the Windows Help index for 'default printer, setting'.@@1@@@1
	2003	Microsoft Office Access couldn't print your object.@Make sure that the specified printer is available.For information on setting a default printer, search the Windows Help index for 'default printer, setting'.@@1@@@1
	2002	Microsoft Access couldn't print your object.@Make sure that the specified printer is available.For information on setting a default printer, search the Windows Help index for 'default printer, setting'.@@1@@@1
2213	2007	There was a problem retrieving printer information for this object. The object may have been sent to a printer that is unavailable.@@@1@@@1
	2003	There was a problem retrieving printer information for this object. The object may have been sent to a printer that is unavailable.@@@1@@@1
2214	2007	There was a problem retrieving information from the printer. New printer has not been set.@@@1@@@1
	2003	There was a problem retrieving information from the printer. New printer has not been set.@@@1@@@1
2215	2007	Microsoft Office Access cannot print this PivotTable because its 1 exceed(s) 22.75 inches.@Reduce the 1 by making changes to the formatting or included data of the PivotTable view, and then try to print again.@@1@@@1
	2003	Microsoft Office Access cannot print this PivotTable because its 1 exceed(s) 22.75 inches.@Reduce the 1 by making changes to the formatting or included data of the PivotTable view, and then try to print again.@@1@@@1
	2002	Microsoft Access cannot print this PivotTable because its 1 exceed(s) 22.75 inches.@Reduce the 1 by making changes to the formatting or included data of the PivotTable view, and then try to print again.@@1@@@1
2220	2007	Microsoft Office Access can't open the file ' '.@@@1@@@1
	2003	Microsoft Office Access can't open the file ' '.@@@1@@@1
	2002	Microsoft Access can't open the file ' '.@@@1@@@1
2221	2007	The text is too long to be edited.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2221	2003	The text is too long to be edited.@@@1@@1
2222	2007	This control is read-only and can't be modified.@@@1@@@1
	2003	This control is read-only and can't be modified.@@@1@@@1
2223	2007	The file name ' ' is too long.@Enter a file name that's 256 characters or less.@@1@@@1
	2003	The file name ' ' is too long.@Enter a file name that's 256 characters or less.@@1@@@1
2225	2007	Microsoft Office Access couldn't open the Clipboard.@The Clipboard isn't responding, probably because another application is using it. Close all other applications and try the operation again.@@1@@@1
	2003	Microsoft Office Access couldn't open the Clipboard.@The Clipboard isn't responding, probably because another application is using it. Close all other applications and try the operation again.@@1@@@1
	2002	Microsoft Access couldn't open the Clipboard.@The Clipboard isn't responding, probably because another application is using it. Close all other applications and try the operation again.@@1@@@1
2226	2007	The Clipboard isn't responding, so Microsoft Office Access can't paste the Clipboard's contents.@* Another application may be using the Clipboard. There may not be enough free memory for the paste operation. Close all other applications, and then copy and paste again.@@1@@@1
	2003	The Clipboard isn't responding, so Microsoft Office Access can't paste the Clipboard's contents.@* Another application may be using the Clipboard. There may not be enough free memory for the paste operation. Close all other applications, and then copy and paste again.@@1@@@1
	2002	The Clipboard isn't responding, so Microsoft Access can't paste the Clipboard's contents.@* Another application may be using the Clipboard. There may not be enough free memory for the paste operation. Close all other applications, and then copy and paste again.@@1@@@1
2227	2007	The data on the Clipboard is damaged, so Microsoft Office Access can't paste it.@There may be an error in the Clipboard, or there may not be enough free memory. Try the operation again.@@1@@@1
	2003	The data on the Clipboard is damaged, so Microsoft Office Access can't paste it.@There may be an error in the Clipboard, or there may not be enough free memory. Try the operation again.@@1@@@1
	2002	The data on the Clipboard is damaged, so Microsoft Access can't paste it.@There may be an error in the Clipboard, or there may not be enough free memory. Try the operation again.@@1@@@1
2229	2007	Microsoft Office Access can't start the OLE server.@You tried to use a form, report, or datasheet that contains an OLE object, but the OLE server (the application used to create the object) may not be registered properly. Reinstall the OLE server to register it correctly.@@1@@@1
	2003	Microsoft Office Access can't start the OLE server.@You tried to use a form, report, or datasheet that contains an OLE object, but the OLE server (the application used to create the object) may not be registered properly. Reinstall the OLE server to register it correctly.@@1@@@1
	2002	Microsoft Access can't start the OLE server.@You tried to use a form, report, or datasheet that contains an OLE object, but the OLE server (the application used to create the object) may not be registered properly. Reinstall the OLE server to register it correctly.@@1@@@1
2234	2007	Microsoft Office Access can't paste the OLE object.@@@1@@@1
	2003	Microsoft Office Access can't paste the OLE object.@@@1@@@1
	2002	Microsoft Access can't paste the OLE object.@@@1@@@1
2237	2007	The text you entered isn't an item in the list.@Select an item from the list, or enter text that matches one of the listed items.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2237	2003	The text you entered isn't an item in the list. @Select an item from the list, or enter text that matches one of the listed items. @1@@1
2239	2007	Microsoft Office Access has detected that this database is in an inconsistent state, and cannot attempt to recover the database because the file is read-only. To allow Access to recover the database, close the database and set the file to read/write, and then open the database. @@1@@@1
	2003	The database ' ' needs to be repaired or isn't a Microsoft Office Access database file. @You may have quit Microsoft Office Access unexpectedly with the database open. @To repair the database, click the Repair Database command on the Tools menu (Database Utilities submenu). If the database can't be repaired, the .mdb file is unusable. Restore the database from a backup copy or create a new database. @1@@1
	2002	The database ' ' needs to be repaired or isn't a Microsoft Access database file. @You may have quit Microsoft Access unexpectedly with the database open. @To repair the database, click the Repair Database command on the Tools menu (Database Utilities submenu). If the database can't be repaired, the .mdb file is unusable. Restore the database from a backup copy or create a new database. @1@@1
2243	2007	The data in the Clipboard isn't recognizable; Microsoft Office Access can't paste the OLE object. @@@1@@@1
	2003	The data in the Clipboard isn't recognizable; Microsoft Office Access can't paste the OLE object. @@@1@@1
	2002	The data in the Clipboard isn't recognizable; Microsoft Access can't paste the OLE object. @@@1@@1
2244	2007	The file name you specified in the Picture property for a command button or toggle button can't be read. @* The file you specified may be corrupted. Restore the file from a backup copy or re-create the file. The disk where the file is located may be unreadable. @1@@@1
	2003	The file name you specified in the Picture property for a command button or toggle button can't be read. @* The file you specified may be corrupted. Restore the file from a backup copy or re-create the file. The disk where the file is located may be unreadable. @1@@1
2245	2007	The file you specified doesn't contain valid icon data. @Specify a valid icon file. @1@1@829@1
	2003	The file you specified doesn't contain valid icon data. @Specify a valid icon file. @1@600829@1
2246	2007	
	2003	Microsoft Office Access can't run the query; the parameter values are too large. @The total length of all the values entered for the parameters cannot exceed 1,024 characters. @1@@1
	2002	Microsoft Access can't run the query; the parameter values are too large. @The total length of all the values entered for the parameters cannot exceed 1,024 characters. @1@@1
2260	2007	An error occurred while sending data to the OLE server (the application used to create the object). @* You may have tried to send too much data. If you're creating a chart and the chart is based on a query, modify the query so that it selects less data. If the chart is based on a table, consider basing it on a query instead so that you can limit the data. You may be using an OLE server that doesn't accept the Clipboard format. You may not be able to start the OLE server because it's not properly registered. Reinstall it to register it. Your computer may be low on memory. Close other application windows to free up memory. @1@1@8951@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2260	2003	An error occurred while sending data to the OLE server (the application used to create the object). You may have tried to send too much data. If you're creating a chart and the chart is based on a query, modify the query so that it selects less data. If the chart is based on a table, consider basing it on a query instead so that you can limit the data. You may be using an OLE server that doesn't accept the Clipboard format. You may not be able to start the OLE server because it's not properly registered. Reinstall it to register it. Your computer may be low on memory. Close other application windows to free up memory.
	2000	An error occurred while sending data to the OLE server (the application used to create the object). You may have tried to send too much data. If you're creating a chart and the chart is based on a query, modify the query so that it selects less data. If the chart is based on a table, consider basing it on a query instead so that you can limit the data. You may be using an OLE server that doesn't accept the Clipboard format. You may not be able to start the OLE server because it's not properly registered. Reinstall it to register it. Your computer may be low on memory. Close windows to free up memory, or restart Microsoft Windows.
2262	2007	This value must be a number.
	2003	This value must be a number.
2263	2007	The number is too large.
	2003	The number is too large.
2264	2007	Microsoft Office Access didn't recognize the unit of measurement. Type a valid unit, such as inches (in) or centimeters (cm).
	2003	Microsoft Office Access didn't recognize the unit of measurement. Type a valid unit, such as inches (in) or centimeters (cm).
	2002	Microsoft Access didn't recognize the unit of measurement. Type a valid unit, such as inches (in) or centimeters (cm).
2265	2007	You must specify a unit of measurement, such as inches (in) or centimeters (cm).
	2003	You must specify a unit of measurement, such as inches (in) or centimeters (cm).
2266	2007	'I' may not be a valid setting for the RowSourceType property, or there was a compile error in the function. For information on valid settings for the RowSourceType property, click Help.
	2003	'I' may not be a valid setting for the RowSourceType property, or there was a compile error in the function. For information on valid settings for the RowSourceType property, click Help.
2267	2007	There is not enough disk space to create a temporary buffer file for printing. Free up some disk space to make room for the temporary buffer file.
	2003	There is not enough disk space to create a temporary buffer file for printing. Free up some disk space to make room for the temporary buffer file.
2269	2007	Some library databases couldn't be loaded because too many were specified. To change library database references, click References on the Tools menu.
	2003	Some library databases couldn't be loaded because too many were specified. To change library database references, click References on the Tools menu.
2272	2007	The setting for the Update Retry Interval must be from 0 through 1,000 milliseconds.
	2003	The setting for the Update Retry Interval must be from 0 through 1,000 milliseconds.
2273	2007	The setting for Update Retries must be from 0 through 10.
	2003	The setting for Update Retries must be from 0 through 10.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2274	2007	The database ' ' is already open as a library database.
	2003	The database ' ' is already open as a library database.
2275	2007	The string returned by the builder was too long. The result will be truncated.
	2003	The string returned by the builder was too long. The result will be truncated.
2276	2007	The custom builder you're using caused an error by changing the focus to a different window while you were using it. Enter a value without using the custom builder.
	2003	The custom builder you're using caused an error by changing the focus to a different window while you were using it. Enter a value without using the custom builder.
2277	2007	There was a font initialization error.
	2003	There was a font initialization error.
2278	2007	Microsoft Office Access can't save your changes to this bound OLE object. Either you don't have permission to write to the record in which the object is stored, or the record is locked by another user. Copy the object to the Clipboard (select the object and click Copy on the Edit menu), and click Undo Current Record on the Edit menu. Then open the application you used to create the object, paste the object from the Clipboard, and save it.
	2003	Microsoft Office Access can't save your changes to this bound OLE object. Either you don't have permission to write to the record in which the object is stored, or the record is locked by another user. Copy the object to the Clipboard (select the object and click Copy on the Edit menu), and click Undo Current Record on the Edit menu. Then open the application you used to create the object, paste the object from the Clipboard, and save it.
	2002	Microsoft Access can't save your changes to this bound OLE object. Either you don't have permission to write to the record in which the object is stored, or the record is locked by another user. Copy the object to the Clipboard (select the object and click Copy on the Edit menu), and click Undo Current Record on the Edit menu. Then open the application you used to create the object, paste the object from the Clipboard, and save it.
2279	2007	The value you entered isn't appropriate for the input mask ' ' specified for this field.
	2003	The value you entered isn't appropriate for the input mask ' ' specified for this field.
2280	2007	You have added more output formats to the Windows Registry than Microsoft Office Access can initialize. Some output formats will not be available. Remove those formats that you never or least often use.
	2003	You have added more output formats to the Windows Registry than Microsoft Office Access can initialize. Some output formats will not be available. Remove those formats that you never or least often use.
	2002	You have added more output formats to the Windows Registry than Microsoft Access can initialize. Some output formats will not be available. Remove those formats that you never or least often use.
2281	2007	Output format information is missing. There appears to be a problem with your Microsoft Office Access installation. Please reinstall Microsoft Office Access or contact your system administrator or help desk representative.
	2003	The formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing or incorrectly registered in the Windows Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information about the Registry, click Help.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2281	2002	The formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing or incorrectly registered in the Windows Registry. @Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information about the Registry, click Help. @@2@109015@1
2282	2007	The format in which you are attempting to output the current object is not available. @Either you are attempting to output the current object to a format that is not valid for its object type, or the formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing from the Windows Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@1@9015@1
	2003	The format in which you are attempting to output the current object is not available. @Either you are attempting to output the current object to a format that is not valid for its object type, or the formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing from the Windows Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@109015@1
	2002	The format in which you are attempting to output the current object is not available. @Either you are attempting to output the current object to a format that is not valid for its object type, or the formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing from the Windows Registry. Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@109015@1
	2000	The formats that enable you to output data as a Microsoft Excel, rich-text format, MS-DOS text, or HTML file are missing from the Windows Registry. @Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@109015@1
2283	2007	The format specification for ' ' is invalid. @You can't save output data to a file in this format until you correct the setting for the format in the Windows Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@1@9015@1
	2003	The format specification for ' ' is invalid. @You can't save output data to a file in this format until you correct the setting for the format in the Windows Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@109015@1
	2002	The format specification for ' ' is invalid. @You can't save output data to a file in this format until you correct the setting for the format in the Windows Registry. Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help. @@2@109015@1
2284	2007	Microsoft Office Access can't write to the file. @* The network may not be working. Wait until the network is working, and then try again. ☒ You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again. @@1@@@1
	2003	Microsoft Office Access can't write to the file. @* The network may not be working. Wait until the network is working, and then try again. ☒ You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again. @@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2284	2002	Microsoft Access can't write to the file. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.
	2000	Microsoft Access can't write to the file. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Access windows, close other applications, or restart Microsoft Windows, and then try again.
2285	2007	Microsoft Office Access can't create the output file. You may be out of disk space on the destination drive. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.
	2003	Microsoft Office Access can't create the output file. You may be out of disk space on the destination drive. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.
	2002	Microsoft Access can't create the output file. You may be out of disk space on the destination drive. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.
	2000	Microsoft Access can't create the output file. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Access windows, close other applications, or restart Microsoft Windows, and then try again.
2286	2007	Microsoft Office Access can't close the file. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.
	2003	Microsoft Office Access can't close the file. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.
	2002	Microsoft Access can't close the file. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.
	2000	Microsoft Access can't close the file. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Access windows, close other applications, or restart Microsoft Windows, and then try again.
2287	2007	Microsoft Office Access can't open the mail session. Check your mail application to make sure that it's working properly.
	2003	Microsoft Office Access can't open the mail session. Check your mail application to make sure that it's working properly.
	2002	Microsoft Access can't open the mail session. Check your mail application to make sure that it's working properly.
2288	2007	Microsoft Office Access can't load the ' ' format. The setting for this format in the Windows Registry is incorrect. You can't save the output data to a file in this format until you correct the setting in the Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2288	2003	Microsoft Office Access can't load the 'I' format. The setting for this format in the Windows Registry is incorrect. You can't save the output data to a file in this format until you correct the setting in the Registry. Run Setup to reinstall Microsoft Office Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.
	2002	Microsoft Access can't load the 'I' format. The setting for this format in the Windows Registry is incorrect. You can't save the output data to a file in this format until you correct the setting in the Registry. Run Setup to reinstall Microsoft Access or, if you're familiar with the settings in the Registry, try to correct them yourself. For more information on the Registry, click Help.
2289	2007	Microsoft Office Access can't output the module in the requested format.
	2003	Microsoft Office Access can't output the module in the requested format.
	2002	Microsoft Access can't output the module in the requested format.
2290	2007	There were too many message recipients; the message was not sent.
	2003	There were too many message recipients; the message was not sent.
2291	2007	There are too many message attachments; the message was not sent.
	2003	There are too many message attachments; the message was not sent.
2292	2007	The message text is too long, so it was not sent.
	2003	The message text is too long, so it was not sent.
2293	2007	Microsoft Office Access can't send this e-mail message. Before attempting to send an e-mail message from Microsoft Office Access, resolve the problem identified in the previous message, or configure your computer to send and receive e-mail messages.
	2003	Microsoft Office Access can't send this e-mail message. Before attempting to send an e-mail message from Microsoft Office Access, resolve the problem identified in the previous message, or configure your computer to send and receive e-mail messages.
	2002	Microsoft Access can't send this e-mail message. Before attempting to send an e-mail message from Microsoft Access, resolve the problem identified in the previous message, or configure your computer to send and receive e-mail messages.
	2000	Microsoft Access can't send a message for the reason stated in the preceding alert. Resolve that problem, and then send the message again.
2294	2007	Microsoft Office Access can't attach the object; the message was not sent. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.
	2003	Microsoft Office Access can't attach the object; the message was not sent. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again.
	2002	Microsoft Access can't attach the object; the message was not sent. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again.
	2000	Microsoft Access can't attach the object; the message was not sent. The network may not be working. Wait until the network is working, and then try again. You may be out of memory. Close one or more Microsoft Access windows, close other applications, or restart Microsoft Windows, and then try again.
2295	2007	Unknown message recipient(s); the message was not sent.
	2003	Unknown message recipient(s); the message was not sent.
2296	2007	The password is invalid; the message wasn't sent.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2296	2003	The password is invalid; the message wasn't sent.@@@1@@@1
2297	2007	Microsoft Office Access can't open the mail session.@You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again. You may also want to check your mail application to ensure that it's working properly.@@1@@@1
	2003	Microsoft Office Access can't open the mail session.@You may be out of memory. Close one or more Microsoft Office Access windows, close other applications, and then try again. You may also want to check your mail application to ensure that it's working properly.@@1@@@1
	2002	Microsoft Access can't open the mail session.@You may be out of memory. Close one or more Microsoft Access windows, close other applications, and then try again. You may also want to check your mail application to ensure that it's working properly.@@1@@@1
	2000	Microsoft Access can't open the mail session.@You may be out of memory. Close one or more Microsoft Access windows, close other applications, or restart Microsoft Windows, and then try again. You may also want to check your mail application to ensure that it's working properly.@@1@@@1
2298	2007	Microsoft Office Access can't start the wizard, builder, or add-in.* The library database containing the wizard, builder, or add-in may not be installed. Point to Add-ins on the Tools menu, and then click Add-in Manager to see if the library database is installed.☐The wizard, builder, or add-in code may not be compiled and Microsoft Office Access can't compile it. There may be a syntax error in the code.☐The key for the add-in in the Windows Registry file may be incorrect.@@2@1@9015@1
	2003	Microsoft Office Access can't start the wizard, builder, or add-in.* The library database containing the wizard, builder, or add-in may not be installed. Point to Add-ins on the Tools menu, and then click Add-in Manager to see if the library database is installed.☐The wizard, builder, or add-in code may not be compiled and Microsoft Office Access can't compile it. There may be a syntax error in the code.☐The key for the add-in in the Windows Registry file may be incorrect.@@2@109015@1
	2002	Microsoft Access can't start the wizard, builder, or add-in.* The library database containing the wizard, builder, or add-in may not be installed. Point to Add-ins on the Tools menu, and then click Add-in Manager to see if the library database is installed.☐The wizard, builder, or add-in code may not be compiled and Microsoft Access can't compile it. There may be a syntax error in the code.☐The key for the add-in in the Windows Registry file may be incorrect.@@2@109015@1
2299	2007	Microsoft Office Access can't open the Zoom box.@The Microsoft Office Access Utility add-in is missing or was modified. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access and the Microsoft Office Access Utility add-in.@@1@1@12620@1
	2003	Microsoft Office Access can't open the Zoom box.@The Microsoft Office Access Utility add-in is missing or was modified. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access and the Microsoft Office Access Utility add-in.@@1@212620@1
	2002	Microsoft Access can't open the Zoom box.@The Microsoft Access Utility add-in is missing or was modified. Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access and the Microsoft Access Utility add-in.@@1@212620@1
2300	2007	Microsoft Office Access can't output because there are too many controls selected that have different styles, such as color and font.@Select fewer controls, and then try again.@@1@@@1
	2003	Microsoft Office Access can't output because there are too many controls selected that have different styles, such as color and font.@Select fewer controls, and then try again.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2300	2002	Microsoft Access can't output because there are too many controls selected that have different styles, such as color and font. @Select fewer controls, and then try again. @1@@1
	2000	Microsoft Access can't output because you have selected too many controls with differing styles, such as color and font. @Reduce the number of controls selected, and then try again. @1@@1
2301	2007	There are not enough system resources to output the data. @Close one or more Microsoft Office Access windows and close other applications. Then try to output the data again. @1@@@1
	2003	There are not enough system resources to output the data. @Close one or more Microsoft Office Access windows and close other applications. Then try to output the data again. @1@@1
	2002	There are not enough system resources to output the data. @Close one or more Microsoft Access windows and close other applications. Then try to output the data again. @1@@1
	2000	There are not enough system resources to output the data. @Close one or more Microsoft Access windows, close other applications, or restart Microsoft Windows. Then try to output the data again. @1@@1
2302	2007	Microsoft Office Access can't save the output data to the file you've selected. @* The file may be open. If so, close it, and then save the output data to the file again. ☐ If you are using a template, check to make sure the template exists. ☐ If the file isn't open, check to make sure that you have enough free disk space. ☐ Make sure that the file exists on the path specified. ☐ Check to make sure you have permission to write to the specified folder. @1@@@1
	2003	Microsoft Office Access can't save the output data to the file you've selected. @* The file may be open. If so, close it, and then save the output data to the file again. ☐ If you are using a template, check to make sure the template exists. ☐ If the file isn't open, check to make sure that you have enough free disk space. ☐ Make sure that the file exists on the path specified. ☐ Check to make sure you have permission to write to the specified folder. @1@@1
	2002	Microsoft Access can't save the output data to the file you've selected. @* The file may be open. If so, close it, and then save the output data to the file again. ☐ If you are using a template, check to make sure the template exists. ☐ If the file isn't open, check to make sure that you have enough free disk space. ☐ Make sure that the file exists on the path specified. @1@@1
	2000	Microsoft Access can't save the output data to the file you've selected. @* The file may be open. If so, close it, and then save the output data to the file again. ☐ If you are using a template, check to make sure the template exists. ☐ If the file isn't open, check to make sure that you have enough free disk space. @1@@1
2303	2007	Microsoft Office Access can't output data now. @* The network may not be working. Wait until the network is working, and then try again. ☐ You may be out of disk space. Free up disk space and try again. @1@@@1
	2003	Microsoft Office Access can't output data now. @* The network may not be working. Wait until the network is working, and then try again. ☐ You may be out of disk space. Free up disk space and try again. @1@@1
	2002	Microsoft Access can't output data now. @* The network may not be working. Wait until the network is working, and then try again. ☐ You may be out of disk space. Free up disk space and try again. @1@@1
2304	2007	Microsoft Office Access can't save output data to the specified file. @Make sure that you have enough free disk space on your destination drive. @1@@@1
	2003	Microsoft Office Access can't save output data to the specified file. @Make sure that you have enough free disk space on your destination drive. @1@@1
	2002	Microsoft Access can't save output data to the specified file. @Make sure that you have enough free disk space on your destination drive. @1@@1
2305	2007	There are too many columns to output, based on the limitation specified in the output format or by Microsoft Office Access. @1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2305	2003	There are too many columns to output, based on the limitation specified in the output format or by Microsoft Office Access.@@@1@@1
	2002	There are too many columns to output, based on the limitation specified in the output format or by Microsoft Access.@@@1@@1
2306	2007	There are too many rows to output, based on the limitation specified by the output format or by Microsoft Office Access.@@@1@@@1
	2003	There are too many rows to output, based on the limitation specified by the output format or by Microsoft Office Access.@@@1@@@1
	2002	There are too many rows to output, based on the limitation specified by the output format or by Microsoft Access.@@@1@@@1
2307	2007	
	2003	You haven't selected any data, or the object you've selected is blank.@@@1@@@1
2308	2007	The file ' ' already exists.@Do you want to replace the existing file?@@20@@@2
	2003	The file ' ' already exists.@Do you want to replace the existing file?@@20@@@2
2309	2007	There is an invalid add-in entry for ' '.@There is an error in the Windows Registry for this add-in. Correct the setting and restart Microsoft Office Access. For information on the Registry, click Help.@@2@1@9015@1
	2003	There is an invalid add-in entry for ' '.@There is an error in the Windows Registry for this add-in. Correct the setting and restart Microsoft Office Access. For information on the Registry, click Help.@@2@109015@1
	2002	There is an invalid add-in entry for ' '.@There is an error in the Windows Registry for this add-in. Correct the setting and restart Microsoft Access. For information on the Registry, click Help.@@2@109015@1
2311	2007	There isn't enough memory to run the NotInList event procedure.@@@1@@@1
	2003	There isn't enough memory to run the NotInList event procedure.@@@1@@@1
2312	2007	The shortcut ' ' must be re-created.@The file may be missing, damaged, or in an older format that can't be read.@@1@@@1
	2003	The shortcut ' ' must be re-created.@The file may be missing, damaged, or in an older format that can't be read.@@1@@@1
2313	2007	Microsoft Office Access can't find the shortcut databases ' 1' or ' 2'.@Re-create the shortcut with the correct locations of the databases.@@2@1@9032@1
	2003	Microsoft Office Access can't find the shortcut databases ' 1' or ' 2'.@Re-create the shortcut with the correct locations of the databases.@@2@209032@1
	2002	Microsoft Access can't find the shortcut databases ' 1' or ' 2'.@Re-create the shortcut with the correct locations of the databases.@@2@209032@1
2314	2007	Microsoft Office Access can't find the shortcut database ' '.@Re-create the shortcut with the correct location of the database.@@2@1@9032@1
	2003	Microsoft Office Access can't find the shortcut database ' '.@Re-create the shortcut with the correct location of the database.@@2@209032@1
	2002	Microsoft Access can't find the shortcut database ' '.@Re-create the shortcut with the correct location of the database.@@2@209032@1
2315	2007	The input string is too long.@@@1@@@1
	2003	The input string is too long.@@@1@@@1
2316	2007	This table or query can't be opened because it has no visible fields.@This can result if the table or query has only system fields, and the Show System Objects option is off.@To turn on the Show System Objects option, click Options on the Tools menu, click the View tab, and select the System Objects check box.@1@@@1
	2003	This table or query can't be opened because it has no visible fields.@This can result if the table or query has only system fields, and the Show System Objects option is off.@To turn on the Show System Objects option, click Options on the Tools menu, click the View tab, and select the System Objects check box.@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2317	2007	The database ' ' can't be repaired or isn't a Microsoft Office Access database file.@@@1@@@1
	2003	The database ' ' can't be repaired or isn't a Microsoft Office Access database file.@@@1@@@1
	2002	The database ' ' can't be repaired or isn't a Microsoft Access database file.@@@1@@@1
2319	2007	
	2003	Microsoft Office Access can't import the object ' ' while it is open.@@@1@@@3
	2002	Microsoft Access can't import the object ' ' while it is open.@@@1@@@3
2320	2007	Microsoft Office Access can't display the field for which you entered Where in the Total row.@Clear the Show check box for that field. If you want this field to appear in the query's results, add it to the design grid twice. For the field that will appear in the query's results, don't specify Where in the Total row, and make sure the Show check box is checked.@@1@@@1
	2003	Microsoft Office Access can't display the field for which you entered Where in the Total row.@Clear the Show check box for that field. If you want this field to appear in the query's results, add it to the design grid twice. For the field that will appear in the query's results, don't specify Where in the Total row, and make sure the Show check box is checked.@@1@@@1
	2002	Microsoft Access can't display the field for which you entered Where in the Total row.@Clear the Show check box for that field. If you want this field to appear in the query's results, add it to the design grid twice. For the field that will appear in the query's results, don't specify Where in the Total row, and make sure the Show check box is checked.@@1@@@1
2321	2007	You can't set criteria before you add a field or expression to the Field row.@Either add a field from the field list to the column and enter an expression, or delete the criteria.@@1@@@1
	2003	You can't set criteria before you add a field or expression to the Field row.@Either add a field from the field list to the column and enter an expression, or delete the criteria.@@1@@@1
2322	2007	You can't sort on the asterisk (*).@Because the asterisk represents all fields in the underlying table or query, you can't sort on it.@Add the asterisk to the query design grid, along with the specific fields you want to sort on. Clear the Show check box for the sorting fields, and then specify a sort order.@1@@@1
	2003	You can't sort on the asterisk (*).@Because the asterisk represents all fields in the underlying table or query, you can't sort on it.@Add the asterisk to the query design grid, along with the specific fields you want to sort on. Clear the Show check box for the sorting fields, and then specify a sort order.@1@@@1
2323	2007	You can't specify criteria for the asterisk (*).@Because the asterisk represents all the fields in the underlying table or query, you can't specify criteria for it.@Add the asterisk to the query design grid, along with the field(s) you want to set criteria for, and then enter criteria for the specific fields. In the query design grid, clear the Show check box for the criteria field(s), before you run the query.@1@@@1
	2003	You can't specify criteria for the asterisk (*).@Because the asterisk represents all the fields in the underlying table or query, you can't specify criteria for it.@Add the asterisk to the query design grid, along with the field(s) you want to set criteria for, and then enter criteria for the specific fields. In the query design grid, clear the Show check box for the criteria field(s), before you run the query.@1@@@1
2324	2007	You can't calculate totals on the asterisk (*).@Because the asterisk represents all the fields in the table, you can't calculate totals on it.@Remove the asterisk from the query design grid. Add the fields you want to use to the design grid, and then select the total you want to calculate for specific fields.@1@2@11202@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2324	2003	You can't calculate totals on the asterisk (*).@Because the asterisk represents all the fields in the table, you can't calculate totals on it.@Remove the asterisk from the query design grid. Add the fields you want to use to the design grid, and then select the total you want to calculate for specific fields.@1@11202@1
2325	2007	The field name you entered exceeds the 64-character limit of the LinkMasterFields property.@When you use the Relationships command (on the Database Tools tab, click Relationships) to define a relationship between the tables underlying a form and subform, Microsoft Office Access links the form and subform automatically and sets the LinkChildFields and LinkMasterFields properties.@@1@1@3990@1
	2003	The field name you entered exceeds the LinkMasterFields property's 64-character limit.@When you use the Relationships command (Tools menu) to define a relationship between the tables underlying a form and subform, Microsoft Office Access links the form and subform automatically and sets the LinkChildFields and LinkMasterFields properties.@@1@603990@1
	2002	The field name you entered exceeds the LinkMasterFields property's 64-character limit.@When you use the Relationships command (Tools menu) to define a relationship between the tables underlying a form and subform, Microsoft Access links the form and subform automatically and sets the LinkChildFields and LinkMasterFields properties.@@1@603990@1
2326	2007	You can't specify Group By, Expression, or Where in the Total row for this column.@Specify an aggregate function, such as Sum or Count, for the field or expression you designate as the Value in the crosstab query.For more information on aggregate functions, click Help.@@2@1@9980@1
	2003	You can't specify Group By, Expression, or Where in the Total row for this column.@Specify an aggregate function, such as Sum or Count, for the field or expression you designate as the Value in the crosstab query.For more information on aggregate functions, click Help.@@2@209980@1
2327	2007	You must enter Group By in the Total row for a field that has Column Heading in the Crosstab row.@The values derived from the field or expression that you designate as the Column Heading are used to group data in the crosstab query.@@1@1@9980@1
	2003	You must enter Group By in the Total row for a field that has Column Heading in the Crosstab row.@The values derived from the field or expression that you designate as the Column Heading are used to group data in the crosstab query.@@1@209980@1
2328	2007	You can't run an update query on the asterisk (*).@Because the asterisk represents all the fields in the table, you can't update it.@Remove the asterisk from the query design grid. Add the fields you want to update to the design grid.@1@1@10001@1
	2003	You can't run an update query on the asterisk (*).@Because the asterisk represents all the fields in the table, you can't update it.@Remove the asterisk from the query design grid. Add the fields you want to update to the design grid.@1@210001@1
2329	2007	To create a crosstab query, you must specify one or more Row Heading(s) options, one Column Heading option, and one Value option.@@1@1@9980@1
	2003	To create a crosstab query, you must specify one or more Row Heading(s) options, one Column Heading option, and one Value option.@@1@209980@1
2330	2007	Microsoft Office Access can't represent the join expression in Design view.@* One or more fields may have been deleted or renamed.☒The name of one or more fields or tables specified in the join expression may be misspelled.☒The join may use an operator that isn't supported in Design view, such as > or <.@@1@@@1
	2003	Microsoft Office Access can't represent the join expression in Design view.@* One or more fields may have been deleted or renamed.☒The name of one or more fields or tables specified in the join expression may be misspelled.☒The join may use an operator that isn't supported in Design view, such as > or <.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2330	2002	Microsoft Access can't represent the join expression in Design view. One or more fields may have been deleted or renamed. The name of one or more fields or tables specified in the join expression may be misspelled. The join may use an operator that isn't supported in Design view, such as > or <.
2331	2007	You must enter Group By in the Total row for at least one of the Row Heading options you enter in the Crosstab row.
	2003	You must enter Group By in the Total row for at least one of the Row Heading options you enter in the Crosstab row.
2332	2007	Microsoft Office Access can't match the fields you added using the asterisk (*) in the append query. Because the asterisk represents all the fields in the underlying table or query, you can't append an asterisk to one field or expression, and you can't append a single field or expression to an asterisk. Append an asterisk to an asterisk (for example, a table to a table), or append specific fields.
	2003	Microsoft Office Access can't match the fields you added using the asterisk (*) in the append query. Because the asterisk represents all the fields in the underlying table or query, you can't append an asterisk to one field or expression, and you can't append a single field or expression to an asterisk. Append an asterisk to an asterisk (for example, a table to a table), or append specific fields.
	2002	Microsoft Access can't match the fields you added using the asterisk (*) in the append query. Because the asterisk represents all the fields in the underlying table or query, you can't append an asterisk to one field or expression, and you can't append a single field or expression to an asterisk. Append an asterisk to an asterisk (for example, a table to a table), or append specific fields.
2333	2007	You must enter the name of the table you are creating or appending records to. You tried to define a make-table or append query without specifying a destination table.
	2003	You must enter the name of the table you are creating or appending records to. You tried to define a make-table or append query without specifying a destination table.
2334	2007	Microsoft Office Access can't print ' ' because it is an action query. Because action queries don't produce a recordset, you can't print a Datasheet view of them. Note that an exclamation point (!) joined to a query icon in the Navigation Pane marks an action query. To print a Datasheet view of the records that will be selected by the query, display the query in Design view, click the Datasheet button, and then click the Print button.
	2003	Microsoft Office Access can't print ' ' because it is an action query. Because action queries don't produce a recordset, you can't print a Datasheet view of them. Note that an exclamation point (!) joined to a query icon in the Database window marks an action query. To print a Datasheet view of the records that will be selected by the query, display the query in Design view, click the Datasheet button, and then click the Print button.
	2002	Microsoft Access can't print ' ' because it is an action query. Because action queries don't produce a recordset, you can't print a Datasheet view of them. Note that an exclamation point (!) joined to a query icon in the Database window marks an action query. To print a Datasheet view of the records that will be selected by the query, display the query in Design view, click the Datasheet button, and then click the Print button.
2335	2007	You must specify the same number of fields when you set the LinkChildFields and LinkMasterFields properties. You entered a different number of fields for one property than you did for the other. If you use the Relationships command (on the Database Tools tab, click Relationships) to define a relationship between the tables underlying the form and subform, Microsoft Office Access will link the form and subform automatically and then set the LinkChildFields and LinkMasterFields properties.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2335	2003	You must use the same number of fields when you set the LinkChildFields and LinkMasterFields properties. You entered a different number of fields for one property than you did for the other. If you use the Relationships command (Tools menu) to define a relationship between the tables underlying the form and subform, Microsoft Office Access will link the form and subform automatically and then set the LinkChildFields and LinkMasterFields properties.
	2002	You must use the same number of fields when you set the LinkChildFields and LinkMasterFields properties. You entered a different number of fields for one property than you did for the other. If you use the Relationships command (Tools menu) to define a relationship between the tables underlying the form and subform, Microsoft Access will link the form and subform automatically and then set the LinkChildFields and LinkMasterFields properties.
2337	2007	You can't specify criteria on the same field for which you entered Value in the Crosstab row. You tried to display a crosstab query after entering Value in the Crosstab row and criteria in the Criteria row. If you want this field to supply the cross-tabulated values in the crosstab query, delete the entry in the Criteria row. If you want this to be a criteria field, leave the Crosstab row blank.
	2003	You can't specify criteria on the same field for which you entered Value in the Crosstab row. You tried to display a crosstab query after entering Value in the Crosstab row and criteria in the Criteria row. If you want this field to supply the cross-tabulated values in the crosstab query, delete the entry in the Criteria row. If you want this to be a criteria field, leave the Crosstab row blank.
2338	2007	Microsoft Office Access truncated the expression you entered. The expression 'I' exceeds the 1,024-character limit for the query design grid.
	2003	Microsoft Office Access truncated the expression you entered. The expression 'I' exceeds the 1,024-character limit for the query design grid.
	2002	Microsoft Access truncated the expression you entered. The expression 'I' exceeds the 1,024-character limit for the query design grid.
2339	2007	Microsoft Office Access can't create a temporary link. You reached the limit for the number of links in your database. Microsoft Office Access needs to create a temporary link in order to import your ODBC table. Remove all unneeded links or tables.
	2003	Microsoft Office Access can't create a temporary link. You reached the limit for the number of links in your database. Microsoft Office Access needs to create a temporary link in order to import your ODBC table. Remove all unneeded links or tables.
	2002	Microsoft Access can't create a temporary link. You reached the limit for the number of links in your database. Microsoft Access needs to create a temporary link in order to import your ODBC table. Remove all unneeded links or tables.
2340	2007	The expression you entered exceeds the 1,024-character limit for the query design grid.
	2003	The expression you entered exceeds the 1,024-character limit for the query design grid.
2342	2007	A RunSQL action requires an argument consisting of an SQL statement. For example, an action query that appends records starts with INSERT INTO. A data-definition query that creates a table starts with CREATE TABLE.
	2003	A RunSQL action requires an argument consisting of an SQL statement. For example, an action query that appends records starts with INSERT INTO. A data-definition query that creates a table starts with CREATE TABLE.
2343	2007	The value you entered exceeds the Alias property's 64-character limit.
	2003	The value you entered exceeds the Alias property's 64-character limit.
2344	2007	For the TopValues property in the query property sheet, you must enter an integer greater than zero.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2344	2003	For the TopValues property in the query property sheet, you must enter an integer greater than zero.@@@1@@1
2345	2007	For the TopValues property in the query property sheet, you must enter a percentage from 1 through 100.@@@1@@@1
	2003	For the TopValues property in the query property sheet, you must enter a percentage from 1 through 100.@@@1@@@1
2346	2007	For the TopValues property in the query property sheet, you must enter a number greater than zero.@@@1@@@1
	2003	For the TopValues property in the query property sheet, you must enter a number greater than zero.@@@1@@@1
2347	2007	Microsoft Office Access can't find the file name you entered for the DestinationDB property in an action query's property sheet.@You may have misspelled the database file name, or the file may have been deleted or renamed.@@1@1@6183@1
	2003	Microsoft Office Access can't find the file name you entered for the DestinationDB property in an action query's property sheet.@You may have misspelled the database file name, or the file may have been deleted or renamed.@@1@606183@1
	2002	Microsoft Access can't find the file name you entered for the DestinationDB property in an action query's property sheet.@You may have misspelled the database file name, or the file may have been deleted or renamed.@@1@606183@1
2348	2007	You can't leave the Alias property blank.@@@1@1@6146@1
	2003	You can't leave the Alias property blank.@@@1@606146@1
2349	2007	For the TopValues property in the query property sheet, you must enter a number smaller than 2,147,483,647.@@@1@@@1
	2003	For the TopValues property in the query property sheet, you must enter a number smaller than 2,147,483,647.@@@1@@@1
2350	2007	Microsoft Office Access can't save the query.* The query is a pass-through query and can't be represented as a simple SQL string. Save the query as a named query from the Query Builder. When you close the Query Builder, Microsoft Office Access will fill the RecordSource or RowSource property with the saved query name.☒ Make sure the query doesn't have an SQL syntax error.@@1@1@4309@1
	2003	Microsoft Office Access can't save the query.* The query is a pass-through query and can't be represented as a simple SQL string. Save the query as a named query from the Query Builder. When you close the Query Builder, Microsoft Office Access will fill the RecordSource or RowSource property with the saved query name.☒ Make sure the query doesn't have an SQL syntax error.@@1@604309@1
	2002	Microsoft Access can't save the query.* The query is a pass-through query and can't be represented as a simple SQL string. Save the query as a named query from the Query Builder. When you close the Query Builder, Microsoft Access will fill the RecordSource or RowSource property with the saved query name.☒ Make sure the query doesn't have an SQL syntax error.@@1@604309@1
2351	2007	Microsoft Office Access can't represent an implicit VALUES clause in the query design grid.@Edit this in SQL view.@@1@@@1
	2003	Microsoft Office Access can't represent an implicit VALUES clause in the query design grid.@Edit this in SQL view.@@1@@@1
	2002	Microsoft Access can't represent an implicit VALUES clause in the query design grid.@Edit this in SQL view.@@1@@@1
2352	2007	You can't modify this query because it has been deleted or renamed by another user.@@@1@@@1
	2003	You can't modify this query because it has been deleted or renamed by another user.@@@1@@@1
2353	2007	Bad query parameter ' '.@@@1@@@1
	2003	Bad query parameter ' '.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2354	2007	This query or table has an expression that is failing to evaluate.
2355	2007	You can select up to values in a column filter for a multi-valued field. Remove some values, and then try again.
2356	2007	You cannot assign a multivalued or Attachment field to the Link Master Fields or Link Child Fields properties.
2360	2007	A field name is missing. You have defined a data type or a description for a field without specifying the field name. Enter a name for the field, or delete the row.
	2003	A field name is missing. You have defined a data type or a description for a field without specifying the field name. Enter a name for the field, or delete the row.
2361	2007	Microsoft Office Access can't save this table. There are no fields in this table. Define at least one field by entering a field name and selecting a data type.
	2003	Microsoft Office Access can't save this table. There are no fields in this table. Define at least one field by entering a field name and selecting a data type.
	2002	Microsoft Access can't save this table. There are no fields in this table. Define at least one field by entering a field name and selecting a data type.
2362	2007	You already have a field named ' '.
	2003	You already have a field named ' '.
2363	2007	Microsoft Office Access allows only one AutoNumber field per table. Use the Number data type for similar fields.
	2003	Microsoft Office Access allows only one AutoNumber field per table. Use the Number data type for similar fields.
	2002	Microsoft Access allows only one AutoNumber field per table. Use the Number data type for similar fields.
2364	2007	Microsoft Office Access can't open the table in Datasheet view.
	2003	Microsoft Office Access can't open the table in Datasheet view.
	2002	Microsoft Access can't open the table in Datasheet view.
2366	2007	Microsoft Office Access was unable to save the field ordering. All other changes were saved successfully. Click the Microsoft Office Button, point to Manage, and then click Compact and Repair Database.
	2003	Microsoft Office Access was unable to save the field ordering. All other changes were saved successfully. Close this database and choose the Repair Database command on the Tools menu (Database Utilities submenu).
	2002	Microsoft Access was unable to save the field ordering. All other changes were saved successfully. Close this database and choose the Repair Database command on the Tools menu (Database Utilities submenu).
2370	2007	Removing or changing the index for this field would require removal of the primary key. If you want to delete the primary key, select that field and click the Primary Key button.
	2003	Removing or changing the index for this field would require removal of the primary key. If you want to delete the primary key, select that field and click the Primary Key button.
2371	2007	Microsoft Office Access can't create a primary key. Your changes weren't saved.
	2003	Microsoft Office Access can't create a primary key. Your changes weren't saved.
	2002	Microsoft Access can't create a primary key. Your changes weren't saved.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2372	2007	The field name is not valid. Make sure that the name doesn't contain a period (.), exclamation point (!), bracket ([]), leading space, or non-printable character such as a carriage return. If you have pasted the name from another application, try pressing ESC and typing the name again.
	2003	The field name is not valid. Make sure that the name doesn't contain a period (.), exclamation point (!), bracket ([]), leading space, or non-printable character such as a carriage return. If you have pasted the name from another application, try pressing ESC and typing the name again.
	2000	The field name is invalid.
2373	2007	The setting for the FieldSize property must be from 0 through 255.
	2003	The setting for the FieldSize property must be from 0 through 255.
2374	2007	You can't create an index or primary key on more than 10 fields.
	2003	You can't create an index or primary key on more than 10 fields.
2375	2007	You can't paste beyond the end of a table. You have attempted to paste fields beyond the 255th row in a table in Design view.
	2003	You can't paste beyond the end of a table. You have attempted to paste fields beyond the 255th row in a table in Design view.
2376	2007	Microsoft Office Access can't create a primary key. You have selected too many fields for a multiple-field primary key.
	2003	Microsoft Office Access can't create a primary key. You have selected too many fields for a multiple-field primary key.
	2002	Microsoft Access can't create a primary key. You have selected too many fields for a multiple-field primary key.
2377	2007	Once you enter data in a table, you can't change the data type of any field to AutoNumber, even if you haven't yet added data to that field. Add a new field to the table, and define its data type as AutoNumber. Microsoft Office Access then enters data in the AutoNumber field automatically, numbering the records consecutively starting with 1.
	2003	Once you enter data in a table, you can't change the data type of any field to AutoNumber, even if you haven't yet added data to that field. Add a new field to the table, and define its data type as AutoNumber. Microsoft Office Access then enters data in the AutoNumber field automatically, numbering the records consecutively starting with 1.
	2002	Once you enter data in a table, you can't change the data type of any field to AutoNumber, even if you haven't yet added data to that field. Add a new field to the table, and define its data type as AutoNumber. Microsoft Access then enters data in the AutoNumber field automatically, numbering the records consecutively starting with 1.
2378	2007	This table is read-only. Use a different name in the Save As dialog box to save your changes.
	2003	This table is read-only. Use a different name in the Save As dialog box to save your changes.
2379	2007	You can't create a primary key on a field of this data type. You can't define a primary key on fields with an OLE Object, Memo, Attachment, or Multi-valued lookup field.
	2003	You can't create a primary key on a field of this data type. You can't define a primary key on fields with an OLE Object data type.
2380	2007	Microsoft Office Access can't create a primary key because no fields have been selected. You have selected a row with no fields defined. Place the insertion point somewhere in the row of the field you want to define as the primary key.
	2003	Microsoft Office Access can't create a primary key because no fields have been selected. You have selected a row with no fields defined. Place the insertion point somewhere in the row of the field you want to define as the primary key.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2380	2002	Microsoft Access can't create a primary key because no fields have been selected.@You have selected a row with no fields defined.@Place the insertion point somewhere in the row of the field you want to define as the primary key.@1@@1
2381	2007	Microsoft Office Access can't create a primary key because the field doesn't have a name.@Name the field, and then define it as a primary key field.@1@@@1
	2003	Microsoft Office Access can't create a primary key because the field doesn't have a name.@Name the field, and then define it as a primary key field.@1@@1
	2002	Microsoft Access can't create a primary key because the field doesn't have a name.@Name the field, and then define it as a primary key field.@1@@1
2382	2007	You can't switch to Datasheet view and you can't return to Design view.@Another user has opened this table or a query, form, or report that is bound to this table.@@1@@@1
	2003	You can't switch to Datasheet view and you can't return to Design view.@Another user has opened this table or a query, form, or report that is bound to this table.@@1@@1
	2000	You can't switch to Datasheet view and you can't return to Design view.@Another user has opened this table, or a query, form, or report that is bound to this table.@@1@@1
2383	2007	Microsoft Office Access can't change the data type.@There isn't enough disk space or memory.@@1@@@1
	2003	Microsoft Office Access can't change the data type.@There isn't enough disk space or memory.@@1@@1
	2002	Microsoft Access can't change the data type.@There isn't enough disk space or memory.@@1@@1
2384	2007	You cannot change one field from an AutoNumber data type and add another AutoNumber field at the same time.@Do the following: □ Delete the AutoNumber field you just added, click the Microsoft Office Button, and then click Save. □ Add the new AutoNumber field, and then save the table again.@@1@@@1
	2003	You can't change one field from an AutoNumber data type and add another AutoNumber field at the same time.@Do the following: □ Delete the AutoNumber field you added, and click Save on the File menu. □ Add the new AutoNumber field, and save the table again.@@1@@1
2385	2007	Errors were encountered during the save operation. @@@1@@@1
	2003	Errors were encountered during the save operation. @@@1@@1
2386	2007	Microsoft Office Access was unable to create the table.@@@1@@@1
	2003	Microsoft Office Access was unable to create the table.@@@1@@1
	2002	Microsoft Access was unable to create the table.@@@1@@1
2387	2007	You can't delete the table ' '; it is participating in one or more relationships.@If you want to delete this table, first delete its relationships in the Relationships window.@@1@@@1
	2003	You can't delete the table ' '; it is participating in one or more relationships.@If you want to delete this table, first delete its relationships in the Relationships window.@@1@@1
2388	2007	You can't change the primary key.@This table is the primary table in one or more relationships.@If you want to change or remove the primary key, first delete the relationship in the Relationships window.@1@@@1
	2003	You can't change the primary key.@This table is the primary table in one or more relationships.@If you want to change or remove the primary key, first delete the relationship in the Relationships window.@1@@1
2389	2007	You can't delete the field ' '.@It is part of one or more relationships.@If you want to delete this field, first delete its relationships in the Relationships window.@1@@@1
	2003	You can't delete the field ' '.@It is part of one or more relationships.@If you want to delete this field, first delete its relationships in the Relationships window.@1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2390	2007	You can't change the data type or field size of this field; it is part of one or more relationships.@If you want to change the data type of this field, first delete its relationships in the Relationships window.@@1@@@1
	2003	You can't change the data type or field size of this field; it is part of one or more relationships.@If you want to change the data type of this field, first delete its relationships in the Relationships window.@@1@@@1
2391	2007	Field ' 1' doesn't exist in destination table ' 2.'@Microsoft Office Access was unable to complete the append operation. The destination table must contain the same fields as the table you are pasting from.@@1@@@1
	2003	Field ' 1' doesn't exist in destination table ' 2.'@Microsoft Office Access was unable to complete the append operation. The destination table must contain the same fields as the table you are pasting from.@@1@@@1
	2002	Field ' 1' doesn't exist in destination table ' 2.'@Microsoft Access was unable to complete the append operation. The destination table must contain the same fields as the table you are pasting from.@@1@@@1
2392	2007	You can't set the Unique property of a primary key to No.@A primary key, by definition, contains only unique values.@If you want to allow nonunique values in this field, remove the primary key definition by setting the Primary property to No.@1@@@1
	2003	You can't set the Unique property of a primary key to No.@A primary key, by definition, contains only unique values.@If you want to allow nonunique values in this field, remove the primary key definition by setting the Primary property to No.@1@@@1
2393	2007	You can't set the IgnoreNulls property of a primary key to Yes.@A primary key, by definition, can't allow null values.@If you want null values in this field, remove the primary key definition by setting the Primary property to No.@1@@@1
	2003	You can't set the IgnoreNulls property of a primary key to Yes.@A primary key, by definition, can't allow null values.@If you want null values in this field, remove the primary key definition by setting the Primary property to No.@1@@@1
2394	2007	The index name is invalid.@The index name may be too long (over 64 characters) or contain invalid characters.@@1@@@1
	2003	The index name is invalid.@The index name may be too long (over 64 characters) or contain invalid characters.@@1@@@1
2395	2007	Indexes must have names.@@@1@@@1
	2003	Indexes must have names.@@@1@@@1
2396	2007	Microsoft Office Access can't create an index or primary key.@One or more field names are missing.@Enter or select at least one field in the Field Name column for each index you name.@1@@@1
	2003	Microsoft Office Access can't create an index or primary key.@One or more field names are missing.@Enter or select at least one field in the Field Name column for each index you name.@1@@@1
	2002	Microsoft Access can't create an index or primary key.@One or more field names are missing.@Enter or select at least one field in the Field Name column for each index you name.@1@@@1
2397	2007	You already have an index named ' .'@@@1@@@1
	2003	You already have an index named ' .'@@@1@@@1
2398	2007	The primary key has been changed.@This table is the primary table in one or more relationships. Changes to the primary key won't be saved.@@1@@@1
	2003	The primary key has been changed.@This table is the primary table in one or more relationships. Changes to the primary key won't be saved.@@1@@@1
2399	2007	The setting for the FieldSize property must be from 1 through 8000.@@@1@@@1
	2003	The setting for the FieldSize property must be from 1 through 8000.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2400	2007	The row you inserted in the grid exceeds the limit of 255 rows (fields) for a table or 1,000 rows (actions) for a macro.@@@1@@@1
	2003	The row you inserted in the grid exceeds the limit of 255 rows (fields) for a table or 1,000 rows (actions) for a macro.@@@1@@@1
2401	2007	You can't delete the ' 1' column at this time. @The ' 1' column is part of the primary key for the ' 2' table. It is used to identify and store the rows in your table in the database.@You cannot delete a primary key while using Datasheet view. To delete the primary key, open the table in Design view and remove the primary key field.@1@@@1
2420	2007	The expression you entered has an invalid number.@@@2@1@11732@1
	2003	The expression you entered has an invalid number.@@@2@611732@1
2421	2007	The expression you entered has an invalid date value.@@@2@1@11729@1
	2003	The expression you entered has an invalid date value.@@@2@611729@1
2422	2007	The expression you entered has an invalid string.@A string can be up to 2048 characters long, including opening and closing quotation marks.@@1@@@1
	2003	The expression you entered has an invalid string.@A string can be up to 2048 characters long, including opening and closing quotation marks.@@1@@@1
	2000	The expression you entered has an invalid string.@A string can be up to 255 characters long, including opening and closing quotation marks.@@1@@@1
2423	2007	The expression you entered has an invalid . (dot) or ! operator or invalid parentheses.@You may have entered an invalid identifier or typed parentheses following the Null constant.@@2@1@11736@1
	2003	The expression you entered has an invalid . (dot) or ! operator or invalid parentheses.@You may have entered an invalid identifier or typed parentheses following the Null constant.@@2@611736@1
2424	2007	The expression you entered has a field, control, or property name that Microsoft Office Access can't find.@@@1@@@1
	2003	The expression you entered has a field, control, or property name that Microsoft Office Access can't find.@@@1@@@1
	2002	The expression you entered has a field, control, or property name that Microsoft Access can't find.@@@1@@@1
2425	2007	The expression you entered has a function name that Microsoft Office Access can't find.@@@1@@@1
	2003	The expression you entered has a function name that Microsoft Office Access can't find.@@@1@@@1
	2002	The expression you entered has a function name that Microsoft Access can't find.@@@1@@@1
2426	2007	The function you entered can't be used in this expression.@* You may have used a DoEvents, LBound, UBound, Spc, or Tab function in an expression.☒You may have used an aggregate function, such as Count, in a design grid or in a calculated control or field.@@1@@@1
	2003	The function you entered can't be used in this expression.@* You may have used a DoEvents, LBound, UBound, Spc, or Tab function in an expression.☒You may have used an aggregate function, such as Count, in a design grid or in a calculated control or field.@@1@@@1
	2000	The function you entered can't be used in this expression.@* You may have used a DoEvents, LBound, UBound, Spc, or Tab function in an expression.☒You may have used an SQL aggregate function, such as Count, in a design grid or in a calculated control or field.@@1@@@1
2427	2007	You entered an expression that has no value.@The expression may refer to an object that has no value, such as a form, a report, or a label control.@@1@@@1
	2003	You entered an expression that has no value.@The expression may refer to an object that has no value, such as a form, a report, or a label control.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2428	2007	You entered an invalid argument in a domain aggregate function. * A field in the string expression may not be in the domain. A field specified in the criteria expression may not be in the domain. @2@1@10931@1
	2003	You entered an invalid argument in a domain aggregate function. * A field in the string expression may not be in the domain. A field specified in the criteria expression may not be in the domain. @2@610931@1
2429	2007	The In operator you entered requires parentheses. @@@1@@@1
	2003	The In operator you entered requires parentheses. @@@1@@@1
2430	2007	You did not enter the keyword And in the Between...And operator. The correct syntax is as follows: Expression [Not] Between value1 And value2 @1@@@1
	2003	You did not enter the keyword And in the Between...And operator. The correct syntax is as follows: Expression [Not] Between value1 And value2 @1@@@1
2431	2007	The expression you entered contains invalid syntax. You may have entered a comma without a preceding value or identifier. @1@@@1
	2003	The expression you entered contains invalid syntax. You may have entered a comma without a preceding value or identifier. @1@@@1
2432	2007	The expression you entered contains invalid syntax, or you need to enclose your text data in quotes. You may have entered an invalid comma or omitted quotation marks. For example, if the Default Value property of a text field is "Huey, Louie, and Dewey," it must be enclosed in quotes if you mean it as a literal text string. This avoids the confusion with the expression "Huey Louie" And "Dewey". @1@@@1
	2003	The expression you entered contains invalid syntax, or you need to enclose your text data in quotes. You may have entered an invalid comma or omitted quotation marks. For example, if the Default Value property of a text field is "Huey, Louie, and Dewey," it must be enclosed in quotes if you mean it as a literal text string. This avoids the confusion with the expression "Huey Louie" And "Dewey". @1@@@1
2433	2007	The expression you entered contains invalid syntax. You may have entered an operator, such as the + operator, in an expression without a corresponding operand. @1@@@1
	2003	The expression you entered contains invalid syntax. You may have entered an operator, such as the + operator, in an expression without a corresponding operand. @1@@@1
2434	2007	The expression you entered contains invalid syntax. You may have entered an operand without an operator. @1@@@1
	2003	The expression you entered contains invalid syntax. You may have entered an operand without an operator. @1@@@1
2435	2007	The expression you entered has too many closing parentheses. @@@1@@@1
	2003	The expression you entered has too many closing parentheses. @@@1@@@1
2436	2007	The expression you entered is missing a closing parenthesis, bracket (]), or vertical bar (). @@@1@@@1
	2003	The expression you entered is missing a closing parenthesis, bracket (]), or vertical bar (). @@@1@@@1
2437	2007	The expression you entered has invalid vertical bars (). @@@1@@@1
	2003	The expression you entered has invalid vertical bars (). @@@1@@@1
2438	2007	The expression you entered contains invalid syntax. You omitted an operand or operator, you entered an invalid character or comma, or you entered text without surrounding it in quotation marks. @2@1@11732@1
	2003	The expression you entered contains invalid syntax. You omitted an operand or operator, you entered an invalid character or comma, or you entered text without surrounding it in quotation marks. @2@611732@1
2439	2007	The expression you entered has a function containing the wrong number of arguments. @@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2439	2003	The expression you entered has a function containing the wrong number of arguments.@@@1@@1
2440	2007	You must enclose IIf function arguments in parentheses.@@@1@3@1012957@1
	2003	You must enclose IIf function arguments in parentheses.@@@1@1012957@1
2442	2007	The expression you entered has invalid parentheses.@You may have used the parenthesis syntax for an identifier in a query. Use the standard identifier syntax:Forms![Form]![Control].@@1@1@11729@1
	2003	The expression you entered has invalid parentheses.@You may have used the parenthesis syntax for an identifier in a query. Use the standard identifier syntax:Forms![Form]![Control].@@1@411729@1
2443	2007	You can use the Is operator only in an expression with Null or Not Null.@@@1@3@1008950@1
	2003	You can use the Is operator only in an expression with Null or Not Null.@@@1@1008950@1
2445	2007	The expression you entered is too complex.@@@2@1@11732@1
	2003	The expression you entered is too complex.@@@2@611732@1
2446	2007	There isn't enough memory available to perform this calculation.@Close unneeded programs, and try again.For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1
	2003	There isn't enough memory available to perform this calculation.@Close unneeded programs, and try again.For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1
2447	2007	There is an invalid use of the . (dot) or ! operator or invalid parentheses.@You may have entered an invalid identifier or typed parentheses following the Null constant.@@2@1@11736@1
	2003	There is an invalid use of the . (dot) or ! operator or invalid parentheses.@You may have entered an invalid identifier or typed parentheses following the Null constant.@@2@611736@1
2448	2007	You can't assign a value to this object.* The object may be a control on a read-only form. The object may be on a form that is open in Design view. The value may be too large for this field.@@1@1@9424@1
	2003	You can't assign a value to this object.* The object may be a control on a read-only form. The object may be on a form that is open in Design view. The value may be too large for this field.@@1@209424@1
2449	2007	There is an invalid method in an expression.@For example, you may have tried to use the Print method with an object other than Report or Debug.@@2@4@2015551@1
	2003	There is an invalid method in an expression.@For example, you may have tried to use the Print method with an object other than Report or Debug.@@2@2015551@1
2450	2007	Microsoft Office Access can't find the form ' ' referred to in a macro expression or Visual Basic code.* The form you referenced may be closed or may not exist in this database. Microsoft Office Access may have encountered a compile error in a Visual Basic module for the form.@@1@1@11735@1
	2003	Microsoft Office Access can't find the form ' ' referred to in a macro expression or Visual Basic code.* The form you referenced may be closed or may not exist in this database. Microsoft Office Access may have encountered a compile error in a Visual Basic module for the form.@@1@211735@1
	2002	Microsoft Access can't find the form ' ' referred to in a macro expression or Visual Basic code.* The form you referenced may be closed or may not exist in this database. Microsoft Access may have encountered a compile error in a Visual Basic module for the form.@@1@211735@1
2451	2007	The report name ' ' you entered is misspelled or refers to a report that isn't open or doesn't exist.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2451	2003	The report name ' ' you entered is misspelled or refers to a report that isn't open or doesn't exist.@@@1@@@1
2452	2007	The expression you entered has an invalid reference to the Parent property.@For example, you may be using the Parent property with a control on a main form or report rather than with a control on a subform or subreport.@@2@1@4852@1
	2003	The expression you entered has an invalid reference to the Parent property.@For example, you may be using the Parent property with a control on a main form or report rather than with a control on a subform or subreport.@@2@604852@1
2453	2007	The control name ' ' you entered in your expression is misspelled or refers to a control on a form or report that isn't open or doesn't exist.@@@1@1@11730@1
	2003	The control name ' ' you entered in your expression is misspelled or refers to a control on a form or report that isn't open or doesn't exist.@@@1@411730@1
2454	2007	The object name ' ' you entered following the ! operator in the expression is invalid.@For example, you may have tried to enter an identifier with two control names separated by the ! operator.@@2@1@11736@1
	2003	The object name ' ' you entered following the ! operator in the expression is invalid.@For example, you may have tried to enter an identifier with two control names separated by the ! operator.@@2@611736@1
2455	2007	You entered an expression that has an invalid reference to the property .@The property may not exist or may not apply to the object you specified.@@2@4@2015567@1
	2003	You entered an expression that has an invalid reference to the property .@The property may not exist or may not apply to the object you specified.@@2@2015567@1
2456	2007	The number you used to refer to the form is invalid.@Use the Count property to count the open forms and make sure that the form number is not greater than the number of open forms minus one.@@1@4@2019460@1
	2003	The number you used to refer to the form is invalid.@Use the Count property to count the open forms and make sure that the form number is not greater than the number of open forms minus one.@@1@2019460@1
2457	2007	The number you used to refer to the report is invalid.@Use the Count property to count the open reports and make sure that the report number is not greater than the number of open reports.@@1@4@2019460@1
	2003	The number you used to refer to the report is invalid.@Use the Count property to count the open reports and make sure that the report number is not greater than the number of open reports.@@1@2019460@1
2458	2007	The control number you specified is greater than the number of controls.@Use the Count property to count the controls on the form or report and then check that the control number you cite is within the range of existing controls.@@1@4@2019460@1
	2003	The control number you specified is greater than the number of controls.@Use the Count property to count the controls on the form or report and then check that the control number you cite is within the range of existing controls.@@1@2019460@1
2459	2007	You can't refer to the Parent property of a form or report when either is open in Design view.@@@1@@@1
	2003	You can't refer to the Parent property of a form or report when either is open in Design view.@@@1@@@1
2460	2007	You can't refer to the RecordsetClone property of a form open in Design view.@@@1@1@7393@1
	2003	You can't refer to the RecordsetClone property of a form open in Design view.@@@1@607393@1
2461	2007	Use a section number, not a string, to refer to a form or report section.@@@1@@@1
	2003	Use a section number, not a string, to refer to a form or report section.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2462	2007	The section number you entered is invalid.
	2003	The section number you entered is invalid.
2463	2007	Use a number, not a string, to refer to a group level.
	2003	Use a number, not a string, to refer to a group level.
2464	2007	There is no sorting or grouping field or expression defined for the group level number you used. A valid group level number can be from 0 (for the first field or expression you sort or group on) through 9 (for the tenth). Count the group levels in the report starting with zero.
	2003	There is no sorting or grouping field or expression defined for the group level number you used. A valid group level number can be from 0 (for the first field or expression you sort or group on) through 9 (for the tenth). Count the group levels in the report starting with zero.
2465	2007	Microsoft Office Access can't find the field 'I' referred to in your expression. You may have misspelled the field name, or the field may have been renamed or deleted.
	2003	Microsoft Office Access can't find the field 'I' referred to in your expression. You may have misspelled the field name, or the field may have been renamed or deleted.
	2002	Microsoft Access can't find the field 'I' referred to in your expression. You may have misspelled the field name, or the field may have been renamed or deleted.
2466	2007	The expression you entered has an invalid reference to the Dynaset property. For example, you may have used the Dynaset property with a form that isn't based on a table or query.
	2003	The expression you entered has an invalid reference to the Dynaset property. For example, you may have used the Dynaset property with a form that isn't based on a table or query.
2467	2007	The expression you entered refers to an object that is closed or doesn't exist. For example, you may have assigned a form to a Form object variable, closed the form, and then referred to the object variable.
	2003	The expression you entered refers to an object that is closed or doesn't exist. For example, you may have assigned a form to a Form object variable, closed the form, and then referred to the object variable.
2468	2007	The value you entered for the interval, number, or date argument in the function is invalid. Check the argument to make sure that you entered it correctly. For more information on valid argument values, search the Help index for 'DatePart function,' 'DateAdd function,' or 'DateDiff function'.
	2003	The value you entered for the interval, number, or date argument in the function is invalid. Check the argument to make sure that you entered it correctly. For more information on valid argument values, search the Help index for 'DatePart function,' 'DateAdd function,' or 'DateDiff function'.
2469	2007	The expression 2 you entered in the form control's ValidationRule property contains the error 1. Microsoft Office Access can't parse the ValidationRule expression you entered. For example, if you enter the expression =MyFunction() in the ValidationRule property, and the function MyFunction doesn't exist, Microsoft Office Access displays the following message: Unknown function name in validation rule: 'MyFunction'. To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2469	2003	The expression 2 you entered in the form control's ValidationRule property contains the error 1. Microsoft Office Access can't parse the ValidationRule expression you entered. For example, if you enter the expression =MyFunction() in the ValidationRule property, and the function MyFunction doesn't exist, Microsoft Office Access displays the following message: Unknown function name in validation rule: 'MyFunction'. To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'. @1@111805@1
	2002	The expression 2 you entered in the form control's ValidationRule property contains the error 1. Microsoft Access can't parse the ValidationRule expression you entered. For example, if you enter the expression =MyFunction() in the ValidationRule property, and the function MyFunction doesn't exist, Microsoft Access displays the following message: Unknown function name in validation rule: 'MyFunction'. To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'. @1@111805@1
2470	2007	There is a(n) ' ' in the form control's ValidationRule property. To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'. @1@111805@1
	2003	There is a(n) ' ' in the form control's ValidationRule property. To help you create expressions as arguments in Visual Basic, use the Expression Builder. For more information, search the Help index for 'Expression Builder'. @1@111805@1
2471	2007	The expression you entered as a query parameter produced this error: ' ' @2@1@11805@1
	2003	The expression you entered as a query parameter produced this error: ' ' @2@611805@1
2472	2007	The LinkMasterFields property setting has produced this error: ' ' @2@1@3990@1
	2003	The LinkMasterFields property setting has produced this error: ' ' @2@603990@1
2473	2007	The expression 2 you entered as the event property setting produced the following error: 1. * The expression may not result in the name of a macro, the name of a user-defined function, or [Event Procedure]. There may have been an error evaluating the function, event, or macro. @1@@@1
	2003	The expression 2 you entered as the event property setting produced the following error: 1. * The expression may not result in the name of a macro, the name of a user-defined function, or [Event Procedure]. There may have been an error evaluating the function, event, or macro. @1@@1
2474	2007	The expression you entered requires the control to be in the active window. Try one of the following: Open or select a form or report containing the control. Create a new control in the active window, and try the operation again. @1@@@1
	2003	The expression you entered requires the control to be in the active window. Try one of the following: Open or select a form or report containing the control. Create a new control in the active window, and try the operation again. @1@@1
2475	2007	You entered an expression that requires a form to be the active window. @1@2@5601@1
	2003	You entered an expression that requires a form to be the active window. @1@5601@1
2476	2007	You entered an expression that requires a report to be the active window. @1@2@5603@1
	2003	You entered an expression that requires a report to be the active window. @1@5603@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2477	2007	You entered an invalid objecttype value ' ' in an If TypeOf object Is objecttype condition of an If...Then...Else statement.@The objecttype can be any one of the following: BoundObjectFrame, CheckBox, ComboBox, CommandButton, Label, Line, ListBox, UnboundObjectFrame, OptionButton, OptionGroup, PageBreak, Rectangle, Subform, Subreport, TextBox, ToggleButton, ImageControl, or OLEControl.@@1@@@1
	2003	You entered an invalid objecttype value ' ' in an If TypeOf object Is objecttype condition of an If...Then...Else statement.@The objecttype can be any one of the following: BoundObjectFrame, CheckBox, ComboBox, CommandButton, Label, Line, ListBox, UnboundObjectFrame, OptionButton, OptionGroup, PageBreak, Rectangle, Subform, Subreport, TextBox, ToggleButton, ImageControl, or OLEControl.@@1@@@1
2478	2007	Microsoft Office Access doesn't allow you to use this method in the current view.@Most methods, including the SetFocus and Requery methods, can't be used in form or report Design view.@@2@4@2015551@1
	2003	Microsoft Office Access doesn't allow you to use this method in the current view.@Most methods, including the SetFocus and Requery methods, can't be used in form or report Design view.@@2@2015551@1
	2002	Microsoft Access doesn't allow you to use this method in the current view.@Most methods, including the SetFocus and Requery methods, can't be used in form or report Design view.@@2@2015551@1
2479	2007	The event procedure ' ' can't be a Function procedure; it must be a Sub procedure.@If you want to run a Function procedure when an event occurs, try one of the following:☐Set the event property to the name of a macro containing a RunCode action that runs the Function procedure.☐Set the event property to =FunctionName().@@1@@@1
	2003	The event procedure ' ' can't be a Function procedure; it must be a Sub procedure.@If you want to run a Function procedure when an event occurs, try one of the following:☐Set the event property to the name of a macro containing a RunCode action that runs the Function procedure.☐Set the event property to =FunctionName().@@1@@@1
2480	2007	You referred to a property by a numeric argument that isn't one of the property numbers in the collection.@Check the property numbers in the collection.@@1@@@1
	2003	You referred to a property by a numeric argument that isn't one of the property numbers in the collection.@Check the property numbers in the collection.@@1@@@1
2481	2007	You can't set a value while a document is in Print Preview.@@@1@@@1
	2003	You can't set a value while a document is in Print Preview.@@@1@@@1
2482	2007	Microsoft Office Access can't find the name ' ' you entered in the expression.@You may have specified a control that wasn't on the current object without specifying the correct form or report context.@To refer to a control on another form or report, precede the control name with the name of a collection, usually either Forms or Reports, and the name of the form or report to which the control belongs.Eor example, Forms![Products]![Units In Stock].@1@@@1
	2003	Microsoft Office Access can't find the name ' ' you entered in the expression.@You may have specified a control that wasn't on the current object without specifying the correct form or report context.@To refer to a control on another form or report, precede the control name with the name of a collection, usually either Forms or Reports, and the name of the form or report to which the control belongs.Eor example, Forms![Products]![Units In Stock].@1@@@1
	2002	Microsoft Access can't find the name ' ' you entered in the expression.@You may have specified a control that wasn't on the current object without specifying the correct form or report context.@To refer to a control on another form or report, precede the control name with the name of a collection, usually either Forms or Reports, and the name of the form or report to which the control belongs.Eor example, Forms![Products]![Units In Stock].@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2483	2007	You can't move to a previous control when only one control has had the focus. Use the PreviousControl property only after you've moved the focus to a second control.
	2003	You can't move to a previous control when only one control has had the focus. Use the PreviousControl property only after you've moved the focus to a second control.
2484	2007	There is no active datasheet.
	2003	There is no active datasheet.
2485	2007	Microsoft Office Access can't find the object ' '. If ' ' is a new macro or macro group, make sure you have saved it and that you have typed its name correctly.
	2003	Microsoft Office Access can't find the macro ' '. The macro (or its macro group) doesn't exist, or the macro is new but hasn't been saved. Note that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under.
	2002	Microsoft Access can't find the macro ' '. The macro (or its macro group) doesn't exist, or the macro is new but hasn't been saved. Note that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under.
2486	2007	You can't carry out this action at the present time. You tried to run a macro or used the DoCmd object in Visual Basic to carry out an action. However, Microsoft Office Access is performing another activity that prevents this action from being carried out now. For example, no actions on a form can be carried out while Microsoft Office Access is repainting a control or calculating an expression. Carry out the action later.
	2003	You can't carry out this action at the present time. You tried to run a macro or used the DoCmd object in Visual Basic to carry out an action. However, Microsoft Office Access is performing another activity that prevents this action from being carried out now. For example, no actions on a form can be carried out while Microsoft Office Access is repainting a control or calculating an expression. Carry out the action later.
	2002	You can't carry out this action at the present time. You tried to run a macro or used the DoCmd object in Visual Basic to carry out an action. However, Microsoft Access is performing another activity that prevents this action from being carried out now. For example, no actions on a form can be carried out while Microsoft Access is repainting a control or calculating an expression. Carry out the action later.
2487	2007	The Object Type argument for the action or method is blank or invalid. * For a Close, GoToRecord, SearchForRecord or RepaintObject action, enter values for both arguments, or leave both blank to perform the action on the active object. For a DeleteObject, Rename, or CopyObject action, enter values for both arguments, or leave both blank to perform the action on the object currently selected in the Navigation Pane. For a SendObject or OutputTo action, enter values for both arguments, or leave the Object Name argument blank if you want the action performed on the active object of the specified object type. If you're using a method with the DoCmd object, use an intrinsic constant that equates to a valid object type or the corresponding numeric value for the argument name.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2487	2003	The Object Type argument for the action or method is blank or invalid. @* For a Close, GoToRecord, or RepaintObject action, enter values for both arguments, or leave both blank to perform the action on the active object. For a DeleteObject, Rename, or CopyObject action, enter values for both arguments, or leave both blank to perform the action on the object currently selected in the Database window. For a SendObject or OutputTo action, enter values for both arguments, or leave the Object Name argument blank if you want the action performed on the active object of the specified object type. If you're using a method with the DoCmd object, use an intrinsic constant that equates to a valid object type or the corresponding numeric value for the argument name. @1@612276@1
2488	2007	You can't use the ApplyFilter action on this window. @* You tried to use the ApplyFilter action or method, but you didn't apply the filter to a table, query, form, or report. You may have applied the filter to a form, but the form wasn't open in Form or Datasheet view. You may have applied the filter to a report but didn't use the ApplyFilter action in a macro specified by the OnOpen property setting. @Use the SelectObject action or method to select the table, query, form, or report before applying the filter. @1@1@3041@1
	2003	You can't use the ApplyFilter action on this window. @* You tried to use the ApplyFilter action or method, but you didn't apply the filter to a table, query, form, or report. You may have applied the filter to a form, but the form wasn't open in Form or Datasheet view. You may have applied the filter to a report but didn't use the ApplyFilter action in a macro specified by the OnOpen property setting. @Use the SelectObject action or method to select the table, query, form, or report before applying the filter. @1@603041@1
2489	2007	The object ' ' isn't open. @* The macro you are running (directly or indirectly) contains a GoToRecord, RepaintObject, or SelectObject action, but the Object Name argument names an object that is closed. The objectname argument for the GoToRecord, RepaintObject, or SelectObject method names an object that is closed. @Use one of the Open actions or methods to open the object so that you can carry out the desired action. @1@@@1
	2003	The object ' ' isn't open. @* The macro you are running (directly or indirectly) contains a GoToRecord, RepaintObject, or SelectObject action, but the Object Name argument names an object that is closed. The objectname argument for the GoToRecord, RepaintObject, or SelectObject method names an object that is closed. @Use one of the Open actions or methods to open the object so that you can carry out the desired action. @1@@@1
2491	2007	The action or method is invalid because the form or report isn't bound to a table or query. @You tried to use the ApplyFilter or SearchForRecord action or method. However, the form or report you applied the filter to is not based on a table or query, so the form or report doesn't have any records to apply a filter to. @Use the SelectObject action or method to select the desired form or report before you run the ApplyFilter action. base a form or report on a table or query, open the form or report in Design view, and enter the table or query name in the RecordSource property. @1@1@3041@1
	2003	The action or method is invalid because the form or report isn't bound to a table or query. @You tried to use the ApplyFilter action or method. However, the form or report you applied the filter to is not based on a table or query, so the form or report doesn't have any records to apply a filter to. @Use the SelectObject action or method to select the desired form or report before you run the ApplyFilter action. base a form or report on a table or query, open the form or report in Design view, and enter the table or query name in the RecordSource property. @1@603041@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2492	2007	Microsoft Office Access can't find the macro ' 2' in the macro group ' 1.'@You used the macrogroupname.macroname syntax to specify a macro. You then tried to run the macro (directly or indirectly), or you used the RunMacro method to run the macro. However, the macro you specified isn't in this macro group.@Create the macro in the macro group, specify the correct macro group, or specify the correct macro name.@1@1@11313@1
	2003	Microsoft Office Access can't find the macro ' 2' in the macro group ' 1.'@You used the macrogroupname.macroname syntax to specify a macro. You then tried to run the macro (directly or indirectly), or you used the RunMacro method to run the macro. However, the macro you specified isn't in this macro group.@Create the macro in the macro group, specify the correct macro group, or specify the correct macro name.@1@611313@1
	2002	Microsoft Access can't find the macro ' 2' in the macro group ' 1.'@You used the macrogroupname.macroname syntax to specify a macro. You then tried to run the macro (directly or indirectly), or you used the RunMacro method to run the macro. However, the macro you specified isn't in this macro group.@Create the macro in the macro group, specify the correct macro group, or specify the correct macro name.@1@611313@1
2493	2007	This action requires an Object Name argument.@@@1@@@1
	2003	This action requires an Object Name argument.@@@1@@@1
2494	2007	The action or method requires a Form Name argument.@You tried to use the OpenForm action or method, but you left the Form Name argument blank.@In the Form Name argument, enter the name of a form in the current database.@1@1@11313@1
	2003	The action or method requires a Form Name argument.@You tried to use the OpenForm action or method, but you left the Form Name argument blank.@In the Form Name argument, enter the name of a form in the current database.@1@611313@1
2495	2007	The action or method requires a Table Name argument.@You tried to use the OpenTable, TransferSpreadsheet, or TransferText action or method, but you left the Table Name argument blank.@In the Table Name argument, enter the name of a table that is in the current database.@1@@@1
	2003	The action or method requires a Table Name argument.@You tried to use the OpenTable, TransferSpreadsheet, or TransferText action or method, but you left the Table Name argument blank.@In the Table Name argument, enter the name of a table that is in the current database.@1@@@1
2496	2007	The action or method requires a Query Name argument.@You tried to use the OpenQuery action or method, but you left the Query Name argument blank.@In the Query Name argument, enter a query name.@1@@@1
	2003	The action or method requires a Query Name argument.@You tried to use the OpenQuery action or method, but you left the Query Name argument blank.@In the Query Name argument, enter a query name.@1@@@1
2497	2007	The action or method requires a Report Name argument.@You tried to use the OpenReport action or method, but you left the Report Name argument blank.@In the Report Name argument, enter the name of a report.@1@@@1
	2003	The action or method requires a Report Name argument.@You tried to use the OpenReport action or method, but you left the Report Name argument blank.@In the Report Name argument, enter the name of a report.@1@@@1
2498	2007	An expression you entered is the wrong data type for one of the arguments.@You tried to run a macro or use a method to carry out an action, but an expression evaluated to the wrong data type.For example, for the Close method you specified a string for the Object Type argument, but this argument can be set only to certain intrinsic constants or their numeric equivalents.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2498	2003	An expression you entered is the wrong data type for one of the arguments. You tried to run a macro or use a method to carry out an action, but an expression evaluated to the wrong data type. For example, for the Close method you specified a string for the Object Type argument, but this argument can be set only to certain intrinsic constants or their numeric equivalents.
2499	2007	You can't use the GoToRecord or SearchForRecord action or method on an object in Design view. Try one of the following: Switch to Form or Datasheet view for a form. Switch to Datasheet view for a query or table. If you are running a macro or Visual Basic procedure containing an action that opens the object, set the View argument to the correct view before you carry out the GoToRecord action.
	2003	You can't use the GoToRecord action or method on an object in Design view. Try one of the following: Switch to Form or Datasheet view for a form. Switch to Datasheet view for a query or table. If you are running a macro or Visual Basic procedure containing an action that opens the object, set the View argument to the correct view before you carry out the GoToRecord action.
2500	2007	You must enter a number greater than zero for a Repeat Count argument. You tried to use the RunMacro action or method, but you entered a value less than zero (or an expression that evaluates to less than zero) in the Repeat Count argument. To run the macro once, leave this argument blank.
	2003	You must enter a number greater than zero for a Repeat Count argument. You tried to use the RunMacro action or method, but you entered a value less than zero (or an expression that evaluates to less than zero) in the Repeat Count argument. To run the macro once, leave this argument blank.
2501	2007	The action was canceled. You used a method of the DoCmd object to carry out an action in Visual Basic, but then clicked Cancel in a dialog box. For example, you used the Close method to close a changed form, then clicked Cancel in the dialog box that asks if you want to save the changes you made to the form.
	2003	The action was canceled. You used a method of the DoCmd object to carry out an action in Visual Basic, but then clicked Cancel in a dialog box. For example, you used the Close method to close a changed form, then clicked Cancel in the dialog box that asks if you want to save the changes you made to the form.
2502	2007	The action or method requires a Macro Name argument. * You tried to use the RunMacro action or method, but you left the Macro Name argument blank. Microsoft Office Access tried to create a custom menu bar for a form or report, but the Menu Macro Name argument of the AddMenu action is blank. In the Menu Macro Name argument, enter the name of a macro or macro group that is in the current database.
	2003	The action or method requires a Macro Name argument. * You tried to use the RunMacro action or method, but you left the Macro Name argument blank. Microsoft Office Access tried to create a custom menu bar for a form or report, but the Menu Macro Name argument of the AddMenu action is blank. In the Menu Macro Name argument, enter the name of a macro or macro group that is in the current database.
	2002	The action or method requires a Macro Name argument. * You tried to use the RunMacro action or method, but you left the Macro Name argument blank. Microsoft Access tried to create a custom menu bar for a form or report, but the Menu Macro Name argument of the AddMenu action is blank. In the Menu Macro Name argument, enter the name of a macro or macro group that is in the current database.
2503	2007	You can't use this action with the DoCmd object. For a list of the actions that the DoCmd object doesn't support and some alternatives to using these actions, click Help. Any actions that aren't in this list can be used with the DoCmd object.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2503	2003	You can't use this action with the DoCmd object. For a list of the actions that the DoCmd object doesn't support and some alternatives to using these actions, click Help. Any actions that aren't in this list can be used with the DoCmd object.
2504	2007	The action or method requires at least argument(s). You tried to run a macro containing an action or used a method or action with the DoCmd object, but you didn't set the required number of arguments. For example, if you use the MoveSize action, you must set at least one of the four arguments.
	2003	The action or method requires at least argument(s). You tried to run a macro containing an action or used a method or action with the DoCmd object, but you didn't set the required number of arguments. For example, if you use the MoveSize action, you must set at least one of the four arguments.
2505	2007	An expression in argument has an invalid value. You tried to run a macro or used the DoCmd object in Visual Basic. The argument number above is the position of the argument as it appears in the Macro window, the Action Failed dialog box, or the Object Browser (if you're using the DoCmd object). Try one of the following: <ul style="list-style-type: none"> Select a setting from the drop-down list box in each argument. Use an intrinsic constant equating to a valid object type. Substitute the correct corresponding expression.
	2003	An expression in argument has an invalid value. You tried to run a macro or used the DoCmd object in Visual Basic. The argument number above is the position of the argument as it appears in the Macro window, the Action Failed dialog box, or the Object Browser (if you're using the DoCmd object). Try one of the following: <ul style="list-style-type: none"> Select a setting from the drop-down list box in each argument. Use an intrinsic constant equating to a valid object type. Substitute the correct corresponding expression.
2506	2007	A value you entered for the Transfer Type argument is invalid. An expression in the Transfer Type argument doesn't evaluate to a valid numeric value. Valid values for the Transfer Type argument are as follows: <ul style="list-style-type: none"> 0, 1, and 2 for the TransferDatabase action. 0, 1, and 2 for the TransferSpreadsheet action. 0 through 6 for the TransferText action.
	2003	A value you entered for the Transfer Type argument is invalid. An expression in the Transfer Type argument doesn't evaluate to a valid numeric value. Valid values for the Transfer Type argument are as follows: <ul style="list-style-type: none"> 0, 1, and 2 for the TransferDatabase action. 0, 1, and 2 for the TransferSpreadsheet action. 0 through 6 for the TransferText action.
2507	2007	The type isn't an installed database type or doesn't support the operation you chose. You used the TransferDatabase method, but an expression in the databasetype argument doesn't evaluate to a valid database type for importing, exporting, or linking. For information on valid database types, click Help.
	2003	The type isn't an installed database type or doesn't support the operation you chose. You used the TransferDatabase method, but an expression in the databasetype argument doesn't evaluate to a valid database type for importing, exporting, or linking. For information on valid database types, click Help.
2508	2007	A value you entered for the spreadsheettype argument is invalid. You used the TransferSpreadsheet method, and an expression in the spreadsheettype argument doesn't evaluate to a valid numeric value. Valid values are 0, 2, 3, 4, 5, 6, 7, and 8. Note that 1 is an invalid value; you can't import or export to a Lotus .wks format file.
	2003	A value you entered for the spreadsheettype argument is invalid. You used the TransferSpreadsheet method, and an expression in the spreadsheettype argument doesn't evaluate to a valid numeric value. Valid values are 0, 2, 3, 4, 5, 6, 7, and 8. Note that 1 is an invalid value; you can't import or export to a Lotus .wks format file.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2509	2007	The setting for the Range argument can't be longer than 255 characters.@@1@1@4781@1
	2003	The setting for the Range argument can't be longer than 255 characters.@@1@1@604781@1
2510	2007	The expression you entered in the Specification Name argument exceeds the 64-character limit.@Select one of the existing specification names from the argument list box when you use the TransferText action in a macro, or enter a name in Visual Basic that follows Microsoft Office Access object-naming rules.@@2@1@11734@1
	2003	The expression you entered in the Specification Name argument exceeds the 64-character limit.@Select one of the existing specification names from the argument list box when you use the TransferText action in a macro, or enter a name in Visual Basic that follows Microsoft Office Access object-naming rules.@@2@611734@1
	2002	The expression you entered in the Specification Name argument exceeds the 64-character limit.@Select one of the existing specification names from the argument list box when you use the TransferText action in a macro, or enter a name in Visual Basic that follows Microsoft Access object-naming rules.@@2@611734@1
2511	2007	The action or method requires a Specification Name argument.@You tried to use the TransferText action or method and you specified a Transfer Type argument but left the Specification Name argument blank.@In the Specification Name argument, enter an existing specification name from the argument list box.@1@1@11313@1
	2003	The action or method requires a Specification Name argument.@You tried to use the TransferText action or method and you specified a Transfer Type argument but left the Specification Name argument blank.@In the Specification Name argument, enter an existing specification name from the argument list box.@1@611313@1
2512	2007	Microsoft Office Access can't parse the expression: ' '.@Click OK to return to the action argument or conditional expression where this expression appears, and then correct the syntax.@@1@@@1
	2003	Microsoft Office Access can't parse the expression: ' '.@Click OK to return to the action argument or conditional expression where this expression appears, and then correct the syntax.@@1@@1
	2002	Microsoft Access can't parse the expression: ' '.@Click OK to return to the action argument or conditional expression where this expression appears, and then correct the syntax.@@1@@1
2513	2007	The Macro Name argument can't be longer than 64 characters according to Microsoft Office Access object-naming rules.@@@1@1@11734@1
	2003	The Macro Name argument can't be longer than 64 characters according to Microsoft Office Access object-naming rules.@@@1@411734@1
	2002	The Macro Name argument can't be longer than 64 characters according to Microsoft Access object-naming rules.@@@1@411734@1
2514	2007	The action or method requires a Control Name argument.@You tried to use the GoToControl action or method, but you left the control name blank.@In the Control Name argument, enter a control or field name from the active form or datasheet.@1@1@11313@1
	2003	The action or method requires a Control Name argument.@You tried to use the GoToControl action or method, but you left the control name blank.@In the Control Name argument, enter a control or field name from the active form or datasheet.@1@611313@1
2515	2007	Microsoft Office Access can't open the macro ' ' because it was saved using a different version of Microsoft Office Access.@Re-create the macro in the current version of Microsoft Office Access.@@1@@@1
	2003	Microsoft Office Access can't open the macro ' ' because it was saved using a different version of Microsoft Office Access.@Re-create the macro in the current version of Microsoft Office Access.@@1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2515	2002	Microsoft Access can't open the macro ' ' because it was saved using a different version of Microsoft Access. @Re-create the macro in the current version of Microsoft Access. @1@@1
2516	2007	Microsoft Office Access can't find the module ' .'@You tried to use the OpenModule action or method, but Microsoft Office Access can't find the module you specified in the Module Name argument. @Enter a valid module name from the current database. @1@@@1
	2003	Microsoft Office Access can't find the module ' .'@You tried to use the OpenModule action or method, but Microsoft Office Access can't find the module you specified in the Module Name argument. @Enter a valid module name from the current database. @1@@1
	2002	Microsoft Access can't find the module ' .'@You tried to use the OpenModule action or method, but Microsoft Access can't find the module you specified in the Module Name argument. @Enter a valid module name from the current database. @1@@1
2517	2007	Microsoft Office Access can't find the procedure ' .'@* You may have used the Run method in Visual Basic but entered an invalid procedure name, or you used the Run method without first opening a database. ☒You tried to use the OpenModule action or method, but you used an invalid procedure name. @1@@@1
	2003	Microsoft Office Access can't find the procedure ' .'@* You may have used the Run method in Visual Basic but entered an invalid procedure name, or you used the Run method without first opening a database. ☒You tried to use the OpenModule action or method, but you used an invalid procedure name. @1@@1
	2002	Microsoft Access can't find the procedure ' .'@* You may have used the Run method in Visual Basic but entered an invalid procedure name, or you used the Run method without first opening a database. ☒You tried to use the OpenModule action or method, but you used an invalid procedure name. @1@@1
2519	2007	
	2003	The database must be open for the SelectObject method to run. @You tried to run a function in a library database, and the function contains the SelectObject method. @1@@1
2520	2007	The action or method requires a Module or Procedure Name argument. @You tried to use the OpenModule action or method, but you didn't enter a name in either the Module Name or the Procedure Name argument in the Macro window. @Enter a valid name in one of these arguments. @1@@@1
	2003	The action or method requires a Module or Procedure Name argument. @You tried to use the OpenModule action or method, but you didn't enter a name in either the Module Name or the Procedure Name argument in the Macro window. @Enter a valid name in one of these arguments. @1@@1
2521	2007	You have specified a Transfer Type that doesn't support the HTML Table Name argument. @Leave the HTML Table Name argument blank unless you are using the Import HTML or Link HTML Transfer Types. @1@@@1
	2003	You have specified a Transfer Type that doesn't support the HTML Table Name argument. @Leave the HTML Table Name argument blank unless you are using the Import HTML or Link HTML Transfer Types. @1@@1
2522	2007	The action or method requires a File Name argument. @You tried to use the TransferSpreadsheet or TransferText action or method. @In the File Name argument, enter a file name. @1@1@11313@1
	2003	The action or method requires a File Name argument. @You tried to use the TransferSpreadsheet or TransferText action or method. @In the File Name argument, enter a file name. @1@611313@1
2523	2007	The value you entered for the show argument is invalid. @You used the ShowToolbar method. @Valid values for this argument are acToolbarYes, acToolbarWhereApprop, and acToolbarNo, or the corresponding numeric values 0, 1, and 2. @1@1@12446@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2523	2003	The value you entered for the show argument is invalid.@You used the ShowToolbar method.@Valid values for this argument are acToolbarYes, acToolbarWhereApprop, and acToolbarNo, or the corresponding numeric values 0, 1, and 2.@1@612446@1
2524	2007	Microsoft Office Access can't invoke the application using the RunApp action.@The path to the application is invalid, or a component of the application is missing.@Check the path in Windows Explorer or File Manager.@1@@@1
	2003	Microsoft Office Access can't invoke the application using the RunApp action.@The path to the application is invalid, or a component of the application is missing.@Check the path in Windows Explorer or File Manager.@1@@1
	2002	Microsoft Access can't invoke the application using the RunApp action.@The path to the application is invalid, or a component of the application is missing.@Check the path in Windows Explorer or File Manager.@1@@1
2525	2007	A macro can call itself a maximum of 20 times.@Your macro contains a RunMacro action that calls the same macro more than 20 times.@Use a condition to stop the macro after it has been run 20 times, or call another macro with the RunMacro action.@1@@@1
	2003	A macro can call itself a maximum of 20 times.@Your macro contains a RunMacro action that calls the same macro more than 20 times.@Use a condition to stop the macro after it has been run 20 times, or call another macro with the RunMacro action.@1@@1
2526	2007	The SendKeys action requires the Microsoft Office Access Utility Add-in to be loaded.@Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access and the Microsoft Office Access Utility Add-in.@@1@@185309@1
	2003	The SendKeys action requires the Microsoft Office Access Utility Add-in to be loaded.@Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access and the Microsoft Office Access Utility Add-in.@@1@@1
	2002	The SendKeys action requires the Microsoft Access Utility Add-in to be loaded.@Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access and the Microsoft Access Utility Add-in.@@1@@1
2527	2007	Lotus .wks file formats aren't supported in the current version of Microsoft Office Access.@Convert your .wks file to a more recent format, such as .wk1.@@1@@@1
	2003	Lotus .wks file formats aren't supported in the current version of Microsoft Office Access.@Convert your .wks file to a more recent format, such as .wk1.@@1@@1
	2002	Lotus .wks file formats aren't supported in the current version of Microsoft Access.@Convert your .wks file to a more recent format, such as .wk1.@@1@@1
2528	2007	The RunCommand macro action argument is missing, or you entered an invalid command ID for the RunCommand method.@@@1@@@1
	2003	The RunCommand macro action argument is missing, or you entered an invalid command ID for the RunCommand method.@@@1@@1
2529	2007	The Toolbar argument can't be longer than 64 characters.@@@1@@@1
	2003	The Toolbar argument can't be longer than 64 characters.@@@1@@1
2530	2007	The SelectObject method can't be used on a report that is currently printing.@@@1@@@1
	2003	The SelectObject method can't be used on a report that is currently printing.@@@1@@1
2531	2007	Your HTML file does not contain any tabular data that Microsoft Office Access can import.@.@@1@@@1
	2003	Your HTML file does not contain any tabular data that Microsoft Office Access can import.@.@@1@@1
	2002	Your HTML file does not contain any tabular data that Microsoft Access can import.@.@@1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2532	2007	Microsoft Office Access can't find the macro or sub procedure ' .'@The specified macro, macro group, or sub procedure doesn't exist.@Ntote that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under. Also, ensure that the referenced macro has been saved, or that the referenced sub procedure expects 0 arguments.@1@@@1
	2003	Microsoft Office Access can't find the macro or sub procedure ' .'@The specified macro, macro group, or sub procedure doesn't exist.@Ntote that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under. Also, ensure that the referenced macro has been saved, or that the referenced sub procedure expects 0 arguments.@1@@@1
	2002	Microsoft Access can't find the macro or sub procedure ' .'@The specified macro, macro group, or sub procedure doesn't exist.@Ntote that when you enter the macrogroupname.macroname syntax in an argument, you must specify the name the macro's macro group was last saved under. Also, ensure that the referenced macro has been saved, or that the referenced sub procedure expects 0 arguments.@1@@@1
2533	2007	The ApplyFilter action requires that either the Filter Name or Where Condition argument is set.@You tried to run a macro containing an ApplyFilter action, but you didn't set the required arguments.@@1@1@11313@1
	2003	The ApplyFilter action requires that either the Filter Name or Where Condition argument is set.@You tried to run a macro containing an ApplyFilter action, but you didn't set the required arguments.@@1@611313@1
2534	2007	The action or method requires a data access page Name argument.@You tried to use the OpenDataAccessPage action or method, but you left the data access page Name argument blank.@In the data access page Name argument, enter the name of a data access page in the current database.@1@1@11313@1
	2003	The action or method requires a data access page Name argument.@You tried to use the OpenDataAccessPage action or method, but you left the data access page Name argument blank.@In the data access page Name argument, enter the name of a data access page in the current database.@1@611313@1
2535	2007	The ApplyFilter action contains a Filter Name that cannot be applied.@The filter name is not a valid argument in the ApplyFilter action in Client Server.@@1@1@11313@1
	2003	The ApplyFilter action contains a Filter Name that cannot be applied.@The filter name is not a valid argument in the ApplyFilter action in Client Server.@@1@611313@1
2536	2007	
	2003	Macros are disabled in this database.@@@1@@@1
2537	2007	The feature ' ' is not available while the database is opened in disabled mode.@@@1@@@1
2538	2007	The ' ' macro action cannot be run in disabled mode.@@@1@@@1
2540	2007	The file ' ' you tried to replace is a Microsoft Office Access system file that is in use and can't be replaced or deleted.@@@1@@@1
	2003	The file ' ' you tried to replace is a Microsoft Office Access system file that is in use and can't be replaced or deleted.@@@1@@@1
	2002	The file ' ' you tried to replace is a Microsoft Access system file that is in use and can't be replaced or deleted.@@@1@@@1
2541	2007	The contents of the Clipboard have been deleted and can't be pasted.@Some applications do not put large objects on the Clipboard. Instead, they put a pointer to the object on the Clipboard. The pointer may vanish before the paste happens.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2541	2003	The contents of the Clipboard have been deleted and can't be pasted. @Some applications do not put large objects on the Clipboard. Instead, they put a pointer to the object on the Clipboard. The pointer may vanish before the paste happens. @1@@1
2542	2007	Specify the database name in the command line so that Microsoft Office Access can find the macro. @@@1@@@1
	2003	Specify the database name in the command line so that Microsoft Office Access can find the macro. @@@1@@1
	2002	Specify the database name in the command line so that Microsoft Access can find the macro. @@@1@@1
2543	2007	You can't paste a database object onto itself. @@@1@@@1
	2003	You can't paste a database object onto itself. @@@1@@1
2544	2007	
	2003	Microsoft Office Access can't find the you referenced in the Object Name argument. @The macro you tried to run includes a SelectObject action with an invalid name for the Object Name argument. @In the Database window, verify the name of the object you want the macro to select. Then open the macro in the Macro window and enter the correct name for the Object Name argument. @2@603041@1
	2002	Microsoft Access can't find the you referenced in the Object Name argument. @The macro you tried to run includes a SelectObject action with an invalid name for the Object Name argument. @In the Database window, verify the name of the object you want the macro to select. Then open the macro in the Macro window and enter the correct name for the Object Name argument. @2@603041@1
2545	2007	The CopyObject action requires you to specify a different destination database or a new name to copy from the current database. @The macro you are running includes a CopyObject action. @Open the macro in the Macro window, and select the CopyObject action. Enter a destination database or a new name in the appropriate argument box. @1@1@3009@1
	2003	The CopyObject action requires you to specify a different destination database or a new name to copy from the current database. @The macro you are running includes a CopyObject action. @Open the macro in the Macro window, and select the CopyObject action. Enter a destination database or a new name in the appropriate argument box. @1@603009@1
2546	2007	Select a database object in the Navigation Pane before you run the macro containing the action. @@@2@1@3009@1
	2003	Select a database object in the Database window before you run the macro containing the action. @@@2@603009@1
2547	2007	The database ' ' you tried to delete and replace is read-only and can't be deleted or replaced. @Enter a different name for the new database. @1@@@1
	2003	The database ' ' you tried to delete and replace is read-only and can't be deleted or replaced. @Enter a different name for the new database. @1@@1
2548	2007	Microsoft Office Access can't run the Security Wizard because this database is open in exclusive mode. @Do you want Microsoft Office Access to open the database in shared mode and run the Security Wizard? @19@@@2
	2003	Microsoft Office Access can't run the Security Wizard because this database is open in exclusive mode. @Do you want Microsoft Office Access to open the database in shared mode and run the Security Wizard? @19@@2
	2002	Microsoft Access can't run the Security Wizard because this database is open in exclusive mode. @Do you want Microsoft Access to open the database in shared mode and run the Security Wizard? @19@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2549	2007	Microsoft Office Access can't delete 1 after compacting it. The compacted database has been named 2. @If you compact a database using the same name, Microsoft Office Access creates a new compacted database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only. @If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator. @1@1@10299@1
	2003	Microsoft Office Access can't delete 1 after compacting it. The compacted database has been named 2. @If you compact a database using the same name, Microsoft Office Access creates a new compacted database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only. @If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator. @1@310299@1
	2002	Microsoft Access can't delete 1 after compacting it. The compacted database has been named 2. @If you compact a database using the same name, Microsoft Access creates a new compacted database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only. @If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator. @1@310299@1
2550	2007	Microsoft Office Access can't delete 1 after encoding it. The encoded database has been named 2. @If you encode a database using the same name, Microsoft Office Access creates a new encoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only. @If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator. @1@1@10299@1
	2003	Microsoft Office Access can't delete 1 after encoding it. The encoded database has been named 2. @If you encode a database using the same name, Microsoft Office Access creates a new encoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only. @If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator. @1@310299@1
	2002	Microsoft Access can't delete 1 after encrypting it. The encrypted database has been named 2. @If you encrypt a database using the same name, Microsoft Access creates a new encrypted database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only. @If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator. @1@310299@1
2551	2007	Microsoft Office Access can't delete 1 after decoding it. The decoded database has been named 2. @If you decode a database using the same name, Microsoft Office Access creates a new decoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only. @If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator. @1@1@10299@1
	2003	Microsoft Office Access can't delete 1 after decoding it. The decoded database has been named 2. @If you decode a database using the same name, Microsoft Office Access creates a new decoded database, and then deletes the original database. In this case, however, the original database can't be deleted because it is read-only. @If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator. @1@310299@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2551	2002	Microsoft Access can't delete 1 after decrypting it. The decrypted database has been named 2. @If you decrypt a database using the same name, Microsoft Access creates a new decrypted database, and then deletes the original database. @In this case, however, the original database can't be deleted because it is read-only. @If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. @If you can't remove the read-only status, inform your workgroup administrator. @1@310299@1
2552	2007	You can't encode a database that you didn't create or don't own. @See the owner of the database or your workgroup administrator. @1@@@1
	2003	You can't encode a database that you didn't create or don't own. @See the owner of the database or your workgroup administrator. @1@@1
	2002	You can't encrypt a database that you didn't create or don't own. @See the owner of the database or your workgroup administrator. @1@@1
2553	2007	You can't decode a database that you didn't create or don't own. @See the owner of the database or your workgroup administrator. @1@@@1
	2003	You can't decode a database that you didn't create or don't own. @See the owner of the database or your workgroup administrator. @1@@1
	2002	You can't decrypt a database that you didn't create or don't own. @See the owner of the database or your workgroup administrator. @1@@1
2554	2007	Can't find the database you specified, or you didn't specify a database at all. @Specify a valid database name in the command line, and include a path if necessary. @1@1@10283@1
	2003	Can't find the database you specified, or you didn't specify a database at all. @Specify a valid database name in the command line, and include a path if necessary. @1@110283@1
2556	2007	Microsoft Office Access can't run the Security Wizard because the database uses a password. @Remove the database password by clicking Unset Database Password in the Database Tools group on the Database Tools tab. @1@@@1
	2003	Microsoft Office Access can't run the Security Wizard because the database has had a password set on it. @You will have to unset the database password by choosing Tools Security Unset Database Password. @1@@1
	2002	Microsoft Access can't run the Security Wizard because the database has had a password set on it. @You will have to unset the database password by choosing Tools Security Unset Database Password. @1@@1
2557	2007	The database you tried to convert was either created in or was already converted to the requested version of Microsoft Office Access. @@@1@@@1
	2003	The database you tried to convert was either created in or was already converted to the requested version of Microsoft Office Access. @@@1@@1
	2002	The database you tried to convert was either created in or was already converted to the requested version of Microsoft Access. @@@1@@1
	2000	The database you tried to convert was either created in or was already converted to the current version of Microsoft Access. @@@1@@1
2558	2007	
	2000	@@@1@209029@3
2559	2007	Microsoft Office Access was unable to refresh the linked table ' 1' in database ' 2' during conversion. Try to refresh the links manually by using the Linked Table Manager command in the Database Tools group on the Database Tools tab.
	2003	Microsoft Office Access was unable to refresh the linked table ' 1' in database ' 2' during conversion. Try and refresh the links manually by using the Linked Table Manager (Tools menu, Database Utilities submenu)..
	2002	Microsoft Access was unable to refresh the linked table ' 1' in database ' 2' during conversion. Try and refresh the links manually by using the Linked Table Manager (Tools menu, Database Utilities submenu)..

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2559	2000	Microsoft Access was unable to refresh the linked tables ' ' during the conversion. @Refresh the links manually by using the Linked Table Manager (Tools menu, Add-ins submenu). @2@209191@1
2560	2007 2003 2002	Microsoft Office Access is unable to load the Database Properties. @1@@@3 Microsoft Office Access is unable to load the Database Properties. @1@@3 Microsoft Access is unable to load the Database Properties. @1@@3
2561	2007 2003 2002	Microsoft Office Access can't display the Database Properties dialog box. @1@@@1 Microsoft Office Access can't display the Database Properties dialog box. @1@@1 Microsoft Access can't display the Database Properties dialog box. @1@@1
2562	2007 2003 2002	Microsoft Office Access is unable to save the Database Properties. @1@@@1 Microsoft Office Access is unable to save the Database Properties. @1@@1 Microsoft Access is unable to save the Database Properties. @1@@1
2563	2007 2003 2002	Microsoft Office Access can't load a dynamic-link library. @Run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@3 Microsoft Access can't load a dynamic-link library. @Run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@3
2564	2007 2003	You can't hide the document ' ' while it is open. @Close the database object first, and then hide it. @1@@@1 You can't hide the document ' ' while it is open. @Close the database object first, and then hide it. @1@@1
2565	2007 2003	You can't unhide the database object ' ' while it is open. @Close the database object first, and then unhide it. @1@@@1 You can't unhide the database object ' ' while it is open. @Close the database object first, and then unhide it. @1@@1
2566	2007 2003 2002	Microsoft Office Access is unable to set the application's icon to the file ' '. @Make sure the file is a valid icon (.ico) file. If you're using Microsoft Windows, you can also use .bmp files. @1@@@1 Microsoft Office Access is unable to set the application's icon to the file ' '. @Make sure the file is a valid icon (.ico) file. If you're using Microsoft Windows, you can also use .bmp files. @1@@1 Microsoft Access is unable to set the application's icon to the file ' '. @Make sure the file is a valid icon (.ico) file. If you're using Microsoft Windows, you can also use .bmp files. @1@@1
2567	2007 2003 2002	Microsoft Office Access can't open or convert this previous version database. @The database was created in an earlier version of Microsoft Office Access. You don't have appropriate security permissions to open or convert databases created in earlier versions. @1@@@1 Microsoft Office Access can't open or convert this previous version database. @The database was created in an earlier version of Microsoft Office Access. You don't have appropriate security permissions to open or convert databases created in earlier versions. @1@@1 Microsoft Access can't open or convert this previous version database. @The database was created in an earlier version of Microsoft Access. You don't have appropriate security permissions to open or convert databases created in earlier versions. @1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2568	2007	Microsoft Office Access can't undo this operation. An object with the same name already exists. Another user might have created an object named 'I' after you had performed this operation on an object with the same name.
	2003	Microsoft Office Access can't undo this operation. An object with the same name already exists. Another user might have created an object named 'I' after you had performed this operation on an object with the same name.
	2002	Microsoft Access can't undo this operation. An object with the same name already exists. Another user might have created an object named 'I' after you had performed this operation on an object with the same name.
	2000	You can't undo this operation. Another user has created an object with the name 'I'.
2569	2007	
	2003	Microsoft Office Access can't delete 1 after enabling it. The enabled database has been named 2. If you enable a database using the same name, Microsoft Office Access creates a new enabled database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only. If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.
	2002	Microsoft Access can't delete 1 after enabling it. The enabled database has been named 2. If you enable a database using the same name, Microsoft Access creates a new enabled database and then deletes the original database. In this case, however, the original database wasn't deleted because it is read-only. If you can, remove the read-only status, delete the original database, and then rename the new database using the original name. If you can't remove the read-only status, inform your workgroup administrator.
2570	2007	
	2000	
2571	2007	You cannot modify objects created in an earlier version of Microsoft Office Access. To convert this database to the current version of Microsoft Office Access, close the database, click the Microsoft Office Button, and then click Convert.
	2003	You can't modify objects created using an earlier version of Microsoft Office Access. To convert this database to the current version of Microsoft Office Access, close the database, point to Database Utilities on the Tools menu, and then click Convert Database.
	2002	You can't modify objects created using an earlier version of Microsoft Access. To convert this database to the current version of Microsoft Access, close the database, point to Database Utilities on the Tools menu, and then click Convert Database.
2572	2007	This database is in an unexpected state and Microsoft Office Access cannot open it. This database has been converted from a prior version of Microsoft Office Access by using the DAO CompactDatabase method instead of the Convert Database command (click the Microsoft Office Button and then click Convert). Converting by using the DAO CompactDatabase method has left the database in a partially converted state. If you have a copy of the database in its original format, click the Microsoft Office Button and then click Convert to convert it. If the original database is no longer available, create a new database and import your tables and queries to preserve your data and try again. Your other database objects cannot be recovered.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2572	2003	This database is in an unexpected state; Microsoft Office Access can't open it. @This database has been converted from a prior version of Microsoft Office Access by using the DAO CompactDatabase method instead of the Convert Database command on the Tools menu (Database Utilities submenu). This has left the database in a partially converted state. @If you have a copy of the database in its original format, use the Convert Database command on the Tools menu (Database Utilities submenu) to convert it. If the original database is no longer available, create a new database and import your tables and queries to preserve your data. Your other database objects can't be recovered. @1@@1
	2002	This database is in an unexpected state; Microsoft Access can't open it. @This database has been converted from a prior version of Microsoft Access by using the DAO CompactDatabase method instead of the Convert Database command on the Tools menu (Database Utilities submenu). This has left the database in a partially converted state. @If you have a copy of the database in its original format, use the Convert Database command on the Tools menu (Database Utilities submenu) to convert it. If the original database is no longer available, create a new database and import your tables and queries to preserve your data. Your other database objects can't be recovered. @1@@1
2573	2007	This database is a replica created in a different version of Access. @You can only convert this replica by synchronizing with its Design Master. @Convert the Design Master of this replica set then synchronize the replica with the Design Master. @1@@@1
	2003	This database is a replica created in a different version of Access. @You can only convert this replica by synchronizing with its Design Master. @Convert the Design Master of this replica set then synchronize the replica with the Design Master. @1@@1
	2000	This database is a replica from an earlier version of Microsoft Access. Microsoft Access can't open it. @Replicas can't be converted except by their Design Masters. @Convert the Design Master for this replica set to the current version of Microsoft Access, and then synchronize the replica. @1@@1
2574	2007	You can't create another Microsoft Office Access database with the same name and location as an existing database. @You carried out the Make MDE File command, but tried to give the new database the same extension as the old one. @Accept the default .mde extension for your new MDE database. @1@@@1
	2003	You can't create another Microsoft Office Access database with the same name and location as an existing database. @You carried out the Make MDE File command, but tried to give the new database the same extension as the old one. @Accept the default .mde extension for your new MDE database. @1@@1
	2002	You can't create another Microsoft Access database with the same name and location as an existing database. @You carried out the Make MDE File command, but tried to give the new database the same extension as the old one. @Accept the default .mde extension for your new MDE database. @1@@1
2575	2007	You can't create a Microsoft Office Access MDE database from a database replica. @@@1@@@1
	2003	You can't create a Microsoft Office Access MDE database from a database replica. @@@1@@1
	2002	You can't create a Microsoft Access MDE database from a database replica. @@@1@@1
2576	2007	This database is a Microsoft Office Access 7.0/8.0/9.0 Design Master/Replica. @If you click OK, the database you selected will be renamed to 1 and then converted to 2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2000 after the next synchronization. @4@@@2
	2003	This database is a Microsoft Office Access 7.0/8.0/9.0 Design Master/Replica. @If you click OK, the database you selected will be renamed to 1 and then converted to 2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2000 after the next synchronization. @4@@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2576	2002	This database is a Microsoft Access 7.0/8.0/9.0 Design Master/Replica. If you click OK, the database you selected will be renamed to 1 and then converted to 2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2000 after the next synchronization. @4@@2
	2000	This database is a Microsoft Access 7.0/8.0 Design Master/Replica. If you click OK, the database you selected will be renamed to 1 and then converted to 2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2000 after the next synchronization. @4@@2
2577	2007	The database is already open. Close the database before carrying out the Make MDE File command. @1@@@1
	2003	The database is already open. Close the database before carrying out the Make MDE File command. @1@@@1
2578	2007	Microsoft Office Access was unable to create the .accde, .mde, or .ade file. @@@1@@@1
	2003	Microsoft Office Access was unable to create an MDE database. @@@1@@@1
	2002	Microsoft Access was unable to create an MDE database. @@@1@@@1
2579	2007	Local forms, reports, macros, and modules in this replica will not be converted. To retain these objects, please be sure to import them into the Design Master from the original replica. @1@@@1
	2003	Local forms, reports, macros, and modules in this replica will not be converted. To retain these objects, please be sure to import them into the Design Master from the original replica. @1@@@1
2580	2007	The record source ' ' specified on this form or report does not exist. The name of the recordsource may be misspelled, the recordsource was deleted or renamed, or the recordsource exists in a different database. In the Form or Report's Design view, display the property sheet by clicking the Properties button, and then set the RecordSource property to an existing table or query. @1@@@1
	2003	The record source ' ' specified on this form or report does not exist. You misspelled the name, or it was deleted or renamed in the current database, or it exists in a different database. In the Form or Report's Design view, display the property sheet by clicking the Properties button, and then set the RecordSource property to an existing table or query. @1@@@1
2581	2007	You must define a sort field or expression for the group header or footer in the report you tried to preview or print. @@@1@1@8753@1
	2003	You must define a sort field or expression for the group header or footer in the report you tried to preview or print. @@@1@208753@1
2582	2007	You cannot set the GroupInterval property to 0 when the GroupOn property is set to Interval. Click the Sorting and Grouping Design tab and try one of the following: Change the GroupInterval property setting to a number higher than 0. Change the GroupOn property setting to Each Value. @1@@@1
	2003	You can't set the GroupInterval property to zero when the GroupOn property is set to Interval. Click Sorting and Grouping on the View menu and try one of the following: Change the GroupInterval property setting to a number higher than zero. Change the GroupOn property setting to Each Value. @1@@@1
2583	2007	The ApplyFilter action or method can be carried out only from an Open macro or Open event procedure. * You may have tried to run a macro or procedure containing the ApplyFilter action or method from a report property other than the OnOpen property. You may have tried to run a macro or event procedure on a report that is already open. To use the ApplyFilter action in a report, set the OnOpen property to the name of the macro, close the report, and then reopen it. @1@1@3004@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2583	2003	The ApplyFilter action or method can be carried out only from an Open macro or Open event procedure. @* You may have tried to run a macro or procedure containing the ApplyFilter action or method from a report property other than the OnOpen property. ☒ You may have tried to run a macro or event procedure on a report that is already open. @To use the ApplyFilter action in a report, set the OnOpen property to the name of the macro, close the report, and then reopen it. @1@603004@1
2584	2007	You can't use aggregate functions in a page header or footer. @The page header or footer of the report you tried to preview contains a calculated control with an aggregate function in its expression. @If you want to show the result of an aggregate function in a page header or footer, create a hidden calculated control in an appropriate section of the report. Then create an unbound text box in the page header or footer. ☒ you are running a macro, use the SetValue action to set the unbound text box value to the value in the hidden control. @1@1@11839@1
	2003	You can't use aggregate functions in a page header or footer. @The page header or footer of the report you tried to preview contains a calculated control with an aggregate function in its expression. @If you want to show the result of an aggregate function in a page header or footer, create a hidden calculated control in an appropriate section of the report. Then create an unbound text box in the page header or footer. ☒ you are running a macro, use the SetValue action to set the unbound text box value to the value in the hidden control. @1@411839@1
2585	2007	This action can't be carried out while processing a form or report event. @A macro specified as the OnOpen, OnLoad, OnClose, OnFormat, OnRetreat, OnPage, or OnPrint property setting contains an invalid action for the property. @When you click OK, an Action Failed dialog box will display the name of the macro that failed and its arguments. @1@1@11909@1
	2003	This action can't be carried out while processing a form or report event. @A macro specified as the OnOpen, OnClose, OnFormat, OnRetreat, OnPage, or OnPrint property setting contains an invalid action for the property. @When you click OK, an Action Failed dialog box will display the name of the macro that failed and its arguments. @1@611909@1
2586	2007	Microsoft Office Access changed the MoveLayout and NextRecord properties to True from False. @The macro or Visual Basic function run by the OnFormat property of one of the sections of the report set both the MoveLayout and NextRecord properties to False. Having both properties set to False can make the report print continuously. @Revise the macro or function so that it sets these properties to the values you want. @1@1@4656@1
	2003	Microsoft Office Access changed the MoveLayout and NextRecord properties to True from False. @The macro or Visual Basic function run by the OnFormat property of one of the sections of the report set both the MoveLayout and NextRecord properties to False. Having both properties set to False can make the report print continuously. @Revise the macro or function so that it sets these properties to the values you want. @1@604656@1
	2002	Microsoft Access changed the MoveLayout and NextRecord properties to True from False. @The macro or Visual Basic function run by the OnFormat property of one of the sections of the report set both the MoveLayout and NextRecord properties to False. Having both properties set to False can make the report print continuously. @Revise the macro or function so that it sets these properties to the values you want. @1@604656@1
2587	2007	Microsoft Office Access can't complete the Output operation. @The Visual Basic code you entered contains a syntax error or the Output procedures are not available. @Make sure there isn't a syntax error in your code. If the syntax is correct, run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. ☒r information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@185309@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2587	2003	Microsoft Office Access can't complete the Output operation. The Visual Basic code you entered contains a syntax error or the Output procedures are not available. Make sure there isn't a syntax error in your code. If the syntax is correct, run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
	2002	Microsoft Access can't complete the Output operation. The Visual Basic code you entered contains a syntax error or the Output procedures are not available. Make sure there isn't a syntax error in your code. If the syntax is correct, run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2588	2007	You must select a form to save as a report.
	2003	You must select a form to save as a report.
2589	2007	The expression '!' is invalid. Aggregate functions are only allowed on output fields of the Record Source.
	2003	The expression '!' is invalid. Aggregate functions are only allowed on output fields of the Record Source.
	2000	The expression '!' is invalid. Aggregate functions are only allowed on output fields of the Record Source.
2590	2007	The Var and VarP aggregate functions are not supported in an Access project.
	2003	The Var and VarP aggregate functions are not supported in an Access project.
2591	2007	You can't change printer properties in the OnOpen event of a report.
	2003	You can't change printer properties in the OnOpen event of a report.
2592	2007	
	2003	You cannot bind a hierarchical report to a DAO Recordset.
2593	2007	This feature is not available in an MDB or ACCDB.
	2003	This feature is not available in an MDB.
2594	2007	You cannot Filter By Form when form record source is a recordset object.
	2003	You cannot Filter By Form when form record source is a recordset object.
2595	2007	Microsoft Office Access cannot set this property when DefaultSize property is set to True.
	2003	Microsoft Office Access cannot set this property when DefaultSize property is set to True.
	2002	Microsoft Access cannot set this property when DefaultSize property is set to True.
2596	2007	Printer object is not available on subforms and subreports.
	2003	Printer object is not available on subforms and subreports.
2597	2007	Unable to bind the report to the specified recordset because the shape does not match the sorting and grouping specified on the report.
	2003	Unable to bind the report to the specified recordset because the shape does not match the sorting and grouping specified on the report.
2598	2007	
	2003	Recordset property not available for natively bound reports in MDB files.
2599	2007	Report view is not available for this report.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2600	2007	Verify the new password by retyping it in the Verify box and clicking OK.@@@1@@@1
	2003	Verify the new password by retyping it in the Verify box and clicking OK.@@@1@@@1
2601	2007	You don't have permission to read ' .'@To read this object, you must have Read Design permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
	2003	You don't have permission to read ' .'@To read this object, you must have Read Design permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1
2602	2007	You don't have permission to modify ' .'@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
	2003	You don't have permission to modify ' .'@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it. For more information on permissions and who can set them, click Help.@@2@410222@1
2603	2007	You don't have permission to run ' .'@To run this object, you must have Open/Run permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
	2003	You don't have permission to run ' .'@To run this object, you must have Open/Run permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1
2604	2007	You can't view this object's permissions.@To view or change permissions for this object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
	2003	You can't view this object's permissions.@To view or change permissions for this object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1
2605	2007	You can't remove this user account from group ' .'@* You may have tried to remove a user account from the default Users group. Microsoft Office Access automatically adds all users to the default Users group. To remove a user account from the Users group, you must first delete the account. You may have tried to remove all users from the Admins group. There must be at least one user in the Admins group.@@1@1@10212@1
	2003	You can't remove this user account from group ' .'@* You may have tried to remove a user account from the default Users group. Microsoft Office Access automatically adds all users to the default Users group. To remove a user account from the Users group, you must first delete the account. You may have tried to remove all users from the Admins group. There must be at least one user in the Admins group.@@1@210212@1
	2002	You can't remove this user account from group ' .'@* You may have tried to remove a user account from the default Users group. Microsoft Access automatically adds all users to the default Users group. To remove a user account from the Users group, you must first delete the account. You may have tried to remove all users from the Admins group. There must be at least one user in the Admins group.@@1@210212@1
2606	2007	The object type is invalid.@@@1@@@1
	2003	The object type is invalid.@@@1@@@1
2607	2007	You don't have permission to cut ' .'@To cut this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2607	2003	You don't have permission to cut ' .'@To cut this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1
2608	2007	You don't have permission to copy ' .'@To copy this object, you must have Read Design permission for it. If the object is a table, you must also have Read Data permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
	2003	You don't have permission to copy ' .'@To copy this object, you must have Read Design permission for it. If the object is a table, you must also have Read Data permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1
2609	2007	You don't have permission to delete ' .'@To delete this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.@@2@1@10222@1
	2003	You don't have permission to delete ' .'@To delete this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1
2610	2007	You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.@Microsoft Office Access uses the combination of the user or group name and the PID to identify the user or group. Note that Microsoft Office Access hides the PID after you create it, so make sure to write down the exact user or group account name and the PID entries. If you ever have to re-create the account, you must supply the same name and PID entries.@@1@@@1
	2003	You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.@Microsoft Office Access uses the combination of the user or group name and the PID to identify the user or group. Note that Microsoft Office Access hides the PID after you create it, so make sure to write down the exact user or group account name and the PID entries. If you ever have to re-create the account, you must supply the same name and PID entries.@@1@@@1
	2002	You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.@Microsoft Access uses the combination of the user or group name and the PID to identify the user or group. Note that Microsoft Access hides the PID after you create it, so make sure to write down the exact user or group account name and the PID entries. If you ever have to re-create the account, you must supply the same name and PID entries.@@1@@@1
2611	2007	Microsoft Office Access can't find the workgroup file ' .' Would you like to use the default workgroup file?@@@20@@@1
	2003	Microsoft Office Access can't find the workgroup file ' .' Would you like to use the default workgroup file?@@@20@@@1
	2002	Microsoft Access can't find the workgroup file ' .' Would you like to use the default workgroup file?@@@20@@@1
2612	2007	The account name is invalid.@For information about naming conventions, click Help.@@2@1@10213@1
	2003	The account name is invalid.@For information about naming conventions, click Help.@@2@210213@1
2613	2007	You don't have permission to rename ' .'@To rename a database object, you must have Modify Design permission for the object. For more information on permissions and who can set them, click Help.@@2@1@10222@1
	2003	You don't have permission to rename ' .'@To rename a database object, you must have Modify Design permission for the object. For more information on permissions and who can set them, click Help.@@2@410222@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2614	2007	You don't have permission to insert this form into another form. To insert a form into another form as a subform, you must have Read Design permission for the form being inserted. For more information on permissions and who can set them, click Help.
	2003	You don't have permission to insert this form into another form. To insert a form into another form as a subform, you must have Read Design permission for the form being inserted. For more information on permissions and who can set them, click Help.
2615	2007	You don't have permission to change the owner of ' '. To change the owner of a database object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.
	2003	You don't have permission to change the owner of ' '. To change the owner of a database object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.
2616	2007	You can't change permissions for ' '. To change permissions for this object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.
	2003	You can't change permissions for ' '. To change permissions for this object, you must have Administer permission for it. For more information on permissions and who can set them, click Help.
2617	2007	You don't have permission to import, export, or link to ' '. To import, export, or link to this object, you must have Read Design and Read Data permissions for it. For more information on permissions and who can set them, click Help.
	2003	You don't have permission to import, export, or link to ' '. To import, export, or link to this object, you must have Read Design and Read Data permissions for it. For more information on permissions and who can set them, click Help.
2618	2007	You must have the database open for exclusive use to set or remove the database password. To open the database exclusively, close the database, and then reopen it by clicking the Microsoft Office Button and using the Open command. In the Open dialog box, click the arrow next to the Open button, and then select Open Exclusive.
	2003	You need to have the database open for exclusive use to set or unset the database password. To open the database exclusively, close the database, and then reopen it using the Open command on the File menu. In the Open dialog box, click the arrow to the right of the Open button, and then choose Open Exclusive.
2619	2007	You can't change permissions for ' ' in a replica. Permissions may only be changed in the Design Master for the replica set.
	2003	You can't change permissions for ' ' in a replica. Permissions may only be changed in the Design Master for the replica set.
2620	2007	The password you entered in the Old Password box is incorrect. Please enter the correct password for this account.
	2003	The password you entered in the Old Password box is incorrect. Please enter the correct password for this account.
2621	2007	That password isn't valid. You may have used a semicolon.
	2003	That password isn't valid. You may have used a semicolon.
2622	2007	You cannot save ' ' because it is read-only. To save, switch to Design View, click the Microsoft Office Button, point to Save As, and enter a new name.
	2003	You can't save ' ' because it is read-only. To save, switch to Design View and choose Save As from the File menu.
2623	2007	

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2623	2003	Saving the database to the previous version of Access will create a new database that contains none of the security information that you have set. Are you sure you want to proceed?
2624	2007	An error has occurred while changing workgroup database.
	2003	An error has occurred while changing workgroup database.
2625	2007	Workgroup Administrator couldn't create the workgroup information file. Make sure that you have specified a valid path and file name, that you have adequate permissions to create the file, and that you have enough disk space on the destination drive.
	2003	Workgroup Administrator couldn't create the workgroup information file. Make sure that you have specified a valid path and file name, that you have adequate permissions to create the file, and that you have enough disk space on the destination drive.
2626	2007	Reserved error (); there is no message for this error.
	2003	Reserved error (); there is no message for this error.
2627	2007	There's not enough disk space.
	2003	There's not enough disk space.
2628	2007	One of your parameters is invalid.
	2003	One of your parameters is invalid.
2629	2007	Could not open workgroup file. This is a directory.
	2003	Could not open workgroup file. This is a directory.
2630	2007	The specified path is invalid.
	2003	The specified path is invalid.
2631	2007	The specified path is too long.
	2003	The specified path is too long.
2632	2007	Change Workgroup cannot proceed without your Name, PIN, and a path to the new Workgroup Information File.
2633	2007	Microsoft Office Access cannot change the password for the logon account ' ' because the current connection is using Microsoft Windows NT integrated security.
	2003	Microsoft Office Access cannot change the password for the logon account ' ' because the current connection is using Microsoft Windows NT integrated security.
	2002	Microsoft Access cannot change the password for the logon account ' ' because the current connection is using Microsoft Windows NT integrated security.
2634	2007	The new password doesn't match the verify password value.
	2003	The new password doesn't match the verify password value.
2635	2007	Microsoft Office Access is unable to change the password because the old password doesn't match the password of the currently logged in user.
	2002	Microsoft Access is unable to change the password because the old password doesn't match the password of the currently logged in user.
2636	2007	Workgroup file already exists.
2637	2007	Unable to start SQL Server service. To restart the SQL Server service, double-click the SQL Server System Manager icon in the system tray and click Start/Continue. When the service is started, in Microsoft Office Access, click the Microsoft Office Button, point to Server Tasks, click Connection, and then click OK.
	2003	Unable to start SQL Server service. To restart the SQL Server service, double click on the SQL Server System Manager icon in the system tray and click Start/Continue. Once the service is started, point to Connection on the File menu in Access and click OK.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2638	2007	Unable to start SQL Server service. To restart the SQL Server service, double-click the SQL Server System Manager icon in the system tray and click Start/Continue. If the service fails to start, go to the Services console and verify that the MSSQLServer service Log On information is correct. When the service is started, in Microsoft Office Access, click the Microsoft Office Button, point to Server Tasks, click Connection, and then click OK.
	2003	Unable to start SQL Server service. To restart the SQL Server service, double click on the SQL Server System Manager icon in the system tray and click Start/Continue. If the service fails to start, go to the Services console and verify that the MSSQLServer service Log On information is correct. Once the service is started, point to Connection on the File menu in Access and click OK.
2639	2007	Microsoft Office Access cannot open due to security restrictions. Security settings restrict access to the file because it is not digitally signed.
	2003	Microsoft Office Access cannot open due to security restrictions. Security settings restrict access to the file because it is not digitally signed.
2646	2007	Microsoft Office Access can't create this relationship and enforce referential integrity. Data in the table 'I' violates referential integrity rules. For example, there may be records relating to an employee in the related table, but no record for the employee in the primary table. Edit the data so that records in the primary table exist for all related records. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
	2003	Microsoft Office Access can't create this relationship and enforce referential integrity. Data in the table 'I' violates referential integrity rules. For example, there may be records relating to an employee in the related table, but no record for the employee in the primary table. Edit the data so that records in the primary table exist for all related records. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
	2002	Microsoft Access can't create this relationship and enforce referential integrity. Data in the table 'I' violates referential integrity rules. For example, there may be records relating to an employee in the related table, but no record for the employee in the primary table. Edit the data so that records in the primary table exist for all related records. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
2648	2007	
	2003	Microsoft Office Access created a one-to-one relationship instead of a one-to-many relationship because there is a unique index on the field(s) specified for the related table. If you want to define a one-to-many relationship between these tables, try one of the following: Delete the one-to-one relationship, and then change the setting of the Indexed property for the foreign key field from No Duplicates to Duplicates OK. Choose different matching fields.
	2002	Microsoft Access created a one-to-one relationship instead of a one-to-many relationship because there is a unique index on the field(s) specified for the related table. If you want to define a one-to-many relationship between these tables, try one of the following: Delete the one-to-one relationship, and then change the setting of the Indexed property for the foreign key field from No Duplicates to Duplicates OK. Choose different matching fields.
2649	2007	Microsoft Office Access can't enforce referential integrity for this relationship. Make sure the fields you drag are primary key fields or uniquely indexed and that the unique index or primary key is correctly set. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2649	2003	Microsoft Office Access can't enforce referential integrity for this relationship. Make sure the fields you drag are primary key fields or uniquely indexed and that the unique index or primary key is correctly set. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
	2002	Microsoft Access can't enforce referential integrity for this relationship. Make sure the fields you drag are primary key fields or uniquely indexed and that the unique index or primary key is correctly set. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
2650	2007	Microsoft Office Access can't create this relationship and enforce referential integrity. The fields you chose may have different data types. The fields may have the Number data type but not the same FieldSize property setting. Try one of the following: Select fields with the same data type. Open the tables in Design view, and change the data types and field sizes so that the fields match. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
	2003	Microsoft Office Access can't create this relationship and enforce referential integrity. The fields you chose may have different data types. The fields may have the Number data type but not the same FieldSize property setting. Try one of the following: Select fields with the same data type. Open the tables in Design view, and change the data types and field sizes so that the fields match. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
	2002	Microsoft Access can't create this relationship and enforce referential integrity. The fields you chose may have different data types. The fields may have the Number data type but not the same FieldSize property setting. Try one of the following: Select fields with the same data type. Open the tables in Design view, and change the data types and field sizes so that the fields match. If you want to create the relationship without following the rules of referential integrity, clear the Enforce Referential Integrity check box.
2651	2007	You can't create a relationship between fields with the Memo, OLE Object, Yes/No, or Hyperlink data type. You tried to enforce referential integrity for a relationship, but one or more of the fields you chose have the Memo, OLE Object, Yes/No, or Hyperlink data type. Select fields in the grid that don't have these data types, or open the tables in Design view and change data types.
	2003	You can't create a relationship between fields with the Memo, OLE Object, Yes/No, or Hyperlink data type. You tried to enforce referential integrity for a relationship, but one or more of the fields you chose have the Memo, OLE Object, Yes/No, or Hyperlink data type. Select fields in the grid that don't have these data types, or open the tables in Design view and change data types.
2652	2007	You can't delete a relationship inherited from a linked database.
	2003	You can't delete a relationship inherited from a linked database.
2680	2007	The form or report includes more OLE objects than Microsoft Office Access can display at one time. Delete some of the bound or unbound object frames.
	2003	The form or report includes more OLE objects than Microsoft Office Access can display at one time. Delete some of the bound or unbound object frames.
	2002	The form or report includes more OLE objects than Microsoft Access can display at one time. Delete some of the bound or unbound object frames.
2683	2007	There is no object in this control.
	2003	There is no object in this control.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2684	2007	The OLE object is empty. You can't edit a bound object frame if the field in the underlying table doesn't contain an OLE object. Right-click the field, click Insert Object, and use the dialog box to locate and add the object to the field.
	2003	The OLE object is empty. You can't edit a bound object frame if the field in the underlying table doesn't contain an OLE object. Embed or link an OLE object into the bound object frame using the Object command on the Insert menu.
2685	2007	The object doesn't have an OLE object data type. The bound object frame containing the object you tried to edit isn't bound to a field with the OLE object data type. If you want to display an OLE object, set the ControlSource property for the bound object frame to a field with the OLE object data type. Or use a different control, such as a text box, to display the data.
	2003	The object doesn't have an OLE object data type. The bound object frame containing the object you tried to edit isn't bound to a field with the OLE object data type. If you want to display an OLE object, set the ControlSource property for the bound object frame to a field with the OLE object data type. Or use a different control, such as a text box, to display the data.
2686	2007	Microsoft Office Access is unable to save the object. Your computer ran out of disk space while Microsoft Office Access was saving the OLE object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
	2003	Microsoft Office Access is unable to save the object. Your computer ran out of disk space while Microsoft Office Access was saving the OLE object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
	2002	Microsoft Access is unable to save the object. Your computer ran out of disk space while Microsoft Access was saving the OLE object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
2687	2007	
	2003	There was a problem reading the object.
2690	2007	A system resource necessary for displaying the object isn't available. Your computer may be low on memory. Close unneeded programs, and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
	2003	A system resource necessary for displaying the object isn't available. Your computer may be low on memory. Close unneeded programs, and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2691	2007	Microsoft Office Access can't communicate with the OLE server. The OLE server may not be registered. To register the OLE server, reinstall it.
	2003	Microsoft Office Access can't communicate with the OLE server. The OLE server may not be registered. To register the OLE server, reinstall it.
	2002	Microsoft Access can't communicate with the OLE server. The OLE server may not be registered. To register the OLE server, reinstall it.
2694	2007	The Clipboard isn't available. The Clipboard may be in use by another application, or your computer may be low on memory. If your computer is low on memory, close unneeded programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
	2003	The Clipboard isn't available. The Clipboard may be in use by another application, or your computer may be low on memory. If your computer is low on memory, close unneeded programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2695	2007	Microsoft Office Access is unable to display the converted object. Delete the object in the bound object frame, and then re-create it.
	2003	Microsoft Office Access is unable to display the converted object. Delete the object in the bound object frame, and then re-create it.
	2002	Microsoft Access is unable to display the converted object. Delete the object in the bound object frame, and then re-create it.
2696	2007	Microsoft Office Access can't read the OLE object. Delete the object in the bound object frame, and then re-create it.
	2003	Microsoft Office Access can't read the OLE object. Delete the object in the bound object frame, and then re-create it.
	2002	Microsoft Access can't read the OLE object. Delete the object in the bound object frame, and then re-create it.
2697	2007	There was a problem loading the object. The object you tried to create or edit is not a valid OLE object. Re-create the object, and then embed or link it again.
	2003	There was a problem loading the object. The object you tried to create or edit is not a valid OLE object. Re-create the object, and then embed or link it again.
2698	2007	The object you tried to create or edit is too large to save. * Your database may not contain enough space for the object. Your computer may be out of disk space. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
	2003	The object you tried to create or edit is too large to save. * Your database may not contain enough space for the object. Your computer may be out of disk space. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
2699	2007	The connection with the OLE server was lost, or the OLE server encountered an error while you were using it. Restart the OLE server, and then try the operation again.
	2003	The connection with the OLE server was lost, or the OLE server encountered an error while you were using it. Restart the OLE server, and then try the operation again.
2700	2007	Microsoft Office Access can't find an OLE server or a dynamic-link library (DLL) required for the OLE operation. The OLE server or DLL may not be registered. To register the OLE server or DLL, reinstall it.
	2003	Microsoft Office Access can't find an OLE server or a dynamic-link library (DLL) required for the OLE operation. The OLE server or DLL may not be registered. To register the OLE server or DLL, reinstall it.
	2002	Microsoft Access can't find an OLE server or a dynamic-link library (DLL) required for the OLE operation. The OLE server or DLL may not be registered. To register the OLE server or DLL, reinstall it.
2701	2007	The OLE server for the OLE object you tried to create is already open. Switch to the OLE server window and close it. Then try to create or edit the OLE object again.
	2003	The OLE server for the OLE object you tried to create is already open. Switch to the OLE server window and close it. Then try to create or edit the OLE object again.
2702	2007	The object isn't registered. The object may be calling an application that isn't installed. To register the application, reinstall it.
	2003	The object isn't registered. The object may be calling an application that isn't installed. To register the application, reinstall it.
2703	2007	Microsoft Office Access can't read the object because communication was interrupted. If the OLE server application is located on a network server, make sure your computer is connected to it.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2703	2003	Microsoft Office Access can't read the object because communication was interrupted. If the OLE server application is located on a network server, make sure your computer is connected to it.
	2002	Microsoft Access can't read the object because communication was interrupted. If the OLE server application is located on a network server, make sure your computer is connected to it.
2704	2007	The object you tried to edit doesn't have any displayable information.
	2003	The object you tried to edit doesn't have any displayable information.
2707	2007	Microsoft Office Access can't open the file containing the OLE object. You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. The file you specified may not be available because it's locked by another user or you don't have permission to use it. Try one of the following: Make sure the file is available and that you used the correct file name. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
	2003	Microsoft Office Access can't open the file containing the OLE object. You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. The file you specified may not be available because it's locked by another user or you don't have permission to use it. Try one of the following: Make sure the file is available and that you used the correct file name. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
	2002	Microsoft Access can't open the file containing the OLE object. You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. The file you specified may not be available because it's locked by another user or you don't have permission to use it. Try one of the following: Make sure the file is available and that you used the correct file name. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
2711	2007	The file name argument in the GetObject function of the Visual Basic procedure you ran is invalid. You may not have entered, or may have misspelled, the file name. The unit of data (such as a range of cells from a worksheet) may not be valid. Try one of the following: Make sure the file is installed on your computer and that you used the correct file name. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
	2003	The file name argument in the GetObject function of the Visual Basic procedure you ran is invalid. You may not have entered, or may have misspelled, the file name. The unit of data (such as a range of cells from a worksheet) may not be valid. Try one of the following: Make sure the file is installed on your computer and that you used the correct file name. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
2713	2007	A problem occurred when Microsoft Office Access tried to access the object. You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. The file you specified may not be available because it's locked by another user or you don't have permission to use it. Try one of the following: Make sure that the file is installed on your computer and that you used the correct file name. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2713	2003	A problem occurred when Microsoft Office Access tried to access the object.* You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. The file you specified may not be available because it's locked by another user or you don't have permission to use it. Try one of the following: Make sure that the file is installed on your computer and that you used the correct file name. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data. @1@109360@1
	2002	A problem occurred when Microsoft Access tried to access the object.* You may have specified an invalid file name or an invalid unit of data (such as a range of cells from a worksheet) within the file for the OLE object. The file you specified may not be available because it's locked by another user or you don't have permission to use it. Try one of the following: Make sure that the file is installed on your computer and that you used the correct file name. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data. @1@109360@1
2714	2007	The object doesn't support verbs that can be performed on an OLE object, such as play or edit. Check the OLE server's documentation for information on the verbs the OLE object supports, or use the ObjectVerbs property or the ObjectVerbsCount property to find the verbs supported by an OLE object. @1@1@6970@1
	2003	The object doesn't support verbs that can be performed on an OLE object, such as play or edit. Check the OLE server's documentation for information on the verbs the OLE object supports, or use the ObjectVerbs property or the ObjectVerbsCount property to find the verbs supported by an OLE object. @1@606970@1
2715	2007	The index for the Action or the Verb property for the object is invalid. The setting you entered may be a negative number or may be too large. @1@1@6967@1
	2003	The index for the Action or the Verb property for the object is invalid. The setting you entered may be a negative number or may be too large. @1@606967@1
2717	2007	The object has no information that can be displayed. You tried to perform an operation on a bound or unbound object frame containing an OLE object, but the OLE object is empty. Right-click the frame, click Insert Object, and then use the dialog box to locate and either add or link to an object from a file that is not empty. @1@1@9360@1
	2003	The object has no displayable information. You tried to perform an operation on a bound or unbound object frame containing an OLE object, but the OLE object is empty. Use the Object command on the Insert menu to create an OLE object or to embed or link an OLE object from a file that isn't empty. @1@109360@1
2719	2007	A problem occurred while accessing the object.* The OLE server may not be available because it's on a network server and you lost the connection. Try re-establishing the connection. The OLE object may be stored in a linked file, but the file isn't available. Activate the OLE server outside of Microsoft Office Access, and then open the file containing the OLE object to verify that it still exists and can be accessed. @1@@@1
	2003	A problem occurred while accessing the object.* The OLE server may not be available because it's on a network server and you lost the connection. Try re-establishing the connection. The OLE object may be stored in a linked file, but the file isn't available. Activate the OLE server outside of Microsoft Office Access, and then open the file containing the OLE object to verify that it still exists and can be accessed. @1@@1
	2002	A problem occurred while accessing the object.* The OLE server may not be available because it's on a network server and you lost the connection. Try re-establishing the connection. The OLE object may be stored in a linked file, but the file isn't available. Activate the OLE server outside of Microsoft Access, and then open the file containing the OLE object to verify that it still exists and can be accessed. @1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2723	2007	The object doesn't support the attempted operation. The OLE object was changed to a picture, or the link to the object was broken. If you want to perform the operation, delete the OLE object, and then embed or link it again.
	2003	The object doesn't support the attempted operation. The OLE object was changed to a picture, or the link to the object was broken. If you want to perform the operation, delete the OLE object, and then embed or link it again.
2724	2007	One or more dynamic-link libraries required for using OLE objects is an incorrect version. Run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
	2003	One or more dynamic-link libraries required for using OLE objects is an incorrect version. Run Setup to reinstall Microsoft Office Access. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
	2002	One or more dynamic-link libraries required for using OLE objects is an incorrect version. Run Setup to reinstall Microsoft Access. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2725	2007	The OLE server isn't registered. To register the OLE server, reinstall it.
	2003	The OLE server isn't registered. To register the OLE server, reinstall it.
2726	2007	Microsoft Office Access can't perform the OLE operation because it was unable to read the Windows Registry where the OLE server is registered. Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Office Access, you may want to back up your Microsoft Office Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.
	2003	Microsoft Office Access can't perform the OLE operation because it was unable to read the Windows Registry where the OLE server is registered. Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Office Access, you may want to back up your Microsoft Office Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.
	2002	Microsoft Access can't perform the OLE operation because it was unable to read the Windows Registry where the OLE server is registered. Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Access, you may want to back up your Microsoft Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2727	2007	Microsoft Office Access can't perform the OLE operation because it was unable to write to the Windows Registry where the OLE server is registered. Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Office Access, you may want to back up your Microsoft Office Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.
	2003	Microsoft Office Access can't perform the OLE operation because it was unable to write to the Windows Registry where the OLE server is registered. Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Office Access, you may want to back up your Microsoft Office Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.
	2002	Microsoft Access can't perform the OLE operation because it was unable to write to the Windows Registry where the OLE server is registered. Reinstall the OLE server, and then try the operation again. If problems continue, reinstall Microsoft Windows and the other applications on your computer. If you reinstall Microsoft Access, you may want to back up your Microsoft Access workgroup information file first to preserve any custom settings. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. For information on the Windows Registry, search the Microsoft Windows Help index for 'registry'.
2729	2007	The OLE object you tried to edit is busy. Try again later.
	2003	The OLE object you tried to edit is busy. Try again later.
2730	2007	There was a problem communicating with the OLE server. Try again later. If you still can't access the object, try one or more of the following: <ul style="list-style-type: none"> Free up system memory. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. Reinstall the OLE server to make sure it's registered. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
	2003	There was a problem communicating with the OLE server. Try again later. If you still can't access the object, try one or more of the following: <ul style="list-style-type: none"> Free up system memory. For information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. Reinstall the OLE server to make sure it's registered. Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.
2731	2007	An error occurred while accessing the OLE server. The OLE server may not be registered. To register the OLE server, reinstall it.
	2003	An error occurred while accessing the OLE server. The OLE server may not be registered. To register the OLE server, reinstall it.
2732	2007	Microsoft Office Access can't read the object. Communication between Microsoft Office Access and the OLE server was interrupted. Make sure your computer is connected to the network server on which the OLE server is located.
	2003	Microsoft Office Access can't read the object. Communication between Microsoft Office Access and the OLE server was interrupted. Make sure your computer is connected to the network server on which the OLE server is located.
	2002	Microsoft Access can't read the object. Communication between Microsoft Access and the OLE server was interrupted. Make sure your computer is connected to the network server on which the OLE server is located.
2733	2007	The OLE object you tried to edit can't be accessed. You don't have permission to change the object, or another user opened and locked the object.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2733	2003	The OLE object you tried to edit can't be accessed. You don't have permission to change the object, or another user opened and locked the object.
2734	2007	You can't save the object now. The OLE server is running an operation, or another user opened and locked the object. Try to save the object again later.
	2003	You can't save the object now. The OLE server is running an operation, or another user opened and locked the object. Try to save the object again later.
2735	2007	This disk is write-protected. You can't save the object to it.
	2003	This disk is write-protected. You can't save the object to it.
2737	2007	Microsoft Office Access can't find the file containing the linked OLE object you tried to update using the OLE/DDE Links command. You may have misspelled the file name, or the file may have been deleted or renamed. If the file has been moved to a different location, use the OLE/DDE Links command to change the source. Or delete the object, and create a new linked object.
	2003	Microsoft Office Access can't find the file containing the linked OLE object you tried to update using the OLE/DDE Links command. You may have misspelled the file name, or the file may have been deleted or renamed. If the file has been moved to a different location, use the OLE/DDE Links command to change the source. Or delete the object, and create a new linked object.
	2002	Microsoft Access can't find the file containing the linked OLE object you tried to update using the OLE/DDE Links command. You may have misspelled the file name, or the file may have been deleted or renamed. If the file has been moved to a different location, use the OLE/DDE Links command to change the source. Or delete the object, and create a new linked object.
2738	2007	There isn't enough memory to complete the operation. Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
	2003	There isn't enough memory to complete the operation. Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
2739	2007	An error occurred during the operation with an OLE object. The object is in use.
	2003	An error occurred during the operation with an OLE object. The object is in use.
2741	2007	Your computer ran out of disk space while Microsoft Office Access was saving the changes you made to the object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
	2003	Your computer ran out of disk space while Microsoft Office Access was saving the changes you made to the object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
	2002	Your computer ran out of disk space while Microsoft Access was saving the changes you made to the object. For information on freeing disk space, search the Microsoft Windows Help index for 'disk space, freeing'.
2742	2007	Microsoft Office Access was unable to create more files. Your computer may be low on memory or disk space. Close unneeded programs and try the operation again. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.
	2003	Microsoft Office Access was unable to create more files. Your computer may be low on memory or disk space. Close unneeded programs and try the operation again. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2742	2002	Microsoft Access was unable to create more files. Your computer may be low on memory or disk space. Close unneeded programs and try the operation again. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'.
2743	2007	The object is stored in a format that is incompatible with the version of OLE on your computer.
	2003	The object is stored in a format that is incompatible with the version of OLE on your computer.
2744	2007	Microsoft Office Access can't find the OLE server. The setting for the SourceDoc property may be invalid, or the file may have been deleted, renamed, or moved.
	2003	Microsoft Office Access can't find the OLE server. The setting for the SourceDoc property may be invalid, or the file may have been deleted, renamed, or moved.
	2002	Microsoft Access can't find the OLE server. The setting for the SourceDoc property may be invalid, or the file may have been deleted, renamed, or moved.
2745	2007	Share.exe or Vshare.386 is missing from your computer; OLE support needs these files to work correctly. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access, the Share program, and Vshare.386. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. Then restore the file to its original location. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
	2003	Share.exe or Vshare.386 is missing from your computer; OLE support needs these files to work correctly. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access, the Share program, and Vshare.386. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. Then restore the file to its original location. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
	2002	Share.exe or Vshare.386 is missing from your computer; OLE support needs these files to work correctly. Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access, the Share program, and Vshare.386. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. Then restore the file to its original location. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
2746	2007	You can't switch to Design view because your form contains too many OLE objects. Close other applications, close the form, and then open the form again in Design view. Then delete some of the OLE objects or move them to a different form.
	2003	You can't switch to Design view because your form contains too many OLE objects. Close other applications, close the form, and then open the form again in Design view. Then delete some of the OLE objects or move them to a different form.
2747	2007	The OLE server can't display the object. There is a problem with the file containing the OLE object, or there isn't enough memory available. Open the OLE server outside of Microsoft Office Access, and then open the OLE object file. If you can do this, then your computer may be low on memory. Close other programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2747	2003	The OLE server can't display the object. @There is a problem with the file containing the OLE object, or there isn't enough memory available. @Open the OLE server outside of Microsoft Office Access, and then open the OLE object file. If you can do this, then your computer may be low on memory. Close other programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@1
	2002	The OLE server can't display the object. @There is a problem with the file containing the OLE object, or there isn't enough memory available. @Open the OLE server outside of Microsoft Access, and then open the OLE object file. If you can do this, then your computer may be low on memory. Close other programs, and then try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@1
2748	2007	The Automation object operation isn't available for the object. @Check the component's documentation for information on which operations are available for an Automation object. @1@@@1
	2003	The Automation object operation isn't available for the object. @Check the component's documentation for information on which operations are available for an Automation object. @1@@1
2749	2007	There isn't enough memory to complete the Automation object operation on the object. @Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
	2003	There isn't enough memory to complete the Automation object operation on the object. @Close unneeded programs and try the operation again. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@1
2750	2007	The operation on the object failed. @The OLE server may not be registered. @To register the OLE server, reinstall it. @1@@@1
	2003	The operation on the object failed. @The OLE server may not be registered. @To register the OLE server, reinstall it. @1@@1
2751	2007	The Exit or Update operation failed. @You pressed the ESC key (or another key used in the OLE server to stop an operation) while Microsoft Office Access was saving the changes you made to an OLE object in a form or report. @Try to exit or update again. @1@@@1
	2003	The Exit or Update operation failed. @You pressed the ESC key (or another key used in the OLE server to stop an operation) while Microsoft Office Access was saving the changes you made to an OLE object in a form or report. @Try to exit or update again. @1@@1
	2002	The Exit or Update operation failed. @You pressed the ESC key (or another key used in the OLE server to stop an operation) while Microsoft Access was saving the changes you made to an OLE object in a form or report. @Try to exit or update again. @1@@1
2753	2007	A problem occurred while Microsoft Office Access was communicating with the OLE server or ActiveX Control. @Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again in Microsoft Office Access. @1@@@1
	2003	A problem occurred while Microsoft Office Access was communicating with the OLE server or ActiveX Control. @Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again in Microsoft Office Access. @1@@1
	2002	A problem occurred while Microsoft Access was communicating with the OLE server or ActiveX Control. @Close the OLE server and restart it outside of Microsoft Access. Then try the original operation again in Microsoft Access. @1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2754	2007	A problem occurred while Microsoft Office Access was communicating with the OLE server. @Try one or more of the following: <input type="checkbox"/> Make sure you're connected to the network server where the OLE server application is located. <input type="checkbox"/> Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again from within Microsoft Office Access. <input type="checkbox"/> Reinstall the OLE server to ensure that it's registered. @1@@@1
	2003	A problem occurred while Microsoft Office Access was communicating with the OLE server. @Try one or more of the following: <input type="checkbox"/> Make sure you're connected to the network server where the OLE server application is located. <input type="checkbox"/> Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again from within Microsoft Office Access. <input type="checkbox"/> Reinstall the OLE server to ensure that it's registered. @1@@1
	2002	A problem occurred while Microsoft Access was communicating with the OLE server. @Try one or more of the following: <input type="checkbox"/> Make sure you're connected to the network server where the OLE server application is located. <input type="checkbox"/> Close the OLE server and restart it outside of Microsoft Access. Then try the original operation again from within Microsoft Access. <input type="checkbox"/> Reinstall the OLE server to ensure that it's registered. @1@@1
2755	2007	There was a problem referencing a property or method of the object. @You tried to run a Visual Basic procedure that references an object property or method. @Try one or more of the following: <input type="checkbox"/> Make sure the component is properly registered. <input type="checkbox"/> Make sure your computer is connected to the network server where the component is located. <input type="checkbox"/> Close the component and restart it outside of Microsoft Office Access. Then try again to run the procedure in Microsoft Office Access. @1@@@1
	2003	There was a problem referencing a property or method of the object. @You tried to run a Visual Basic procedure that references an object property or method. @Try one or more of the following: <input type="checkbox"/> Make sure the component is properly registered. <input type="checkbox"/> Make sure your computer is connected to the network server where the component is located. <input type="checkbox"/> Close the component and restart it outside of Microsoft Office Access. Then try again to run the procedure in Microsoft Office Access. @1@@1
	2002	There was a problem referencing a property or method of the object. @You tried to run a Visual Basic procedure that references an object property or method. @Try one or more of the following: <input type="checkbox"/> Make sure the component is properly registered. <input type="checkbox"/> Make sure your computer is connected to the network server where the component is located. <input type="checkbox"/> Close the component and restart it outside of Microsoft Access. Then try again to run the procedure in Microsoft Access. @1@@1
2756	2007	A problem occurred when Microsoft Office Access tried to access the OLE object. @Close the Microsoft Office Access form or report that displays the OLE object, and close the OLE server. Then reopen the form or report to see if it can display the OLE object. @1@@@1
	2003	A problem occurred when Microsoft Office Access tried to access the OLE object. @Close the Microsoft Office Access form or report that displays the OLE object, and close the OLE server. Then reopen the form or report to see if it can display the OLE object. @1@@1
	2002	A problem occurred when Microsoft Access tried to access the OLE object. @Close the Microsoft Access form or report that displays the OLE object, and close the OLE server. Then reopen the form or report to see if it can display the OLE object. @1@@1
2757	2007	There was a problem accessing a property or method of the OLE object. @Try one or more of the following: <input type="checkbox"/> Verify that the OLE server is registered correctly by reinstalling it. <input type="checkbox"/> Make sure your computer is connected to the server on which the OLE server application resides. <input type="checkbox"/> Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again from within Microsoft Office Access. @1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2757	2003	There was a problem accessing a property or method of the OLE object. @Try one or more of the following: @Verify that the OLE server is registered correctly by reinstalling it. @Make sure your computer is connected to the server on which the OLE server application resides. @Close the OLE server and restart it outside of Microsoft Office Access. Then try the original operation again from within Microsoft Office Access. @1@@1
	2002	There was a problem accessing a property or method of the OLE object. @Try one or more of the following: @Verify that the OLE server is registered correctly by reinstalling it. @Make sure your computer is connected to the server on which the OLE server application resides. @Close the OLE server and restart it outside of Microsoft Access. Then try the original operation again from within Microsoft Access. @1@@1
2758	2007	
	2003	There was a problem initializing the dynamic-link library Msole20 when you tried to perform the OLE operation. @* You may have too many Microsoft applications open. Close Windows applications other than Microsoft Office Access, and try the OLE operation again. @Your computer may have an older version of the dynamic-link library Msole20, in which case you will need to run Setup to reinstall Microsoft Office Access. @If you need to reinstall Microsoft Office Access, you may want to preserve your security or custom settings by backing up the Microsoft Office Access workgroup information file. @For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@1
	2002	There was a problem initializing the dynamic-link library Msole20 when you tried to perform the OLE operation. @* You may have too many Microsoft applications open. Close Windows applications other than Microsoft Access, and try the OLE operation again. @Your computer may have an older version of the dynamic-link library Msole20, in which case you will need to run Setup to reinstall Microsoft Access. @If you need to reinstall Microsoft Access, you may want to preserve your security or custom settings by backing up the Microsoft Access workgroup information file. @For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@1
2759	2007	The method you tried to invoke on an object failed. @* You may have specified too many or too few arguments for a property or method of an object. Check the component's documentation for information on the properties and methods it makes available for Automation operations. @There may not be enough memory to run the procedure. Close unneeded programs and try to run the procedure again. @For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
	2003	The method you tried to invoke on an object failed. @* You may have specified too many or too few arguments for a property or method of an object. Check the component's documentation for information on the properties and methods it makes available for Automation operations. @There may not be enough memory to run the procedure. Close unneeded programs and try to run the procedure again. @For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@1
2760	2007	An error occurred while referencing the object. @You tried to run a Visual Basic procedure that improperly references a property or method of an object. @1@@@1
	2003	An error occurred while referencing the object. @You tried to run a Visual Basic procedure that improperly references a property or method of an object. @1@@1
2761	2007	There was a problem referencing a property or method of an object. @Check the component's documentation for information on the properties and methods it makes available for Automation operations. @1@@@1
	2003	There was a problem referencing a property or method of an object. @Check the component's documentation for information on the properties and methods it makes available for Automation operations. @1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2762	2007	returned an error while referencing a property of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@@1@@@1
	2003	returned an error while referencing a property of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@@1@@@1
2763	2007	1 returned the error: 2.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@@1@@@1
	2003	1 returned the error: 2.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@@1@@@1
2764	2007	The object's property or method can't be set.@You tried to run a Visual Basic procedure to set a property or apply a method for an object. However, the property or method doesn't support named arguments.@Check the component's documentation for information on the properties and methods it makes available to Automation operations.@1@@@1
	2003	The object's property or method can't be set.@You tried to run a Visual Basic procedure to set a property or apply a method for an object. However, the property or method doesn't support named arguments.@Check the component's documentation for information on the properties and methods it makes available to Automation operations.@1@@@1
2765	2007	Visual Basic can't convert the data type of one of the arguments you entered.@You tried to run a Visual Basic procedure that executes a method or sets a property of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1
	2003	Visual Basic can't convert the data type of one of the arguments you entered.@You tried to run a Visual Basic procedure that executes a method or sets a property of an object.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1
2766	2007	The object doesn't contain the Automation object ' '.@You tried to run a Visual Basic procedure to set a property or method for an object. However, the component doesn't make the property or method available for Automation operations.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1
	2003	The object doesn't contain the Automation object ' '.@You tried to run a Visual Basic procedure to set a property or method for an object. However, the component doesn't make the property or method available for Automation operations.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1
2767	2007	The object doesn't support American English; it was developed using a different language.@Use a version of the object developed in Visual Basic that supports the language you are using.@@1@@@1
	2003	The object doesn't support American English; it was developed using a different language.@Use a version of the object developed in Visual Basic that supports the language you are using.@@1@@@1
2768	2007	The number you used to reference an element in the array is outside the bounds of the array.@For example, the array is from 0 through 10, and you entered a -1 or an 11.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1
	2003	The number you used to reference an element in the array is outside the bounds of the array.@For example, the array is from 0 through 10, and you entered a -1 or an 11.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2769	2007	A property of the Automation object requires or returns a data type that isn't supported by Visual Basic.@You tried to run a Visual Basic procedure that references an Automation object's property. However, the value of the property isn't supported by Visual Basic.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1
	2003	A property of the Automation object requires or returns a data type that isn't supported by Visual Basic.@You tried to run a Visual Basic procedure that references an Automation object's property. However, the value of the property isn't supported by Visual Basic.@Check the component's documentation for information on the properties and methods it makes available for Automation operations.@1@@@1
2770	2007	The object you referenced in the Visual Basic procedure as an OLE object isn't an OLE object.@@@1@@@1
	2003	The object you referenced in the Visual Basic procedure as an OLE object isn't an OLE object.@@@1@@@1
2771	2007	The bound or unbound object frame you tried to edit does not contain an OLE object.@Right-click the frame, click Insert Object, and then use the dialog box to locate and either add or link to an object from a file that is not empty.@@1@1@9360@1
	2003	The bound or unbound object frame you tried to edit doesn't contain an OLE object.@Use the Object command on the Insert menu to add an OLE object to the bound or unbound object frame.@@1@109360@1
2774	2007	The component doesn't support Automation.@You tried to run a Visual Basic procedure that references an Automation object.@Check the component's documentation for information on whether it supports Automation.@1@@@1
	2003	The component doesn't support Automation.@You tried to run a Visual Basic procedure that references an Automation object.@Check the component's documentation for information on whether it supports Automation.@1@@@1
2775	2007	You specified too many arguments in the Visual Basic procedure, or there isn't enough memory to run the procedure.@Specify fewer arguments, or close unneeded programs, and then try to run the procedure again.For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1
	2003	You specified too many arguments in the Visual Basic procedure, or there isn't enough memory to run the procedure.@Specify fewer arguments, or close unneeded programs, and then try to run the procedure again.For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@@1@@@1
2777	2007	The class argument in the CreateObject function of the Visual Basic procedure you're trying to run is invalid.@Try one of the following:☐ Make sure the file is installed on your computer and that you used the correct file name.☐ Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@@1@3@1010851@1
	2003	The class argument in the CreateObject function of the Visual Basic procedure you're trying to run is invalid.@Try one of the following:☐ Make sure the file is installed on your computer and that you used the correct file name.☐ Check the OLE server's documentation for information about the syntax to use when specifying an OLE object's data.@@1@1010851@1
2778	2007	Microsoft Office Access tried to create an OLE link, but there was no source document for this object.@@@1@@@1
	2003	Microsoft Office Access tried to create an OLE link, but there was no source document for this object.@@@1@@@1
	2002	Microsoft Access tried to create an OLE link, but there was no source document for this object.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2782	2007	You must specify a property or method for the object. @You tried to run a Visual Basic procedure that references and sets a property or method for the object. @Enter a property or method for the object. @1@1@6968@1
	2003	You must specify a property or method for the object. @You tried to run a Visual Basic procedure that references and sets a property or method for the object. @Enter a property or method for the object. @1@606968@1
2783	2007	You entered an invalid setting for the Action property. @Use one of the Microsoft Office Access intrinsic constants for the Action property. For a list of valid settings you can use with the Action property, click Help. @@2@1@6967@1
	2003	You entered an invalid setting for the Action property. @Use one of the Microsoft Office Access intrinsic constants for the Action property. For a list of valid settings you can use with the Action property, click Help. @@2@606967@1
	2002	You entered an invalid setting for the Action property. @Use one of the Microsoft Access intrinsic constants for the Action property. For a list of valid settings you can use with the Action property, click Help. @@2@606967@1
2784	2007	The path you entered for the SourceDoc property setting for a linked OLE object is too long. @Move the file to a location with a shorter path. @1@1@6973@1
	2003	The path you entered for the SourceDoc property setting for a linked OLE object is too long. @Move the file to a location with a shorter path. @1@606973@1
2785	2007	The OLE server wasn't able to open the object. @* The OLE server may not be installed. You may have specified an invalid setting for the SourceDoc or SourceItem property in a property sheet, a macro, or a Visual Basic procedure. @To see the valid settings for either of these properties, search the Help index for the property topic. @1@1@6973@1
	2003	The OLE server wasn't able to open the object. @* The OLE server may not be installed. You may have specified an invalid setting for the SourceDoc or SourceItem property in a property sheet, a macro, or a Visual Basic procedure. @To see the valid settings for either of these properties, search the Help index for the property topic. @1@606973@1
2786	2007	The OLE server doesn't support linking. @You tried to run a Visual Basic procedure using the Action property. However, you provided insufficient information to establish a link. @1@@@1
	2003	The OLE server doesn't support linking. @You tried to run a Visual Basic procedure using the Action property. However, you provided insufficient information to establish a link. @1@@1
2788	2007	The object isn't a linked object. @The property you tried to set in Visual Basic applies only to linked objects. @1@@@1
	2003	The object isn't a linked object. @The property you tried to set in Visual Basic applies only to linked objects. @1@@1
2790	2007	You can't embed an OLE object into a bound or unbound object frame if the OLETypeAllowed property for the bound or unbound object frame is set to Linked. @Insert a linked object, or set the OLETypeAllowed property to Embedded or Either, and then embed the object. @1@1@6439@1
	2003	You can't embed an OLE object into a bound or unbound object frame if the OLETypeAllowed property for the bound or unbound object frame is set to Linked. @Insert a linked object, or set the OLETypeAllowed property to Embedded or Either, and then embed the object. @1@606439@1
2791	2007	Microsoft Office Access can't link the OLE object or the bound or unbound object frame. @The OLETypeAllowed property for the bound or unbound object frame is set to Embedded. @Embed the object, or set the OLETypeAllowed property to Linked or Either, and then link the object. @1@1@6439@1
	2003	Microsoft Office Access can't link the OLE object or the bound or unbound object frame. @The OLETypeAllowed property for the bound or unbound object frame is set to Embedded. @Embed the object, or set the OLETypeAllowed property to Linked or Either, and then link the object. @1@606439@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2791	2002	Microsoft Access can't link the OLE object or the bound or unbound object frame.@The OLETypeAllowed property for the bound or unbound object frame is set to Embedded.@Embed the object, or set the OLETypeAllowed property to Linked or Either, and then link the object.@1@606439@1
2792	2007	You can't save a locked OLE object.@@@1@@@1
	2003	You can't save a locked OLE object.@@@1@@@1
2793	2007	Microsoft Office Access can't perform the operation specified in the Action property of the Visual Basic procedure you're trying to run.@The object frame may be locked or disabled.@Set the Locked property to No and the Enabled property to Yes.@1@@@1
	2003	Microsoft Office Access can't perform the operation specified in the Action property of the Visual Basic procedure you're trying to run.@The object frame may be locked or disabled.@Set the Locked property to No and the Enabled property to Yes.@1@@@1
	2002	Microsoft Access can't perform the operation specified in the Action property of the Visual Basic procedure you're trying to run.@The object frame may be locked or disabled.@Set the Locked property to No and the Enabled property to Yes.@1@@@1
2794	2007	The ActiveX control you tried to insert isn't registered.@For information on registering an ActiveX control, click Help.@@2@1@12639@1
	2003	The ActiveX control you tried to insert isn't registered.@For information on registering an ActiveX control, click Help.@@2@212639@1
2797	2007	This OLE object was created in an earlier version of OLE so it can't be displayed as an icon.@For an effect similar to displaying an object as an icon, add an image control to your form, and add the icon for the application to the image control. Then set the image control's OnDbClick property to a Visual Basic procedure that opens the OLE object.@@1@@@1
	2003	This OLE object was created in an earlier version of OLE so it can't be displayed as an icon.@For an effect similar to displaying an object as an icon, add an image control to your form, and add the icon for the application to the image control. Then set the image control's OnDbClick property to a Visual Basic procedure that opens the OLE object.@@1@@@1
2798	2007	You can't use the Action property to delete a bound OLE object from its underlying table or query.@You tried to run a Visual Basic procedure that deletes the object in a bound object frame by setting the Action property to acOLEDelete.@Delete the object in a different way, such as with the DAO Delete method in Visual Basic.@1@1@13790@1
	2003	You can't use the Action property to delete a bound OLE object from its underlying table or query.@You tried to run a Visual Basic procedure that deletes the object in a bound object frame by setting the Action property to acOLEDelete.@Delete the object in a different way, such as with the DAO Delete method in Visual Basic.@1@613790@1
	2000	You can't use the Action property to delete a bound OLE object from its underlying table or query.@You tried to run a Visual Basic procedure that deletes the object in a bound object frame by setting the Action property to acOLEDelete.@Delete the object in a different way, such as with the DAO Delete method in Visual Basic.@1@2008702@1
2799	2007	The OLE object can't be activated upon receiving the focus.@If you selected an OLE object or a chart, and the AutoActivate property for that control is set to GetFocus, the OLE object or chart should be activated automatically when it receives the focus. However, the ActiveX component doesn't support this operation.@Check the component's documentation for information on the properties and methods it makes available to Automation operations.@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2799	2003	The OLE object can't be activated upon receiving the focus.@If you selected an OLE object or a chart, and the AutoActivate property for that control is set to GetFocus, the OLE object or chart should be activated automatically when it receives the focus. However, the ActiveX component doesn't support this operation.@Check the component's documentation for information on the properties and methods it makes available to Automation operations.@1@@1
2800	2007	This object is locked. Any changes you make will be discarded when the form is closed.@Click the Microsoft Office Button, point to Save As, and save the object under a different name.@@1@@@1
	2003	The object is locked, so any changes you make will be discarded when the form is closed.@Click Save As on the File menu and save the object under a different name.@@1@@1
	2000	The object is locked, so any changes you make will be discarded when the form is closed.@Click Save As/Export on the File menu and save the object under a different name.@@1@@1
2801	2007	The OLE object isn't loaded because the unbound ActiveX control hasn't been initialized.@@@1@1@9015@1
	2003	The OLE object isn't loaded because the unbound ActiveX control hasn't been initialized.@@@1@109015@1
2802	2007	You can't insert an ActiveX control in a bound or unbound object frame.@ActiveX controls are automatically contained in ActiveX control frames.@@1@@@1
	2003	You can't insert an ActiveX control in a bound or unbound object frame.@ActiveX controls are automatically contained in ActiveX control frames.@@1@@1
2803	2007	You don't have the license required to use this ActiveX control.@You tried to open a form containing an OLE object or an ActiveX control or you tried to create an ActiveX control.@To obtain the appropriate license, contact the company that provides the licensed OLE object or ActiveX control.@1@@@1
	2003	You don't have the license required to use this ActiveX control.@You tried to open a form containing an OLE object or an ActiveX control or you tried to create an ActiveX control.@To obtain the appropriate license, contact the company that provides the licensed OLE object or ActiveX control.@1@@1
2804	2007	You can't create an ActiveX control in an unbound object frame.@ActiveX controls are automatically contained in ActiveX control frames.@@1@1@11711@1
	2003	You can't create an ActiveX control in an unbound object frame.@ActiveX controls are automatically contained in ActiveX control frames.@@1@211711@1
2805	2007	There was an error loading an ActiveX control on one of your forms or reports.@Make sure all the controls that you are using are properly registered. For information on registering an ActiveX control, click Help.@@2@1@12639@1
	2003	There was an error loading an ActiveX control on one of your forms or reports.@Make sure all the controls that you are using are properly registered. For information on registering an ActiveX control, click Help.@@2@212639@1
2806	2007	Microsoft Office Access doesn't support this ActiveX control.@@@1@@@1
	2003	Microsoft Office Access doesn't support this ActiveX control.@@@1@@@1
	2002	Microsoft Access doesn't support this ActiveX control.@@@1@@@1
2807	2007	You can't paste this object as the type you specified.@Choose another object type.@@1@@@1
	2003	You can't paste this object as the type you specified.@Choose another object type.@@1@@1
2808	2007	Microsoft Office Access can't find the Active Accessibility dynamic-link library (DLL) OleAcc.@Rerun the Microsoft Office Access Setup program.@@1@@@3
	2003	Microsoft Office Access can't find the Active Accessibility dynamic-link library (DLL) OleAcc.@Rerun the Microsoft Office Access Setup program.@@1@@@3
	2002	Microsoft Access can't find the Active Accessibility dynamic-link library (DLL) OleAcc.@Rerun the Microsoft Access Setup program.@@1@@@3

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2809	2007 2000	An error has occurred while loading the Microsoft Access Page. Make sure you have the linked HTML file on the file system.
2811	2007 2002	Microsoft Office Access is unable to create the data access page. Microsoft Access is unable to create the data access page.
2812	2007 2003 2000	@The path specified was invalid, or may be too long.@Please check the path and ensure it is correct.@1@@@1 @The path specified was invalid, or may be too long.@Please check the path and ensure it is correct.@1@@1 Microsoft Access encountered an invalid path to a data access page. You may need to re-create a Page link.
2813	2007 2003	@The file could not be opened. It may currently be in use.@@1@@@1 @The file could not be opened. It may currently be in use.@@1@@1
2814	2007 2003	@Unable to save the file.@@1@@@1 @Unable to save the file.@@1@@1
2815	2007 2003	@Unable to save the file to an alternate location.@@1@@@1 @Unable to save the file to an alternate location.@@1@@1
2816	2007 2003	@Unable to close the file.@@1@@@1 @Unable to close the file.@@1@@1
2817	2007 2002	Microsoft Office Access is unable to save (or send) the data access page. Microsoft Access is unable to save (or send) the data access page.
2818	2007 2003 2002	Microsoft Office Access is unable to retrieve the file: .@Either the file is not available, or you do not have enough disk space to copy the file.@@1@@@ Microsoft Office Access is unable to retrieve the file: .@Either the file is not available, or you do not have enough disk space to copy the file.@@1@@@ Microsoft Access is unable to retrieve the file: .@Either the file is not available, or you do not have enough disk space to copy the file.@@1@@@
2819	2007 2002	Microsoft Office Access is unable to open the data access page. Microsoft Access is unable to open the data access page.
2820	2007 2002	Microsoft Office Access is unable to change the BASE HREF for your document. Microsoft Access is unable to change the BASE HREF for your document.
2821	2007	File in use
2822	2007 2003 2002	Microsoft Office Access encountered an unexpected error while attempting to recover from a failed save (or send).@Your data access page may not be in a usable state. Please attempt to save to a different location.@@1@@@ Microsoft Office Access encountered an unexpected error while attempting to recover from a failed save (or send).@Your data access page may not be in a usable state. Please attempt to save to a different location.@@1@@@ Microsoft Access encountered an unexpected error while attempting to recover from a failed save (or send).@Your data access page may not be in a usable state. Please attempt to save to a different location.@@1@@@
2823	2007 2003	The Microsoft Office Access data access page name ' ' is misspelled or refers to a Page that doesn't exist.@If the invalid Page name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct Page name.@@1@@@1 The Microsoft Office Access data access page name ' ' is misspelled or refers to a Page that doesn't exist.@If the invalid Page name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct Page name.@@1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2823	2002	The Microsoft Access data access page name ' ' is misspelled or refers to a Page that doesn't exist.@If the invalid Page name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct Page name.@@1@@@1
2824	2007 2003	@You do not have adequate file permissions.@@1@@@1 @You do not have adequate file permissions.@@1@@@1
2825	2007 2003	@The file does not exist, or you do not have read access to the file.@@1@@@1 @The file does not exist, or you do not have read access to the file.@@1@@@1
2827	2007 2003	@File read error.@@1@@@1 @File read error.@@1@@@1
2828	2007 2003	@File write error.@The disk may be full.@1@@@1 @File write error.@The disk may be full.@1@@@1
2832	2007 2003 2000	@Check file permissions and delete them from their location in your computer's file system.@@1@@@1 @Check file permissions and delete them from their location in your computer's file system.@@1@@@1 @One or more files were not found, or you do not permission to delete them.@Some data access files may not have been deleted.@1@@@1
2833	2007 2003	@An unexpected error has occurred.@@1@@@1 @An unexpected error has occurred.@@1@@@1
2835	2007 2003	@An attempt to create this file has failed.@Please select another location and retry the operation.@1@@@1 @An attempt to create this file has failed.@Please select another location and retry the operation.@1@@@1
2837	2007 2003	@There was not enough memory.@Please close other applications and try the operation again.@1@@@1 @There was not enough memory.@Please close other applications and try the operation again.@1@@@1
2838	2007 2002	Microsoft Office Access is unable to preview the selected theme. Microsoft Access is unable to preview the selected theme.
2839	2007 2003	@An attempt to create a temporary file has failed.@Please confirm that you have adequate disk space on your system drive and try the operation again.@1@@@1 @An attempt to create a temporary file has failed.@Please confirm that you have adequate disk space on your system drive and try the operation again.@1@@@1
2840	2007 2003	@Unable to read the list of supporting files from the data access page.@@1@@@1 @Unable to read the list of supporting files from the data access page.@@1@@@1
2842	2007 2002	Microsoft Office Access encountered an error after saving (or sending) your data access page. Microsoft Access encountered an error after saving (or sending) your data access page.
2845	2007 2002	Microsoft Office Access is unable to open the data access page from the mail envelope. Microsoft Access is unable to open the data access page from the mail envelope.
2846	2007 2003	@The save destination is full.@Please clear space at the destination or save to another location.@1@@@1 @The save destination is full.@Please clear space at the destination or save to another location.@1@@@1
2847	2007	@Unable to create a folder for the supporting files.@You may not have adequate permissions at the save destination.@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2847	2003	@Unable to create a folder for the supporting files.@You may not have adequate permissions at the save destination.@1@@1
2848	2007	@The maximum path length was exceeded.@Please specify a shorter filename, or use a folder that is closer to the root.@1@@@1
	2003	@The maximum path length was exceeded.@Please specify a shorter filename, or use a folder that is closer to the root.@1@@1
	2000	@The maximum path length was exceeded.@Please save your data access page with a shorter name, or in a folder that is closer to the root.@1@@1
2849	2007	@There are too many supporting files in your document.@Please remove a few supporting files from your document, and try again.@1@@@1
	2003	@There are too many supporting files in your document.@Please remove a few supporting files from your document, and try again.@1@@1
2850	2007	@You do not have write permission at the save destination.@@1@@@1
	2003	@You do not have write permission at the save destination.@@1@@1
2851	2007	@You are saving to a server that does not support long filenames and do not have permission to create a folder.@You must have permission to create a folder at the save destination to complete this operation.@1@@@1
	2003	@You are saving to a server that does not support long filenames and do not have permission to create a folder.@You must have permission to create a folder at the save destination to complete this operation.@1@@1
2854	2007	Microsoft Office Access was unable to parse the document properties for this data access page.@They may be corrupted.@@1@@@1
	2003	Microsoft Office Access was unable to parse the document properties for this data access page.@They may be corrupted.@@1@@1
	2002	Microsoft Access was unable to parse the document properties for this data access page.@They may be corrupted.@@1@@1
2855	2007	Microsoft Office Access could not delete one or more files related to the page.
	2002	Microsoft Access could not delete one or more files related to the page.
	2000	Microsoft Access was unable to delete the data access page file(s).
2859	2007	Access could not load the e-mail envelope. This could be caused by a network connection problem or a problem with your Office installation.@@@1@@@1
	2003	Access could not load the e-mail envelope. This could be caused by a network connection problem or a problem with your Office installation.@@@1@@1
	2000	Access could not load the e-mail envelope. This could be caused by a network connection problem or a problem with your Office installation.@@1@@1
2860	2007	You cannot insert a bound field to a caption or record navigation section.
	2000	You cannot drag a bound field to a caption or record navigation section.
2861	2007	Microsoft Office Access is unable to preview the selected web page.
	2002	Microsoft Access is unable to preview the selected web page.
2862	2007	@Access cannot open the specified file type from a Web server.@You may have selected the wrong file.@1@@@1
	2003	@The file you attempted to load was not recognized as HTML.@You may have selected the wrong file, or tried to open a database file off of a web server.@1@@1
2863	2007	@Unable to create or load a file due to network or access permission problems.@@1@@@1
	2003	@Unable to create or load a file due to network or access permission problems.@@1@@1
2864	2007	@This file (or a supporting file) is already in use, or has the read-only attribute set.@@1@@@1
	2003	@This file (or a supporting file) is already in use, or has the read-only attribute set.@@1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2865	2007 2003	@The disk is write-protected.@@1@@@1 @The disk is write-protected.@@1@@@1
2866	2007 2003	@Unexpected data corruption failure.@@1@@@1 @Unexpected data corruption failure.@@1@@@1
2867	2007 2003	@Unexpected data I/O failure.@@1@@@1 @Unexpected data I/O failure.@@1@@@1
2868	2007 2003	@You cannot save this data access page over itself because it is read-only.@Please select a different file for the save.@1@@@1 @You cannot save this data access page over itself because it is read-only.@Please select a different file for the save.@1@@@1
2869	2007 2003	@The file does not exist.@You do not have adequate permission to modify the data access page link to point to a valid file. Please contact the database administrator.@1@@@1 @The file does not exist.@You do not have adequate permission to modify the data access page link to point to a valid file. Please contact the database administrator.@1@@@1
2870	2007 2003 2002 2000	Microsoft Office Access encountered an error synchronizing the HTML from the Microsoft Script Editor.@Please check the HTML for syntax errors and try again.@@1@@@1 Microsoft Office Access encountered an error synchronizing the HTML from the Microsoft Script Editor.@Please check the HTML for syntax errors and try again.@@1@@@1 Microsoft Access encountered an error synchronizing the HTML from the Microsoft Script Editor.@Please check the HTML for syntax errors and try again.@@1@@@1 Microsoft Access encountered an error synchronizing the HTML from the Microsoft Script Editor.@Please check the HTML for syntax errors and try again.@1@@@1
2871	2007 2003 2002	Microsoft Office Access is unable to create a data access page using the codepage selected in Web Options.@The codepage may not be installed on your system.@Please install the codepage, or select a different one in Web Options.@1@@@1 Microsoft Office Access is unable to create a data access page using the codepage selected in Web Options.@The codepage may not be installed on your system.@Please install the codepage, or select a different one in Web Options.@1@@@1 Microsoft Access is unable to create a data access page using the codepage selected in Web Options.@The codepage may not be installed on your system.@Please install the codepage, or select a different one in Web Options.@1@@@1
2873	2007 2003 2000	@The filename specified is a long filename, but you have the 'use long filenames' web option turned off.@Please specify a file name that uses a maximum of eight characters for the name and three characters for the file extension.@1@@@1 @The filename specified is a long filename, but you have the 'use long filenames' web option turned off.@Please specify a file name that uses a maximum of eight characters for the name and three characters for the file extension.@1@@@1 @The filename specified is a long filename, but you have the 'use long filenames' web option turned off.@Please specify a valid short (8.3) filename.@1@@@1
2874	2007	Cannot move or paste the grouping field ' ' into a section at a higher group level
2875	2007 2003	@Unable to complete the save.@The drive or network connection you attempted to save to may no longer be available.@1@@@1 @Unable to complete the save.@The drive or network connection you attempted to save to may no longer be available.@1@@@1
2876	2007	The data definition of this data access page has been corrupted and can't be repaired. You must recreate the page. Save has been disabled.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2877	2007	In a Microsoft Office Access database (.mdb), you can't group on a control bound to a field that has a Memo or OLE Object data type. In a Microsoft Office Access project (.adp), you can't group on a control bound to a field that has an Image or Text data type.
	2002	In a Microsoft Access database (.mdb), you can't group on a control bound to a field that has a Memo or OLE Object data type. In a Microsoft Access project (.adp), you can't group on a control bound to a field that has an Image or Text data type.
2878	2007	You cannot add a bound field to a caption or record navigation section.
2879	2007	Caption and record navigation sections cannot contain bound fields.
	2000	Caption and record navigation section cannot contain bound fields.
2880	2007	Can't edit pages that contain framesets.
2881	2007	This web page contains XML namespaces that may conflict with Access namespaces. You should edit the HTML source to ensure that all namespaces have a unique prefix.
2882	2007	@The folder that this Web page would use to organize supporting files is already reserved for use in the current location.@Please choose a different name or location for this Web page.@1@@@1
	2003	@The folder that this Web page would use to organize supporting files is already reserved for use in the current location.@Please choose a different name or location for this Web page.@1@@1
2883	2007	A supporting file path for this data access page has been altered outside of Access.@Please save this page to a different location and ensure that all supporting files are maintained.@@1@@@1
	2003	A supporting file path for this data access page has been altered outside of Access.@Please save this page to a different location and ensure that all supporting files are maintained.@@1@@1
2884	2007	Cannot find the database or some database objects that this page refers to. Update the connection information of the page, or fix the references to the missing database objects.
	2000	Some database objects cannot be located in the database since this page was designed. Use Page View of the Field List to find the references to these objects and right click the mouse to delete them or change their source.
2885	2007	This page uses a database which is not supported. You will not be able to make data changes until you connect to a supported database
2886	2007	Components necessary for data access pages are not installed.
2887	2007	@The path specified is not a valid absolute (non-relative) path or URL.@Please enter a valid path.@1@@@1
	2003	@The path specified is not a valid absolute (non-relative) path or URL.@Please enter a valid path.@1@@1
	2000	The hyperlink base specified is not a valid path or URL.@Please correct this entry.@@1@@1
2888	2007	Microsoft Office Access detects some HTML elements between the banner and the section of your data access page. Saving this page in Access will corrupt it. Close the page without saving it, and then edit the page in another HTML editor to remove these elements.
	2002	Microsoft Access detects some HTML elements between the banner and the section of your data access page. Saving this page in Access will corrupt it. Close the page without saving it, and then edit the page in another HTML editor to remove these elements.
2889	2007	This section cannot be deleted.
2890	2007	You cannot edit this page because it contains frames.@The data access page designer cannot edit pages with frames.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2890	2003	You cannot edit this page because it contains frames.@The data access page designer cannot edit pages with frames.@@1@@1
2891	2007 2000	@You cannot save the data access page because it is in browse mode.@To save the page, switch to edit mode and try again.@1@@1
2892	2007	You can't move the group filter control to another section. Delete the group filter control from the current section and create it in a different section.
2893	2007 2003 2000	A link to this data access page could not be created because the database cannot be exclusively locked.@To create the link later, open the page by selecting 'Edit web page that already exists', and then save.@@1@@@1 A link to this data access page could not be created because the database cannot be exclusively locked.@To create the link later, open the page by selecting 'Edit web page that already exists', and then save.@@1@@1 This page was designed with a later version of the Microsoft Office Web Components than those currently installed on your machine. If you have not been prompted to install those components on this page, please contact the page author for the installation location.
2894	2007 2003 2000	The link to the data access page specified could not be updated because the database cannot be exclusively locked.@To update the link, open this page again when you are the only person using the database.@@1@@@1 The link to the data access page specified could not be updated because the database cannot be exclusively locked.@To update the link, open this page again when you are the only person using the database.@@1@@1 A link to this data access page could not be created because the database cannot be exclusively locked.@To create the link later, open the page by selecting 'Edit web page that already exists', and then save.@@1@@1
2895	2007 2002 2000	This page was designed with a version of the Microsoft Office Web Components that is not currently installed on this machine. If you have not been prompted to install those components on this page, please contact the page author for the installation location. This page was designed with a later version of the Microsoft Office Web Components than those currently installed on your machine. If you have not been prompted to install those components on this page, please contact the page author for the installation location. The link to the data access page specified could not be updated because the database cannot be exclusively locked.@To update the link, open this page again when you are the only person using the database.@@1@@1
2896	2007 2003	The operation is only valid on a data access page opened in Design View.@Please switch the page to Design View and try the operation again.@@1@@@1 The operation is only valid on a data access page opened in Design View.@Please switch the page to Design View and try the operation again.@@1@@1
2897	2007 2002	You have opened a page that was last modified using Access 2000. To be able to edit the page, you must save it using a more recent version of the Microsoft Office Web Components. Do you want Access to convert this page by saving it using a more recent version of the Microsoft Office Web Components? You have opened a page that was last designed using Access 2000. The page must be saved using Office XP Office Web Components before you can edit this document. Would you like to convert this page?
2898	2007 2002	Microsoft Office Access has created a backup copy of your original page. This page can be used if you want to revert to the Office 2000 Web Components. The backup page name is: ' ' Microsoft Access has created a backup copy of your original page. This page can be used if you want to revert to the Office 2000 Web Components. The backup page name is: ' '

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
2899	2007	Microsoft Office Access could not create a backup copy of your original page. This page cannot be opened.
	2002	Microsoft Access could not create a backup copy of your original page. This page cannot be opened.
2900	2007	Microsoft Office Access could not upgrade the Office Web Components on your page. This page cannot be opened.
	2002	Microsoft Access could not upgrade the Office Web Components on your page. This page cannot be opened.
2901	2007	Error loading ActiveX control ' 1' on form or report ' 2'.
2902	2007	Access is unable to save the object because it does not support persistence, or your computer may have run out of disk space.
2903	2007	Do you want to set this folder as the default location for data access pages? @@19@@@1
	2003	Do you want to set this folder as the default location for data access pages? @@19@@@1
2904	2007	You must match each field on the left with a field on the right.@@@1@@@1
	2003	You must match each field on the left with a field on the right.@@@@@1
2905	2007	You must choose a linking field for every parameter.@@@1@@@1
	2003	You must choose a linking field for every parameter.@@@@@1
2906	2007	' ' contains no fields that can participate in a relationship.@The contents of the RecordSource property may be invalid, or the RecordSource may contain only fields that are not acceptable for use in a join.@Correct the RecordSource property for this form or report and try your field operation again.@1@@@1
	2003	' ' contains no fields that can participate in a relationship.@@@@@1
2907	2007	Do you want to revert to the saved ' '?@@19@@@1
	2003	Do you want to revert to the saved ' '?@@19@@@1
2908	2007	The Control ID ' ' is already in use. Specify a different ID for the control.@@@@@1
	2003	The Control ID ' ' is already in use. Specify a different ID for the control.@@@@@1
2909	2007	This relationship is not valid because the fields in the first table do not match the fields in the second table.@To repair the relationship, select at least one field from each table.@@@@@1
	2003	This relationship is not valid because the fields in the first table do not match the fields in the second table.@To repair the relationship, select at least one field from each table.@@@@@1
2910	2007	This connection file refers to a provider not supported by data access pages.@Please select a different connection file.@@@@@1
	2003	This connection file refers to a provider not supported by data access pages.@Please select a different connection file.@@@@@1
2911	2007	You cannot change the data access page path while it it open.@Please close the page and try again.@@@@@1
	2003	You cannot change the data access page path while it it open.@Please close the page and try again.@@@@@1
2912	2007	If you create a data access page in this version of Access, you cannot open it in Design view in Access 2000. If you have installed the Microsoft Office XP Web Components, however, you can open this page in Page view in Access 2000.@&Don't show this warning again@@3@@@1
	2003	If you create a data access page in this version of Access, you cannot open it in Design view in Access 2000. If you have installed the Microsoft Office XP Web Components, however, you can open this page in Page view in Access 2000.@&Don't show this warning again@@3@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
2912	2002	If you create a data access page in this version of Microsoft Access, you can't open it in Design view in Access 2000. However, you can open the page in Page view in Access 2000, if you have installed the Microsoft Office XP Web Components. @&Don't show this warning again@@3@@1
2913	2007	Cannot save to a URL address with a bookmark. @Please specify a valid path.@@@1
	2003	Cannot save to a URL address with a bookmark. @Please specify a valid path.@@@1
2914	2007	Microsoft Office Access could not link to a connection file. @A connection string will be embedded in the page.@@@1
	2003	Microsoft Office Access could not link to a connection file. @A connection string will be embedded in the page.@@@1
	2002	Microsoft Access could not link to a connection file. @A connection string will be embedded in the page.@@@1
2915	2007	Microsoft Office Access is unable to connect to the data source specified in the connection string of this page. @The server may not exist on the network, or there may be an error in the connection string information for this page. @1@@1
	2003	Microsoft Office Access is unable to connect to the data source specified in the connection string of this page. @The server may not exist on the network, or there may be an error in the connection string information for this page. @1@@1
	2002	Microsoft Access is unable to connect to the data source specified in the connection string of this page. @The server may not exist on the network, or there may be an error in the connection string information for this page. @1@@1
2916	2007	You cannot edit HTML pages created using PowerPoint in Microsoft Office Access.
	2002	You cannot edit HTML pages created using PowerPoint in Microsoft Access.
2917	2007	Invalid HTML color value.
2918	2007	Unable to open or read this connection file. @Either the file has been damaged or the file format is not valid.@@@1
	2003	Unable to open or read this connection file. @Either the file has been damaged or the file format is not valid.@@@1
2919	2007	You can't place this control in the section you specified.@@@1
	2003	You can't place this control in the section you specified.@@@1
2920	2007	Microsoft Office Access is unable to load the database schema. Save has been disabled. Either repair or reinstall Microsoft Office.
	2002	Microsoft Access is unable to load the database schema. Save has been disabled. Either repair or reinstall Microsoft Office XP.
2921	2007	Microsoft Office Access cannot open this page because it was created using a newer version of Access. Try opening the page using a newer version of Microsoft Office Access.
	2002	Microsoft Access cannot open this page because it was created using a newer version of Access. Try opening the page using a newer version of Microsoft Access.
2922	2007	Microsoft Office Access has created a backup copy of your original page. This page can be used if you want to revert to the Office XP Web Components. The backup page name is: ' '
2923	2007	You do not have the correct permissions. Contact the server administrator.
2924	2007	You cannot compact a file that was opened from a Web Server.
2925	2007	You cannot encrypt a file that was opened from a Web Server.
2926	2007	Because of your security settings and current security policy, this control is disabled. To modify your policy and enable the database, use the Message Bar.
3000	2007	Reserved error ({}); there is no message for this error.
	2003	Reserved error ({}); there is no message for this error. @@@2@5363@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3001	2007	Invalid argument.
3002	2007	Could not start session.
3003	2007	Could not start transaction; too many transactions already nested.
3004	2007	*****
3005	2007	' ' is not a valid database name.
3006	2007	Database ' ' is exclusively locked.
3007	2007	Cannot open library database ' '.
3008	2007	The table ' ' is already opened exclusively by another user, or it is already open through the user interface and cannot be manipulated programmatically.
3009	2007	You tried to lock table ' ' while opening it, but the table cannot be locked because it is currently in use. Wait a moment, and then try the operation again.
3010	2007	Table ' ' already exists.
3011	2007	The Microsoft Office Access database engine could not find the object ' '. Make sure the object exists and that you spell its name and the path name correctly.
	2003	The Microsoft Jet database engine could not find the object ' '. Make sure the object exists and that you spell its name and the path name correctly.
3012	2007	Object ' ' already exists.
3013	2007	Could not rename installable ISAM file.
3014	2007	Cannot open any more tables.
3015	2007	Index not found.
3016	2007	Field will not fit in record.
3017	2007	The size of a field is too long.
3018	2007	Could not find field.
3019	2007	Operation invalid without a current index.
3020	2007	Update or CancelUpdate without AddNew or Edit.
3021	2007	No current record.
3022	2007	The changes you requested to the table were not successful because they would create duplicate values in the index, primary key, or relationship. Change the data in the field or fields that contain duplicate data, remove the index, or redefine the index to permit duplicate entries and try again.
3023	2007	AddNew or Edit already used.
3024	2007	Could not find file ' '.
3025	2007	Cannot open any more files.
3026	2007	Not enough space on disk.
3027	2007	Cannot update. Database or object is read-only.
3028	2007	Cannot start your application. The workgroup information file is missing or opened exclusively by another user.
3029	2007	Not a valid account name or password.
3030	2007	' ' is not a valid account name.
3031	2007	Not a valid password.
3032	2007	Cannot perform this operation.
3033	2007	You do not have the necessary permissions to use the ' ' object. Have your system administrator or the person who created this object establish the appropriate permissions for you.
3034	2007	You tried to commit or rollback a transaction without first beginning a transaction.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3035	2007	System resource exceeded.
3036	2007	Database has reached maximum size.
3037	2007	Cannot open any more tables or queries.
3038	2007	System resource exceeded.
3039	2007	Could not create index; too many indexes already defined.
3040	2007	Disk I/O error during read.
3041	2007	Cannot open a database created with a previous version of your application.
3042	2007	Out of MS-DOS file handles.
3043	2007	Your network access was interrupted. To continue, close the database, and then open it again.
	2003	Disk or network error.
3044	2007	' ' is not a valid path. Make sure that the path name is spelled correctly and that you are connected to the server on which the file resides.
3045	2007	Could not use ' '; file already in use.
3046	2007	Could not save; currently locked by another user.
3047	2007	Record is too large.
3048	2007	Cannot open any more databases.
3049	2007	Cannot open database ' '. It may not be a database that your application recognizes, or the file may be corrupt.
3050	2007	Could not lock file.
3051	2007	The Microsoft Office Access database engine cannot open or write to the file ' '. It is already opened exclusively by another user, or you need permission to view and write its data.
	2003	The Microsoft Jet database engine cannot open the file ' '. It is already opened exclusively by another user, or you need permission to view its data.
3052	2007	File sharing lock count exceeded. Increase MaxLocksPerFile registry entry.
3053	2007	Too many client tasks.
3054	2007	Too many Memo, OLE, or Hyperlink Object fields.
3055	2007	Not a valid file name.
3056	2007	Could not repair this database.
3057	2007	Operation not supported on linked tables.
3058	2007	Index or primary key cannot contain a Null value.
3059	2007	Operation canceled by user.
3060	2007	Wrong data type for parameter ' '.
3061	2007	Too few parameters. Expected .
3062	2007	Duplicate output alias ' '.
3063	2007	Duplicate output destination ' '.
3064	2007	Cannot open action query ' '.
3065	2007	Cannot execute a select query.
3066	2007	Query must have at least one destination field.
3067	2007	Query input must contain at least one table or query.
3068	2007	Not a valid alias name.
3069	2007	The action query ' cannot be used as a row source.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3070	2007	The Microsoft Office Access database engine does not recognize ' ' as a valid field name or expression.
	2003	The Microsoft Jet database engine does not recognize ' ' as a valid field name or expression.
3071	2007	This expression is typed incorrectly, or it is too complex to be evaluated. For example, a numeric expression may contain too many complicated elements. Try simplifying the expression by assigning parts of the expression to variables.
3072	2007	
3073	2007	Operation must use an updateable query.
3074	2007	Cannot repeat table name ' ' in FROM clause.
3075	2007	1 in query expression ' 2'.
3076	2007	in criteria expression.
3077	2007	in expression.
3078	2007	The Microsoft Office Access database engine cannot find the input table or query ' '. Make sure it exists and that its name is spelled correctly.
	2003	The Microsoft Jet database engine cannot find the input table or query ' '. Make sure it exists and that its name is spelled correctly.
3079	2007	The specified field ' ' could refer to more than one table listed in the FROM clause of your SQL statement.
3080	2007	Joined table ' ' not listed in FROM clause.
3081	2007	Cannot join more than one table with the same name ().
3082	2007	JOIN operation ' ' refers to a field that is not in one of the joined tables.
3083	2007	Cannot use internal report query.
3084	2007	Cannot insert data with action query.
3085	2007	Undefined function ' ' in expression.
3086	2007	Could not delete from specified tables.
3087	2007	Too many expressions in GROUP BY clause.
3088	2007	Too many expressions in ORDER BY clause.
3089	2007	Too many expressions in DISTINCT output.
3090	2007	Resultant table not allowed to have more than one AutoNumber field.
3091	2007	HAVING clause () without grouping or aggregation.
3092	2007	Cannot use HAVING clause in TRANSFORM statement.
3093	2007	ORDER BY clause () conflicts with DISTINCT.
3094	2007	ORDER BY clause () conflicts with GROUP BY clause.
3095	2007	Cannot have aggregate function in expression ().
3096	2007	Cannot have aggregate function in WHERE clause ().
3097	2007	Cannot have aggregate function in ORDER BY clause ().
3098	2007	Cannot have aggregate function in GROUP BY clause ().
3099	2007	Cannot have aggregate function in JOIN operation ().
3100	2007	Cannot set field ' ' in join key to Null.
3101	2007	The Microsoft Office Access database engine cannot find a record in the table ' 2' with key matching field(s) ' 1'.
	2003	The Microsoft Jet database engine cannot find a record in the table ' 2' with key matching field(s) ' 1'.
3102	2007	Circular reference caused by ' '.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3103	2007	Circular reference caused by alias ' ' in query definition's SELECT list.
3104	2007	Cannot specify fixed column heading ' ' in a crosstab query more than once.
3105	2007	Missing destination field name in SELECT INTO statement ().
3106	2007	Missing destination field name in UPDATE statement ().
3107	2007	Record(s) cannot be added; no insert permission on ' '.
3108	2007	Record(s) cannot be edited; no update permission on ' '.
3109	2007	Record(s) cannot be deleted; no delete permission on ' '.
3110	2007	Could not read definitions; no read definitions permission for table or query ' '.
3111	2007	Could not create; no modify design permission for table or query ' '.
3112	2007	Record(s) cannot be read; no read permission on ' '.
3113	2007	Cannot update ' '; field not updateable.
3114	2007	Cannot include Memo, OLE, or Hyperlink Object when you select unique values ().
3115	2007	Cannot have Memo, OLE, or Hyperlink Object fields in aggregate argument ().
3116	2007	Cannot have Memo, OLE, or Hyperlink Object fields in criteria () for aggregate function.
3117	2007	Cannot sort on Memo, OLE, or Hyperlink Object ().
3118	2007	Cannot join on Memo, OLE, or Hyperlink Object ().
3119	2007	Cannot group on Memo, OLE, or Hyperlink Object ().
3120	2007	Cannot group on fields selected with '*' ().
3121	2007	Cannot group on fields selected with '*'.
3122	2007	You tried to execute a query that does not include the specified expression ' ' as part of an aggregate function.
3123	2007	Cannot use '*' in crosstab query.
3124	2007	Cannot input from internal report query ().
3125	2007	' ' is not a valid name. Make sure that it does not include invalid characters or punctuation and that it is not too long.
3126	2007	Invalid bracketing of name ' '.
3127	2007	The INSERT INTO statement contains the following unknown field name: ' '. Make sure you have typed the name correctly, and try the operation again.
3128	2007	Specify the table containing the records you want to delete.
3129	2007	Invalid SQL statement; expected 'DELETE', 'INSERT', 'PROCEDURE', 'SELECT', or 'UPDATE'.
3130	2007	Syntax error in DELETE statement.
3131	2007	Syntax error in FROM clause.
3132	2007	Syntax error in GROUP BY clause.
3133	2007	Syntax error in HAVING clause.
3134	2007	Syntax error in INSERT INTO statement.
3135	2007	Syntax error in JOIN operation.
3136	2007	The LEVEL clause includes a reserved word or argument that is misspelled or missing, or the punctuation is incorrect.
3137	2007	Missing semicolon (;) at end of SQL statement.
3138	2007	Syntax error in ORDER BY clause.
3139	2007	Syntax error in PARAMETER clause.
3140	2007	Syntax error in PROCEDURE clause.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3141	2007	The SELECT statement includes a reserved word or an argument name that is misspelled or missing, or the punctuation is incorrect.
3142	2007	Characters found after end of SQL statement.
3143	2007	Syntax error in TRANSFORM statement.
3144	2007	Syntax error in UPDATE statement.
3145	2007	Syntax error in WHERE clause.
3146	2007	ODBC--call failed.
3151	2007	ODBC--connection to ' ' failed.
3154	2007	ODBC--could not find DLL ' '.
3155	2007	ODBC--insert on a linked table ' ' failed.
3156	2007	ODBC--delete on a linked table ' ' failed.
3157	2007	ODBC--update on a linked table ' ' failed.
3158	2007	Could not save record; currently locked by another user.
3159	2007	Not a valid bookmark.
3160	2007	Table is not open.
3161	2007	Could not decrypt file.
3162	2007	You tried to assign the Null value to a variable that is not a Variant data type.
3163	2007	The field is too small to accept the amount of data you attempted to add. Try inserting or pasting less data.
3164	2007	Field cannot be updated.
3165	2007	Could not open .inf file.
3166	2007	Cannot locate the requested Xbase memo file.
3167	2007	Record is deleted.
3168	2007	Invalid .inf file.
3169	2007	The Microsoft Office Access database engine could not execute the SQL statement because it contains a field that has an invalid data type.
	2003	The Microsoft Jet database engine could not execute the SQL statement because it contains a field that has an invalid data type.
3170	2007	Could not find installable ISAM.
3171	2007	Could not find network path or user name.
3172	2007	Could not open Paradox.net.
3173	2007	Could not open table 'MSysAccounts' in the workgroup information file.
3174	2007	Could not open table 'MSysGroups' in the workgroup information file.
3175	2007	Date is out of range or is in an invalid format.
3176	2007	Could not open file ' '.
3177	2007	Not a valid table name.
3179	2007	Encountered unexpected end of file.
3180	2007	Could not write to file ' '.
3181	2007	Invalid range.
3182	2007	Invalid file format.
3183	2007	The query cannot be completed. Either the size of the query result is larger than the maximum size of a database (2 GB), or there is not enough temporary storage space on the disk to store the query result.
	2003	Not enough space on temporary disk.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3184	2007	Could not execute query; could not find linked table.
3185	2007	SELECT INTO on a remote database tried to produce too many fields.
3186	2007	Could not save; currently locked by user ' 2' on machine ' 1'.
3187	2007	Could not read; currently locked by user ' 2' on machine ' 1'.
3188	2007	Could not update; currently locked by another session on this machine.
3189	2007	Table ' 1' is exclusively locked by user ' 3' on machine ' 2'.
3190	2007	Too many fields defined.
3191	2007	Cannot define field more than once.
3192	2007	Could not find output table ' '.
3193	2007	(unknown)
3194	2007	(unknown)
3195	2007	(expression)
3196	2007	The database ' ' is already in use by another person or process. When the database is available, try the operation again.
3197	2007	The Microsoft Office Access database engine stopped the process because you and another user are attempting to change the same data at the same time.
	2003	The Microsoft Jet database engine stopped the process because you and another user are attempting to change the same data at the same time.
3198	2007	Could not start session. Too many sessions already active.
3199	2007	Could not find reference.
3200	2007	The record cannot be deleted or changed because table ' ' includes related records.
3201	2007	You cannot add or change a record because a related record is required in table ' '.
3202	2007	Could not save; currently locked by another user.
3203	2007	Subqueries cannot be used in the expression ().
3204	2007	Database already exists.
3205	2007	Too many crosstab column headers ().
3206	2007	Cannot create a relationship between a field and itself.
3207	2007	Operation not supported on a Paradox table with no primary key.
3208	2007	Invalid Deleted setting in the Xbase key of the Windows Registry.
3209	2007	*****
3210	2007	The connection string is too long. The connection string cannot exceed 255 characters.
	2003	The connection string is too long.
3211	2007	The database engine could not lock table ' ' because it is already in use by another person or process.
3212	2007	Could not lock table ' 1'; currently in use by user ' 3' on machine ' 2'.
3213	2007	Invalid Date setting in the Xbase key of the Windows Registry.
3214	2007	Invalid Mark setting in the Xbase key of the Windows Registry.
3215	2007	Too many Btrieve tasks.
3216	2007	Parameter ' ' specified where a table name is required.
3217	2007	Parameter ' ' specified where a database name is required.
3218	2007	Could not update; currently locked.
3219	2007	Invalid operation.
3220	2007	Incorrect collating sequence.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3221	2007	Invalid settings in the Btrieve key of the Windows Registry.
3222	2007	Query cannot contain a Database parameter.
3223	2007	' ' is invalid because it is too long, or contains invalid characters.
3224	2007	Cannot read Btrieve data dictionary.
3225	2007	Encountered a record locking deadlock while performing a Btrieve operation.
3226	2007	Errors encountered while using the Btrieve DLL.
3227	2007	Invalid Century setting in the Xbase key of the Windows Registry.
3228	2007	Selected collating sequence not supported by the operating system.
3229	2007	Btrieve--cannot change field.
3230	2007	Out-of-date Paradox lock file.
3231	2007	ODBC--field would be too long; data truncated.
3232	2007	ODBC--could not create table.
3234	2007	ODBC--remote query timeout expired.
3235	2007	ODBC--data type not supported on server.
3238	2007	ODBC--data out of range.
3239	2007	Too many active users.
3240	2007	Btrieve--missing Btrieve engine.
3241	2007	Btrieve--out of resources.
3242	2007	Invalid reference in SELECT statement.
3243	2007	None of the import field names match fields in the appended table.
3244	2007	Cannot import password-protected spreadsheet.
3245	2007	Could not parse field names from the first row of the import table.
3246	2007	Operation not supported in transactions.
3247	2007	ODBC--linked table definition has changed.
3248	2007	Invalid NetworkAccess setting in the Windows Registry.
3249	2007	Invalid PageTimeout setting in the Windows Registry.
3250	2007	Could not build key.
3251	2007	Operation is not supported for this type of object.
3252	2007	Cannot open a form whose underlying query contains a user-defined function that attempts to set or get the form's RecordsetClone property.
3254	2007	ODBC--Cannot lock all records.
3256	2007	Index file not found.
3257	2007	Syntax error in WITH OWNERACCESS OPTION declaration.
3258	2007	The SQL statement could not be executed because it contains ambiguous outer joins. To force one of the joins to be performed first, create a separate query that performs the first join and then include that query in your SQL statement.
3259	2007	Invalid field data type.
3260	2007	Could not update; currently locked by user ' 2' on machine ' 1'.
3261	2007	Table ' ' is exclusively locked by user ' 2' on machine ' 1'.
3262	2007	Could not lock table
3263	2007	Invalid Database object.
3264	2007	No field defined--cannot append TableDef or Index.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3265	2007	Item not found in this collection.
3266	2007	Cannot append a Field that is already a part of a Fields collection.
3267	2007	Property can be set only when the Field is part of a Recordset object's Fields collection.
3268	2007	Cannot set this property once the object is part of a collection.
3269	2007	Cannot append an Index that is already a part of an Indexes collection.
3270	2007	Property not found.
3271	2007	Invalid property value.
3272	2007	Object is not a collection.
3273	2007	Method not applicable for this object.
3274	2007	External table is not in the expected format.
3275	2007	Unexpected error from external database driver ({}).
3276	2007	Invalid database object reference.
3277	2007	Cannot have more than 10 fields in an index.
3278	2007 2003	The Microsoft Office Access database engine has not been initialized. The Microsoft Jet database engine has not been initialized.
3279	2007 2003	The Microsoft Office Access database engine has already been initialized. The Microsoft Jet database engine has already been initialized.
3280	2007	Cannot delete a field that is part of an index or is needed by the system.
3281	2007	Cannot delete this index or table. It is either the current index or is used in a relationship.
3282	2007	Operation not supported on a table that contains data.
3283	2007	Primary key already exists.
3284	2007	Index already exists.
3285	2007	Invalid index definition.
3286	2007	Format of memo file does not match specified external database format.
3287	2007	Cannot create index on the given field.
3288	2007	Paradox index is not primary.
3289	2007	Syntax error in CONSTRAINT clause.
3290	2007	Syntax error in CREATE TABLE statement.
3291	2007	Syntax error in CREATE INDEX statement.
3292	2007	Syntax error in field definition.
3293	2007	Syntax error in ALTER TABLE statement.
3294	2007	Syntax error in DROP INDEX statement.
3295	2007	Syntax error in DROP TABLE or DROP INDEX.
3296	2007	JOIN expression not supported.
3297	2007	Could not import table or query. No records found, or all records contain errors.
3298	2007	There are several tables with that name. Please specify owner in the format 'owner.table'.
3299	2007	ODBC Specification Conformance Error ({}). Report this error to the developer of your application.
3300	2007	Cannot create a relationship.
3301	2007	Cannot perform this operation; features in this version are not available in databases with older formats.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3302	2007	Cannot change a rule while the rules for this table are in use.
3303	2007	Cannot delete this field. It is part of one or more relationships.
3304	2007	You must enter a personal identifier (PID) consisting of at least 4 and no more than 20 characters and digits.
3305	2007	Invalid connection string in pass-through query.
3306	2007	You have written a subquery that can return more than one field without using the EXISTS reserved word in the main query's FROM clause. Revise the SELECT statement of the subquery to request only one field.
3307	2007	The number of columns in the two selected tables or queries of a union query do not match.
3308	2007	Invalid TOP argument in select query.
3309	2007	Property value is too large.
3310	2007	This property is not supported for external data sources or for databases created with a previous version of Microsoft Jet.
3311	2007	Property specified already exists.
3312	2007	Validation rules and default values cannot be placed on system or linked tables.
3313	2007	Cannot place this validation expression on this field.
3314	2007 2003	You must enter a value in the ' ' field. The field ' ' cannot contain a Null value because the Required property for this field is set to True. Enter a value in this field.
3315	2007	Field ' ' cannot be a zero-length string.
3316	2007	
3317	2007	One or more values are prohibited by the validation rule ' 2' set for ' 1'. Enter a value that the expression for this field can accept.
3318	2007	Values specified in a TOP clause are not allowed in delete queries or reports.
3319	2007	Syntax error in union query.
3320	2007	in table-level validation expression.
3321	2007	No database specified in connection string or IN clause.
3322	2007	Crosstab query contains one or more invalid fixed column headings.
3323	2007	The query cannot be used as a row source.
3324	2007	The query is a DDL query and cannot be used as a row source.
3325	2007	Pass-through query with ReturnsRecords property set to True did not return any records.
3326	2007	This Recordset is not updateable.
3327	2007	Field ' ' is based on an expression and cannot be edited.
3328	2007	Table ' 2' is read-only.
3329	2007	Record in table ' ' was deleted by another user.
3330	2007	Record in table ' ' is locked by another user.
3331	2007	To make changes to this field, first save the record.
3332	2007	Cannot enter value into blank field on 'one' side of outer join.
3333	2007	Records in table ' ' would have no record on the 'one' side.
3334	2007	Can be present only in version 1.0 format.
3335	2007	DeleteOnly called with non-zero cbData.
3336	2007	Btrieve: Invalid IndexDDF option in initialization setting.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3337	2007	Invalid DataCodePage option in initialization setting.
3338	2007	Btrieve: Xtrieve options are not correct in initialization setting.
3339	2007	Btrieve: Invalid IndexDeleteRenumber option in initialization setting.
3340	2007	Query ' ' is corrupt.
3341	2007	The current field must match the join key ' ' in the table that serves as the 'one' side of one-to-many relationship. Enter a record in the 'one' side table with the desired key value, and then make the entry with the desired join key in the 'many-only' table.
3342	2007	Invalid Memo, OLE, or Hyperlink Object in subquery ' '.
3343	2007	Unrecognized database format ' '.
3344	2007	The database engine does not recognize either the field ' 1' in a validation expression, or the default value in the table ' 2'.
3345	2007	Unknown or invalid field reference ' '.
3346	2007	Number of query values and destination fields are not the same.
3347	2007	Cannot add record(s); primary key for table ' ' not in recordset.
3348	2007	Cannot add record(s); join key of table ' ' not in recordset.
3349	2007	You cannot record your changes because a value you entered violates the settings defined for this table or list (for example, a value is less than the minimum or greater than the maximum). Correct the error and try again.
	2003	Numeric field overflow.
3350	2007	Object is invalid for operation.
3351	2007	The ORDER BY expression () includes fields that are not selected by the query. Only those fields requested in the first query can be included in an ORDER BY expression.
3352	2007	No destination field name in INSERT INTO statement ().
3353	2007	Btrieve: Cannot find file Field.ddf.
3354	2007	At most one record can be returned by this subquery.
3355	2007	Syntax error in default value.
3356	2007	You attempted to open a database that is already opened exclusively by user ' 2' on machine ' 1'. Try again when the database is available.
3357	2007	This query is not a properly formed data-definition query.
3358	2007	Cannot open the Microsoft Office Access database engine workgroup information file.
	2003	Cannot open the Microsoft Jet engine workgroup information file.
3359	2007	Pass-through query must contain at least one character.
3360	2007	Query is too complex.
3361	2007	Unions not allowed in a subquery.
3362	2007	Single-row update/delete affected more than one row of a linked table. Unique index contains duplicate values.
3363	2007	Record(s) cannot be added; no corresponding record on the 'one' side.
3364	2007	Cannot use Memo, OLE, or Hyperlink Object field ' ' in the SELECT clause of a union query.
3365	2007	Property value not valid for REMOTE objects.
3366	2007	Cannot append a relation with no fields defined.
3367	2007	Cannot append. An object with that name already exists in the collection.
3368	2007	Relationship must be on the same number of fields with the same data types.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3369	2007	*****
3370	2007	Cannot modify the design of table ' '. It is in a read-only database.
3371	2007	Cannot find table or constraint.
3372	2007	No such index ' 2' on table ' 1'.
3373	2007	Cannot create relationship. Referenced table ' ' does not have a primary key.
3374	2007	The specified fields are not uniquely indexed in table ' '.
3375	2007	Table ' 1' already has an index named ' 2'.
3376	2007	Table ' ' does not exist.
3377	2007	No such relationship ' 2' on table ' 1'.
3378	2007	There is already a relationship named ' ' in the current database.
3379	2007	Cannot create relationships to enforce referential integrity. Existing data in table ' 2' violates referential integrity rules in table ' 1'.
3380	2007	Field ' 2' already exists in table ' 1'.
3381	2007	There is no field named ' 2' in table ' 1'.
3382	2007	Size of field ' ' is too long.
3383	2007	Cannot delete field ' '. It is part of one or more relationships.
3384	2007	Cannot delete a built-in property.
3385	2007	User-defined properties do not support a Null value.
3386	2007	Property ' ' must be set before using this method.
3387	2007	Cannot find TEMP directory.
3388	2007	Unknown function ' 2' in validation expression or default value on ' 1'.
3389	2007	Query support unavailable.
3390	2007	Account name already exists.
3391	2007	An error has occurred. Properties were not saved.
3392	2007	*****
3393	2007	Cannot perform join, group, sort, or indexed restriction. A value being searched or sorted on is too long.
3394	2007	Cannot save property; property is a schema property.
3395	2007	*****
3396	2007	Cannot perform cascading operation. Since related records exist in table ' ', referential integrity rules would be violated.
3397	2007	Cannot perform cascading operation. There must be a related record in table ' '.
3398	2007	Cannot perform cascading operation. It would result in a null key in table ' '.
3399	2007	Cannot perform cascading operation. It would result in a duplicate key in table ' '.
3400	2007	Cannot perform cascading operation. It would result in two updates to field ' 2' in table ' 1'.
3401	2007	Cannot perform cascading operation. It would cause field ' ' to become Null, which is not allowed.
3402	2007	Cannot perform cascading operation. It would cause field ' ' to become a zero-length string, which is not allowed.
3403	2007	Cannot perform cascading operation: ' '.
3404	2007	Cannot perform cascading operation. The value entered is prohibited by the validation rule ' 2' set for ' 1'.
3405	2007	Error ' ' in validation rule.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3406	2007	The expression you are trying to use for the DefaultValue property is invalid because ' '. Use a valid expression to set this property.
3407	2007	The server's MSysConf table exists, but is in an incorrect format. Contact your system administrator.
3408	2007	Too many FastFind Sessions were invoked.
3409	2007	Invalid field definition ' ' in definition of index or relationship.
3411	2007	Invalid entry. Cannot perform cascading operation in table ' 1' because the value entered is too large for field ' 2'.
3412	2007	Cannot perform cascading update on the table because it is currently in use by another user.
3413	2007	Cannot perform cascading operation on table ' 1' because it is currently in use by user ' 3' on machine ' 2'.
3414	2007	Cannot perform cascading operation on table ' 1' because it is currently in use.
3415	2007	Zero-length string is valid only in a Text or Memo field.
3416	2007	
3417	2007	An action query cannot be used as a row source.
3418	2007	Cannot open ' '. Another user has the table open using a different network control file or locking style.
3419	2007	Cannot open this Paradox 4.x or 5.x table because ParadoxNetStyle is set to 3.x in the Windows Registry.
3420	2007	Object invalid or no longer set.
3421	2007	Data type conversion error.
3422	2007	Cannot modify table structure. Another user has the table open.
3423	2007	You cannot use ODBC to import from, export to, or link an external Microsoft Office Access or ISAM database table to your database.
	2003	You cannot use ODBC to import from, export to, or link an external Microsoft Jet or ISAM database table to your database.
3424	2007	Cannot create database because the locale is invalid.
3425	2007	This method or property is not currently available on this Recordset.
3426	2007	This action was cancelled by an associated object.
3427	2007	Error in DAO automation.
3428	2007	A problem occurred in your database. Correct the problem by repairing and compacting the database.
3429	2007	Incompatible version of an installable ISAM.
3430	2007	While loading the Microsoft Excel installable ISAM, OLE was unable to initialize.
3431	2007	This is not a Microsoft Excel 5.0 file.
3432	2007	Error opening a Microsoft Excel 5.0 file.
3433	2007	Invalid setting in Excel key of the Engines section of the Windows Registry.
3434	2007	Cannot expand named range.
3435	2007	Cannot delete spreadsheet cells.
3436	2007	Failure creating file.
3437	2007	Spreadsheet is full.
3438	2007	The data being exported does not match the format described in the Schema.ini file.
3439	2007	You attempted to link or import a Microsoft Word mail merge file. Although you can export such files, you cannot link or import them.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3440	2007	An attempt was made to import or link an empty text file. To import or link a text file, the file must contain data.
3441	2007	Text file specification field separator matches decimal separator or text delimiter.
3442	2007	In the text file specification ' 1', the 2 option is invalid.
3443	2007	The fixed width specification ' 1' contains no column widths.
3444	2007	In the fixed width specification ' 1', column ' 2' does not specify a width.
3445	2007	Incorrect version of the DLL file ' 1' was found.
3446	2007	The VBA file (VBAJET.dll for 16-bit versions, or VBAJET32.dll for 32-bit versions) is missing. Try reinstalling the application that returned the error.
	2003	Jet VBA file (VBAJET.dll for 16-bit versions, or VBAJET32.dll for 32-bit versions) is missing. Try reinstalling the application that returned the error.
3447	2007	The VBA file (VBAJET.dll for 16-bit versions, or VBAJET32.dll for 32-bit versions) failed to initialize when called. Try reinstalling the application that returned the error.
	2003	The Jet VBA file (VBAJET.dll for 16-bit versions, or VBAJET32.dll for 32-bit versions) failed to initialize when called. Try reinstalling the application that returned the error.
3448	2007	A call to an OLE system function was not successful. Try reinstalling the application that returned the error.
3449	2007	No country/region code found in connection string for a linked table.
	2003	No country code found in connection string for a linked table.
3450	2007	Syntax error in query. Incomplete query clause.
3451	2007	Illegal reference in query.
3452	2007	You cannot make changes to the design of the database at this replica.
3453	2007	You cannot establish or maintain an enforced relationship between a replicated table and a local table.
3455	2007	Cannot make the database replicable.
3456	2007	Cannot make the 2 object in 1 container replicable.
3457	2007	You cannot set the KeepLocal property for an object that is already replicated.
3458	2007	The KeepLocal property cannot be set on a database; it can be set only on the objects in a database.
3459	2007	After a database has been replicated, you cannot remove the replication features from the database.
3460	2007	The operation you attempted conflicts with an existing operation involving this member of the replica set.
3461	2007	The replication property you are attempting to set or delete is read-only and cannot be changed.
3462	2007	Failure to load a DLL.
3463	2007	Cannot find the .dll ' 2'.
3464	2007	Data type mismatch in criteria expression.
3465	2007	The disk drive you are attempting to access is unreadable.
3468	2007	Access was denied while accessing dropbox folder ' 2'.
3469	2007	The disk for dropbox folder ' 2' is full.
3470	2007	Disk failure accessing dropbox folder ' 2'.
3471	2007	Failure to write to the Synchronizer log file.
3472	2007	Disk full for path ' 1'.
3473	2007	Disk failure while accessing log file ' 1'.
3474	2007	Cannot open the log file ' 1' for writing.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3475	2007	Sharing violation while attempting to open log file ' 1' in Deny Write mode.
3476	2007	Invalid dropbox path ' 2'.
3477	2007	Dropbox address ' 2' is syntactically invalid.
3478	2007	The replica is not a partial replica.
3479	2007	Cannot designate a partial replica as the Design Master for the replica set.
3480	2007	The relationship ' ' in the partial filter expression is invalid.
3481	2007	The table name ' ' in the partial filter expression is invalid.
3482	2007	The filter expression for the partial replica is invalid.
3483	2007	The password supplied for the dropbox folder ' 2' is invalid.
3484	2007	The password used by the Synchronizer to write to a destination dropbox folder is invalid.
3485	2007	The object cannot be replicated because the database is not replicated.
3486	2007	You cannot add a second Replication ID AutoNumber field to a table.
3487	2007	The database you are attempting to replicate cannot be converted.
3488	2007	The value specified is not a ReplicaID for any member in the replica set.
3489	2007	The object specified cannot be replicated because it is missing a necessary resource.
3490	2007	Cannot create a new replica because the ' 2' object in ' 1' container could not be replicated.
3491	2007	The database must be opened in exclusive mode before it can be replicated.
3492	2007	The synchronization failed because a design change could not be applied to one of the replicas.
3493	2007	Cannot set the specified Registry parameter for the Synchronizer.
3494	2007	Unable to retrieve the specified Registry parameter for the Synchronizer.
3495	2007	There are no scheduled synchronization's between the two Synchronizers.
3496	2007	Replication Manager cannot find the ExchangeID in the MSysExchangeLog table.
3497	2007	Unable to set a schedule for the Synchronizer.
3499	2007	Cannot retrieve the full path information for a member of the replica set.
3500	2007	You cannot specify two different Synchronizers to manage the same replica.
3502	2007	The Design Master or replica is not being managed by a Synchronizer.
3503	2007	The Synchronizer's Registry has no value set for the key you queried.
3504	2007	The Synchronizer ID does not match an existing ID in the MSysTranspAddress table.
3505	2007	You attempted to delete or get information about a partial filter that does not exist in MSysFilters.
3506	2007	The Synchronizer is unable to open the Synchronizer log.
3507	2007	Failure writing to the Synchronizer log.
3508	2007	There is no active transport for the Synchronizer.
3509	2007	Could not find a valid transport for this Synchronizer.
3510	2007	The member of the replica set you are attempting to synchronize is currently being used in another synchronization.
3512	2007	Failed to read the dropbox folder.
3513	2007	Failed to write to the dropbox folder.
3514	2007	Synchronizer could not find any scheduled or on-demand synchronization's to process.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3515	2007	The Microsoft Office Access database engine could not read the system clock on your computer.
	2003	The Microsoft Jet database engine could not read the system clock on your computer.
3516	2007	Destination synchronizer is not configured to support indirect synchronronization, and the destination replica is unavailable for direct synchronization.
3517	2007	Synchronizer could not find any messages to process.
3518	2007	Could not find Synchronizer in the MSysTranspAddress table.
3519	2007	Failed to send a message.
3520	2007	The replica name or ID does not match a currently managed member of the replica set.
3521	2007	Two members of the replica set cannot be synchronized because there is no common point to start the synchronization.
3522	2007	Synchronizer cannot find the record of a specific synchronization in the MSysExchangeLog table.
3523	2007	Synchronizer cannot find a specific version number in the MSysSchChange table.
3524	2007	The history of design changes in the replica does not match the history in the Design Master.
3525	2007	Synchronizer could not access the message database.
3526	2007	The name selected for the system object is already in use.
3527	2007	The Synchronizer or Replication Manager could not find the system object.
3528	2007	There is no new data in shared memory for the Synchronizer or Replication Manager to read.
3529	2007	The Synchronizer or Replication Manager found unread data in the shared memory. The existing data will be overwritten.
3530	2007	The Synchronizer is already serving a client.
3531	2007	The wait period for an event has timed out.
3532	2007	Synchronizer could not be initialized.
3533	2007	The system object used by a process still exists after the process has stopped.
3534	2007	Synchronizer looked for a system event but did not find one to report to the client.
3535	2007	Client has asked the Synchronizer to terminate operation.
3536	2007	Synchronizer received an invalid message for a member of the replica set that it manages.
3537	2007	The Synchronizer's client is no longer present and cannot be notified.
3538	2007	Cannot initialize Synchronizer because there are too many applications running.
3539	2007	A system error has occurred or your swap file has reached its limit.
3540	2007	Your swap file has reached its limit or is corrupted.
3541	2007	Synchronizer could not be shut down properly and is still active.
3542	2007	Process stopped when attempting to terminate Synchronizer client.
3543	2007	Synchronizer has not been set up.
3544	2007	Synchronizer is already running.
3545	2007	The two replicas you are attempting to synchronize are from different replica sets.
3546	2007	The type of synchronization you are attempting is not valid.
3547	2007	Synchronizer could not find a replica from the correct set to complete the synchronization.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3548	2007	GUIDs do not match or the requested GUID could not be found.
3549	2007	The file name you provided is too long.
3550	2007	There is no index on the GUID column.
3551	2007	Unable to delete the specified Registry parameter for the Synchronizer.
3552	2007	The size of the Registry parameter exceeds the maximum allowed.
3553	2007	The GUID could not be created.
3555	2007	All valid nicknames for replicas are already in use.
3556	2007	Invalid path for destination dropbox folder.
3557	2007	Invalid address for destination dropbox folder.
3558	2007	Disk I/O error at destination dropbox folder.
3559	2007	Failure to write because destination disk is full.
3560	2007	The two members of the replica set you are attempting to synchronize have the same ReplicaID.
3561	2007	The two members of the replica set you are attempting to synchronize are both Design Masters.
3562	2007	Access denied at destination dropbox folder.
3563	2007	Fatal error accessing a local dropbox folder.
3564	2007	Synchronizer cannot find the source file for messages.
3565	2007	There is a sharing violation in the source dropbox folder because the message database is open in another application.
3566	2007	Network I/O error.
3567	2007	Message in dropbox folder belongs to the wrong Synchronizer.
3568	2007	Synchronizer could not delete a file.
3569	2007	This member of the replica set has been logically removed from the set and is no longer available.
3570	2007	The filters defining a partial replica have been changed. The partial replica must be repopulated.
3571	2007	The attempt to set a column in a partial replica violated a rule governing partial replicas.
3572	2007	A disk I/O error occurred while reading or writing to the TEMP directory.
3573	2007	The directory you queried for a list of replicas is not a managed directory.
3574	2007	The ReplicaID for this member of the replica set was reassigned during a move or copy procedure.
3575	2007	The disk drive you are attempting to write to is full.
3576	2007	The database you are attempting to open is already in use by another application.
3577	2007	Cannot update replication system column.
3578	2007	Failure to replicate database; cannot determine whether the database is open in exclusive mode.
3579	2007	Could not create replication system tables needed to make the database replicable.
3580	2007	Could not add rows needed to make the database replicable.
3581	2007	Cannot open replication system table ' ' because the table is already in use.
3582	2007	Cannot make a new replica because the 2 object in 1 container could not be made replicable.
3583	2007	Cannot make the 2 object in 1 container replicable.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3584	2007	Insufficient memory to complete operation.
3585	2007	Cannot replicate the table; the number of columns exceeds the maximum allowed.
3586	2007	Syntax error in partial filter expression on table 1.
3587	2007	Invalid expression in the ReplicaFilter property.
3588	2007	Error when evaluating the partial filter expression.
3589	2007	The partial filter expression contains an unknown function.
3590	2007	Violates the rules for partial replicas.
3591	2007	Log file path ' 1' is invalid.
3592	2007	You cannot replicate a password-protected database or set password protection on a replicated database.
3593	2007	You cannot change the data master attribute for the replica set.
3594	2007	You cannot change the data master attribute for the replica set. It allows data changes only at the Design Master.
3595	2007	The system tables in your replica are no longer reliable and the replica should not be used.
3600	2007	Aggregation expressions cannot use GUIDs.
3605	2007	Synchronizing with a non-replicated database is not allowed. The ' ' database is not a Design Master or replica.
3607	2007	The replication property you are attempting to delete is read-only and cannot be removed.
3608	2007	Record length is too long for an indexed Paradox table.
3609	2007	No unique index found for the referenced field of the primary table.
3610	2007	Same table ' ' referenced as both the source and destination in make-table query.
3611	2007	Cannot execute data definition statements on linked data sources.
3612	2007	Multi-level GROUP BY clause is not allowed in a subquery.
3613	2007	Cannot create a relationship on linked ODBC tables.
3614	2007	GUID not allowed in Find method criteria expression.
3615	2007	Type mismatch in expression.
3616	2007	Updating data in a linked table is not supported by this ISAM.
3617	2007	Deleting data in a linked table is not supported by this ISAM.
3618	2007	Exceptions table could not be created on import/export.
3619	2007	Records could not be added to exceptions table.
3620	2007	The connection for viewing your linked Microsoft Excel worksheet was lost.
3621	2007	Cannot change password on a shared open database.
3622	2007	You must use the dbSeeChanges option with OpenRecordset when accessing a SQL Server table that has an IDENTITY column.
3623	2007	Cannot access the FoxPro 3.0 bound DBF file ' '.
3624	2007	Could not read the record; currently locked by another user.
3625	2007	The text file specification ' ' does not exist. You cannot import, export, or link using the specification.
3626	2007	The operation failed. There are too many indexes on table ' '. Delete some of the indexes on the table and try the operation again.
3627	2007	Cannot find the executable file for the Synchronizer (mstran40.exe).
3628	2007	Partner replica is not managed by a Synchronizer.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3629	2007	Synchronizer ' 1' is also using the same File System dropbox ' 2'.
3630	2007	Synchronizer ' 1' is also using the same File System dropbox ' 2'.
3631	2007	Invalid Table Name In Filter
3632	2007	Internet Transport not enabled on the remote Synchronizer.
3633	2007	Cannot load DLL: ' '
3634	2007	Cannot create a replica using a partial replica.
3635	2007	Cannot create partial replica of a system database.
3636	2007	Cannot populate the replica or change the replica's filter because the replica has conflicts or data errors.
3637	2007	Cannot use the crosstab of a non-fixed column as a subquery.
3638	2007	A Source Controlled database cannot be made replicable.
3639	2007	Cannot create a replica of a System database.
3640	2007	The fetch buffer was too small for the amount of data you requested.
3641	2007	There are fewer records remaining in the recordset than you requested.
3642	2007	A cancel was performed on the operation.
3643	2007	One of the records in the recordset was deleted by another process.
3645	2007	One of the binding parameters is incorrect.
3646	2007	The specified row length is shorter than the sum of the column lengths.
3647	2007	A column requested is not being returned to the recordset.
3648	2007	Cannot synchronize a partial replica with another partial replica.
3649	2007	The language-specific code page was not specified or could not be found.
3650	2007	Either the Internet is very slow or there is some problem in the replication manager setup on the internet server machine.
3651	2007	Invalid internet address.
3652	2007	Internet login failure.
3653	2007	Internet not set up.
3654	2007	Internal internet failure.
3655	2007	The wininet.dll cannot be loaded or initialized.
3656	2007	Error in evaluating a partial expression
3657	2007	Error in evaluating the boolean filter expression for table ' 1'.
3658	2007	Binary column ' ' cannot be used in a boolean filter.
3659	2007	Relationship ' 1' is unenforced. Relationship in a partial filter expression must be enforced.
3660	2007	Requested exchange failed because ' 1'.
3661	2007	Requested exchange failed because ' 1'
3663	2007	This operation requires a different cursor library.
3664	2007	An asynchronous OpenConnection call is not yet complete; you cannot yet reference the returned connection object until it is complete.
3665	2007	You cannot modify the replication system object ' '.
3666	2007	You cannot modify the replication system object ' '.
3667	2007	A different operation is preventing this operation from being executed.
3668	2007	Cannot perform this operation because there is no active connection.
3669	2007	Execution cancelled.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3670	2007	Cursor is not valid.
3671	2007	Cannot find table to update.
3672	2007	Failed to load RDOCURS.DLL.
3673	2007	This table contains cells that are outside the range of cells defined in this spreadsheet.
3674	2007	Internet dll (wininet.dll) could not be found or loaded.
3675	2007	Failure to read from an internet handle. Try the operation again.
3676	2007	Failure to write to an internet handle. Try the operation again.
3677	2007	Failure to execute the HTTP request to start internet synchronizer on the internet server. Use Replication Manager to configure internet synchronizer on the internet server.
3678	2007	Failure to connect to the FTP service on the internet server. Make sure that FTP service is running properly on the server and supports anonymous connections.
3679	2007	Failure to do open file using FTP service. Make sure that FTP dropbox has read permissions.
3680	2007	Failure in getting a file from the server using FTP. Make sure that FTP dropbox has read permissions.
3681	2007	Failure in putting a file to the server using FTP. Make sure that FTP dropbox has write permissions.
3682	2007	Failure to delete a file on the server using FTP. Make sure that FTP dropbox has read and write permissions.
3683	2007	Internet synchronizer exited unexpectedly on the server. Look at the partner replica exchange history on the internet server to figure out the problem.
3684	2007	There is no suitable replica with which to exchange.
3685	2007	Invalid HTTP address.
3686	2007	Invalid replica path or name.
3687	2007	Invalid SQL syntax - expected token: Option.
3688	2007	Invalid SQL syntax - expected token: For.
3689	2007	Invalid SQL syntax - expected token: Privileges.
3690	2007	Invalid SQL syntax - expected a table right/privilege.
3691	2007	Invalid SQL syntax - expected an object name.
3692	2007	Invalid SQL syntax - related tokens did not match. Microsoft Office Access database engine expected GRANT...TO, REVOKE...FROM, ADD...TO, or DROP...FROM.
	2003	Invalid SQL syntax - related tokens did not match. Jet expected GRANT...TO, REVOKE...FROM, ADD...TO, or DROP...FROM.
3693	2007	Invalid SQL syntax - expected user or group name.
3694	2007	Invalid SQL syntax - expected token: Grant.
3695	2007	Invalid SQL syntax - GRANT/REVOKE syntax error.
3696	2007	Invalid SQL syntax - expected token: User (or) Group.
3697	2007	Invalid SQL syntax - expected token: Password.
3698	2007	Invalid SQL syntax - expected password.
3699	2007	Invalid SQL syntax - expected token: User.
3700	2007	Invalid precision for decimal data type.
3701	2007	Invalid scale for decimal data type.
3702	2007	The width of a Unicode text column must be an even number of bytes.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3703	2007	Operation not supported on replicable databases that have not been converted to the current version.
3704	2007	You attempted to open a database that is already opened by user ' 2' on machine ' 1'. Try again when the database is available.
3705	2007	Cannot make the 2 table replicable - too many columns.
3706	2007	Cannot make the 2 table replicable - too many indexes.
3707	2007	The cascading options for the new reference conflict with existing reference ' '.
3708	2007	Syntax error in Transaction statement. Expected TRANSACTION, WORK, or nothing.
3709	2007	The search key was not found in any record.
3710	2007	MAPI folder or address book not found.
3711	2007	Recovered replicable data. This row was recovered from a corrupted replicable database. Verify that the record contents are correct and then reinsert the record, or delete this conflict record.
3712	2007	Other. This record was rejected due to an undefined replication conflict problem.
3713	2007	Update/update conflict. Another replica also updated this record. This record lost the conflict. Either resubmit your update or delete this conflict record.
3714	2007	Locked table. This record could not be applied during synchronization since the table was locked by another user. Resubmit this conflict record.
3715	2007	Unique key violation. This record has the same key value as another record, whereas only unique values are permitted. Either change the key value in this conflict record or the winning record and then resubmit this record, or delete this conflict record.
3716	2007	TLV violation. This record contains a field value that does not meet the table level validation constraint. Either update the field value that is violating the validation rule and then resubmit this conflict record, or delete this conflict record.
3717	2007	Delete/RI conflict. The primary key record has been deleted by another replica, therefore this referencing record has been rejected. Either create a new primary key record that satisfies the referential integrity constraint and then resubmit your update, or delete this conflict record.
3718	2007	Update/RI conflict. The primary key record has been updated by another replica, therefore this referencing record has been rejected. Either create a new primary key record that satisfies the referential integrity constraint, modify the foreign key value in this conflict record to match a valid primary key value and then resubmit your update, or delete this conflict record.
3719	2007	Foreign key violation resulting from an invalid primary key record that was involved in a replication conflict. Either create a new primary key record that satisfies the referential integrity constraint, modify the foreign key value in this conflict record to match a valid primary key value and then resubmit this conflict record, or delete this conflict record.
3720	2007	Cannot change field ' '. It is part of one or more relationships.
3721	2007	Invalid SQL syntax - expected constraint name.
3722	2007	Invalid SQL syntax - expected token: DEFAULT.
3723	2007	Invalid SQL syntax - expected token: COMPRESSION to follow WITH.
3724	2007	Invalid SQL syntax - expected token: UPDATE or DELETE.
3725	2007	Invalid SQL syntax - expected token: CASCADE, SET NULL, or NO ACTION.
3726	2007	Invalid SQL syntax - expected token: NULL.
3727	2007	Invalid SQL syntax - only one update rule and/or one delete rule allowed.
3728	2007	Invalid SQL syntax - expected token: AS.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3729	2007	Invalid SQL syntax - expected token: SELECT.
3730	2007	VIEW cannot contain a parameter.
3731	2007	The number of aliases specified shall be the same as the number of output columns.
3732	2007	Expected query name after EXECUTE.
3733	2007	The database has been placed in a state by an unknown user that prevents it from being opened or locked.
3734	2007	The database has been placed in a state by user ' 2' on machine ' 1' that prevents it from being opened or locked.
3735	2007	Too many columns in inverted index.
3736	2007	Update/delete conflict. This updated record was deleted at another replica. Either reinsert this conflict record or delete it.
3737	2007	Cannot create this type of replica from the given source replica.
3738	2007	Local or Anonymous replicas must synch only to their designated hub replica.
3739	2007	The proxy replica has been removed.
3740	2007	Cannot add a new column to conflict table ' '. Delete obsolete columns and compact the database.
3741	2007	Invalid partner synchronizer. Local or anonymous replica must synchronize with designated hub replica.
3742	2007	An internet function timed out.
3743	2007	Replica has not been synchronized within the replica set retention period.
3744	2007	Counter columns in replicable tables cannot be modified.
3745	2007	The combined length of Internet Server Name, HTTP Share name, and FTP alias name should not be greater than 252 characters.
3746	2007	Syntax error in parameters clause. Make sure the parameter exists and that you typed its value correctly.
3747	2007	Parameter has no default value.
3748	2007	Parameter has no default value.
3749	2007	The object is not a stored procedure.
3750	2007	Object is not a stored procedure.
3751	2007	Requested row locking, but DB is in page lock mode.
3752	2007	Requested page locking, but DB is in row lock mode.
3753	2007	Cannot create replica of a Microsoft Office Access database engine SQL replica.
	2003	Cannot create replica of a Jet SQL replica.
3754	2007	Cannot delete from a Prevent Deletes Replica.
3755	2007	CHECK constraint ' ' does not exist.
3756	2007	CHECK constraint ' ' already exists.
3757	2007	The Microsoft Office Access database engine sorting DLLs could not be loaded properly.
	2003	The Jet sorting DLLs could not be loaded properly.
3758	2007	Scaling of decimal value resulted in data truncation.
3759	2007	Scaling of decimal value resulted in data truncation.
3760	2007	Scaling of decimal value resulted in data overflow.
3761	2007	The decimal field's precision is too small to accept the numeric you attempted to add.
3762	2007	Invalid SQL syntax - expected token: ACTION.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3763	2007	Concurrent schema changes caused the create replica operation to fail. Try again.
3764	2007	Failed to re-create one or more indexes.
3765	2007	Syntax error in CHECK constraint clause.
3766	2007	Only simple SELECT queries are allowed in VIEWS.
3767	2007	Table ' ' could not be made replicable because it could not be opened exclusively.
3768	2007	FastFind cannot search on non-column references.
3769	2007	Conflict tables cannot be renamed.
3770	2007	Counter definition not in valid range.
3771	2007	Local or Anonymous replicas cannot be made the design master.
3772	2007	Without Administer permission, replica priority must be in the range 0 - .
3773	2007	Cannot delete one or more objects: .
3774	2007	Pin value is not valid.
3775	2007	Unable to load Microsoft Office Access database SQL Server Reconciler - MSRPJT40.dll.
	2003	Unable to load Jet SQL Server Reconciler - MSRPJT40.dll.
3776	2007	Unable to exchange between two Microsoft Office Access database SQL Server Replicas.
	2003	Unable to exchange between two Jet SQL Server Replicas.
3777	2007	Illegal Operation performed on a Microsoft Office Access database SQL Server Replica.
	2003	Illegal Operation performed on a Jet SQL Server Replica.
3778	2007	The Microsoft Office Access database is wrong or missing for this SQL/Microsoft Office Access database replica set.
	2003	The Jet database is wrong or missing for this SQL/Jet replica set.
3779	2007	Unable to change Column Level Tracking Property on objects that are already Replicable.
3780	2007	Invalid SQL syntax - expected a view name.
3781	2007	Invalid SQL syntax - expected a procedure name.
3782	2007	Invalid SQL syntax - currently only one column-level CHECK constraint is allowed.
3783	2007	Invalid SQL syntax - cannot use multiple columns in a column-level CHECK constraint.
3784	2007	Database is already replicable.
3785	2007	Invalid SQL syntax - expected token: Database.
3786	2007	Invalid SQL syntax - expected a database privilege, such as CREATEDB or CONNECT.
3787	2007	This operation is not allowed in subqueries.
3788	2007	Cannot create an index on this MAPI folder/addressbook.
3789	2007	Illegal column-level constraint.
3790	2007	This object requires a newer version of the Microsoft Office Access database engine.
	2003	This object requires a newer version of the Microsoft Jet database engine.
3791	2007	This index requires Microsoft Office Access database engine .
	2003	This index requires Microsoft Jet database engine .
3792	2007	The index ' 2' requires Microsoft Office Access database engine 1.
	2003	The index ' 2' requires Microsoft Jet database engine 1.
3793	2007	The column ' 2' requires Microsoft Office Access database engine 1.
	2003	The column ' 2' requires Microsoft Jet database engine 1.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3794	2007 2003	This table requires Microsoft Office Access database engine . This table requires Microsoft Jet database engine .
3795	2007 2003	The table ' 2' requires Microsoft Office Access database engine 1. The table ' 2' requires Microsoft Jet database engine 1.
3796	2007 2003	The version of AceRecr.DLL that was loaded was too old. Run setup again to get the correct version of this file. The version of MSRECR40.DLL that was loaded was too old. Run setup again to get the correct version of this file.
3797	2007 2003	The SQL/Microsoft Office Access database engine exchange failed, look in the SQLServer Agent history for details. The SQL/Jet exchange failed, look in the SQLServer Agent history for details.
3798	2007	CHECK constraints are not allowed on replicable databases.
3799	2007	Could not find field ' '. ' ' is not an index in this table.
3800	2007	' ' is not an index in this table.
3801	2007	The object () cannot be used in a CHECK constraint clause.
3802	2007	Error evaluating CHECK constraint.
3803	2007	DDL cannot be completed on this table because it is referenced by constraint on table .
3804	2007	There are no MAPI clients installed on this machine. Install a MAPI client (like Outlook) on this machine.
3805	2007	CHECK constraints on table will not be transferred to this table. CHECK constraints can only be created via SQL DDL statements.
3806	2007	Cannot set multiple NULL, NOT NULL attributes.
3807	2007	Query contains an ambiguous column name that is conflicting with the correlation (alias) name . Either fully qualify the column name or change the correlation (alias) name.
3808	2007	Need a version 4.x or greater format system database to perform this operation.
3809	2007	Query was created with a later release of Microsoft Office Access database engine and may have syntax that this version of Microsoft Office Access database engine cannot execute. This query can only be executed with the version of Microsoft Office Access database that created it.
3810	2007	Unrecognized keyword WHEN.
3811	2007	Query could not be executed.
3812	2007	You cannot update this field because the value you're trying to apply is not valid or would break a data integrity rule. Please correct and try again.
3813	2007	SQL pass through queries are disabled.
3814	2007	Columns that accept multiple values for a record cannot be included in a multiple-column relationship.
3815	2007	Columns that accept multiple values for a record cannot be included in a multiple-column index.
3816	2007	The unique index on the ' ' column cannot be deleted.
3817	2007	The multi-valued field ' ' is not valid in a CROSSTAB query.
3818	2007	Operation cannot be completed on this database because it uses attachments or multi-valued lookup fields.
3819	2007	Find cannot be executed on columns that accept multiple values for a record.
3820	2007	You cannot enter that value because it duplicates an existing value in the multi-valued lookup or attachment field. Multi-valued lookup or attachment fields cannot contain duplicate values.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3821	2007	You cannot change a multi-valued lookup field to the selected data type.
3822	2007	The value cannot be added to this new row until the row has been committed. Commit the row first, and then try adding the value.
3823	2007	You cannot edit this field because it resides in a linked Excel spreadsheet. The ability to edit data in a linked Excel spreadsheet has been disabled in this Access release.
3824	2007	An INSERT INTO query cannot contain a multi-valued field.
3825	2007	SELECT * cannot be used in an INSERT INTO query when the source or destination table contains a multi-valued field.
3826	2007	An UPDATE or DELETE query cannot contain a multi-valued field.
3827	2007	Cannot perform an aggregate function on a multi-valued column when a JOIN clause contains a different multi-valued column.
3828	2007	Cannot reference a table with a multi-valued field using an IN clause that refers to another database.
3829	2007	The multi-valued field ' ' cannot be used in an ORDER BY clause.
3830	2007	The multi-valued field ' ' cannot be used in an GROUP BY clause.
3831	2007	The multi-valued field ' ' cannot be used in a WHERE or HAVING clause.
3832	2007	The current file format no longer supports user-level security. The conversion or compaction process has removed any user-level permissions.
3833	2007	The multi-valued field ' ' is not valid in the specified JOIN clause.
3834	2007	The multi-valued field ' 1' is not valid in the expression ' 2'.
3835	2007	The DISTINCT keyword cannot be used with the multi-valued field ' '.
3836	2007	You are attempting to work with a Paradox file that requires the Borland Database Engine (BDE). Microsoft Office Access cannot load the BDE, or the BDE is not correctly installed. To correct this, run the setup program for the BDE.
3837	2007	The multi-valued field ' ' cannot be used in a UNION query.
3838	2007	Multi-valued fields are not allowed in SELECT INTO statements.
3839	2007	The specified file exists already.
3840	2007	The attachment you are adding exceeds the system resources available.
3841	2007	Cannot connect to the Sharepoint site ' '. Try again later.
3842	2007	The expression ' ' must be part of an aggregate function.
3843	2007	An INSERT INTO query that contains a multivalued field cannot contain another field.
3844	2007	Cannot reference a multi-valued field in an UPDATE or DELETE statement that contains other fields.
3845	2007	Microsoft Office Access does not support linking to an Access database or Microsoft Office Excel workbook saved in a format that is a later version than the current database format.
3846	2007	The multi-valued field ' ' in an ORDER BY must also appear in the SELECT list.
3847	2007	ODBCDirect is no longer supported. Rewrite the code to use ADO instead of DAO.
3848	2007	You cannot record your changes because a value you entered violates the settings defined for field ' ' (for example, a value is less than the minimum or greater than the maximum). Correct the error and try again.
3849	2007	Replication is only supported on Access 2000 or Access 2002-2003 format databases. Use the conversion feature in your application to convert the database to the proper format.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
3850	2007	This file was created in a previous beta version of Excel 2007. Open the file with Excel 2007 to save it to the most recent version of the Excel 2007 file format before opening the file in Access 2007.
3851	2007	The schema for this table has changed. You must refresh the table before editing or adding new records
3852	2007	Cannot update a multivalued field if its parent recordset is not in edit mode. To place the parent recordset in edit mode use the AddNew or Edit method.
3853	2007	Microsoft Office Access cannot create the database in the specified format because of a Group Policy set by your administrator. Create the database using a different file format or contact your administrator.
3854	2007	This operation will fail because the text file you are about to import contains more than 255 columns. We recommend that you first make a backup copy of your source file, reduce the number of columns to 255 or less, and then try again.
6000	2007 2003	Errors were encountered during the save operation.@@@1@@@1 Errors were encountered during the save operation.@@@1@@@1
6001	2007 2003	A form or report cannot be the subdatasheet of a table or query.@Only a table or query can be inserted into another table or query.@@1@@@1 A form or report cannot be the subdatasheet of a table or query.@Only a table or query can be inserted into another table or query.@@1@@@1
6002	2007 2003 2002	Microsoft Office Access cannot expand this subdatasheet because all of the records are locked. @Either the RecordLocks property of the form or report or the Default Record Locking option in the Advanced section of the Access Options dialog box (click the Microsoft Office Button, and then click Access Options) is set to All Records.@Reset the value to No Locks or Edited Record, as appropriate.@1@1@472@1 Microsoft Office Access cannot expand this subdatasheet because all of the records are locked. @The RecordLocks property of the form or report or the Default Record Locking option on the Advanced tab of the Options dialog box (Tools menu) is set to All Records.@Reset the value to No Locks or Edited Record as appropriate.@1@@@1 Microsoft Access cannot expand this subdatasheet because all of the records are locked. @The RecordLocks property of the form or report or the Default Record Locking option on the Advanced tab of the Options dialog box (Tools menu) is set to All Records.@Reset the value to No Locks or Edited Record as appropriate.@1@@@1
6003	2007 2003	The setting for the Precision property must be from 1 through 28.@@@1@@@1 The setting for the Precision property must be from 1 through 28.@@@1@@@1
6004	2007 2003	The setting for the Scale property must be from 0 through 28.@@@1@@@1 The setting for the Scale property must be from 0 through 28.@@@1@@@1
6005	2007 2003	The table or query name ' ' you entered in either the property sheet or macro is misspelled or refers to a table or query that doesn't exist.@If the invalid name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct name.@@1@@@1 The table or query name ' ' you entered in either the property sheet or macro is misspelled or refers to a table or query that doesn't exist.@If the invalid name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct name.@@1@@@1
6006	2007 2003	Filter by selection of a partial value is only supported for fields containing character data.@@@1@@@1 Filter by selection of a partial value is only supported for fields containing character data.@@@1@@@1
6007	2007	Cannot open a form bound to a stored procedure in server filter by form mode.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
6007	2003	Cannot open a form bound to a stored procedure in server filter by form mode.@@@1@@1
6008	2007	Microsoft Office Access encountered an error closing your connection. @Please close all of your application windows before trying again.@@1@@@1
	2003	Microsoft Office Access encountered an error closing your connection. @Please close all of your application windows before trying again.@@1@@1
	2002	Microsoft Access encountered an error closing your connection. @Please close all of your application windows before trying again.@@1@@1
6009	2007	Invalid connection string.@You may need to specify a valid connection string and try it again.@@1@@@1
	2003	Invalid connection string.@You may need to specify a valid connection string and try it again.@@1@@1
6010	2007	Invalid use of Move method.@The Move method is not applicable to subforms or subreports.@@1@@@1
	2003	Invalid use of Move method.@The Move method is not applicable to subforms or subreports.@@1@@1
	2000	Property cannot be changed when Form.Recordset has been set.@@@1@@1
6011	2007	Do you want to save the data changes on form ' '?@@@13@@@4
	2003	Do you want to save the data changes on form ' '?@@@13@@@4
	2000	Method cannot be called when Form.Recordset has been set.@@@1@@1
6012	2007	Microsoft Office Access can't set this property to No right now.@You cannot set the Allow Form View, Allow Datasheet View, Allow PivotTable View, and Allow PivotChart View properties to No at the same time.@Set one of the other properties to Yes before changing this one to No.@1@@@1
	2003	Microsoft Office Access can't set this property to No right now.@You cannot set the Allow Form View, Allow Datasheet View, Allow PivotTable View, and Allow PivotChart View properties to No at the same time.@Set one of the other properties to Yes before changing this one to No.@1@@1
	2002	Microsoft Access can't set this property to No right now.@You cannot set the Allow Form View, Allow Datasheet View, Allow PivotTable View, and Allow PivotChart View properties to No at the same time.@Set one of the other properties to Yes before changing this one to No.@1@@1
6013	2007	Unable to remove item. ' ' not found in list.@@@1@@@1
	2003	Unable to remove item. ' ' not found in list.@@@1@@1
6014	2007	The RowSourceType property must be set to 'Value List' to use this method.@@@1@@@1
	2003	The RowSourceType property must be set to 'Value List' to use this method.@@@1@@1
6015	2007	Can't add this item. The index is too large.@@@1@@@1
	2003	Can't add this item. The index is too large.@@@1@@1
6016	2007	
	2003	Microsoft Office Access is unable to switch to PivotTable or PivotChart view right now.@You must set the Record Source property of the form before attempting to PivotTable or PivotChart view.@@1@@1
	2002	Microsoft Access is unable to switch to PivotTable or PivotChart view right now.@You must set the Record Source property of the form before attempting to PivotTable or PivotChart view.@@1@@1
6017	2007	Microsoft Office Access doesn't support the requested property for this type of database object.@The DateCreated and DateModified properties are not supported for Tables, Queries, Stored Procedures, Database Diagrams, and Functions in a Client Server database.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
6017	2003	Microsoft Office Access doesn't support the requested property for this type of database object. @The DateCreated and DateModified properties are not supported for Tables, Queries, Stored Procedures, Database Diagrams, and Functions in a Client Server database. @1@@1
	2002	Microsoft Access doesn't support the requested property for this type of database object. @The DateCreated and DateModified properties are not supported for Tables, Queries, Stored Procedures, Database Diagrams, and Functions in a Client Server database. @1@@1
6018	2007	The form or report template is open in Design view. Before creating a new form or report, close the corresponding template. @1@@1
	2003	The form or report template is open in Design view. Before creating a new form or report, close the corresponding template. @1@@1
6019	2007	
	2003	You must save new or dirty objects in the database before you can save them to this external format. @1@@1
6020	2007	This format does not support objects named ' '. Rename the object and try again. @1@@1
	2003	This format does not support objects named ' '. Rename the object and try again. @1@@1
	2002	This format does not support objects named 'Schema'. Rename the object and try again. @1@@1
6021	2007	Microsoft Office Access cannot build a form or report based on the data returned by the function object that you have currently selected. @Select a table, query, form, or report, and try again. @1@@1
	2003	You cannot create a form with AutoForm or a report with AutoReport by using a scalar function; you can use a table, view, stored procedure, inline function, or table function. @1@@1
6022	2007	
	2003	This option cannot be changed in an Access Project file. @1@@1
6023	2007	The Maximum Record Count setting cannot be a negative number. @1@@1
	2003	The Maximum Record Count setting cannot be a negative number. @1@@1
6024	2007	The Maximum Record Count setting cannot contain text - please enter a number. @1@@1
	2003	The Maximum Record Count setting cannot contain text - please enter a number. @1@@1
6025	2007	The Requery action cannot be used on a control bound to a Recordset. @1@@1
	2003	The Requery action cannot be used on a control bound to a Recordset. @1@@1
6026	2007	The RowSourceType property must be set to 'Table/Query' to use this method. @1@@1
	2003	The RowSourceType property must be set to 'Table/Query' to use this method. @1@@1
6027	2007	
	2003	You can't save or undo the record at this time. The form's BatchUpdates property is set to Yes, but the form is not bound to a record source. Either set the form's BatchUpdates property to No, or bind the form to a record source by setting a value in the RecordSource property. @1@@1
6028	2007	The OLE object failed to persist itself. You will not be able to undo this operation. @1@@1
	2003	The OLE object failed to persist itself. You will not be able to undo this operation. @1@@1
6029	2007	@1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
6030	2007	The current record in 1 2 must be saved before you can complete this operation.@Do you want to save the current record in 1 2?@@3@@@1
6031	2007	You can't modify the structure of table ' ', because it is already in use by another person or process.@@@1@@@1
6032	2007	The value you entered isn't valid for this field.@For example, you may have entered a null value.@@1@@@1
6033	2007	The ' 1' form does not exist.@Enter the name of an existing form in the List Items Edit Form property of the ' 2' control or leave the property empty.@@1@@@1
6034	2007	This property is only available for attachment controls bound to attachment fields.@@@1@@@1
6035	2007	Layout view is unavailable for this .@@@1@@@1
6036	2007	You cannot add a form to another form that shows multiple items.@@@1@@@1
6037	2007	This object was saved in an invalid format and cannot be read.@@@1@@@1
6038	2007	Microsoft Office Access was not able to update the value list.@The table may be locked by another user, it may be read-only, or you may not have permission to modify the table.@@1@@@1
6039	2007	Do you want to save the datasheet so that it will be available for use by other forms and reports?@@@33@1@151798@4
6040	2007	Because dependency checking is not enabled on this database, Access cannot verify whether this datasheet is used on other forms or reports.@Do you want to save the datasheet so that it will be available for use by other forms and reports?@@@33@1@151798@4
6041	2007	Grouping information can only be changed in Layout View and Design View.@@@1@2@5054@1
6042	2007	Deleting the 1 control will permanently remove filter, grouping, or sort order settings that are based on the control from the form or report. Are you sure you want to delete the 1 control?@@@20@1@5833@4
6043	2007	Deleting the selected controls will permanently remove filter, grouping, or sort order settings that are based on those controls from the form or report. Are you sure you want to delete the controls?@@@20@1@5833@4
6044	2007	You will not be able to undo the creation or deletion of this object.@Do you still want to continue?@@20@1@@@4
6045	2007	Microsoft Office Access cannot save the form or report, because it displays characters from a language that cannot be saved in your current system locale.@Switch your system locale to the language in the form or report, and then try again.@@1@2@5054@1
6046	2007	Your changes cannot be saved because the field ' ' has been updated by another user.@@@1@@@1
6047	2007	The number of fields from your currently selected table or query exceeds the maximum height in Microsoft Office Access forms.@Microsoft Office Access will create a new form with no fields and open the field list so you can individually select fields to add to this object.@@3@@@2
6048	2007	The number of fields from your currently selected table or query exceeds the maximum width in Microsoft Office Access forms and reports.@Microsoft Office Access will create a new form or report with no fields and open the field list so you can individually select fields to add to this object.@@3@@@2
6049	2007	Because databases in the current format do not support the Attachment control, you will not be able to complete this operation.@@@1@@@1
7700	2007	Microsoft Office Access is unable to complete the operation.@Try the operation again. If the error persists, restart Microsoft Office Access.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7700	2003	Microsoft Office Access is unable to complete the operation. @Try the operation again. If the error persists, restart Microsoft Office Access. @1@1
	2002	Microsoft Access is unable to complete the operation. @Try the operation again. If the error persists, restart Microsoft Access. @1@1
7701	2007	Microsoft Office Access can't synchronize with Synchronizer ' 1.' @A possible reason for the failure to synchronize with ' 1' is that both the Synchronizer and Microsoft Office Access were trying to write to the current database at the same time. Try synchronizing with ' 1' again. @Do you want to continue synchronizing with the remaining Synchronizers? @19@@2
	2003	Microsoft Office Access can't synchronize with Synchronizer ' 1.' @A possible reason for the failure to synchronize with ' 1' is that both the Synchronizer and Microsoft Office Access were trying to write to the current database at the same time. Try synchronizing with ' 1' again. @Do you want to continue synchronizing with the remaining Synchronizers? @19@@2
	2002	Microsoft Access can't synchronize with Synchronizer ' 1.' @A possible reason for the failure to synchronize with ' 1' is that both the Synchronizer and Microsoft Access were trying to write to the current database at the same time. Try synchronizing with ' 1' again. @Do you want to continue synchronizing with the remaining Synchronizers? @19@@2
7702	2007	The user-supplied function named ' ', the program to assist you in resolving conflicts, could not be found. @Contact the author of this customized database application. @1@@3
	2003	The user-supplied function named ' ', the program to assist you in resolving conflicts, could not be found. @Contact the author of this customized database application. @1@@3
7703	2007	There are no synchronization conflicts to resolve. @1@@1
	2003	There are no synchronization conflicts to resolve. @1@@1
7704	2007	You can't modify the design of ' ' at a replica. @Design changes to replicated objects can be made only at the Design Master. Do you want to open it as read-only? @19@@2
	2003	You can't modify the design of ' ' at a replica. @Design changes to replicated objects can be made only at the Design Master. Do you want to open it as read-only? @19@@2
7705	2007	This member of the replica set has conflicts from synchronizing changes with other members. @Do you want to resolve these conflicts now? @19@@2
	2003	This member of the replica set has conflicts from synchronizing changes with other members. @Do you want to resolve these conflicts now? @19@@2
7706	2007	
	2003	This member of the replica set has errors from synchronizing changes with another member. @Do you want to see the errors now? @19@@2
7707	2007	
	2003	This member of the replica set has both errors and conflicts from synchronizing changes with another member. @Do you want to see the errors and resolve the conflicts now? @19@@2
7708	2007	' 1' was the last designated Design Master for the replica set. Has ' 2' been moved, renamed, deleted, or corrupted? @You should never have more than one Design Master for each replica set. Having more than one Design Master in a replica set prevents the members of the set from synchronizing correctly. @Use Windows Explorer to determine whether the file has been moved or deleted. Open the file to determine whether it has been corrupted. @13@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7708	2003	' 1' was the last designated Design Master for the replica set. Has ' 2' been moved, renamed, deleted, or corrupted?@You should never have more than one Design Master for each replica set. Having more than one Design Master in a replica set prevents the members of the set from synchronizing correctly.@Use Windows Explorer to determine whether the file has been moved or deleted. Open the file to determine whether it has been corrupted.@13@@2
7709	2007	To make this replica the Design Master for the replica set, on the Database Tools tab, in the Database Tools group, click Replication Options, click Synchronize Now, enter the path to ' ' (the current Design Master), and then select the Make ... The Design Master check box.@@@1@@@1
	2003	To make this replica the Design Master for the replica set, point to Replication on the Tools menu, click Synchronize Now, enter the path to ' ' (the current Design Master), and select the Make ... The Design Master check box.@@@1@@@1
7710	2007	To make this replica the Design Master for the replica set, first synchronize this replica with all other replicas in the set.@This ensures that this replica includes all design changes made at the previous Design Master.¶If you have already synchronized this replica, do you want to make it the Design Master?@@19@@@2
	2003	To make this replica the Design Master for the replica set, first synchronize this replica with all other replicas in the set.@This ensures that this replica includes all design changes made at the previous Design Master.¶If you have already synchronized this replica, do you want to make it the Design Master?@@19@@@2
7711	2007	This member of the replica set is now the Design Master. Microsoft Office Access will now close and reopen the database in order for the changes to take effect.@@@1@@@1
	2003	This member of the replica set is now the Design Master. Microsoft Office Access will now close and reopen the database in order for the changes to take effect.@@@1@@@1
	2002	This member of the replica set is now the Design Master. Microsoft Access will now close and reopen the database in order for the changes to take effect.@@@1@@@1
7712	2007	This member of the replica set has exceeded the maximum number of days allowed between synchronizations and can't be synchronized with any other member of the replica set.@Delete this replica set member and create a new replica.@@1@@@1
	2003	This member of the replica set has exceeded the maximum number of days allowed between synchronizations and can't be synchronized with any other member of the replica set.@Delete this replica set member and create a new replica.@@1@@@1
7713	2007	This member of the replica set will expire in days because it has not been synchronized with another member of the replica set.@If the member is allowed to expire, it can no longer be synchronized with any other member of the replica set.@You should synchronize this member with another member as soon as possible. To synchronize, on the the Database Tools tab, in the Database Tools group, click Replication Options, and then click Synchronize Now.@1@@@1
	2003	This member of the replica set will expire in days because it hasn't been synchronized with another member of the replica set.@If the member is allowed to expire, it can no longer be synchronized with any other member of the replica set.@Synchronize with another member as soon as possible. To synchronize, point to Replication on the Tools menu, and click Synchronize Now.@1@@@1
7714	2007	Microsoft Office Access cannot close the database at this time.@Make sure there is no Visual Basic code executing in the current database. You may need to run Setup again to properly install Briefcase Replication.@@1@@@1
	2003	Microsoft Office Access cannot close the database at this time.@Make sure there is no Visual Basic code executing in the current database. You may need to run Setup again to properly install Briefcase Replication.@@1@@@1
	2002	Microsoft Access cannot close the database at this time.@Make sure there is no Visual Basic code executing in the current database. You may need to run Setup again to properly install Briefcase Replication.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7715	2007	Microsoft Office Access cannot complete this operation because it can't find or initialize the dynamic-link library AceRclr. @Rerun Microsoft Office Access or Microsoft Office Setup again to reinstall Microsoft Briefcase Replication. During Setup, click Add/Remove, and select Microsoft Briefcase Replication. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@3
	2003	Microsoft Office Access cannot complete this operation because it can't find or initialize the dynamic-link library Msrclr40. @Rerun Microsoft Office Access or Microsoft Office Setup again to reinstall Microsoft Briefcase Replication. During Setup, click Add/Remove, and select Microsoft Briefcase Replication. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@3
	2002	Microsoft Access cannot complete this operation because it can't find or initialize the dynamic-link library Msrclr40. @Rerun Microsoft Access or Microsoft Office Setup again to reinstall Microsoft Briefcase Replication. During Setup, click Add/Remove, and select Microsoft Briefcase Replication. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For information on backing up files, search the Microsoft Windows Help index for 'backing up files'. @1@@3
7716	2007	The database must be closed prior to synchronization. @Do you want Microsoft Office Access to close the database and synchronize with ' '? @19@@@2
	2003	The database must be closed prior to synchronization. @Do you want Microsoft Office Access to close the database and synchronize with ' '? @19@@2
	2002	The database must be closed prior to synchronization. @Do you want Microsoft Access to close the database and synchronize with ' '? @19@@2
7717	2007	All open objects must be closed before synchronizing. @Do you want Microsoft Office Access to close the objects? @19@@@2
	2003	All open objects must be closed before synchronizing. @Do you want Microsoft Office Access to close the objects? @19@@2
	2002	All open objects must be closed before synchronizing. @Do you want Microsoft Access to close the objects? @19@@2
7718	2007	Microsoft Office Access can't synchronize this member of the replica set because one or more objects are open. @Because synchronizing may involve updating the data in or design of the database, all objects must be closed before you synchronize. @Close all objects and try again. @1@@@1
	2003	Microsoft Office Access can't synchronize this member of the replica set because one or more objects are open. @Because synchronizing may involve updating the data in or design of the database, all objects must be closed before you synchronize. @Close all objects and try again. @1@@1
	2002	Microsoft Access can't synchronize this member of the replica set because one or more objects are open. @Because synchronizing may involve updating the data in or design of the database, all objects must be closed before you synchronize. @Close all objects and try again. @1@@1
7719	2007	You can't save design changes to ' ' at a replica. @Design changes to replicated objects can be made only at the Design Master. @1@@@1
	2003	You can't save design changes to ' ' at a replica. @Design changes to replicated objects can be made only at the Design Master. @1@@1
7720	2007	You can't save design changes to ' 1' at a replica. @Design changes to replicated objects can be made only at the Design Master. Do you want to save it as a new, local object? @19@@@2
	2003	You can't save design changes to ' 1' at a replica. @Design changes to replicated objects can be made only at the Design Master. Do you want to save it as a new, local object? @19@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7721	2007	You can't delete or rename ' ' at a replica. @These operations can't be performed on a replica; they can be performed only at the Design Master. @1@@@1
	2003	You can't delete or rename ' ' at a replica. @These operations can't be performed on a replica; they can be performed only at the Design Master. @1@@1
7722	2007	
	2003	All open objects must be closed before creating a replica. @Do you want Microsoft Office Access to close the objects? @19@@2
	2002	All open objects must be closed before creating a replica. @Do you want Microsoft Access to close the objects? @19@@2
7723	2007	
	2003	Microsoft Office Access couldn't close one or more objects. @Close all objects manually and try again. @1@@1
	2002	Microsoft Access couldn't close one or more objects. @Close all objects manually and try again. @1@@1
7724	2007	Microsoft Office Access has converted ' 1' to the Design Master for the replica set. @Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica. @1@@@1
	2003	Microsoft Office Access has converted ' 1' to the Design Master for the replica set. @Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica. @1@@1
	2002	Microsoft Access has converted ' 1' to the Design Master for the replica set. @Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica. @1@@1
7725	2007	Microsoft Office Access has converted ' 1' to the Design Master for the replica set and has created a replica at ' 2'. @Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica. @1@@@1
	2003	Microsoft Office Access has converted ' 1' to the Design Master for the replica set and has created a replica at ' 2'. @Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica. @1@@1
	2002	Microsoft Access has converted ' 1' to the Design Master for the replica set and has created a replica at ' 2'. @Only the Design Master can accept changes to the database structure; however, data changes can be made at the Design Master or any replica. @1@@1
7726	2007	Microsoft Office Access has created a replica at ' 2'. @1@@@1
	2003	Microsoft Office Access has created a replica at ' 2'. @1@@@1
	2002	Microsoft Access has created a replica at ' 2'. @1@@@1
7727	2007	Microsoft Office Access can't create a replica because this database is already open in exclusive mode. @Do you want Microsoft Office Access to close the database? @19@@@2
	2003	Microsoft Office Access can't create a replica because this database is already open in exclusive mode. @Do you want Microsoft Office Access to close the database? @19@@2
	2002	Microsoft Access can't create a replica because this database is already open in exclusive mode. @Do you want Microsoft Access to close the database? @19@@2
7728	2007	Microsoft Office Access can't overwrite ' ': the replica can't be created at this location. @The file you are trying to overwrite may be open. @Close any other applications that might be using this file. @1@@@1
	2003	Microsoft Office Access can't overwrite ' ': the replica can't be created at this location. @The file you are trying to overwrite may be open. @Close any other applications that might be using this file. @1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7728	2002	Microsoft Access can't overwrite ' ': the replica can't be created at this location. @The file you are trying to overwrite may be open. @Close any other applications that might be using this file. @1@@1
7729	2007	Microsoft Office Access can't make a new replica at ' ' because the source has the same path and file name. @Choose a different path or file name for the new replica. @1@@@1
	2003	Microsoft Office Access can't make a new replica at ' ' because the source has the same path and file name. @Choose a different path or file name for the new replica. @1@@1
	2002	Microsoft Access can't make a new replica at ' ' because the source has the same path and file name. @Choose a different path or file name for the new replica. @1@@1
7730	2007	The synchronization was completed successfully. @@@1@@@1
	2003	The synchronization was completed successfully. @@@1@@@1
7731	2007	Microsoft Office Access cannot synchronize this member of the replica set because it is open in Exclusive mode. @To open the database in Shared mode, close and reopen the database. @1@@@1
	2003	Microsoft Office Access can't synchronize this member of the replica set because it is open in exclusive mode. @To open the database in shared mode, close the database, click Open Database on the File menu, and clear the Exclusive check box. Then select the database. @1@@1
	2002	Microsoft Access can't synchronize this member of the replica set because it is open in exclusive mode. @To open the database in shared mode, close the database, click Open Database on the File menu, and clear the Exclusive check box. Then select the database. @1@@1
7732	2007	' ' is saved as a local table. Changes made to the table will not be sent to the replicas in the set. @To make this table available to other members of the replica set, close the table, right-click it in the Navigation Pane, click Table Properties on the shortcut menu, and then select the Replicated check box. @1@@@1
	2003	' ' is saved as a local table. Changes made to it won't be sent to the replicas in the set. @To make this table available to other members of the replica set, close the table, select it in the Database window, click Properties on the View menu, and then select the Replicated check box. @1@@@1
7733	2007	The synchronization request has been received, and the Synchronizer will complete the process as resources become available. @Make sure that the Synchronizer for this member of the replica set is running. It may be several minutes before the synchronization will occur. @1@@@1
	2003	The synchronization request has been received, and the Synchronizer will complete the process as resources become available. @Make sure that the Synchronizer for this member of the replica set is running. It may be several minutes before the synchronization will occur. @1@@@1
7734	2007	Microsoft Office Access has saved the design of table ' ,' but it will not be made replicable until the Table window is closed. @@@1@@@1
	2003	Microsoft Office Access has saved the design of table ' ,' but it will not be made replicable until the Table window is closed. @@@1@@@1
	2002	Microsoft Access has saved the design of table ' ,' but it will not be made replicable until the Table window is closed. @@@1@@@1
7735	2007	Changes to this object can be made only at the Design Master. @Any changes you make will be discarded when the form is closed. @To save your changes, click the Microsoft Office Button, point to Save As, and then save the object under a different name. @1@@@1
	2003	Changes to this object can be made only at the Design Master. @Any changes you make will be discarded when the form is closed. @To save your changes, click Save As on the File menu and save the object under a different name. @1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7735	2000	Changes to this object can be made only at the Design Master. @Any changes you make will be discarded when the form is closed. @To save your changes, click Save As/Export on the File menu and save the object under a different name. @1@@1
7736	2007 2003 2002	Microsoft Office Access has deleted ' ' and removed it from the replica set. @This change isn't reflected until the database is closed and reopened. @Do you want Microsoft Office Access to close and reopen the database now? @19@@2 Microsoft Access has deleted ' ' and removed it from the replica set. @This change isn't reflected until the database is closed and reopened. @Do you want Microsoft Access to close and reopen the database now? @19@@2
7737	2007 2003 2002	Microsoft Office Access has converted ' 1' to the Design Master for the replica set and has created a replica at ' 2'. @The new replica will not appear in the list of potential synchronization partners until this database is closed and reopened. @Do you want Microsoft Office Access to close and reopen the database now? @19@@@2 Microsoft Office Access has converted ' 1' to the Design Master for the replica set and has created a replica at ' 2'. @The new replica will not appear in the list of potential synchronization partners until this database is closed and reopened. @Do you want Microsoft Office Access to close and reopen the database now? @19@@2 Microsoft Access has converted ' 1' to the Design Master for the replica set and has created a replica at ' 2'. @The new replica will not appear in the list of potential synchronization partners until this database is closed and reopened. @Do you want Microsoft Access to close and reopen the database now? @19@@2
7738	2007 2003 2002	Microsoft Office Access has successfully created a replica at ' 2'. @However, the new replica will not appear in the list of potential synchronization partners until this database is closed and reopened. @Do you want Microsoft Office Access to close and reopen the database now? @19@@@2 Microsoft Office Access has successfully created a replica at ' 2'. @However, the new replica will not appear in the list of potential synchronization partners until this database is closed and reopened. @Do you want Microsoft Office Access to close and reopen the database now? @19@@2 Microsoft Access has successfully created a replica at ' 2'. @However, the new replica will not appear in the list of potential synchronization partners until this database is closed and reopened. @Do you want Microsoft Access to close and reopen the database now? @19@@2
7739	2007 2003 2002	Microsoft Office Access has deleted ' ' and removed it from the replica set. @This change isn't reflected until the database is closed and reopened. @Please close and reopen the database when you are finished synchronizing replicas. @1@@@1 Microsoft Office Access has deleted ' ' and removed it from the replica set. @This change isn't reflected until the database is closed and reopened. @Please close and reopen the database when you are finished synchronizing replicas. @1@@1 Microsoft Access has deleted ' ' and removed it from the replica set. @This change isn't reflected until the database is closed and reopened. @Please close and reopen the database when you are finished synchronizing replicas. @1@@1
7740	2007 2003 2002	Microsoft Office Access cannot synchronize with a database from a previous version. @Convert the database you are trying to synchronize with, before synchronizing. @@1@@@1 Microsoft Office Access cannot synchronize with a database from a previous version. @Convert the database you are trying to synchronize with, before synchronizing. @@1@@1 Microsoft Access cannot synchronize with a database from a previous version. @Convert the database you are trying to synchronize with, before synchronizing. @@1@@1
7741	2007	Microsoft Office Access can't make a new replica at ' ' because the value entered for priority is out of range. @Priority for new replicas should be in the range of 0-100. @1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7741	2003	Microsoft Office Access can't make a new replica at ' ' because the value entered for priority is out of range.@Priority for new replicas should be in the range of 0-100.@@1@@1
	2002	Microsoft Access can't make a new replica at ' ' because the value entered for priority is out of range.@Priority for new replicas should be in the range of 0-100.@@1@@1
7742	2007	Microsoft Office Access cannot replicate a password-protected database.
	2003	Microsoft Office Access can't make a password-protected database replicable
	2002	Microsoft Access can't make a password-protected database replicable
7743	2007	Backup, restore, and drop database operations are available only when you have at least Microsoft SQL Server 2000 installed on your local computer.
	2003	Backup, restore, and drop database operations are only available for Microsoft SQL Server version 7.0 or later running on your local computer.
	2000	Backup, Restore, and Drop SQL Database operations are only available for SQL Server 7.0 running on the local machine.
7744	2007	Microsoft Office Access can't make a new replica at ' ' because the value entered for priority is out of range.@Priority for anonymous replicas should be 0.@@1@@@1
	2003	Microsoft Office Access can't make a new replica at ' ' because the value entered for priority is out of range.@Priority for anonymous replicas should be 0.@@1@@@1
	2002	Microsoft Access can't make a new replica at ' ' because the value entered for priority is out of range.@Priority for anonymous replicas should be 0.@@1@@@1
7745	2007	You can't copy local objects in a replica. Design changes to replicated objects can be made only at the Design Master.
7746	2007	The Database administrative components failed to load or initialize. Verify that the components are installed and registered locally.
7747	2007	Database Replicas cannot be converted to prior versions of Microsoft Office Access.
	2002	Database Replicas cannot be converted to prior versions of Microsoft Access.
7748	2007	This stage of the conversion process is finished. To complete the conversion process, synchronize this replica to the (converted) Design Master.
7749	2007	Open the Design Master and sync to this replica before opening.
7750	2007	In Datasheet view, you can't set a control property if the control is part of an option group.@@@1@@@1
	2003	In Datasheet view, you can't set a control property if the control is part of an option group.@@@1@@@1
7751	2007	In Design view, you can't retrieve the value of the ObjectPalette property for an OLE object contained in a bound object frame.@Microsoft Office Access doesn't display the OLE object in the object frame in Design view.@Remove the reference to the ObjectPalette property, or switch to Form view before you run the macro or Visual Basic code that references the ObjectPalette property.@1@@@1
	2003	In Design view, you can't retrieve the value of the ObjectPalette property for an OLE object contained in a bound object frame.@Microsoft Office Access doesn't display the OLE object in the object frame in Design view.@Remove the reference to the ObjectPalette property, or switch to Form view before you run the macro or Visual Basic code that references the ObjectPalette property.@1@@@1
	2002	In Design view, you can't retrieve the value of the ObjectPalette property for an OLE object contained in a bound object frame.@Microsoft Access doesn't display the OLE object in the object frame in Design view.@Remove the reference to the ObjectPalette property, or switch to Form view before you run the macro or Visual Basic code that references the ObjectPalette property.@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7752	2007	Microsoft Office Access cannot apply the filter because all of the records are locked. @Either the RecordLocks property of the form or report or the Default Record Locking option in the Advanced section of the Access Options dialog box (click the Microsoft Office Button, and then click Access Options) is set to All Records. @Reset the value to No Locks or Edited Record, as appropriate. @1@1@472@1
	2003	Microsoft Office Access can't apply the filter because all the records are locked. @The RecordLocks property of the form or report or the Default Record Locking option on the Advanced tab of the Options dialog box (Tools menu) is set to All Records. @Reset the value to No Locks or Edited Record as appropriate. @1@600472@1
	2002	Microsoft Access can't apply the filter because all the records are locked. @The RecordLocks property of the form or report or the Default Record Locking option on the Advanced tab of the Options dialog box (Tools menu) is set to All Records. @Reset the value to No Locks or Edited Record as appropriate. @1@600472@1
7753	2007	@@@1@2@7236@1
	2003	@@@1@7236@1
7754	2007	You cannot position columns between two frozen columns in a datasheet. @To unfreeze all columns, on the Home tab, in the Records group, click More, and then click Unfreeze All Columns. @@1@1@9174@1
	2003	You can't move columns between two frozen columns in a datasheet. @To unfreeze all columns, click Unfreeze All Columns on the Format menu. @@1@209174@1
7755	2007	Microsoft Office Access can't start the Chart Wizard. @The wizard may not be installed, or this wizard has been disabled. @To install the Chart Wizard, rerun the Microsoft Office Access or the Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box. To reenale this wizard, click the Microsoft Office Button, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. @1@@@3
	2003	Microsoft Office Access can't start the Chart Wizard. @The wizard may not be installed, or this wizard has been disabled. @To install the Chart Wizard, rerun the Microsoft Office Access or Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box. To reenale this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. @1@@3
	2002	Microsoft Access can't start the Chart Wizard. @The wizard may not be installed, or this wizard has been disabled. @To install the Chart Wizard, rerun the Microsoft Access or Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box. To reenale this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. @1@@3
	2000	Microsoft Access can't start the Chart Wizard. @The wizard may not be installed. @To install the Chart Wizard, rerun the Microsoft Access or Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box. @1@@3
7756	2007	
	2003	The form can't display the What's This button if the Minimize button or the Maximize button is displayed. @Set the WhatsThisButton property to No, or set the MinMaxButtons property to None. @@1@@1
7757	2007	
	2003	The form can't display the Minimize button or the Maximize button if the What's This button is displayed. @@@1@@1
7758	2007	This ActiveX control isn't enabled in Form view. @You can't set the Enabled or TabStop properties to True. @@1@@@1
	2003	This ActiveX control isn't enabled in Form view. @You can't set the Enabled or TabStop properties to True. @@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7759	2007	This ActiveX control isn't visible in Form view.@You can't set the Visible or TabStop properties to True.@@1@@@1
	2003	This ActiveX control isn't visible in Form view.@You can't set the Visible or TabStop properties to True.@@1@@@1
7760	2007	This property is locked and can't be changed.@@@1@@@1
	2003	This property is locked and can't be changed.@@@1@@@1
7761	2007	An error occurred when you changed the control.@@@1@@@1
	2003	An error occurred when you changed the control.@@@1@@@1
7762	2007	The pattern string is invalid.@@@2@1@10109@1
	2003	The pattern string is invalid.@@@2@210109@1
7763	2007	This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Office Access or the Microsoft Office Setup program or, if you're using a third-party add-in, reinstall the add-in. To reenale this wizard, click the Microsoft Office Button, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go.@@1@@@3
	2003	This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Office Access or Microsoft Office Setup program or, if you're using a third-party add-in, reinstall the add-in. To reenale this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.@@1@@@3
	2002	This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Access or Microsoft Office Setup program or, if you're using a third-party add-in, reinstall the add-in. To reenale this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.@@1@@@3
	2000	This feature isn't installed.@To install this feature, rerun the Microsoft Access or Microsoft Office Setup program or, if you're using a third-party add-in, reinstall the add-in.@@1@@@3
7764	2007	
	2003	This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Office Access or Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box. To reenale this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.@@1@@@3
	2002	This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Access or Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box. To reenale this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.@@1@@@3
	2000	This feature isn't installed.@To install this feature, rerun the Microsoft Access or Microsoft Office Setup program, click Add/Remove, and then select the Wizards check box.@@1@@@3
7765	2007	
	2003	This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Office Access or Microsoft Office Setup program, click Add/Remove, and then click the Additional Wizards check box. To reenale this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.@@1@@@3
	2002	This feature isn't installed, or has been disabled.@To install this feature, rerun the Microsoft Access or Microsoft Office Setup program, click Add/Remove, and then click the Additional Wizards check box. To reenale this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.@@1@@@3

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7765	2000	This feature isn't installed. To install this feature, rerun the Microsoft Access or Microsoft Office Setup program, click Add/Remove, and then click the Advanced Wizards check box.
7766	2007	This control can't be changed to the type you requested.
	2003	This control can't be changed to the type you requested.
7767	2007	An error occurred while Microsoft Office Access was creating a section.
	2003	An error occurred while Microsoft Office Access was creating a section.
	2002	An error occurred while Microsoft Access was creating a section.
7768	2007	In order to change data through this form, the focus must be in a bound field that can be modified.
	2003	In order to change data through this form, the focus must be in a bound field that can be modified.
7769	2007	The filter operation was canceled. The filter would be too long.
	2003	The filter operation was canceled. The filter would be too long.
7770	2007	Microsoft Office Access didn't apply the filter. Microsoft Office Access may not be able to apply the filter if you entered an invalid data type in one of the fields. Do you want to close the filter anyway? If you click Yes, Microsoft Office Access will build the filter, but won't apply it to the recordset. Then it will close the Filter By Form window.
	2003	Microsoft Office Access didn't apply the filter. Microsoft Office Access may not be able to apply the filter if you entered an invalid data type in one of the fields. Do you want to close the filter anyway? If you click Yes, Microsoft Office Access will build the filter, but won't apply it to the recordset. Then it will close the Filter By Form window.
	2002	Microsoft Access didn't apply the filter. Microsoft Access may not be able to apply the filter if you entered an invalid data type in one of the fields. Do you want to close the filter anyway? If you click Yes, Microsoft Access will build the filter, but won't apply it to the recordset. Then it will close the Filter By Form window.
7771	2007	You can't set the ColumnOrder property when you are in Form view or Print Preview.
	2003	You can't set the ColumnOrder property when you are in Form view or Print Preview.
7773	2007	Microsoft Office Access can't set the LimitToList property to No right now. The first visible column, which is determined by the ColumnWidths property, isn't equal to the bound column. Adjust the ColumnWidths property first, and then set the LimitToList property.
	2003	Microsoft Office Access can't set the LimitToList property to No right now. The first visible column, which is determined by the ColumnWidths property, isn't equal to the bound column. Adjust the ColumnWidths property first, and then set the LimitToList property.
	2002	Microsoft Access can't set the LimitToList property to No right now. The first visible column, which is determined by the ColumnWidths property, isn't equal to the bound column. Adjust the ColumnWidths property first, and then set the LimitToList property.
7774	2007	You can't set the MenuBar property while an OLE object is in-place active.
	2003	You can't set the MenuBar property while an OLE object is in-place active.
7775	2007	There are too many controls on the form to allow Filter By Form.
	2003	There are too many controls on the form to allow Filter By Form.
7777	2007	You've used the ListIndex property incorrectly.
	2003	You've used the ListIndex property incorrectly.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7778	2007	You can't save an object when you are in the Filter By Form window. Switch to Form view, and then save the object.
	2003	You can't save an object when you are in the Filter By Form window. Switch to Form view, and then save the object.
7779	2007	You cannot set a form's MenuBar property from its menu bar macro.
	2003	You can't set a form's MenuBar property from its menu bar macro. Right-click the Form selector button (located to the left of the horizontal ruler) on the form in Design view. Click Properties, click the Other tab, and then set the MenuBar property.
7780	2007	You're trying to insert into a section that can't grow enough for the control you're trying to add. The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm). Remove, or reduce the height of, at least one section. Then try to add the control again.
	2003	You're trying to insert into a section that can't grow enough for the control you're trying to add. The maximum total height for all sections in a report, including the section headers, is 200 inches (508 cm). Remove, or reduce the height of, at least one section. Then try to add the control again.
7782	2007	You can't create a new instance of this form or report while it is in Design view.
	2003	You can't create a new instance of this form or report while it is in Design view.
7784	2007	The object you have selected is already open for design as a subform or subreport. To open this object in Design view, select the subform or subreport in the object in which it is already open, and then on the Design tab, in the Tools group, click Subform in New Window.
	2003	This form or report is already being designed as a subform or subreport. To open this form in Design view, select the subform or subreport and click Subform in New Window on the View menu.
	2000	You can't open a form or report while it is being designed as a subform or subreport.
7785	2007	Microsoft Office Access didn't build the filter. There is an error in the current field. Do you want to close the filter anyway? If you click Yes, Microsoft Office Access will undo the changes to the filter, and then close the Filter By Form window.
	2003	Microsoft Office Access didn't build the filter. There is an error in the current field. Do you want to close the filter anyway? If you click Yes, Microsoft Office Access will undo the changes to the filter, and then close the Filter By Form window.
	2002	Microsoft Access didn't build the filter. There is an error in the current field. Do you want to close the filter anyway? If you click Yes, Microsoft Access will undo the changes to the filter, and then close the Filter By Form window.
7788	2007	
	2003	Compile error.
7789	2007	Type mismatch.
	2003	Type mismatch.
7790	2007	Microsoft Office Access can't create the 1. Either there was an error getting information from the table or query you selected, or a new 2 could not be created.
	2003	Microsoft Office Access can't create the 1. Either there was an error getting information from the table or query you selected, or a new 2 could not be created.
	2002	Microsoft Access can't create the 1. Either there was an error getting information from the table or query you selected, or a new 2 could not be created.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7791	2007	There was an error creating your 1.@Some fields may have been skipped because there was an error getting information about them or because they didn't fit on the 2.@@1@@@1
	2003	There was an error creating your 1.@Some fields may have been skipped because there was an error getting information about them or because they didn't fit on the 2.@@1@@@1
7792	2007	You can't open a subform or subreport when it is also open in Design view.@@@1@@@1
	2003	You can't open a subform when it is also open in Design view.@@@1@@@1
7793	2007	You must save the form ' ' before you can embed it.@@@1@@@1
	2003	You must save the form ' ' before you can embed it.@@@1@@@1
7794	2007	Microsoft Office Access couldn't find the toolbar ' '.@@@1@@@1
	2003	Microsoft Office Access couldn't find the toolbar ' '.@@@1@@@1
	2002	Microsoft Access couldn't find the toolbar ' '.@@@1@@@1
7795	2007	The custom toolbar ' ' is the wrong type (menu, shortcut menu, or toolbar) for the property it's being used in.@@@1@@@1
	2003	The custom toolbar ' ' is the wrong type (menu, shortcut menu, or toolbar) for the property it's being used in.@@@1@@@1
7796	2007	The process failed because there is no printer installed.@Because Microsoft Office Access saves the printer settings with each form or report, a printer is needed to convert, enable, copy and paste, import, or export your forms or reports. To install a printer:  Microsoft Windows XP, click Start, and then click Printers and Faxes. Under Printer Tasks, click Add a printer.  Microsoft Windows 2000, click Start, point to Settings, and then click Printers. Double-click Add Printer.Follow the instructions in the wizard.@@@1@@@1
	2003	The process failed because there is no printer installed.@Because Microsoft Office Access saves the printer settings with each form or report, a printer is needed to convert, enable, copy and paste, import, or export your forms or reports. To install a printer, point to Settings on the Windows Start menu, click Printers, and then double-click Add Printer. Follow the instructions in the wizard.@@@1@@@1
	2002	The process failed because there is no printer installed.@Because Microsoft Access saves the printer settings with each form or report, a printer is needed to convert, enable, copy and paste, import, or export your forms or reports. To install a printer, point to Settings on the Windows Start menu, click Printers, and then double-click Add Printer. Follow the instructions in the wizard.@@@1@@@1
7797	2007	You must save new objects in the database before you can save them to this external format.@@@1@@@1
	2003	You must save new objects in the database before you can save them to this external format.@@@1@@@1
7798	2007	You can only save select, crosstab, and union queries to this format.@@@1@@@1
	2003	You can only save select, crosstab, and union queries to this format.@@@1@@@1
7799	2007	This form or report is based on a query that exceeds the limit for data in a single record.@Exclude any unnecessary fields from the query, or change some of the field types to Memo in the original tables.@@@1@@@1
	2003	This form or report is based on a query that exceeds the limit for data in a single record.@Exclude any unnecessary fields from the query, or change some of the field types to Memo in the original tables.@@@1@@@1
7800	2007	You can't create a Microsoft Office Access MDE database from a database in an old format.@Close the database and convert it to the current version of Microsoft Office Access. Then create the MDE database.@@@1@@@1
	2003	You can't create a Microsoft Office Access MDE database from a database in an old format.@Close the database and convert it to the current version of Microsoft Office Access. Then create the MDE database.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7800	2002	You can't create a Microsoft Access MDE database from a database in an old format. @Close the database and convert it to the current version of Microsoft Access. Then create the MDE database. @ @1 @ @1
7801	2007	This database is in an unrecognized format. @The database may have been created with a later version of Microsoft Office Access than the one you are using. Upgrade your version of Microsoft Office Access to the current one, then open this database. @ @1 @ @ @1
	2003	This database is in an unrecognized format. @The database may have been created with a later version of Microsoft Office Access than the one you are using. Upgrade your version of Microsoft Office Access to the current one, then open this database. @ @1 @ @1
	2002	This database is in an unrecognized format. @The database may have been created with a later version of Microsoft Access than the one you are using. Upgrade your version of Microsoft Access to the current one, then open this database. @ @1 @ @1
7802	2007	The command you specified is not available in an .mde, .accde, or .ade database. @ @ @1 @ @ @1
	2003	That command isn't available in an MDE/ADE database. @ @ @1 @ @1
	2000	That command isn't available in an MDE database. @ @ @1 @ @1
7803	2007	Microsoft Office Access can't rename 1 to 2. The convert operation failed. @ @ @1 @ @ @1
	2003	Microsoft Office Access can't rename 1 to 2. The convert operation failed. @ @ @1 @ @1
	2002	Microsoft Access can't rename 1 to 2. The convert operation failed. @ @ @1 @ @1
7804	2007	
	2000	Microsoft Access can't open this replica created with a previous version of Access. @Do one of the following: <input type="checkbox"/> Convert the Design Master and associated replicas to Microsoft Access 97. <input type="checkbox"/> Open the database using the previous version first, then try to open it in the current version. @ @1 @ @1
7805	2007	This is already an MDE database. @ @ @1 @ @ @1
	2003	This is already an MDE database. @ @ @1 @ @1
7806	2007	This database does not have a Visual Basic project, so it can't be made into an MDE file. @Open the database in Microsoft Office Access to create the Visual Basic project. @ @1 @ @ @1
	2003	This database does not have a Visual Basic project, so it can't be made into an MDE file. @Open the database in Microsoft Office Access to create the Visual Basic project. @ @1 @ @1
	2002	This database does not have a Visual Basic project, so it can't be made into an MDE file. @Open the database in Microsoft Access to create the Visual Basic project. @ @1 @ @1
7807	2007	You cannot convert the open database to an MDE file by running a macro or Visual Basic code. @Instead of using a macro or code, on the Database Tools tab, in the Database Tools group, click Make MDE. @ @1 @ @ @1
	2003	You can't make the open database into an MDE file while running a macro or Visual Basic code. @Instead of using a macro or code, on the Tools menu, point to Database Utilities, and then click Make MDE File. @ @1 @ @1
7808	2007	Microsoft Office Access can't replace an existing file as a result of converting the Microsoft Office Access database. You must select a new file name. @ @ @1 @ @ @1
	2003	Microsoft Office Access can't replace an existing file as a result of converting the Microsoft Office Access database. You must select a new file name. @ @ @1 @ @1
	2002	Microsoft Access can't replace an existing file as a result of converting the Microsoft Access database. You must select a new file name. @ @ @1 @ @1
7809	2007	You can't rename a object in the client/server version of Microsoft Office Access. @ @ @1 @ @ @1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7809	2003	You can't rename a object in the client/server version of Microsoft Office Access.@@@1@@@1
	2002	You can't rename a object in the client/server version of Microsoft Access.@@@1@@@1
7810	2007	You cannot compact the open database by running a macro or Visual Basic code.@Instead of using a macro or code, click the Microsoft Office Button, point to Manage, and then click Compact and Repair Database.@@1@@@1
	2003	You can't compact the open database while running a macro or Visual Basic code.@Instead of using a macro or code, on the Tools menu, point to Database Utilities, and then click Compact/Repair Database.@@1@@@1
7811	2007	Microsoft Office Access requires Microsoft SQL Server 6.5 or later for Access projects. You need to upgrade the selected SQL database to Microsoft SQL Server 6.5 or later.@@@1@@@1
	2003	Microsoft Office Access requires Microsoft SQL Server 6.5 or later for Access projects. You need to upgrade the selected SQL database to Microsoft SQL Server 6.5 or later.@@@1@@@1
	2002	Microsoft Access requires Microsoft SQL Server 6.5 or later for Access projects. You need to upgrade the selected SQL database to Microsoft SQL Server 6.5 or later.@@@1@@@1
	2000	Microsoft Access requires SQL Server 6.5 or later for Access projects. You need to upgrade the selected SQL database to SQL Server 6.5 or later.@@@1@@@1
7812	2007	Microsoft Office Access projects can only be connected to Microsoft SQL Server
	2002	Microsoft Access projects can only be connected to Microsoft SQL Server
7813	2007	
	2003	Restoring a database requires that no one is currently using the database.@Do you want to close all objects, select a backup file, and restore the database from backup?@@1@@@1
	2000	Restoring a database requires that no one is currently using the database.@Do you want to close all objects, select a backup file, and restore the database from backup.@@1@@@1
7814	2007	
	2003	Dropping a database requires that no one is currently using the database.@Do you want to close all open objects and drop the database?@@1@@@1
	2000	Dropping a database requires that no one is currently using the database.@Do you want to close all open objects, and drop the database.@@1@@@1
7815	2007	Microsoft Office Access was unable to create an ADE database.@@@1@@@1
	2003	Microsoft Office Access was unable to create an ADE database.@@@1@@@1
	2002	Microsoft Access was unable to create an ADE database.@@@1@@@1
7816	2007	Microsoft Office Access requires this Microsoft SQL Server 6.5 installation to be upgraded to service pack 5 in order to successfully connect to this server.@@@1@@@1
	2003	Microsoft Office Access requires this Microsoft SQL Server 6.5 installation to be upgraded to service pack 5 in order to successfully connect to this server.@@@1@@@1
	2002	Microsoft Access requires this Microsoft SQL Server 6.5 installation to be upgraded to service pack 5 in order to successfully connect to this server.@@@1@@@1
	2000	Microsoft Access requires this SQL 6.5 installation to be upgraded to SP5 in order to successfully connect to this server.@@@1@@@1
7817	2007	The database file ' ' is already open. You cannot encode to an open file.@@@1@@@1
	2003	The database file ' ' is already open. You cannot encode to an open file.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7817	2002	The database file ' ' is already open. You cannot encrypt to an open file.@@@1@@@1
7818	2007	
	2003	Microsoft Office Access was unable to create the Database window.@Please upgrade to a newer version of Microsoft Internet Explorer.@@1@@1
	2002	Microsoft Access was unable to create the Database window.@Please upgrade to a newer version of Microsoft Internet Explorer.@@1@@1
7819	2007	You have chosen a database template file that is not supported in the current version of Microsoft Office Access.@To create a database using the Database Wizard, click the Databases tab in the New dialog box and then double-click a database icon.@@1@@@1
	2003	You have chosen a database template file that is not supported in the current version of Microsoft Office Access.@To create a database using the Database Wizard, click the Databases tab in the New dialog box and then double-click a database icon.@@1@@@1
	2002	You have chosen a database template file that is not supported in the current version of Microsoft Access.@To create a database using the Database Wizard, click the Databases tab in the New dialog box and then double-click a database icon.@@1@@@1
7820	2007	
	2003	Microsoft Office Access no longer supports Pages as startup documents.
	2002	Microsoft Access no longer supports Pages as startup documents.
7821	2007	The TEMP environment variable isn't defined. Microsoft Office Access can't find the temporary file directory.@@@1@@@1
	2003	The TEMP environment variable isn't defined. Microsoft Office Access can't find the temporary file directory.@@@1@@@1
	2002	The TEMP environment variable isn't defined. Microsoft Access can't find the temporary file directory.@@@1@@@1
7822	2007	Microsoft Office Access can't initialize the transfer object. Make sure you have Microsoft SQL Server or the Microsoft SQL Server Desktop Engine installed on the local machine.@@@1@@@1
	2003	Microsoft Office Access can't initialize the transfer object. Make sure you have Microsoft SQL Server or the Microsoft SQL Server Desktop Engine installed on the local machine.@@@1@@@1
	2002	Microsoft Access can't initialize the transfer object. Make sure you have Microsoft SQL Server or the Microsoft SQL Server Desktop Engine installed on the local machine.@@@1@@@1
7823	2007	The source or destination database name is missing. The transfer operation can't continue.@@@1@@@1
	2003	The source or destination database name is missing. The transfer operation can't continue.@@@1@@@1
7824	2007	The source or destination server name is missing. The transfer operation can't continue.@@@1@@@1
	2003	The source or destination server name is missing. The transfer operation can't continue.@@@1@@@1
7825	2007	Microsoft Office Access can't find the server ' '.@@@1@@@1
	2003	Microsoft Office Access can't find the server ' '.@@@1@@@1
	2002	Microsoft Access can't find the server ' '.@@@1@@@1
7826	2007	The database object type isn't supported by the Microsoft Office Access transfer operation.@@@1@@@1
	2003	The database object type isn't supported by the Microsoft Office Access transfer operation.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7826	2002	The database object type isn't supported by the Microsoft Access transfer operation.
7827	2007	The current database '1' has 2 active connections. Microsoft Office Access must disconnect all applications before you can copy the database file. What do you want to do to all the active connections? [X] Disconnect [C] Cancel
	2003	The current database '1' has 2 active connections. Microsoft Office Access must disconnect all applications before you can copy the database file. What do you want to do to all the active connections? [X] Disconnect [C] Cancel
	2002	The current database '1' has 2 active connections. Microsoft Access must disconnect all applications before you can copy the database file. What do you want to do to all the active connections? [X] Disconnect [C] Cancel
7828	2007	The object '1' is not a valid Microsoft SQL Server database object. Microsoft Office Access can't transfer this object.
	2003	The object '1' is not a valid Microsoft SQL Server database object. Microsoft Office Access can't transfer this object.
	2002	The object '1' is not a valid Microsoft SQL Server database object. Microsoft Access can't transfer this object.
7829	2007	The SQL script used to create database objects is corrupted. Microsoft Office Access can't create the new objects.
	2003	The SQL script used to create database objects is corrupted. Microsoft Office Access can't create the new objects.
	2002	The SQL script used to create database objects is corrupted. Microsoft Access can't create the new objects.
7830	2007	The SQL script used to create database object '1' is corrupted. Microsoft Office Access can't create the new object.
	2003	The SQL script used to create database object '1' is corrupted. Microsoft Office Access can't create the new object.
	2002	The SQL script used to create database object '1' is corrupted. Microsoft Access can't create the new object.
7831	2007	Microsoft Office Access can't create the file '1'.
	2003	Microsoft Office Access can't create the file '1'.
	2002	Microsoft Access can't create the file '1'.
7832	2007	The current database '1' is replicated and can't be copied until you disable replication. Use Microsoft SQL Server Enterprise Manager to remove publications and subscriptions before copying the database file.
	2003	The current database '1' is replicated and can't be copied until you disable replication. Use Microsoft SQL Server Enterprise Manager to remove publications and subscriptions before copying the database file.
7833	2007	The current database '1' has more than one data file and can't be copied.
	2003	The current database '1' has more than one data file and can't be copied.
7834	2007	The Transfer Database Wizard didn't provide enough information to perform the transfer operation.
	2003	The Transfer Database Wizard didn't provide enough information to perform the transfer operation.
7835	2007	Microsoft Office Access can't copy the database file because one or more objects are open. Do you want to close all the objects?
	2003	Microsoft Office Access can't copy the database file because one or more objects are open. Do you want to close all the objects?
	2002	Microsoft Access can't copy the database file because one or more objects are open. Do you want to close all the objects?

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7836	2007	Microsoft Office Access can't copy the database file because one or more objects are open. Close all objects and try again.@@@1@@@1
	2003	Microsoft Office Access can't copy the database file because one or more objects are open. Close all objects and try again.@@@1@@@1
	2002	Microsoft Access can't copy the database file because one or more objects are open. Close all objects and try again.@@@1@@@1
7837	2007	Invalid argument in script.@@@1@@@1
	2003	Invalid argument in script.@@@1@@@1
7838	2007	There were errors during the database transfer operation. Open the transfer log file for details.@@@1@@@1
	2003	There were errors during the database transfer operation. Open the transfer log file for details.@@@1@@@1
7839	2007	Errors occurred during the database transfer operation.@@@1@@@1
	2003	Errors occurred during the database transfer operation.@@@1@@@1
7840	2007	The database transfer operation failed. The destination database 'l' was created and is in an unknown state. What would you like to do with the destination database? <input type="checkbox"/> Keep <input type="checkbox"/> Delete@@@35@@@
	2003	The database transfer operation failed. The destination database 'l' was created and is in an unknown state. What would you like to do with the destination database? <input type="checkbox"/> Keep <input type="checkbox"/> Delete@@@35@@@
7841	2007	The destination file 'l' already exists. Set the Overwrite flag to TRUE if you want to replace the existing file.@@@1@@@1
	2003	The destination file 'l' already exists. Set the Overwrite flag to TRUE if you want to replace the existing file.@@@1@@@1
7842	2007	This operation requires at least Microsoft SQL Server 2000 to be installed on your local computer.@@@1@@@1
	2003	This operation requires Microsoft SQL Server version 7.0 or later on your local computer. You can install Microsoft SQL Server 2000 Desktop Engine from the MSDE2000 folder on the Microsoft Office CD-ROM.@@@1@@@1
	2002	This operation requires Microsoft SQL Server version 7.0 or later on your local computer. You can install Microsoft SQL Server 2000 Desktop Engine from the MSDE2000 folder on the Microsoft Office XP CD-ROM.@@@1@@@1
7843	2007	You can only copy a database that is on your local computer. To make a copy of a database on a remote computer, click the Microsoft Office Button, point to Server Tasks, and then click Transfer Database.@@@1@@@1
	2003	You can only copy the database file when the current database is on your local computer. If you want to make a copy of a database on a remote server point to Database Utilities on the Tools menu, and then click Transfer Database.@@@1@@@1
7844	2007	Microsoft Office Access can't copy the database file because there are active connections to the current database.@@@1@@@1
	2003	Microsoft Office Access can't copy the database file because there are active connections to the current database.@@@1@@@1
	2002	Microsoft Access can't copy the database file because there are active connections to the current database.@@@1@@@1
7845	2007	@@@1@@@1
	2003	@@@1@@@1
7846	2007	Microsoft Office Access can't compact and repair the current database.@@@1@@@1
	2003	Microsoft Office Access can't compact and repair the current database.@@@1@@@1
	2002	Microsoft Access can't compact and repair the current database.@@@1@@@1
7847	2007	'l' already exists. Microsoft Office Access must create a backup of your file before performing the repair operation. Enter a name for the backup file.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7847	2003	'I' already exists. Microsoft Office Access must create a backup of your file before performing the repair operation. Enter a name for the backup file.@@@1@@1
	2002	'I' already exists. Microsoft Access must create a backup of your file before performing the repair operation. Enter a name for the backup file.@@@1@@1
7848	2007	The transfer operation has been cancelled. The destination database 'I' was created and is in an unknown state. What would you like to do with the destination database? <input type="checkbox"/> Keep <input type="checkbox"/> Delete@@@35@@@
	2003	The transfer operation has been cancelled. The destination database 'I' was created and is in an unknown state. What would you like to do with the destination database? <input type="checkbox"/> Keep <input type="checkbox"/> Delete@@@35@@@
7849	2007	The repair operation has been canceled because Microsoft Office Access could not create a backup of the file. You might not have adequate permissions or enough disk space to create the backup file. To repair the file manually, click the Microsoft Office Button, point to Manage, and then click Compact and Repair Database.@@@1@@@1
	2003	The repair operation has been cancelled because Microsoft Office Access couldn't create a backup of the file. You might not have adequate permissions or enough disk space to create the backup file. To repair the file manually, point to Database Utilities on the Tools menu, and then click Compact and Repair Database.@@@1@@@1
	2002	The repair operation has been cancelled because Microsoft Access couldn't create a backup of the file. You might not have adequate permissions or enough disk space to create the backup file. To repair the file manually, point to Database Utilities on the Tools menu, and then click Compact and Repair Database.@@@1@@@1
7850	2007	The wizard you've requested is not installed or is in a bad state. Please install or reinstall the wizard. If you do not have permission to do this on your computer, please contact your help desk representative.@@@1@1@153723@1
	2003	Microsoft Office Access can't find the wizard, or the wizard has not been installed, or there is a syntax error in the Declarations section of a Visual Basic module.@@The wizard you need may be missing from the Libraries key of the Microsoft Office Access section of the Windows Registry, or the wizard has been disabled.@@To make sure that the wizard is in the Windows Registry, run Setup to reinstall Microsoft Office Access, and then compile all Visual Basic modules in the database. To reenale this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. @1@@3
	2002	Microsoft Access can't find the wizard, or the wizard has not been installed, or there is a syntax error in the Declarations section of a Visual Basic module.@@The wizard you need may be missing from the Libraries key of the Microsoft Access section of the Windows Registry, or the wizard has been disabled.@@To make sure that the wizard is in the Windows Registry, run Setup to reinstall Microsoft Access, and then compile all Visual Basic modules in the database. To reenale this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. @1@@3
7851	2007	The toolbar name 'I' you entered already exists.@@Enter a unique name for this toolbar.@@@1@@@1
	2003	The toolbar name 'I' you entered already exists.@@Enter a unique name for this toolbar.@@@1@@@1
7852	2007	The toolbar name 'I' you entered doesn't follow Microsoft Office Access object-naming rules.@@For more information about naming objects, click Help.@@@2@1@11734@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7852	2003	The toolbar name ' ' you entered doesn't follow Microsoft Office Access object-naming rules. For more information about naming objects, click Help. @2@611734@1
	2002	The toolbar name ' ' you entered doesn't follow Microsoft Access object-naming rules. For more information about naming objects, click Help. @2@611734@1
7853	2007	The default column width must be at least 0.1 inch. @1@1@1
	2003	The default column width must be at least 0.1 inch. @1@1@1
7854	2007	You can't export database objects (except tables) from the current version of Microsoft Office Access to earlier versions of Microsoft Office Access. @1@1@1
	2003	You can't export database objects (except tables) from the current version of Microsoft Office Access to earlier versions of Microsoft Office Access. @1@1@1
	2002	You can't export database objects (except tables) from the current version of Microsoft Access to earlier versions of Microsoft Access. @1@1@1
7855	2007	You must have a database open to create custom toolbars, and the database can't be read-only. @1@1@1
	2003	You must have a database open to create custom toolbars, and the database can't be read-only. @1@1@1
7856	2007	' ' cannot be imported, exported, or copied to Access project files. @1@1@1
	2003	' ' cannot be imported, exported, or copied to Access project files. @1@1@1
7858	2007	The Tab Width setting in the Options dialog box (Tools menu) for the Module or Debug window must be from 1 through 32. @1@1@1
	2003	The Tab Width setting in the Options dialog box (Tools menu) for the Module or Debug window must be from 1 through 32. @1@1@1
7859	2007	Microsoft Office Access can't start because there is no license for it on this machine.
	2002	Microsoft Access can't start because there is no license for it on this machine.
7860	2007	The profile ' ' that you specified on the command line doesn't exist in the Windows Registry. @1@1@1
	2003	The profile ' ' that you specified on the command line doesn't exist in the Windows Registry. @1@1@1
7861	2007	' ' cannot be imported, exported, or copied to Access database files. @1@1@1
	2003	' ' cannot be imported, exported, or copied to Access database files. @1@1@1
7862	2007	Microsoft Office Access can't find the wizard. This wizard has not been installed, or there is an incorrect setting in the Windows Registry, or this wizard has been disabled. To reenoble this wizard, click the Microsoft Office Button, and click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. Rerun Microsoft Office Access or Microsoft Office Setup program to reinstall the wizards. If the missing wizard is not a Microsoft Office Access wizard, reinstall it using the Add-in Manager. @1@1@3
	2003	Microsoft Office Access can't find the wizard. This wizard has not been installed, or there is an incorrect setting in the Windows Registry, or this wizard has been disabled. To reenoble this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall the wizards. If the missing wizard is not a Microsoft Office Access wizard, reinstall it using the Add-in Manager. @1@1@3
	2002	Microsoft Access can't find the wizard. This wizard has not been installed, or there is an incorrect setting in the Windows Registry, or this wizard has been disabled. To reenoble this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. Rerun Microsoft Access or Microsoft Office Setup to reinstall the wizards. If the missing wizard is not a Microsoft Access wizard, reinstall it using the Add-in Manager. @1@1@3

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7862	2000	Microsoft Access can't find the wizard, or there is an incorrect setting in the Windows Registry. @Rerun Microsoft Access or Microsoft Office Setup to reinstall the wizards. If the missing wizard is not a Microsoft Access wizard, reinstall it using the Add-in Manager. @1@3
7863	2007 2002	Links can only be created between Microsoft Office Access database files. Links can only be created between Microsoft Access database files.
7864	2007 2003 2002	Microsoft Office Access doesn't allow empty strings. @1@1 Microsoft Access doesn't allow empty strings. @1@1
7865	2007	There is already an existing database with the name you entered. Give the new database a unique name.
7866	2007 2003 2002	Microsoft Office Access can't open the database because it is missing, or opened exclusively by another user, or it is not an ADP file. Microsoft Office Access can't open the database because it is missing, or opened exclusively by another user. Microsoft Access can't open the database because it is missing, or opened exclusively by another user.
7867	2007	You already have the database open.
7868	2007 2003	You can't use a SetMenuItem macro action on a default menu. @SetMenuItem is for custom menus only. @1@@1 You can't use a SetMenuItem macro action on a default menu. @SetMenuItem is for custom menus only. @1@1
7869	2007 2003	The SetMenuItem action does not have enough information to be carried out. @An argument is invalid, or there are not enough arguments. @1@@1 The SetMenuItem action does not have enough information to be carried out. @An argument is invalid, or there are not enough arguments. @1@1
7870	2007 2003 2002	Microsoft Office Access can't find the database ' '. @Check the database name (and path, if specified) to make sure you entered it correctly. @1@@1 Microsoft Office Access can't find the database ' '. @Check the database name (and path, if specified) to make sure you entered it correctly. @1@1 Microsoft Access can't find the database ' '. @Check the database name (and path, if specified) to make sure you entered it correctly. @1@1
7871	2007 2003 2002	The table name you entered doesn't follow Microsoft Office Access object-naming rules. @For more information about naming objects, click Help. @2@1@11734@1 The table name you entered doesn't follow Microsoft Office Access object-naming rules. @For more information about naming objects, click Help. @2@611734@1 The table name you entered doesn't follow Microsoft Access object-naming rules. @For more information about naming objects, click Help. @2@611734@1
7872	2007	This recordset is not updatable.
7873	2007 2003	' ' cannot be imported, exported, or copied to another database or project file. @1@@1 ' ' cannot be imported, exported, or copied to another database or project file. @1@1
7874	2007	Microsoft Office Access can't find the object ' '. @* You misspelled the object name. Check for missing underscores (_) or other punctuation, and make sure you didn't enter leading spaces. ☐ You tried to open a linked table, but the file containing the table isn't on the path you specified. Use the Linked Table Manager to update the link and point to the correct path. @1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7874	2003	Microsoft Office Access can't find the object ' '.@* You misspelled the object name. Check for missing underscores (_) or other punctuation, and make sure you didn't enter leading spaces.☐You tried to open a linked table, but the file containing the table isn't on the path you specified. Use the Linked Table Manager to update the link and point to the correct path.@@1@@1
	2002	Microsoft Access can't find the object ' '.@* You misspelled the object name. Check for missing underscores (_) or other punctuation, and make sure you didn't enter leading spaces.☐You tried to open a linked table, but the file containing the table isn't on the path you specified. Use the Linked Table Manager to update the link and point to the correct path.@@1@@1
7875	2007	The table ' ' already exists.@You created or renamed a table, and then tried to save it. Before Microsoft Office Access could save the table, another user created or renamed one using the same name.@@1@@@1
	2003	The table ' ' already exists.@You created or renamed a table, and then tried to save it. Before Microsoft Office Access could save the table, another user created or renamed one using the same name.@@1@@1
	2002	The table ' ' already exists.@You created or renamed a table, and then tried to save it. Before Microsoft Access could save the table, another user created or renamed one using the same name.@@1@@1
7876	2007	There isn't enough temporary disk space to complete the operation.@Free disk space, and then try the operation again.☐For more information on freeing temporary disk space, search the Microsoft Windows Help index for 'disk space, freeing'.☐For information on compacting a database to free disk space, click Help.@@2@1@9009@3
	2003	There isn't enough temporary disk space to complete the operation.@Free disk space, and then try the operation again.☐For more information on freeing temporary disk space, search the Microsoft Windows Help index for 'disk space, freeing'.☐For information on compacting a database to free disk space, click Help.@@2@209009@3
7877	2007	Microsoft Office Access can't sort on the Memo, OLE Object, or Hyperlink ' '.@The ORDER BY clause of an SQL statement can't include any Memo, OLE Object, or Hyperlink fields.@@1@@@1
	2003	Microsoft Office Access can't sort on the Memo, OLE Object, or Hyperlink ' '.@The ORDER BY clause of an SQL statement can't include any Memo, OLE Object, or Hyperlink fields.@@1@@1
	2002	Microsoft Access can't sort on the Memo, OLE Object, or Hyperlink ' '.@The ORDER BY clause of an SQL statement can't include any Memo, OLE Object, or Hyperlink fields.@@1@@1
7878	2007	The data has been changed.@Another user edited this record and saved the changes before you attempted to save your changes.@Re-edit the record.@1@@@1
	2003	The data has been changed.@Another user edited this record and saved the changes before you attempted to save your changes.@Re-edit the record.@1@@1
7879	2007	An invalid IDA has been passed to Microsoft Office Access error handling.@Please report this error and the steps that caused it.@@1@@@1
	2003	An invalid IDA has been passed to Microsoft Office Access error handling.@Please report this error and the steps that caused it.@@1@@1
	2002	An invalid IDA has been passed to Microsoft Access error handling.@Please report this error and the steps that caused it.@@1@@1
7880	2007	The value you entered is the wrong data type for this field.@Enter an integer.@@1@@@1
	2003	The value you entered is the wrong data type for this field.@Enter an integer.@@1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7881	2007	The Macro Conversion Wizard can't be started. This wizard may not be installed, or this wizard has been disabled. To reenale this wizard, click the Microsoft Office Button, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go. Rerun Microsoft Office Access or the Microsoft Office Setup program to reinstall this wizard. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search for 'backing up files' in Microsoft Windows Help.
	2003	The Macro Conversion Wizard can't be started. This wizard may not be installed, or this wizard has been disabled. To reenale this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. Rerun Microsoft Office Access or Microsoft Office Setup to reinstall this wizard. If you want to preserve your security or custom settings, back up the Microsoft Office Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
	2002	The Macro Conversion Wizard can't be started. This wizard may not be installed, or this wizard has been disabled. To reenale this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. Rerun Microsoft Access or Microsoft Office Setup to reinstall this wizard. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
	2000	The Macro Conversion Wizard can't be started. This wizard may not be installed. Rerun Microsoft Access or Microsoft Office Setup to reinstall this wizard. If you want to preserve your security or custom settings, back up the Microsoft Access workgroup information file. For more information on backing up files, search the Microsoft Windows Help index for 'backing up files'.
7882	2007	You can't convert, enable, or encode an Access Project file.
	2003	You can't convert, enable, or encode an Access Project file.
	2002	You can't convert, enable, or encrypt an Access Project file.
7883	2007	You can't set the MenuBar property unless a database is open.
	2003	You can't set the MenuBar property unless a database is open.
7884	2007	You can't export an object to itself. Select a different database to export to, or give the object a new name.
	2003	You can't export an object to itself. Select a different database to export to, or give the object a new name.
7885	2007	
	2003	The source database has no import/export specifications to copy.
7886	2007	Microsoft Office Access can't find the dynamic-link library (DLL) Mso. Rerun the Microsoft Office Access or Microsoft Office Setup program.
	2003	Microsoft Office Access can't find the dynamic-link library (DLL) Mso. Rerun the Microsoft Office Access or Microsoft Office Setup program.
	2002	Microsoft Access can't find the dynamic-link library (DLL) Mso. Rerun the Microsoft Access or Microsoft Office Setup program.
	2000	Microsoft Access can't find the dynamic-link library (DLL) Mso9. Rerun the Microsoft Access or Microsoft Office Setup program.
7887	2007	A unique record identifier can't consist of more than 10 fields.
	2003	A unique record identifier can't consist of more than 10 fields.
7888	2007	You must set the default font size to a number from 1 through 2. For more information on the FontSize property, click Help.
	2003	You must set the default font size to a number from 1 through 2. For more information on the FontSize property, click Help.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7888	2002	You must set the default font size to a number from 1 through 2.@For more information on the FontSize property, click Help.@@2@612551@1
7889	2007	The file ' ' does not exist.@@1@@@1
	2003	The file ' ' does not exist.@@1@@@1
7890	2007	The file ' ' doesn't contain any data.@You can't import from, or link to, an empty spreadsheet.@@1@@@1
	2003	The file ' ' doesn't contain any data.@You can't import from, or link to, an empty spreadsheet.@@1@@@1
7891	2007	
	2003	This database is read-only.@The conditional compilation argument option can't be saved.@@1@@@1
7892	2007	An error occurred while saving module options.@You may be running Visual Basic in break mode.@Reset the running code before changing the module options.@1@@@1
	2003	An error occurred while saving module options.@You may be running Visual Basic in break mode.@Reset the running code before changing the module options.@1@@@1
7893	2007	You cannot import objects into a database created in an earlier version of Microsoft Office Access.@To convert the database to the current version of Microsoft Office Access, click the Microsoft Office Button, and then click Convert@@1@1@9029@1
	2003	You can't import objects into a database created in an earlier version of Microsoft Office Access.@Convert the database to the current version of Microsoft Office Access using the Convert Database command (Tools menu, Database Utilities submenu).@@1@209029@1
	2002	You can't import objects into a database created in an earlier version of Microsoft Access.@Convert the database to the current version of Microsoft Access using the Convert Database command (Tools menu, Database Utilities submenu).@@1@209029@1
7895	2007	Microsoft Office Access was unable to create a window.@The system is out of resources or memory.@Close unneeded programs and try again.For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@3
	2003	Microsoft Office Access was unable to create a window.@The system is out of resources or memory.@Close unneeded programs and try again.For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@3
	2002	Microsoft Access was unable to create a window.@The system is out of resources or memory.@Close unneeded programs and try again.For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.@1@@@3
7896	2007	Error ' ' in the validation rule.@@@2@1@687@1
	2003	Error ' ' in the validation rule.@@@2@600687@1
7897	2007	Error ' ' in the default value.@@@2@1@2264@1
	2003	Error ' ' in the default value.@@@2@602264@1
7898	2007	Execution of this application has stopped due to a run-time error.@The application can't continue and will be shut down.@@1@@@3
	2003	Execution of this application has stopped due to a run-time error.@The application can't continue and will be shut down.@@1@@@3
7899	2007	Microsoft Office Access can't be started.@Microsoft Office Access was unable to initialize the Windows Registry.@Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access.@1@@@185309@3
	2003	Microsoft Office Access can't be started.@Microsoft Office Access was unable to initialize the Windows Registry.@Rerun Microsoft Office Access or Microsoft Office Setup to reinstall Microsoft Office Access.@1@@@3

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7899	2002	Microsoft Access can't be started.@Microsoft Access was unable to initialize the Windows Registry.@Rerun Microsoft Access or Microsoft Office Setup to reinstall Microsoft Access.@1@@3
7900	2007	Microsoft Office Access can't convert the database because it can't create an error table.@@@1@@@1
	2003	Microsoft Office Access can't convert the database because it can't create an error table.@@@1@@@1
	2002	Microsoft Access can't convert the database because it can't create an error table.@@@1@@@1
7901	2007	Microsoft Office Access can't convert the database because it can't write to the error table.@@@1@@@1
	2003	Microsoft Office Access can't convert the database because it can't write to the error table.@@@1@@@1
	2002	Microsoft Access can't convert the database because it can't write to the error table.@@@1@@@1
7902	2007	Errors occurred converting 1 validation rules and default values.@See error table ' 2' for a list of errors.@@1@@@1
	2003	Errors occurred converting 1 validation rules and default values.@See error table ' 2' for a list of errors.@@1@@@1
7903	2007	Microsoft Office Access can't insert this field.@There are too many fields in the table. The limit is 255.@@1@@@1
	2003	Microsoft Office Access can't insert this field.@There are too many fields in the table. The limit is 255.@@1@@@1
	2002	Microsoft Access can't insert this field.@There are too many fields in the table. The limit is 255.@@1@@@1
7904	2007	An error occurred in the Field Builder.@You've replaced or modified the default Field Builder, and Microsoft Office Access is unable to run the new version. Reinstall Microsoft Office Access to correct the error.@@1@@185309@1
	2003	An error occurred in the Field Builder.@You've replaced or modified the default Field Builder, and Microsoft Office Access is unable to run the new version. Reinstall Microsoft Office Access to correct the error.@@1@@@1
	2002	An error occurred in the Field Builder.@You've replaced or modified the default Field Builder, and Microsoft Access is unable to run the new version. Reinstall Microsoft Access to correct the error.@@1@@@1
7905	2007	Microsoft Office Access can't change these field data types.@Some data in this table violates the record validation rule.@Before any data types can be changed, remove the record validation rule or correct the data.@1@@@1
	2003	Microsoft Office Access can't change these field data types.@Some data in this table violates the record validation rule.@Before any data types can be changed, remove the record validation rule or correct the data.@1@@@1
	2002	Microsoft Access can't change these field data types.@Some data in this table violates the record validation rule.@Before any data types can be changed, remove the record validation rule or correct the data.@1@@@1
7906	2007	Microsoft Office Access couldn't launch the Lookup Wizard, or this wizard has been disabled.@Rerun the Microsoft Office Access or the Microsoft Office Setup program, click Add/Remove, and select the Wizards check box. To reenale this wizard, click the Microsoft Office Button, and then click Access Options. Click Add-Ins, and then in the Manage list, click Disabled Items, and then click Go.@@1@@@1
	2003	Microsoft Office Access couldn't launch the Lookup Wizard, or this wizard has been disabled.@Rerun the Microsoft Office Access or Microsoft Office Setup program, click Add/Remove, and select the Wizards check box. To reenale this wizard, click About Microsoft Office Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
7906	2002	Microsoft Access couldn't launch the Lookup Wizard, or this wizard has been disabled. @Rerun the Microsoft Access or Microsoft Office Setup program, click Add/Remove, and select the Wizards check box. To reenable this wizard, click About Microsoft Access on the Help menu, and then click the Disabled Items button to view a list of addins which you can enable. @1@1
	2000	Microsoft Access couldn't launch the Lookup Wizard. @Rerun the Microsoft Access or Microsoft Office Setup program, click Add/Remove, and select the Wizards check box. @1@1
7907	2007	You don't have permission to modify the design of this table. @For more information on permissions and who can set them, click Help. @2@1@10222@1
	2003	You don't have permission to modify the design of this table. @For more information on permissions and who can set them, click Help. @2@410222@1
7908	2007	You can't modify this table now because someone else is using it. @1@1@1
	2003	You can't modify this table now because someone else is using it. @1@1@1
7909	2007	Microsoft Office Access can't add another column to this table. @You can have up to 255 columns in your table. @1@1@1
	2003	Microsoft Office Access can't add another column to this table. @You can have up to 255 columns in your table. @1@1@1
	2002	Microsoft Access can't add another column to this table. @You can have up to 255 columns in your table. @1@1@1
7910	2007	Microsoft Office Access can't delete this column. @Tables must have at least one column. @1@1@1
	2003	Microsoft Office Access can't delete this column. @Tables must have at least one column. @1@1@1
	2002	Microsoft Access can't delete this column. @Tables must have at least one column. @1@1@1
7911	2007	Microsoft Office Access can't delete this index. @This table participates in one or more relationships. @Delete its relationships in the Relationships window first. @1@1@1
	2003	Microsoft Office Access can't delete this index. @This table participates in one or more relationships. @Delete its relationships in the Relationships window first. @1@1@1
	2002	Microsoft Access can't delete this index. @This table participates in one or more relationships. @Delete its relationships in the Relationships window first. @1@1@1
7912	2007	Once you save the change to the data type of this column, you will not be able to change back to the previous data type. @Are you sure you want change the data type? @20@2@2
	2003	Once you save the change to the data type of this column, you will not be able to change back to the previous data type. @Are you sure you want change the data type? @20@2@2
7913	2007	You can't change a random-valued AutoNumber field to an incremental AutoNumber field. @The values of random-valued AutoNumber fields aren't continuous. @1@1@1
	2003	You can't change a random-valued AutoNumber field to an incremental AutoNumber field. @The values of random-valued AutoNumber fields aren't continuous. @1@1@1
7914	2007	You can't convert ReplicationID values to other data types. @1@1@1
	2003	You can't convert ReplicationID values to other data types. @1@1@1
7915	2007	You can't delete the field ' '; it is a replication system field. @Use a make-table query to create a new table that contains all the fields in the table except system fields. For information on make-table queries, click Help. @2@1@9993@1
	2003	You can't delete the field ' '; it is a replication system field. @Use a make-table query to create a new table that contains all the fields in the table except system fields. For information on make-table queries, click Help. @2@209993@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7916	2007	Microsoft Office Access is unable to start the Lookup Wizard.@The Lookup Wizard doesn't apply to fields of this data type.@@1@@@1
	2003	Microsoft Office Access is unable to start the Lookup Wizard.@The Lookup Wizard doesn't apply to fields of this data type.@@1@@1
	2002	Microsoft Access is unable to start the Lookup Wizard.@The Lookup Wizard doesn't apply to fields of this data type.@@1@@1
7917	2007	' ' cannot be created because the project is disconnected.@To connect the project to a database, click Connection under Server Tasks on the File menu.@@1@@@1
	2003	' ' cannot be created due to the project being disconnected.@Use the Connection... command under the File menu to connect the project to a database.@@1@@1
	2000	' ' can not be opened due to a dropped server connection.@@@1@@1
7918	2007	
	2003	The Object Name argument for the 'Save' macro action is not supported within an Access Project for Table or Query objects.@You cannot save these objects with a new name in an Access Project.@@1@@1
7919	2007	The default data type you selected is not supported in all versions of Microsoft SQL Server.@If the server doesn't support the data type you have chosen, the varchar data type will be used in its place.@@1@@@1
	2003	The default data type you selected is not supported in all versions of Microsoft SQL Server.@If the server doesn't support the data type you have chosen, the varchar data type will be used in its place.@@1@@1
7920	2007	The ' ' lookup column was changed to store multiple values. You cannot reverse this setting.@@@1@@@1
7921	2007	You have changed the ' ' lookup column to store multiple values. You will not be able to undo this change once you save the table.@Do you want to change ' ' to store multiple values?@@19@@@2
7922	2007	You have changed the ' ' lookup column to be displayed by a text box. After you save the table, this change will make the column read-only and lose the lookup properties.@Do you want to change ' ' to be displayed by a text box?@@19@@@2
7923	2007	The data type for field ' ' is of type Attachment and cannot be changed.@@@1@@@1
7924	2007	You cannot set ' ' to the Attachment data type. You can only set a column to the Attachment data type when that column is first created.@@@1@@@1
7925	2007	The table or query you are exporting contains more than one attachment column. Microsoft Windows SharePoint Services only supports one attachment column. Remove all but one attachment column, and then retry exporting the table or query.
7926	2007	You can't change the column ' ' to store multiple values; it is part of a multiple column relationship.@If you want to change the column to store multiple values, first delete the relationship in the Relationships window.@@1@@@1
7927	2007	You can't change the column ' ' to store multiple values; it is part of an enforced relationship.@If you want to change the column to store multiple values, first delete the relationship in the Relationships window.@@1@@@1
7950	2007	
	2003	You can't refer to the RecordsetClone property of a form when the form is open in Design view.@@@1@607393@1
7951	2007	You entered an expression that has an invalid reference to the RecordsetClone property.@For example, you may have used the RecordsetClone property with a form or report that isn't based on a table or query.@@1@1@7393@1
	2003	You entered an expression that has an invalid reference to the RecordsetClone property.@For example, you may have used the RecordsetClone property with a form or report that isn't based on a table or query.@@1@607393@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7952	2007	You made an illegal function call.@Check the syntax of the function you are trying to use.@@1@@@1
	2003	You made an illegal function call.@Check the syntax of the function you are trying to use.@@1@@@1
7953	2007	The value you entered doesn't match the type required.* The variable, property, or object may not be of the correct type.☐You may have used an If TypeOf construct with something other than a control.@@1@@@1
	2003	The value you entered doesn't match the type required.* The variable, property, or object may not be of the correct type.☐You may have used an If TypeOf construct with something other than a control.@@1@@@1
7954	2007	The expression you entered requires the control to be in the active window.@Try one of the following:☐Open or select a form or report containing the control.☐ Create a new control in the active window, and try the operation again.@@1@@@1
	2003	The expression you entered requires the control to be in the active window.@Try one of the following:☐Open or select a form or report containing the control.☐ Create a new control in the active window, and try the operation again.@@1@@@1
7955	2007	There is no current code context object.@@@1@@@1
	2003	There is no current code context object.@@@1@@@1
7956	2007	The syntax of the subquery in this expression is incorrect.@Check the subquery's syntax and enclose the subquery in parentheses.@@2@1@9989@1
	2003	The syntax of the subquery in this expression is incorrect.@Check the subquery's syntax and enclose the subquery in parentheses.@@2@209989@1
7957	2007	
	2003	You used a Like operator with an incorrect pattern.@Make sure the comparison value is enclosed in quotation marks.@@1@1008961@1
7958	2007	
	2003	The Replication ID you entered is invalid.@Make sure the Replication ID you enter contains only digits or letters for hexadecimal numbers, that the Replication ID is the correct length, and that it is in a canonical SQL form.@@1@@@1
7959	2007	
	2003	The expression contains an ambiguous name.@You may have two or more functions with the same name in different modules.@Rename the functions so that each one has a unique name.@1@@@1
7960	2007	There was an error compiling this function.@The Visual Basic module contains a syntax error.@Check the code, and then recompile it.@1@@@1
	2003	There was an error compiling this function.@The Visual Basic module contains a syntax error.@Check the code, and then recompile it.@1@@@1
7961	2007	Microsoft Office Access can't find the module ' ' referred to in a macro expression or Visual Basic code.@The module you referenced may be closed or may not exist in this database, or the name may be misspelled.@@1@@@1
	2003	Microsoft Office Access can't find the module ' ' referred to in a macro expression or Visual Basic code.@The module you referenced may be closed or may not exist in this database, or the name may be misspelled.@@1@@@1
	2002	Microsoft Access can't find the module ' ' referred to in a macro expression or Visual Basic code.@The module you referenced may be closed or may not exist in this database, or the name may be misspelled.@@1@@@1
7962	2007	The index number you used to refer to the module is invalid.@Use the Count property to count the open modules and make sure that the module number is not greater than the number of open modules minus 1.@@1@@@1
	2003	The index number you used to refer to the module is invalid.@Use the Count property to count the open modules and make sure that the module number is not greater than the number of open modules minus 1.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7963	2007	Microsoft Office Access can't run the macro or callback function ' '.@Make sure the macro or function exists and takes the correct parameters.@@1@@@1
	2003	Microsoft Office Access can't run the macro or callback function ' '.@Make sure the macro or function exists and takes the correct parameters.@@1@@@1
	2002	Microsoft Access can't run the macro or callback function ' '.@Make sure the macro or function exists and takes the correct parameters.@@1@@@1
7964	2007	You entered an expression that has an invalid reference to the Recordset property.@You can only use a dynaset or snapshot recordset to set this property.@@1@1@7393@1
	2003	You entered an expression that has an invalid reference to the Recordset property.@You can only use a dynaset or snapshot recordset to set this property.@@1@607393@1
7965	2007	The object you entered is not a valid Recordset property.@For example, you may have used a forward-only recordset, or tried to set it to null.@@1@1@7393@1
	2003	The object you entered is not a valid Recordset property.@For example, you may have used a forward-only recordset, or tried to set it to null.@@1@607393@1
	2000	The object your entered is not a valid Recordset property.@For example, you may have used a forward-only recordset, or tried to set it to null.@@1@607393@1
7966	2007	The format condition number you specified is greater than the number of format conditions.@Use the Count property to count the format conditions for the control and then check that the format condition number you cite is within the range of existing format conditions.@@1@@@1
	2003	The format condition number you specified is greater than the number of format conditions.@Use the Count property to count the format conditions for the control and then check that the format condition number you cite is within the range of existing format conditions.@@1@@@1
7967	2007	A required minimum or maximum value is missing.@@@1@@@1
	2003	A required minimum or maximum value is missing.@@@1@@@1
7968	2007	The format condition Type you specified is invalid.@Valid values for the Type property are 0 to 2 for the first condition, and 0 to 1 for all other format conditions.@@1@@@1
	2003	The format condition Type you specified is invalid.@Valid values for the Type property are 0 to 2 for the first condition, and 0 to 1 for all other format conditions.@@1@@@1
7969	2007	The format condition Operator you specified is invalid.@Valid values for the Operator property are 0 to 7.@@1@@@1
	2003	The format condition Operator you specified is invalid.@Valid values for the Operator property are 0 to 7.@@1@@@1
7970	2007	
	2003	Microsoft Office Access can't open the file ' '.@It may not be a database, or it may be a database you are unable to open.@@1@@@1
	2002	Microsoft Access can't open the file ' '.@It may not be a database, or it may be a database you are unable to open.@@1@@@1
7971	2007	Microsoft Office Access can't follow the hyperlink to ' '.@Please verify the destination.@@1@@@1
	2003	Microsoft Office Access can't follow the hyperlink to ' '.@Please verify the destination.@@1@@@1
	2002	Microsoft Access can't follow the hyperlink to ' '.@Please verify the destination.@@1@@@1
7972	2007	Microsoft Office Access encountered an error while trying to show the Hyperlink dialog.@@@1@@@1
	2003	Microsoft Office Access encountered an error while trying to show the Hyperlink dialog.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7972	2002	Microsoft Access encountered an error while trying to show the Hyperlink dialog.@@@1@@1
7973	2007	
	2003	The hyperlink address or subaddress text you entered was too long for Microsoft Office Access to store.@The text was truncated to fit in the available space, so the link may not work as expected.@@1@@1
	2002	The hyperlink address or subaddress text you entered was too long for Microsoft Access to store.@The text was truncated to fit in the available space, so the link may not work as expected.@@1@@1
7974	2007	Microsoft Office Access failed to insert a hyperlink at the current location.@@@1@@@1
	2003	Microsoft Office Access failed to insert a hyperlink at the current location.@@@1@@@1
	2002	Microsoft Access failed to insert a hyperlink at the current location.@@@1@@@1
7975	2007	You chose an invalid control type for use with hyperlinks.@You can only use hyperlinks with labels, images, command buttons, or bound text boxes.@@1@@@1
	2003	You chose an invalid control type for use with hyperlinks.@You can only use hyperlinks with labels, images, command buttons, or bound text boxes.@@1@@@1
7976	2007	There is no stored hyperlink in this control.@@@1@@@1
	2003	There is no stored hyperlink in this control.@@@1@@@1
7977	2007	Microsoft Office Access is unable to paste the data on the clipboard as a hyperlink.@@@1@@@1
	2003	Microsoft Office Access is unable to paste the data on the clipboard as a hyperlink.@@@1@@@1
	2002	Microsoft Access is unable to paste the data on the clipboard as a hyperlink.@@@1@@@1
7978	2007	Microsoft Office Access is unable to add the current hyperlink to the favorites folder.@@@1@@@1
	2003	Microsoft Office Access is unable to add the current hyperlink to the favorites folder.@@@1@@@1
	2002	Microsoft Access is unable to add the current hyperlink to the favorites folder.@@@1@@@1
7979	2007	You can't use the hyperlink property builder with more than one control selected.@@@1@@@1
	2003	You can't use the hyperlink property builder with more than one control selected.@@@1@@@1
7980	2007	The HyperlinkAddress or HyperlinkSubAddress property is read-only for this hyperlink.@@@1@@@1
	2003	The HyperlinkAddress or HyperlinkSubAddress property is read-only for this hyperlink.@@@1@@@1
7981	2007	The values for 'File or web page name' and/or 'Text to Display' are too long.@The values will be truncated. To keep your original values, click Cancel in the Edit Hyperlink dialog.@@1@@@1
	2003	The values for 'File or web page name' and/or 'Text to Display' are too long.@The values will be truncated. To keep your original values, click Cancel in the Edit Hyperlink dialog.@@1@@@1
7982	2007	
	2000	An error occurred while saving the output of the form.@@@1@@@1
7983	2007	Microsoft Office Access can't follow the hyperlink.@@@1@@@1
	2003	Microsoft Office Access can't follow the hyperlink because it couldn't create the hyperlink object.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7983	2002	Microsoft Access can't follow the hyperlink because it couldn't create the hyperlink object.@@@1@@1
7990	2007	You entered an invalid project name.@You may have deleted the default project name and forgotten to specify a new one.@@1@@@3
	2003	You entered an invalid project name.@You may have deleted the default project name and forgotten to specify a new one.@@1@@@3
7991	2007	The Microsoft Office Access Source Code Control Add-in is not available; this object will be opened read-only.@@@1@@@3
	2003	The Microsoft Office Access Source Code Control Add-in is not available; this object will be opened read-only.@@@1@@@3
	2002	The Microsoft Access Source Code Control Add-in is not available; this object will be opened read-only.@@@1@@@3
7992	2007	The Microsoft Office Access Source Code Control Add-in could not be started.@@@1@@@3
	2003	The Microsoft Office Access Source Code Control Add-in could not be started.@@@1@@@3
	2002	The Microsoft Access Source Code Control Add-in could not be started.@@@1@@@3
7993	2007	The object is currently checked in and is therefore read-only.@To modify the object, close it first, then check it out and reopen it.@@1@@@1
	2003	The object is currently checked in and is therefore read-only.@To modify the object, close it first, then check it out and reopen it.@@1@@@1
7994	2007	There was a problem communicating with the Source Code Control Add-in.@@@1@@@3
	2003	There was a problem communicating with the Source Code Control Add-in.@@@1@@@3
7995	2007	The menus on your form or report that are based on Microsoft Office Access macros will not be visible while the Customize dialog box is open.@To have the full power of menu or toolbar customization, convert your macro-based menus to menus or toolbars. With the macro selected in the Navigation Pane, point to Macro on the Tools menu, and create a menu, a toolbar, or a shortcut menu from that macro.@@1@@@1
	2003	The menus on your form or report that are based on Microsoft Office Access macros will not be visible while the Customize dialog box is open.@To have the full power of menu or toolbar customization, convert your macro-based menus to menus or toolbars. With the macro selected in the Database window, point to Macro on the Tools menu, and create a menu, a toolbar, or a shortcut menu from that macro.@@1@@@1
	2002	The menus on your form or report that are based on Microsoft Access macros will not be visible while the Customize dialog box is open.@To have the full power of menu or toolbar customization, convert your macro-based menus to menus or toolbars. With the macro selected in the Database window, point to Macro on the Tools menu, and create a menu, a toolbar, or a shortcut menu from that macro.@@1@@@1
7996	2007	Microsoft Office Access could not create the Data and Misc. objects because the linked table ' ' could not be found.@To create the data and miscellaneous objects, use the Linked Table Manager (on the Database Tools tab, in the Database Tools group) to update the link to the source table or file, or delete the link from your current database.@@1@@@1
	2003	Microsoft Office Access couldn't create the Data and Misc. Objects because the linked table ' ' could not be found.@To create the Data and Misc. Objects, use the Linked Table Manager (Tools menu, Add-ins submenu) to update the link to the source table or file, or delete the link from your current database.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
7996	2002	Microsoft Access couldn't create the Data and Misc. Objects because the linked table '!' could not be found.@To create the Data and Misc. Objects, use the Linked Table Manager (Tools menu, Add-ins submenu) to update the link to the source table or file, or delete the link from your current database.@@1@@1
7997	2007	You can't save the standard module '!' over a class module with the same name.@Save the standard module to a different name, or delete the class module first.@@1@@@1
	2003	You can't save the standard module '!' over a class module with the same name.@Save the standard module to a different name, or delete the class module first.@@1@@@1
7998	2007	You can't save the class module '!' over a standard module with the same name.@Save the class module to a different name, or delete the standard module first.@@1@@@1
	2003	You can't save the class module '!' over a standard module with the same name.@Save the class module to a different name, or delete the standard module first.@@1@@@1
7999	2007	Microsoft Office Access can't delete this relationship because you don't have the Data and Misc. Objects checked out.@Check out the Data and Misc. Objects and then delete the relationship.@@1@@@1
	2003	Microsoft Office Access can't delete this relationship because you don't have the Data and Misc. Objects checked out.@Check out the Data and Misc. Objects and then delete the relationship.@@1@@@1
	2002	Microsoft Access can't delete this relationship because you don't have the Data and Misc. Objects checked out.@Check out the Data and Misc. Objects and then delete the relationship.@@1@@@1
8000	2007	The name you entered already exists for another object of the same type in this database.@Do you want to replace the existing ?@@20@@@2
	2003	The name you entered already exists for another object of the same type in this database.@Do you want to replace the existing ?@@20@@@2
8001	2007	'!' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine.@Do you want to replace the changes that you or another user made?@* To save your most recent changes and discard the other user's changes or your previous changes, click Yes.☑To save this version of the object with another name, click No.@19@@@2
	2003	'!' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine.@Do you want to replace the changes that you or another user made?@* To save your most recent changes and discard the other user's changes or your previous changes, click Yes.☑To save this version of the object with another name, click No.@19@@@2
8002	2007	
	2003	'!' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine.@Do you want to replace the changes that you or another user made?@* To save your most recent changes and discard the other user's changes or your previous changes, click Yes.☑To cancel saving this version of the object, click No.@19@@@2
8003	2007	You must save the before you can create a new object based on it.@Do you want to save the and create a new object?@@13@@@2
	2003	You must save a table or query before you can create a new object based on it.@Do you want to save and use the table or query to create a new object?@@13@@@2
8004	2007	The layout of '!' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine.@Do you want to replace the changes that you or another user made?@* To save your most recent changes and discard the other user's changes or your previous changes, click Yes.☑To cancel saving this version of the object, click No.@19@@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
8004	2003	The layout of ' ' has been changed since the last time you opened it, either by another user or because another instance of it was opened on your own machine. Do you want to replace the changes that you or another user made? To save your most recent changes and discard the other user's changes or your previous changes, click Yes. To cancel saving this version of the object, click No.
	2000	The layout of ' ' has been changed by another user on your network since the last time you opened it. Do you want to replace the other user's changes with your changes? To save your changes and discard the other user's changes, click Yes. To cancel the save, click No.
8005	2007	
	2003	You can't save this object. You must have Administer permission for the Database object in order to save modules, forms, or reports in a Design Master.
8006	2007	The name you entered already exists for another object of the same type in this database. Do you want to replace the existing ? You will not be able to undo this operation.
	2003	The name you entered already exists for another object of the same type in this database. Do you want to replace the existing ? You will not be able to undo this operation.
8007	2007	You cannot get into Exclusive Mode right now because this database is opened by other users or because you do not have permissions to open exclusively.
	2003	You cannot get into Exclusive Mode right now because this database is opened by other users or because you do not have permissions to open exclusively.
8008	2007	The stored procedure executed successfully but did not return records.
8050	2007	Do you want to save changes to the design of ?
	2003	Do you want to save changes to the design of ?
8051	2007	
	2003	Do you want to save changes to ?
8052	2007	Do you want to delete the and empty the Clipboard? You tried to delete a database object that is currently on the Microsoft Office Access Clipboard. If you delete it from your database, you won't be able to paste it later.
	2003	Do you want to delete the and empty the Clipboard? You tried to delete a database object that is currently on the Microsoft Office Access Clipboard. If you delete it from your database, you won't be able to paste it later.
	2002	Do you want to delete the and empty the Clipboard? You tried to delete a database object that is currently on the Microsoft Access Clipboard. If you delete it from your database, you won't be able to paste it later.
8053	2007	Do you want to delete the ? Deleting this object will remove it from all groups. For more information on how to prevent this message from displaying every time you delete an object, click Help.
	2003	Do you want to delete the ? For more information on how to prevent this message from displaying every time you delete an object, click Help.
8054	2007	Do you want to exit Microsoft Office Access and empty the Clipboard?
	2003	Do you want to exit Microsoft Office Access and empty the Clipboard?
	2002	Do you want to exit Microsoft Access and empty the Clipboard?
8055	2007	Microsoft Office Access can't change the working directory to ' '. Verify that the drive is valid and the path is 260 characters or less in length.
	2003	Microsoft Office Access can't change the working directory to ' '. Verify that the drive is valid and the path is 260 characters or less in length.
	2002	Microsoft Access can't change the working directory to ' '. Verify that the drive is valid and the path is 260 characters or less in length.
8057	2007	

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
8058	2007	Do you want to save changes to the layout of ?@@@13@@@2
	2003	Do you want to save changes to the layout of ?@@@13@@2
8059	2007	Do you want to remove the link to the ?@If you delete the link, you delete only the information Microsoft Office Access uses to open the table, not the table itself.@@19@@@2
	2003	Do you want to remove the link to the ?@If you delete the link, you delete only the information Microsoft Office Access uses to open the table, not the table itself.@@19@@2
	2002	Do you want to remove the link to the ?@If you delete the link, you delete only the information Microsoft Access uses to open the table, not the table itself.@@19@@2
8060	2007	The toolbar ' ' is partly unreadable.@ Microsoft Office Access can't display all the toolbar buttons. The specified toolbar may be in a different format than the toolbars in the current version of Microsoft Office Access.@Click OK to close the dialog box, and then add the buttons missing from the toolbar. Microsoft Office Access will then update the toolbar to the latest format.@1@1@10064@1
	2003	The toolbar ' ' is partly unreadable.@ Microsoft Office Access can't display all the toolbar buttons. The specified toolbar may be in a different format than the toolbars in the current version of Microsoft Office Access.@Click OK to close the dialog box, and then add the buttons missing from the toolbar. Microsoft Office Access will then update the toolbar to the latest format.@1@210064@1
	2002	The toolbar ' ' is partly unreadable.@ Microsoft Access can't display all the toolbar buttons. The specified toolbar may be in a different format than the toolbars in the current version of Microsoft Access.@Click OK to close the dialog box, and then add the buttons missing from the toolbar. Microsoft Access will then update the toolbar to the latest format.@1@210064@1
8061	2007	Are you sure you want to restore the default settings to the built-in toolbar or menu bar ?@If you previously customized, moved, changed the visibility, or otherwise altered the toolbar or menu bar, or any of the menus that cascade from it, Microsoft Office Access removes your changes, returns the original buttons to their original order, and shows or hides the toolbar based on the original setting. To return the built-in toolbar or menu bar to its original state, click Yes.@@19@@@2
	2003	Are you sure you want to restore the default settings to the built-in toolbar or menu bar ?@If you previously customized, moved, changed the visibility, or otherwise altered the toolbar or menu bar, or any of the menus that cascade from it, Microsoft Office Access removes your changes, returns the original buttons to their original order, and shows or hides the toolbar based on the original setting. To return the built-in toolbar or menu bar to its original state, click Yes.@@19@@2
	2002	Are you sure you want to restore the default settings to the built-in toolbar or menu bar ?@If you previously customized, moved, changed the visibility, or otherwise altered the toolbar or menu bar, or any of the menus that cascade from it, Microsoft Access removes your changes, returns the original buttons to their original order, and shows or hides the toolbar based on the original setting. To return the built-in toolbar or menu bar to its original state, click Yes.@@19@@2
8063	2007	The source application is not responding. Do you want to continue waiting?@The DDE channel has been established, but the data exchange was not completed in the amount of time specified in the OLE/DDE Timeout setting in the Access Options dialog box (click the Microsoft Office Button and then click Access Options).@* To continue waiting for the data exchange to be completed, click Yes. To cancel the data exchange and try again later, click No .@20@@@2
	2003	The source application isn't responding. Do you want to continue waiting?@The DDE channel is established, but the data exchange wasn't completed in the amount of time specified in the OLE/DDE Timeout setting in the Options dialog box (Tools menu).@* To continue waiting for the data exchange to be completed, click Yes. To cancel the data exchange and try again later, click No .@20@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
8064	2007	This linked table has indexes that use an unsupported sort order. If you modify this table, the Microsoft Office Access database engine can't correctly maintain the table's indexes. As a result, your data may appear in the wrong order, and functions that use the table's indexes may have unexpected results. Try one of the following: <ul style="list-style-type: none"> Cancel this operation. Use the application in which the table was created to re-create the indexes, making sure to specify an ASCII or International sort order. Then try again to link the tables. Use this table on a read-only basis.
	2003	This linked table has indexes that use an unsupported sort order. If you modify this table, the Microsoft Jet database engine can't correctly maintain the table's indexes. As a result, your data may appear in the wrong order, and functions that use the table's indexes may have unexpected results. Try one of the following: <ul style="list-style-type: none"> Cancel this operation. Use the application in which the table was created to re-create the indexes, making sure to specify an ASCII or International sort order. Then try again to link the tables. Use this table on a read-only basis.
8065	2007	You can't delete the table 'l' until its relationships to other tables have been deleted. Do you want Microsoft Office Access to delete the relationships now?
	2003	You can't delete the table 'l' until its relationships to other tables have been deleted. Do you want Microsoft Office Access to delete the relationships now?
	2002	You can't delete the table 'l' until its relationships to other tables have been deleted. Do you want Microsoft Access to delete the relationships now?
8067	2007	Do you want to permanently delete the ? If you click Yes, you won't be able to undo the deletion.
	2003	Do you want to permanently delete the ? If you click Yes, you won't be able to undo the deletion.
8069	2007	Microsoft Office Access couldn't create the custom toolbar ' '.
	2003	Microsoft Office Access couldn't create the custom toolbar ' '.
	2002	Microsoft Access couldn't create the custom toolbar ' '.
8071	2007	Would you like to remove the compacted database from Source Code Control?
	2003	Would you like to remove the compacted database from Source Code Control?
8072	2007	Microsoft Office Access must close the in order to complete this operation. Would you like Microsoft Office Access to close it now?
	2003	Microsoft Office Access must close the in order to complete this operation. Would you like Microsoft Office Access to close it now?
	2002	Microsoft Access must close the in order to complete this operation. Would you like Microsoft Access to close it now?
8073	2007	You do not have the checked out. Microsoft Office Access can't check out an object while it is open, and you can't make design changes until you check it out. If you want to make design changes to this object, first close it, check it out, and then reopen it.
	2003	You do not have the checked out. Microsoft Office Access can't check out an object while it is open, and you can't make design changes until you check it out. If you want to make design changes to this object, first close it, check it out, and then reopen it.
	2002	You do not have the checked out. Microsoft Access can't check out an object while it is open, and you can't make design changes until you check it out. If you want to make design changes to this object, first close it, check it out, and then reopen it.
8074	2007	Microsoft Office Access must save the in order to complete this operation. Would you like Microsoft Office Access to save it now?

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
8074	2003	Microsoft Office Access must save the in order to complete this operation.@Would you like Microsoft Office Access to save it now?@@19@@1
	2002	Microsoft Access must save the in order to complete this operation.@Would you like Microsoft Access to save it now?@@19@@1
8075	2007	You do not have the Data and Misc. Objects checked out. You can't create a new table or save changes to a data access page.@@@1@@@1
	2003	You do not have the Data and Misc. Objects checked out. You can't create a new table or save changes to a data access page.@@@1@@@1
	2000	You do not have the Data and Misc. Objects checked out. You can't create a new table or save a link to a WebPage.@@@1@@@1
8076	2007	To import tables, relationships, menus, toolbars, import/export specs or data access pages you must have the Data and Misc. Objects checked out.@@@1@@@2
	2003	To import tables, relationships, menus, toolbars, import/export specs or data access pages you must have the Data and Misc. Objects checked out.@@@1@@@2
	2000	To import tables, relationships, menus, toolbars, or import/export specs you must have the Data and Misc. Objects checked out.@@@1@@@2
8077	2007	Are you sure you want to cut the ?@@@19@@@2
	2003	Are you sure you want to cut the ?@@@19@@@2
	2000	Are you sure you want to cut the ?@You will not be able to undo this operation.@@19@@@2
8078	2007	This object will be removed from your local database, but not from source code control.@The next time you get this database from source code control, the object will reappear. Are you sure that you want to delete the local object?@@20@@@2
	2003	This object will be removed from your local database, but not from source code control.@The next time you get this database from source code control, the object will reappear. Are you sure that you want to delete the local object?@@20@@@2
8079	2007	Microsoft Office Access was not able to add a reference to the type library for this control because Data and Misc. Objects is not checked out.@Check out the Data and Misc. Objects and add a reference to the library ' '.@@1@@@1
	2003	Microsoft Office Access was not able to add a reference to the type library for this control because Data and Misc. Objects is not checked out.@Check out the Data and Misc. Objects and add a reference to the library ' '.@@1@@@1
	2002	Microsoft Access was not able to add a reference to the type library for this control because Data and Misc. Objects is not checked out.@Check out the Data and Misc. Objects and add a reference to the library ' '.@@1@@@1
8080	2007	An error occurred while trying to create the linked table ' '.@Check to make sure that the source table or file is available, and then retry the operation on the Data and Misc. Objects.@@1@@@1
	2003	An error occurred while trying to create the linked table ' '.@Check to make sure that the source table or file is available, and then retry the operation on the Data and Misc. Objects.@@1@@@1
8081	2007	You have set 1's Type property to Popup, which changes the toolbar to a shortcut menu.@The shortcut menu disappears because Microsoft Office Access adds 2 to the Shortcut Menus toolbar. To complete the shortcut menu, close the Toolbar Properties sheet, display the Shortcut Menus toolbar, click the Custom category, and then add the commands you want.@@1@@@1
	2003	You have set 1's Type property to Popup, which changes the toolbar to a shortcut menu.@The shortcut menu disappears because Microsoft Office Access adds 2 to the Shortcut Menus toolbar. To complete the shortcut menu, close the Toolbar Properties sheet, display the Shortcut Menus toolbar, click the Custom category, and then add the commands you want.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
8081	2002	You have set 1's Type property to Popup, which changes the toolbar to a shortcut menu. The shortcut menu disappears because Microsoft Access adds 2 to the Shortcut Menus toolbar. To complete the shortcut menu, close the Toolbar Properties sheet, display the Shortcut Menus toolbar, click the Custom category, and then add the commands you want. @1@1
8082	2007	Microsoft Office Access must save the to the current database in order to complete this operation. Would you like Microsoft Office Access to save it now? @19@@@2
	2003	Microsoft Office Access must save the to the current database in order to complete this operation. Would you like Microsoft Office Access to save it now? @19@@2
	2002	Microsoft Access must save the to the current database in order to complete this operation. Would you like Microsoft Access to save it now? @19@@2
8086	2007	An error occurred trying to add one or more references from the source code control project. The library may not be registered on your computer. Check your project references and add any missing references after registering the missing components that this database requires. @1@@@1
	2003	An error occurred trying to add one or more references from the source code control project. The library may not be registered on your computer. Check your project references and add any missing references after registering the missing components that this database requires. @1@@1
8087	2007	Restoring a database requires that no one is currently using the database. Do you want to close all objects, select a backup file, and restore the database from backup? @19@@@2
	2003	Restoring a database requires that no one is currently using the database. Do you want to close all objects, select a backup file, and restore the database from backup? @19@@2
8088	2007	Dropping a database requires that no one is currently using the database. Do you want to close all open objects, and drop the database? @19@@@2
	2003	Dropping a database requires that no one is currently using the database. Do you want to close all open objects, and drop the database? @19@@2
8090	2007	Are you sure you want to delete the conflict table ? You will not be able to undo this operation. @19@@@2
	2003	Are you sure you want to delete the conflict table ? You will not be able to undo this operation. @19@@2
8091	2007	This database is enabled for publication. Do you want to delete existing publications and drop the database? @19@@@2
	2003	This database is enabled for publication. Do you want to delete existing publications and drop the database? @19@@2
8092	2007	Access could not save your project. Do you want to cancel the close operation? To cancel the close operation, click Yes. To close without saving, click No. @19@@@2
	2003	Access could not save your project. Do you want to cancel the close operation? To cancel the close operation, click Yes. To close without saving, click No. @19@@2
8093	2007	
	2003	Send a pointer to the data access page? To send an e-mail message that contains a pointer to your data access page, click Send Pointer. This is the recommended method. The e-mail recipient must have access to the server or public share to view the page. To send a copy of the page, click Send Copy. To cancel sending the page, click Cancel. For more information, click Help. Send Pointer Send Copy Cancel @28@613792@4

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
8093	2000	Create a message that points to your saved data access page?@To create an e-mail message that points to a page you have saved to an absolute path (a URL, or a UNC path such as \\server\share\path\filename), click Yes. This option is generally more secure. To create an e-mail message that contains a copy of the page, click No. The copy won't be allowed to connect to data across domains unless the recipient or administrator has changed default Internet Web content zone security settings.@@16@@4
8094	2007 2003 2000	Send a copy of the data access page?@The contents of the page will be copied into the body of the email message, however the page will connect to the data source when the recipient views the message. If this is correct, click OK. Otherwise, click Cancel, save the page to a server or public share, and resend a pointer to the page. It is generally more secure to send a pointer to the page than to send a copy of the page. For more information, click Help.@@6@613791@4 Create a message that contains a copy of your data access page?@To create a message that contains a copy of your data access page, click OK. The copy you create won't be allowed to connect to data across domains unless the recipient or administrator has changed default Internet Web content zone security settings. Sending an e-mail message that points to a page you have saved to an absolute path (a URL, or a UNC path such as \\server\share\path\filename) is generally more secure. To send a message that points to a page saved to an absolute path, click Cancel. Save the page to a server or public share, and then resend the e-mail message displaying your page.@@6@@4
8095	2007 2003	You tried to create a group filter based on a column type which cannot be used in a filter.
8096	2007 2003 2002	Microsoft Office Access can't change the working directory to ' .'@Please enter a non-Internet location.@@1@@@1 Microsoft Office Access can't change the working directory to ' .'@Please enter a non-Internet location.@@1@@1 Microsoft Access can't change the working directory to ' .'@Please enter a non-Internet location.@@1@@1
8097	2007 2003 2002	The connection string of this page specifies an absolute path. The page might not be able to connect to data through the network. To connect through a network, edit the connection string to specify a network (UNC) path.@@&Don't show this warning again@553714119@@@@1 The connection string of this page specifies an absolute path. The page might not be able to connect to data through the network. To connect through a network, edit the connection string to specify a network (UNC) path.@@&Don't show this warning again@553714119@@@@1 The connection string of this page specifies an absolute path. The page might not be able to connect to data through the network. To connect through a network, edit the connection string to specify a network (UNC) path.@@&Don't show this warning again@5073@@@@1
8098	2007 2003 2002	Your computer has resumed operation after Critical Suspend mode. Any unsaved changes might have been lost. To ensure proper operation, close and reopen any files. Restarting Microsoft Office Access is recommended.@@@1@@@@1 Your computer has resumed operation after Critical Suspend mode. Any unsaved changes might have been lost. To ensure proper operation, close and reopen any files. Restarting Microsoft Office Access is recommended.@@@1@@@@1 Your computer has resumed operation after Critical Suspend mode. Any unsaved changes might have been lost. To ensure proper operation, close and reopen any files. Restarting Microsoft Access is recommended.@@@1@@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
8100	2007	The report is still more than one page wide. To fit the report on one page decrease the report width or increase the page width. You can decrease the report width by selecting each control that is farthest to the right, moving it to the left, and removing the extra report space. You may need to repeat this multiple times. You can increase the page width by adjusting the page setup options.
	2003	The report is still more than one page wide. To fit the report on one page decrease the report width or increase the page width. You can decrease the report width by selecting each control that is farthest to the right, moving it to the left, and removing the extra report space. You may need to repeat this multiple times. You can increase the page width by adjusting the page setup options.
8101	2007	The report is still more than one page wide. To fit the report on one page decrease the report width or increase the page width. You can decrease the report width by selecting each control that is farthest to the left, moving it to the right, and removing the extra report space. You may need to repeat this multiple times. You can increase the page width by adjusting the page setup options.
	2003	The report is still more than one page wide. To fit the report on one page decrease the report width or increase the page width. You can decrease the report width by selecting each control that is farthest to the left, moving it to the right, and removing the extra report space. You may need to repeat this multiple times. You can increase the page width by adjusting the page setup options.
8103	2007	Do you want to discard the pending changes and delete the link to the list? The linked list you are attempting to delete has changes that have not been saved to the server. Do you still want to delete the linked list and lose these pending changes?
8104	2007	The name you supplied is a reserved word. Reserved words have a specific meaning to Microsoft Office Access or to the Microsoft Office Access database engine. If you use a reserved word, you may receive an error when referring to this field.
8105	2007	You must close and reopen the current database for the specified option to take effect.
8400	2007	The database 'j' is read-only. You won't be able to save changes made to data or object definitions in this database.
	2003	The database 'j' is read-only. You won't be able to save changes made to data or object definitions in this database.
8401	2007	You cannot make changes to the database objects in the database 'j'. This database was created in an earlier version of Microsoft Office Access. To convert this database to the current version of Microsoft Office Access, click the Microsoft Office Button, and then click Convert.
	2003	You can't make changes to the database objects in the database 'j'. This database was created in an earlier version of Microsoft Office Access. To convert this database to the current version of Microsoft Office Access, close the database, point to Database Utilities on the Tools menu, and then click Convert Database.
	2002	You can't make changes to the database objects in the database 'j'. This database was created in an earlier version of Microsoft Access. To convert this database to the current version of Microsoft Access, close the database, point to Database Utilities on the Tools menu, and then click Convert Database.
8402	2007	The file 'j' already exists. Do you want to replace the existing file? If you want to compact or convert to a different file name, click No. Enter the new file name after the /compact or /convert option in the command line, and run the command again.
	2003	The file 'j' already exists. Do you want to replace the existing file? If you want to compact or convert to a different file name, click No. Enter the new file name after the /compact or /convert option in the command line, and run the command again.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
8403	2007	The setting you entered is invalid. The database's sort order cannot be updated. The setting you entered for the New database sort order option (Personalize category) of the Access Options dialog box (click the Microsoft Office Button and then click Access Options) is not a valid sort order for the version of the database you are compacting.
	2003	The setting you entered is invalid. The database's sort order can't be updated. The setting you entered in the New Database Sort Order option of the Options dialog box (Tools menu) isn't a valid sort order for the version of the database you are compacting.
8404	2007	You can't open 'l' for exclusive use because another user has the database open or because you do not have permissions to open exclusively. Microsoft Office Access will open the database for shared access.
	2003	You can't open 'l' for exclusive use because another user has the database open or because you do not have permissions to open exclusively. Microsoft Office Access will open the database for shared access.
	2002	You can't open 'l' for exclusive use because another user has the database open or because you do not have permissions to open exclusively. Microsoft Access will open the database for shared access.
8405	2007	This database was created using a previous version of Microsoft Office Access. You can share the database with users of previous versions of Microsoft Office Access, however some enhancements will be unavailable. You can open the database, view objects and modify records using this release of Microsoft Office Access, but design changes will be disabled. To make design changes you must use an earlier version of Microsoft Office Access that supports the old database format, or upgrade the database.
	2003	You can't make changes to the database objects in the database 'l'. This database was created in an earlier version of Microsoft Office Access. To convert this database to the current version of Microsoft Office Access, close the database, point to Database Utilities on the Tools menu, and then click Convert Database.
	2002	You can't make changes to the database objects in the database 'l'. This database was created in an earlier version of Microsoft Access. To convert this database to the current version of Microsoft Access, close the database, point to Database Utilities on the Tools menu, and then click Convert Database.
8406	2007	Does the first row of your data contain column headings?
	2003	Does the first row of your data contain column headings?
8407	2007	
	2003	This database is a replica created in a previous version of Microsoft Office Access. You can view objects in this database, but you can't modify their design. If you want to modify objects in this database, convert the Design Master for this replica set to the current version of Microsoft Office Access and synchronize this replica. Do you want to open the database anyway?
	2002	This database is a replica created in a previous version of Microsoft Access. You can view objects in this database, but you can't modify their design. If you want to modify objects in this database, convert the Design Master for this replica set to the current version of Microsoft Access and synchronize this replica. Do you want to open the database anyway?
8408	2007	
	2003	The name you entered already exists for another custom group in this database. Do you want to replace the existing custom group l? You will not be able to undo this operation.
8409	2007	Microsoft Office Access has made a backup of database l1 at l2. Note: Only server-related objects have been backed up. To back up your project, click Back Up Project on the File menu

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
8409	2002	Microsoft Access has made a backup of database 1 at 2. Note: Only server-related objects have been backed up. To protect other objects, back up the .ADP file manually
8410	2007 2002	Microsoft Office Access successfully restored database 1 from its backup at 2 Microsoft Access successfully restored database 1 from its backup at 2
8411	2007 2003	Do you want to permanently delete the custom group ' '?@If you click Yes, all shortcuts in the custom group will be deleted as well, and you won't be able to undo the deletion.@@20@@2
8412	2007 2003	The name you entered already exists for another shortcut in this group. @Do you want to replace the existing shortcut ' '?@@20@@@2 The name you entered already exists for another shortcut in this group. @Do you want to replace the existing shortcut ' '?@@20@@@2
8413	2007 2003	The project ' ' is read-only.@You won't be able to save changes made to object definitions in this project.@@1@209033@1
8414	2007 2003 2002	Microsoft Office Access encountered one or more errors during conversion. To view a summary of these errors, open the ' ' table.@@@2@1@553714191@1 Microsoft Office Access encountered one or more errors during conversion. To view a summary of these errors, open the ' ' table.@@@2@553714191@1 Microsoft Access encountered one or more errors during conversion. To view a summary of these errors, open the ' ' table.@@@2@5257@1
8415	2007 2003	The HTML file associated with this link has been moved, renamed, or deleted.@File: ' '\&Update Link...[Cancel@@35@@@2 The HTML file associated with this link has been moved, renamed, or deleted.@File: ' '\&Update Link...[Cancel@@35@@@2
8416	2007 2003	Renaming this user-defined function removes any existing permissions and extended properties.@Do you want to complete the rename action?@@20@@@2 Renaming this user-defined function removes any existing permissions and extended properties.@Do you want to complete the rename action?@@20@@@2
8417	2007	The file ' ' cannot be opened because it has been locked by another user.@Try again when the file is available.@@3@@@1
8500	2007 2003 2002	A form with a subform object can't have its DefaultView property set to Continuous Forms.@You tried to add a subform to a form in Design view. Microsoft Office Access will reset the property to Single Form.@@1@@@1 A form with a subform object can't have its DefaultView property set to Continuous Forms.@You tried to add a subform to a form in Design view. Microsoft Office Access will reset the property to Single Form.@@1@@@1 A form with a subform object can't have its DefaultView property set to Continuous Forms.@You tried to add a subform to a form in Design view. Microsoft Access will reset the property to Single Form.@@1@@@1
8501	2007 2003	You can't modify this field because it is read-only.@Some fields, such as a calculated field, are read-only by design. However, any field can be read-only if its Locked property is set to Yes.@@1@1@865@1 You can't modify this field because it is read-only.@Some fields, such as a calculated field, are read-only by design. However, any field can be read-only if its Locked property is set to Yes.@@1@600865@1
8502	2007 2003 2002	Microsoft Office Access has reached the end of the records.@Do you want to continue searching from the beginning?@@19@@@2 Microsoft Office Access has reached the end of the records.@Do you want to continue searching from the beginning?@@19@@@2 Microsoft Access has reached the end of the records.@Do you want to continue searching from the beginning?@@19@@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
8503	2007	Microsoft Office Access has reached the beginning of the records. Do you want to continue searching from the end?
	2003	Microsoft Office Access has reached the beginning of the records. Do you want to continue searching from the end?
	2002	Microsoft Access has reached the beginning of the records. Do you want to continue searching from the end?
8504	2007	Microsoft Office Access finished searching the records. The search item was not found.
	2003	Microsoft Office Access finished searching the records. The search item was not found.
	2002	Microsoft Access finished searching the records. The search item was not found.
8505	2007	Do you want to continue to search or replace?
	2003	Do you want to continue to search or replace?
8506	2007	
	2003	There isn't enough memory to save the current filter. Close unneeded programs. Return to the form or datasheet, and then redefine and reapply the filter. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
8507	2007	There isn't enough memory to execute the macro that updates the active filter. Microsoft Office Access is closing the Filter window. Close unneeded programs. Then try again to open the Filter window. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
	2003	There isn't enough memory to execute the macro that updates the active filter. Microsoft Office Access is closing the Filter window. Close unneeded programs. Then try again to open the Filter window. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
	2002	There isn't enough memory to execute the macro that updates the active filter. Microsoft Access is closing the Filter window. Close unneeded programs. Then try again to open the Filter window. For more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'.
8508	2007	Microsoft Office Access can't find ' '. The text string you entered in the Find What box can't be evaluated against the current field. Reenter the text string so that it conforms to the data type of the field.
	2003	Microsoft Office Access can't find ' '. The text string you entered in the Find What box can't be evaluated against the current field. Reenter the text string so that it conforms to the data type of the field.
	2002	Microsoft Access can't find ' '. The text string you entered in the Find What box can't be evaluated against the current field. Reenter the text string so that it conforms to the data type of the field.
8509	2007	You won't be able to undo this Replace operation. There isn't enough free memory to use the Undo command. Do you want to continue?
	2003	You won't be able to undo this Replace operation. There isn't enough free memory to use the Undo command. Do you want to continue?
8510	2007	Microsoft Office Access can't save the current record. Do you want to undo the changes to the record and continue the Paste operation?
	2003	Microsoft Office Access can't save the current record. Do you want to undo the changes to the record and continue the Paste operation?
	2002	Microsoft Access can't save the current record. Do you want to undo the changes to the record and continue the Paste operation?

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
8511	2007	Records that Microsoft Office Access was unable to paste have been inserted into a new table called ' .'@In the Navigation Pane, open the new table to see the unpasted records. After you fix the problems that resulted in the paste errors, copy and paste the records from the new table.@@1@@@1
	2003	Records that Microsoft Office Access was unable to paste have been inserted into a new table called ' .'@In the Database window, open the new table to see the unpasted records. After you fix the problems that resulted in the paste errors, copy and paste the records from the new table.@@1@@@1
	2002	Records that Microsoft Access was unable to paste have been inserted into a new table called ' .'@In the Database window, open the new table to see the unpasted records. After you fix the problems that resulted in the paste errors, copy and paste the records from the new table.@@1@@@1
8512	2007	None of the field names you pasted onto the Clipboard match the field names on the form.@Microsoft Office Access treats the data in the first row on the Clipboard as field names. If you copied the data from another application, the first row of data may have taken the place of the field names.Db you want to paste the field names in the order you defined with the Tab Order command?@@21@1@11022@2
	2003	None of the field names you pasted onto the Clipboard match the field names on the form.@Microsoft Office Access treats the data in the first row on the Clipboard as field names. If you copied the data from another application, the first row of data may have taken the place of the field names.Db you want to paste the field names in the order you defined with the Tab Order command?@@21@311022@2
	2002	None of the field names you pasted onto the Clipboard match the field names on the form.@Microsoft Access treats the data in the first row on the Clipboard as field names. If you copied the data from another application, the first row of data may have taken the place of the field names.Db you want to paste the field names in the order you defined with the Tab Order command?@@21@311022@2
8513	2007	Some of the field names for the data you tried to paste don't match field names on the form.@Microsoft Office Access treats data in the first row on the Clipboard as field names. In this case, some of those field names don't match the field names on the form.Db you want to paste only that data whose names match the field names on the Clipboard?@@19@1@11022@2
	2003	Some of the field names for the data you tried to paste don't match field names on the form.@Microsoft Office Access treats data in the first row on the Clipboard as field names. In this case, some of those field names don't match the field names on the form.Db you want to paste only that data whose names match the field names on the Clipboard?@@19@311022@2
	2002	Some of the field names for the data you tried to paste don't match field names on the form.@Microsoft Access treats data in the first row on the Clipboard as field names. In this case, some of those field names don't match the field names on the form.Db you want to paste only that data whose names match the field names on the Clipboard?@@19@311022@2
8514	2007	Do you want to suppress further error messages telling you why records can't be pasted?@If you click No, a message will appear for every record that can't be pasted.@@13@@@2
	2003	Do you want to suppress further error messages telling you why records can't be pasted?@If you click No, a message will appear for every record that can't be pasted.@@13@@@2
8515	2007	You copied a large amount of data onto the Clipboard.@When you copy data onto the Clipboard, only the reference to the object is copied. If you close the source document, however, Microsoft Office Access must paste all the data from its source. Depending on the amount of data, this can take some time.Db you want to save this data on the Clipboard?@@19@@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
8515	2003	You copied a large amount of data onto the Clipboard. When you copy data onto the Clipboard, only the reference to the object is copied. If you close the source document, however, Microsoft Office Access must paste all the data from its source. Depending on the amount of data, this can take some time. Do you want to save this data on the Clipboard?
	2002	You copied a large amount of data onto the Clipboard. When you copy data onto the Clipboard, only the reference to the object is copied. If you close the source document, however, Microsoft Access must paste all the data from its source. Depending on the amount of data, this can take some time. Do you want to save this data on the Clipboard?
8516	2007	You selected more records than can be copied onto the Clipboard at one time. Divide the records into two or more groups, and then copy and paste one group at a time. The maximum number of records you can paste at one time is approximately 65,000.
	2003	You selected more records than can be copied onto the Clipboard at one time. Divide the records into two or more groups, and then copy and paste one group at a time. The maximum number of records you can paste at one time is approximately 65,000.
8517	2007	Do you want to suppress further error messages telling you why records can't be deleted? If you click No, a message will appear for every record that can't be deleted.
	2003	Do you want to suppress further error messages telling you why records can't be deleted? If you click No, a message will appear for every record that can't be deleted.
8518	2007	You won't be able to undo this Replace operation. Do you want to continue?
	2003	You won't be able to undo this Replace operation. Do you want to continue?
8519	2007	You are about to delete record(s). If you click Yes, you won't be able to undo this Delete operation. Are you sure you want to delete these records?
	2003	You are about to delete record(s). If you click Yes, you won't be able to undo this Delete operation. Are you sure you want to delete these records?
8520	2007	You are about to paste record(s). Are you sure you want to paste these records?
	2003	You are about to paste record(s). Are you sure you want to paste these records?
8521	2007	You won't be able to undo this Delete operation. The Undo command won't be available because this operation is too large, or there isn't enough free memory. Do you want to delete these items?
	2003	You won't be able to undo this Delete operation. The Undo command won't be available because this operation is too large, or there isn't enough free memory. Do you want to delete these items?
8522	2007	All timers are in use. Set the TimerInterval property back to zero so that you can start another timer.
	2003	All timers are in use. Set the TimerInterval property back to zero so that you can start another timer.
8523	2007	Do you want to delete the custom palette information from this form or report and revert to the default palette?
	2003	Do you want to delete the custom palette information from this form or report and revert to the default palette?
8524	2007	Do you want to remove this picture from this control?
	2003	Do you want to delete the graphic from this button?

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
8525	2007	The remote data isn't accessible.@You tried to open a form or report that includes a DDE or DDESend function in a calculated control that specifies an OLE server application.Db you want to start the application ?@@19@@@2
	2003	The remote data isn't accessible.@You tried to open a form or report that includes a DDE or DDESend function in a calculated control that specifies an OLE server application.Db you want to start the application ?@@19@@@2
8526	2007	Microsoft Office Access encountered a problem while trying to switch views and must close this window.@@@1@@@1
	2003	Microsoft Office Access encountered a problem while trying to switch views and must close this window.@@@1@@@1
	2002	Microsoft Access encountered a problem while trying to switch views and must close this window.@@@1@@@1
8527	2007	Do you want to delete the group section for the database object ' ' and its contents?@The group header or footer you want to delete contains controls which will be deleted along with the section.@@20@@@2
	2003	Do you want to delete the group section for the database object ' ' and its contents? You will not be able to undo this action.@The group header or footer you want to delete contains controls and will be deleted along with the section.@@20@@@2
	2000	Do you want to delete the group section for the database object ' ' and its contents?@The group header or footer you want to delete contains controls and will be deleted along with the section.@@20@@@2
8528	2007	Deleting these sections will also delete all controls in them. You will not be able to undo this action.@Do you want to delete these sections anyway?@@20@@@2
	2003	Deleting these sections will also delete all controls in them. You will not be able to undo this action.@Do you want to delete these sections anyway?@@20@@@2
	2000	Deleting these sections will also delete all controls in them.@Do you want to delete these sections anyway?@@20@@@2
8529	2007	The grouping level that you are trying to delete has a group header or group footer section. The section contains controls that will also be deleted.@Do you want to continue?@@20@@@2
	2003	Do you want to delete the selected group level(s) and all associated sections and their controls?@The field or expression you're deleting from the Sorting and Grouping box has an associated section (a header or footer) containing controls that will be deleted along with the section.@@20@@@2
8530	2007	Relationships that specify cascading deletes are about to cause record(s) in this table and in related tables to be deleted.@Are you sure you want to delete these records?@@21@1@9096@2
	2003	Relationships that specify cascading deletes are about to cause record(s) in this table and in related tables to be deleted.@Are you sure you want to delete these records?@@21@409096@2
8531	2007	The section width is greater than the page width, and there are no items in the additional space, so some pages may be blank.@For example, the report width may be wider than the page width.@@3@@@1
	2003	The section width is greater than the page width, and there are no items in the additional space, so some pages may be blank.@For example, the report width may be wider than the page width.@@3@@@1
8532	2007	Do you want to remove this picture from the form?@@@20@@@2
	2003	Do you want to remove this picture from the form?@@@20@@@2
8533	2007	Some data may not be displayed.@There is not enough horizontal space on the page for the number of columns and column spacing you specified.@Click Page Setup on the File menu, click the Columns tab, and then reduce the number of columns or the size of the columns.@3@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
8533	2003	Some data may not be displayed.@There is not enough horizontal space on the page for the number of columns and column spacing you specified.@Click Page Setup on the File menu, click the Columns tab, and then reduce the number of columns or the size of the columns.@3@@1
	2000	Some data may not be displayed.@There is not enough horizontal space on the page for the number of columns and column spacing you specified.@Click Page Setup on the File menu, click the Layout tab, and then reduce the number of columns or the size of the columns.@3@@1
8534	2007	When you save this form or report, any code behind it will be deleted.@You have set the HasModule property to No, creating a form or report that opens more quickly. Any macros associated with this form or report will not be affected, nor will code in separate modules that is called from this property sheet.@Are you sure you want to do this?@20@@@2
	2003	When you save this form or report, any code behind it will be deleted.@You have set the HasModule property to No, creating a form or report that opens more quickly. Any macros associated with this form or report will not be affected, nor will code in separate modules that is called from this property sheet.@Are you sure you want to do this?@20@@@2
8538	2007	
	2003	You are about to delete this section. @If you click Yes, the controls you placed in this section will be deleted. Are you sure you want to delete these controls?@@20@@@2
	2000	You are about to delete this section. @If you click Yes, the controls you placed in this section will be deleted and you won't be able to undo this operation. Are you sure you want to delete these controls?@@20@@@2
8539	2007	Relationships that specify cascading deletes are about to cause record(s) in this table and in related tables to be deleted.@Are you sure you want to delete these records?@@21@1@9096@2
	2003	Relationships that specify cascading deletes are about to cause record(s) in this table and in related tables to be deleted.@Are you sure you want to delete these records?@@21@409096@2
8540	2007	You are about to delete one or more records.@If you click Yes, you won't be able to undo this Delete operation.Are you sure you want to delete these records?@@19@@@2
	2003	You are about to delete one or more records.@If you click Yes, you won't be able to undo this Delete operation.Are you sure you want to delete these records?@@19@@@2
8541	2007	Microsoft Office Access could not perform the delete operation. An error occurred during the delete operation, no records were deleted.
	2002	Microsoft Access could not perform the delete operation. An error occurred during the delete operation, no records were deleted.
	2000	Microsoft Access Could not perform the delete operation.An error occurred during the delete operation, no records were deleted.
8542	2007	Microsoft Office Access did not detect a relationship between the fields you have chosen. @Do you want a relationship to be created for you now?@@19@@@3
	2003	Microsoft Office Access did not detect a relationship between the fields you have chosen. @Do you want a relationship to be created for you now?@@19@@@3
	2002	Microsoft Access did not detect a relationship between the fields you have chosen. @Do you want a relationship to be created for you now?@@19@@@3
8543	2007	
	2003	You are about to delete this section and all related sections. @If you click Yes, the controls you placed in these sections will be deleted. Are you sure you want to delete these controls?@@20@@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
8543	2000	You are about to delete this section and all related sections. @If you click Yes, the controls you placed in these sections will be deleted and you won't be able to undo this operation. Are you sure you want to delete these controls?@@20@@2
8544	2007	You won't be able to undo this paste operation.@Do you want to continue?@@19@@@2
	2003	You won't be able to undo this paste operation.@Do you want to continue?@@19@@@2
8545	2007	
	2003	Microsoft Office Access can't save the filter criteria you entered in the Insert Hyperlink dialog box. Make sure that the data access page is bound to a record source before you set the filter criteria. Also make sure that the criteria is in the form of a WHERE clause; for example, EmployeeID=[EmployeeID].
	2002	Microsoft Access can't save the filter criteria you entered in the Insert Hyperlink dialog box. Make sure that the data access page is bound to a record source before you set the filter criteria. Also make sure that the criteria is in the form of a WHERE clause; for example, EmployeeID=[EmployeeID].
8546	2007	Current object must first be saved before exporting data to XML. @Would you like to save ' ' and then continue?@@19@@@2
	2003	Current object must first be saved before exporting data to XML. @Would you like to save ' ' and then continue?@@19@@@2
8547	2007	Do you want to save the changes made to the macro and update the property?@@@13@1@4309@2
8548	2007	To complete this operation, Access must modify the RecordSource property of the current form or report.@Access will create a new query and embed it directly into the form's or report's RecordSource property. The form or report will no longer be based on the ' ' query.@Do you want to accept this change?@19@@@2
8549	2007	This table contains one or more Lookup fields. Display values for Lookup fields cannot be changed by using the Replace operation.@@@1@1@865@1
8550	2007	A table or query needed in order to create the new form, report, or query is currently open in Design view.@Save or discard the changes to this table or query and open it in Datasheet view, then try again.@@1@@@1
8551	2007	Do you want to remove this picture from the report?@@@20@@@2
9502	2007	Microsoft Office Access won't be able to undo this action or subsequent actions. To make more resources available so that Access can record further design actions, close and reopen this window. @Do you want to continue anyway?@@19@@@2
	2003	Microsoft Office Access won't be able to undo this action or subsequent actions. To make more resources available so that Access can record further design actions, close and reopen this window. @Do you want to continue anyway?@@19@@@2
	2002	Microsoft Access won't be able to undo this action or subsequent actions. To make more resources available so that Access can record further design actions, close and reopen this window. @Do you want to continue anyway?@@19@@@2
	2000	You won't be able to undo this operation.@Do you want to continue anyway?@@19@@@2
9504	2007	The file ' ' is not readable by the Access database engine. @If you think you have a valid Access database, this is most likely because of the recent file format change. Do you want to attempt to upgrade the database format?@@19@@@2
	2003	The file ' ' is not readable by JET. @If you think you have a valid JET file then this is most likely due to the recent file format change. Do you want to attempt to upgrade the database format?@@19@@@2
9505	2007	Microsoft Office Access has detected that this database is in an inconsistent state, and will attempt to recover the database. During this process, a backup copy of the database will be made and all recovered objects will be placed in a new database. Access will then open the new database. The names of objects that were not successfully recovered will be logged in the "Recovery Errors" table.@@@1@@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
9505	2003	The database ' ' needs to be repaired or isn't a database file. @You or another user may have unexpectedly quit Microsoft Office Access while a Microsoft Office Access database was open. Do you want Microsoft Office Access to attempt to repair the database? @ @19@209010@2
	2002	The database ' ' needs to be repaired or isn't a database file. @You or another user may have unexpectedly quit Microsoft Access while a Microsoft Access database was open. Do you want Microsoft Access to attempt to repair the database? @ @19@209010@2
9507	2007	Microsoft Office Access was unable to load all the library modules. @ @ @1@ @ @1
	2003	Microsoft Office Access was unable to load all the library modules. @ @ @1@ @1
	2002	Microsoft Access was unable to load all the library modules. @ @ @1@ @1
9508	2007	Microsoft Office Access couldn't close database ' '. @Your last change may not have been saved because an internal buffer was locked by another user (whose name was given in the previous message). To avoid losing data, wait for the other user to finish using the record, and then click OK again. If you click Cancel, you may lose changes that haven't been saved. @ @3@ @ @2
	2003	Microsoft Office Access couldn't close database ' '. @Your last change may not have been saved because an internal buffer was locked by another user (whose name was given in the previous message). To avoid losing data, wait for the other user to finish using the record, and then click OK again. If you click Cancel, you may lose changes that haven't been saved. @ @3@ @2
	2002	Microsoft Access couldn't close database ' '. @Your last change may not have been saved because an internal buffer was locked by another user (whose name was given in the previous message). To avoid losing data, wait for the other user to finish using the record, and then click OK again. If you click Cancel, you may lose changes that haven't been saved. @ @3@ @2
9509	2007	You can't undo this command and, once it's completed, you won't be able to edit this object. @Do you want to continue anyway? @ @19@ @ @2
	2003	You can't undo this command and, once it's completed, you won't be able to edit this object. @Do you want to continue anyway? @ @19@ @2
9510	2007	
	2003	Microsoft Office Access can't open the file ' '. @ @ @1@ @ @1
	2002	Microsoft Access can't open the file ' '. @ @ @1@ @ @1
9511	2007	@ @ @1@ @ @ @1
	2003	@ @ @1@ @ @1
9512	2007	
	2003	Successfully repaired the ' ' database. @ @ @1@ @ @1
9513	2007	Microsoft Office Access was unable to completely repair the ' ' table and deleted some Memo, OLE Object, or Hyperlink field values. @To recover the data, restore from your backup copy of the database. Note that the data in the deleted field may have been damaged by a bad sector on your hard disk. For more information on checking your disk's surface, files, and folders for errors, search the Windows Help index for 'checking for disk errors'. @ @1@ @ @ @1
	2003	Microsoft Office Access was unable to completely repair the ' ' table and deleted some Memo, OLE Object, or Hyperlink field values. @To recover the data, restore from your backup copy of the database. Note that the data in the deleted field may have been damaged by a bad sector on your hard disk. For more information on checking your disk's surface, files, and folders for errors, search the Windows Help index for 'checking for disk errors'. @ @1@ @ @1
	2002	Microsoft Access was unable to completely repair the ' ' table and deleted some Memo, OLE Object, or Hyperlink field values. @To recover the data, restore from your backup copy of the database. Note that the data in the deleted field may have been damaged by a bad sector on your hard disk. For more information on checking your disk's surface, files, and folders for errors, search the Windows Help index for 'checking for disk errors'. @ @1@ @ @1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
9513	2000	Microsoft Access was unable to completely repair the 'I' table and deleted some Memo, OLE Object, or Hyperlink field values. To recover the data, restore from your backup copy of the database. Note that the data in the deleted field may have been damaged by a bad sector on your hard disk. For more information on checking your disk's surface, files, and folders for errors, search the Windows Help index for 'checking for errors, in disks'.
9514	2007	One or more records were unrecoverable and were deleted from the 'I' table.
	2003	One or more records were unrecoverable and were deleted from the 'I' table.
9515	2007	The 'I' table was truncated; data was lost.
	2003	The 'I' table was truncated; data was lost.
9516	2007	One or more indexes from the 'I' table couldn't be repaired and were deleted.
	2003	One or more indexes from the 'I' table couldn't be repaired and were deleted.
9517	2007	The Save As command can't process any subforms contained in your report. Do you want to proceed anyway?
	2003	The Save As command can't process any subforms contained in your report. Do you want to proceed anyway?
9518	2007	An error occurred while adding this word to the custom dictionary. The dictionary file may be read-only. There may be a disk error.
	2003	An error occurred while adding this word to the custom dictionary. The dictionary file may be read-only. There may be a disk error.
9519	2007	An error occurred while adding this word to the Change All list. The dictionary may be full.
	2003	An error occurred while adding this word to the Change All list. The dictionary may be full.
9520	2007	An error occurred while adding the word to the Ignore All list. The dictionary may be full.
	2003	An error occurred while adding the word to the Ignore All list. The dictionary may be full.
9521	2007	The specified word is too large. Words can't exceed 64 characters.
	2003	The specified word is too large. Words can't exceed 64 characters.
9523	2007	Microsoft Office Access can't open the 'I' custom dictionary.
	2003	Microsoft Office Access can't open the 'I' custom dictionary.
	2002	Microsoft Access can't open the 'I' custom dictionary.
9524	2007	Microsoft Office Access can't start the spelling checker because it isn't installed.
	2003	Microsoft Office Access can't start the spelling checker because it isn't installed.
	2002	Microsoft Access can't start the spelling checker because it isn't installed.
9525	2007	Microsoft Office Access can't open the main dictionary file. Verify that this file has been correctly installed.
	2003	Microsoft Office Access can't open the main dictionary file. Verify that this file has been correctly installed.
	2002	Microsoft Access can't open the main dictionary file. Verify that this file has been correctly installed.
9526	2007	The spelling checker only works on text fields that contain text data. You're trying to check a field with a data type other than Text or Memo.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
9526	2003	The spelling checker only works on text fields that contain text data. @You're trying to check a field with a data type other than Text or Memo. @1@1
9527	2007	The spelling checker can't proceed; you must first select data from a table, query, view, stored procedure, or form. @1@1
	2003	The spelling checker can't proceed; you must first select data from a table, query, view, stored procedure, or form. @1@1
9529	2007	Microsoft Office Access cannot run the spell checker because the data in this form or query is not updatable. @2@1@9932@1
	2003	The spelling checker can't proceed; form data is not updatable. @The form may be based on a query that isn't updatable or is only partly updatable. For information on when a query is updatable, click Help. @2@409932@1
9530	2007	An error occurred while trying to modify the contents of field ' '. @The field may be locked or read-only, or you may not have permissions to change it. For information on security permissions and who can change them, click Help. @2@1@10222@1
	2003	An error occurred while trying to modify the contents of field ' '. @The field may be locked or read-only, or you may not have permissions to change it. For information on security permissions and who can change them, click Help. @2@410222@1
9531	2007	
	2003	An error occurred while trying to save spelling preferences. @1@1
9532	2007	The ' ' field can't be modified because it's a read-only field. @1@1@1
	2003	The ' ' field can't be modified because it's a read-only field. @1@1@1
9533	2007	An error occurred while trying to add the word pair to the AutoCorrect list. @1@1@1
	2003	An error occurred while trying to add the word pair to the AutoCorrect list. @1@1@1
9534	2007	The current selection does not contain any fields that can be checked for spelling errors. @You can check the spelling of text box controls with Text or Memo data types. @1@1@1
	2003	The current selection does not contain any fields that can be checked for spelling errors. @You can check the spelling of text box controls with Text or Memo data types. @1@1@1
9535	2007	You entered an invalid main dictionary. @Please select a valid entry. @1@1@1
	2003	You entered an invalid main dictionary. @Please select a valid entry. @1@1@1
9536	2007	The spelling check is complete. @1@1@1
	2003	The spelling check is complete. @1@1@1
9537	2007	You must restart the spelling checker for the dictionary change to take effect. @1@1@1
	2003	You must restart the spelling checker for the dictionary change to take effect. @1@1@1
9538	2007	
	2003	The ' ' custom dictionary doesn't exist. @Do you want to create it? @20@1
9539	2007	You have specified a word that isn't found in the main or custom dictionary. @Do you want to use this word and continue checking? @20@1@1
	2003	You have specified a word that isn't found in the main or custom dictionary. @Do you want to use this word and continue checking? @20@1@1
	2000	The Change To box contains a word that isn't found in the main or custom dictionary. @Do you want to use this word and continue checking? @20@1@1
9540	2007	
	2003	The main dictionary you selected can't be used. @It has not been correctly installed. @1@1@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
9541	2007	The spelling checker can't undo your last change.@The data in field ' ' has been modified by another user. To resume the spelling check, click OK.@@1@@@1
	2003	The spelling checker can't undo your last change.@The data in field ' ' has been modified by another user. To resume the spelling check, click OK.@@1@@@1
9542	2007	This database must be closed before you can create a replica.@Do you want Microsoft Office Access to close this database and create the replica?If you proceed, Microsoft Office Access will close your database and convert it to a Design Master. The database may increase in size.@@19@@@2
	2003	This database must be closed before you can create a replica.@Do you want Microsoft Office Access to close this database and create the replica?If you proceed, Microsoft Office Access will close your database and convert it to a Design Master. The database may increase in size.@@19@@@2
	2002	This database must be closed before you can create a replica.@Do you want Microsoft Access to close this database and create the replica?If you proceed, Microsoft Access will close your database and convert it to a Design Master. The database may increase in size.@@19@@@2
9543	2007	The Hangul Hanja Converter can't proceed. There is no Hangul or Hanja data to convert.@@@1@@@1
	2003	The Hangul Hanja Converter can't proceed. There is no Hangul or Hanja data to convert.@@@1@@@1
9544	2007	Microsoft Office Access can't register the ' ' custom dictionary.@@@1@@@1
	2003	Microsoft Office Access can't register the ' ' custom dictionary.@@@1@@@1
	2002	Microsoft Access can't register the ' ' custom dictionary.@@@1@@@1
9545	2007	After you have converted this file to Access 2002 - 2003 File Format, the new file cannot be shared with Access 2000 users or Access 97 users.@For more information about conversion, click Help.@@2@1@553714162@1
	2003	After you have converted this file to Access 2002 - 2003 File Format, the new file cannot be shared with Access 2000 users or Access 97 users.@For more information about conversion, click Help.@@2@553714162@1
	2002	After you have converted this file to Access 2002 File Format, the new file cannot be shared with Access 2000 users or Access 97 users.@For more information about conversion, click Help.@@2@5254@1
9546	2007	
	2003	This data access page was created in a previous version of Microsoft Office Access. To open this page in Design view, you must convert it to the current version of Access. Once you have converted this page, you can't open it in Design view in a previous version of Access. [Convert] [Cancel]@@@35@@
	2002	This data access page was created in a previous version of Microsoft Access. To open this page in Design view, you must convert it to the current version of Access. Once you have converted this page, you can't open it in Design view in a previous version of Access. [Convert] [Cancel]@@@35@@
9547	2007	After you have converted this file to Access 2000 File Format, the new file cannot be shared with Access 97 users. @Any functionality specific to Access 2002 or later will not be available in Access 2000.@For more information about conversion, click Help.@2@1@553714162@1
	2003	After you have converted this file to Access 2000 File Format, the new file cannot be shared with Access 97 users. @Any functionality specific to Access 2002 or later will not be available in Access 2000.@For more information about conversion, click Help.@2@553714162@1
	2002	After you have converted this file to Access 2000 File Format, the new file cannot be shared with Access 97 users. @Any functionality specific to Access 2002 will not be available in Access 2000.@For more information about conversion, click Help.@2@5255@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
9548	2007	After you have converted this file to Access 97 File Format, any functionality specific to Access 2000 or later will be lost.@For more information about conversion, click Help.@@2@1@553714162@1
	2003	After you have converted this file to Access 97 File Format, any functionality specific to Access 2000 or later will be lost.@For more information about conversion, click Help.@@2@553714162@1
	2002	After you have converted this file to Access 97 File Format, any functionality specific to Access 2000 or Access 2002 will be lost.@For more information about conversion, click Help.@@2@5256@1
9549	2007	This Database has been upgraded to the Access 2007 File Format. The new database cannot be shared with users of Access 2003 or earlier versions.@For more information about conversion, click Help.@@2@1@553714162@1
9550	2007	The Text Format property of the bound field ' ' is not currently Rich Text. You should change the Text Format property of the table field before you change the property of this control. If you change the Text Format property of this control to Rich Text before you change the property of the bound field, some data that is not valid HTML might not be displayed.@Do you want to continue?@@19@@@2
9551	2007	The Text Format property of the bound field ' ' is not currently Plain Text. You should change the Text Format property of the table field before you change the property of this control. If you change the Text Format property of this control to Plain Text before you change the property of the bound field, some data might be displayed as HTML tags.@Do you want to continue?@@19@@@2
10000	2007	You must first save the table.@Do you want to save the table now?@@19@@@1
	2003	You must first save the table.@Do you want to save the table now?@@19@@@1
10001	2007	You must first save the view.@Do you want to save the view now?@@19@@@1
	2003	You must first save the view.@Do you want to save the view now?@@19@@@1
10002	2007	You must first save the stored procedure.@Do you want to save the stored procedure now?@@19@@@1
	2003	You must first save the stored procedure.@Do you want to save the stored procedure now?@@19@@@1
10003	2007	You must first save the query.@Do you want to save the query now?@@19@@@1
	2003	You must first save the query.@Do you want to save the query now?@@19@@@1
10004	2007	Do you want to permanently delete the selected field(s) and all the data in the field(s)?@To permanently delete the field(s), click Yes.@@19@@@2
	2003	Do you want to permanently delete the selected field(s) and all the data in the field(s)?@To permanently delete the field(s), click Yes.@@19@@@2
10005	2007	There is no primary key defined.@Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define a relationship between this table and other tables in the database.@Do you want to create a primary key now?@@13@@@2
	2003	There is no primary key defined.@Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define a relationship between this table and other tables in the database.@Do you want to create a primary key now?@@13@@@2
10006	2007	Changing to this data type requires removal of one or more indexes.@You can't use indexes on fields with a Memo, OLE Object, or Hyperlink data type. If you click Yes, Microsoft Office Access will delete the indexes that include that field.@Do you want to continue anyway?@@20@@@2
	2003	Changing to this data type requires removal of one or more indexes.@You can't use indexes on fields with a Memo, OLE Object, or Hyperlink data type. If you click Yes, Microsoft Office Access will delete the indexes that include that field.@Do you want to continue anyway?@@20@@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
10006	2002	Changing to this data type requires removal of one or more indexes. @You can't use indexes on fields with a Memo, OLE Object, or Hyperlink data type. If you click Yes, Microsoft Access will delete the indexes that include that field. Db you want to continue anyway? @@20@@2
10007	2007	Deleting field ' ' requires Microsoft Office Access to delete the primary key. @Do you want to delete this field anyway? @@19@@@2
	2003	Deleting field ' ' requires Microsoft Office Access to delete the primary key. @Do you want to delete this field anyway? @@19@@2
	2002	Deleting field ' ' requires Microsoft Access to delete the primary key. @Do you want to delete this field anyway? @@19@@2
10008	2007	Deleting field ' ' requires Microsoft Office Access to delete one or more indexes. @If you click Yes, Microsoft Office Access will delete the field and all its indexes. Db you want to delete this field anyway? @@19@@@2
	2003	Deleting field ' ' requires Microsoft Office Access to delete one or more indexes. @If you click Yes, Microsoft Office Access will delete the field and all its indexes. Db you want to delete this field anyway? @@19@@2
	2002	Deleting field ' ' requires Microsoft Access to delete one or more indexes. @If you click Yes, Microsoft Access will delete the field and all its indexes. Db you want to delete this field anyway? @@19@@2
10009	2007	Either an object bound to table ' ' is open or another user has the table open. Do you want to open the table as read-only? @To open the table as read-only, click Yes. @To open the table as read/write, click No, make sure the table and all objects bound to it are closed, and then try opening it again in Design view. @19@@@2
	2003	You can't open the table ' ' for modification. @A query or form bound to the table is open, you may not have permission to open this table in Design view, or another user has the table open. Db you want to open this table as read-only? @If you have opened a query or form bound to this table, close it, and then try again to open the table in Design view. @19@@2
10010	2007	Table ' ' is a linked table whose design can't be modified. If you want to add or remove fields or change their properties or data types, you must do so in the source database. @Do you want to open it anyway? @@19@@@2
	2003	Table ' ' is a linked table with some properties that can't be modified. @Do you want to open it anyway? @@19@@2
10011	2007	Microsoft Office Access encountered errors while converting the data. @The contents of fields in 1 record(s) were deleted. Db you want to proceed anyway? @@19@@@2
	2003	Microsoft Office Access encountered errors while converting the data. @The contents of fields in 1 record(s) were deleted. Db you want to proceed anyway? @@19@@2
	2002	Microsoft Access encountered errors while converting the data. @The contents of fields in 1 record(s) were deleted. Db you want to proceed anyway? @@19@@2
10012	2007	Microsoft Office Access cannot retrieve field properties from the system tables. @This database needs to be repaired. If you click Yes, Microsoft Office Access will open the table in Design view. The settings of the FieldName, DataType, FieldSize, Indexed, and Primary properties will remain intact, but the settings of other field properties will be lost. Ybu can attempt to redefine the lost properties, but we recommend that you restore the database from a backup copy, or close it and use the Compact and Repair Database command (click the Microsoft Office Button and point to Manage). Db you want to continue? @@20@@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
10012	2003	Microsoft Office Access can't retrieve field properties from the system tables. The database needs to be repaired. If you click Yes, Microsoft Office Access will open the table in Design view. The settings of the FieldName, DataType, FieldSize, Indexed, and Primary properties will remain intact, but the settings of other field properties will be lost. You can attempt to redefine the lost properties, but it is recommended that you restore the database from a backup copy, or close it and use the Repair Database command on the Tools menu (Database Utilities submenu). Do you want to continue anyway?
	2002	Microsoft Access can't retrieve field properties from the system tables. The database needs to be repaired. If you click Yes, Microsoft Access will open the table in Design view. The settings of the FieldName, DataType, FieldSize, Indexed, and Primary properties will remain intact, but the settings of other field properties will be lost. You can attempt to redefine the lost properties, but it is recommended that you restore the database from a backup copy, or close it and use the Repair Database command on the Tools menu (Database Utilities submenu). Do you want to continue anyway?
10013	2007	Microsoft Office Access can't save property changes for linked tables. Do you want to continue anyway?
	2003	Microsoft Office Access can't save property changes for linked tables. Do you want to continue anyway?
	2002	Microsoft Access can't save property changes for linked tables. Do you want to continue anyway?
10014	2007	Microsoft Office Access was unable to append all the data to the table. The contents of fields in 1 record(s) were deleted, and 2 record(s) were lost due to key violations. If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. If records were lost, either the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables. Do you want to proceed anyway?
	2003	Microsoft Office Access was unable to append all the data to the table. The contents of fields in 1 record(s) were deleted, and 2 record(s) were lost due to key violations. If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. If records were lost, either the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables. Do you want to proceed anyway?
	2002	Microsoft Access was unable to append all the data to the table. The contents of fields in 1 record(s) were deleted, and 2 record(s) were lost due to key violations. If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. If records were lost, either the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables. Do you want to proceed anyway?
10015	2007	Changing to this data type requires removal of the primary key. Do you want to continue anyway?
	2003	Changing to this data type requires removal of the primary key. Do you want to continue anyway?
10016	2007	Some data may be lost. The setting for the FieldSize property of one or more fields has been changed to a shorter size. If data is lost, validation rules may be violated as a result. Do you want to continue anyway?
	2003	Some data may be lost. The setting for the FieldSize property of one or more fields has been changed to a shorter size. If data is lost, validation rules may be violated as a result. Do you want to continue anyway?

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
10017	2007	Your computer is out of disk space. You won't be able to undo this paste append. Do you want to continue anyway?
	2003	Your computer is out of disk space. You won't be able to undo this paste append. Do you want to continue anyway?
10018	2007	Microsoft Office Access was unable to append all the data to the table. The contents of fields in 1 record(s) were deleted, and 2 record(s) were lost due to key violations. If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. If records were lost, the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables.
	2003	Microsoft Office Access was unable to append all the data to the table. The contents of fields in 1 record(s) were deleted, and 2 record(s) were lost due to key violations. If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. If records were lost, the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables.
	2002	Microsoft Access was unable to append all the data to the table. The contents of fields in 1 record(s) were deleted, and 2 record(s) were lost due to key violations. If data was deleted, the data you pasted or imported doesn't match the field data types or the FieldSize property in the destination table. If records were lost, the records you pasted contain primary key values that already exist in the destination table, or they violate referential integrity rules for a relationship defined between tables.
10019	2007	Microsoft Office Access can't find the database containing the linked table ' '. The properties set in Microsoft Office Access for the linked table will be lost. Do you want to continue with the conversion anyway?
	2003	Microsoft Office Access can't find the database containing the linked table ' '. The properties set in Microsoft Office Access for the linked table will be lost. Do you want to continue with the conversion anyway?
	2002	Microsoft Access can't find the database containing the linked table ' '. The properties set in Microsoft Access for the linked table will be lost. Do you want to continue with the conversion anyway?
10020	2007	Data integrity rules have been changed; existing data may not be valid for the new rules. This process may take a long time. Do you want the existing data to be tested with the new rules?
	2003	Data integrity rules have been changed; existing data may not be valid for the new rules. This process may take a long time. Do you want the existing data to be tested with the new rules?
10021	2007	Existing data violates the new record validation rule. Do you want to keep testing with the new rule? To keep the new rule and continue testing, click Yes. To revert to the old rule and continue testing, click No. To stop testing, click Cancel.
	2003	Existing data violates the new record validation rule. Do you want to keep testing with the new rule? To keep the new rule and continue testing, click Yes. To revert to the old rule and continue testing, click No. To stop testing, click Cancel.
10022	2007	Existing data violates the new setting for the ' 1' property for field ' 2'. Do you want to keep testing with the new setting? To keep the new setting and continue testing, click Yes. To revert to the old setting and continue testing, click No. To stop testing, click Cancel.
	2003	Existing data violates the new setting for the ' 1' property for field ' 2'. Do you want to keep testing with the new setting? To keep the new setting and continue testing, click Yes. To revert to the old setting and continue testing, click No. To stop testing, click Cancel.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
10023	2007	Microsoft Office Access deleted indexes on the converted fields.@Some data did not convert properly.@@1@@@1
	2003	Microsoft Office Access deleted indexes on the converted fields.@Some data did not convert properly.@@1@@@1
	2002	Microsoft Access deleted indexes on the converted fields.@Some data did not convert properly.@@1@@@1
10024	2007	You must save the table first.@Microsoft Office Access can't test your data until you save the design changes you made.␣ you want to save the table now?@@19@@@2
	2003	You must save the table first.@Microsoft Office Access can't test your data until you save the design changes you made.␣ you want to save the table now?@@19@@@2
	2002	You must save the table first.@Microsoft Access can't test your data until you save the design changes you made.␣ you want to save the table now?@@19@@@2
10025	2007	This operation will test the table's record and field validation rules, as well as the Required and AllowZeroLength properties, for all data in the table.@This process may take a long time.␣ you want to continue anyway?@@19@@@2
	2003	This operation will test the table's record and field validation rules, as well as the Required and AllowZeroLength properties, for all data in the table.@This process may take a long time.␣ you want to continue anyway?@@19@@@2
10026	2007	All data was valid for all rules.@@@1@@@1
	2003	All data was valid for all rules.@@@1@@@1
10027	2007	Existing data violates the new record validation rule.@Do you want to continue testing data with this new rule?␣To continue testing for other new rule violations, click Yes.␣To continue to test only the old validation rules, click No.␣To stop testing, click Cancel.@@13@@@2
	2003	Existing data violates the new record validation rule.@Do you want to continue testing data with this new rule?␣To continue testing for other new rule violations, click Yes.␣To continue to test only the old validation rules, click No.␣To stop testing, click Cancel.@@13@@@2
10028	2007	The existing data violates the ' 1' property for field ' 2.'@If you continue testing, Microsoft Office Access will inform you if data violates any other property settings in the table.␣Would you like to continue testing?@@19@@@2
	2003	The existing data violates the ' 1' property for field ' 2.'@If you continue testing, Microsoft Office Access will inform you if data violates any other property settings in the table.␣Would you like to continue testing?@@19@@@2
	2002	The existing data violates the ' 1' property for field ' 2.'@If you continue testing, Microsoft Access will inform you if data violates any other property settings in the table.␣Would you like to continue testing?@@19@@@2
10029	2007	
	2003	There is no primary key defined.@Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to add data to this table or to define relationships between this table and other tables in the database.␣ you want to return to table design and add a primary key now?@@13@@@2
10030	2007	There is no primary key defined.@Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define relationships between this table and other tables in the database.␣ you want to return to table design and add a primary key now?@@13@@@2
	2003	There is no primary key defined.@Although a primary key isn't required, it's highly recommended. A table must have a primary key for you to define relationships between this table and other tables in the database.␣ you want to return to table design and add a primary key now?@@13@@@2
10031	2007	You must first save the function.@Do you want to save the function now?@@19@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
10031	2003	You must first save the function.@Do you want to save the function now?@@19@@1
10032	2007	This field will be converted to Plain Text and all the formatting in the field will be removed.@Do you want to convert the column to Plain Text?@@20@@@2
10033	2007	This field will be converted to Rich Text, and all the data it contains will be HTML encoded.@If your data already contains valid HTML Rich Text, you can remove any extra HTML encoding by using the PlainText function in an update query. Do you want to convert the column to Rich Text?@@20@@@2
10250	2007	You can't print the scrollable (unfrozen) columns on the datasheet.@The frozen columns are wider than the page. Do you want to print just the frozen columns?@If you want to print the unfrozen columns, try one or more of the following:☐ Decrease the column width and increase the row height of the frozen columns.☐ Change the page orientation to Landscape in the printer Properties dialog box.☐ Decrease the size of the left and right page margins in the Page Setup dialog box.@21@1@9172@2
	2003	You can't print the scrollable (unfrozen) columns on the datasheet.@The frozen columns are wider than the page. Do you want to print just the frozen columns?@If you want to print the unfrozen columns, try one or more of the following:☐ Decrease the column width and increase the row height of the frozen columns.☐ Change the page orientation to Landscape in the printer Properties dialog box.☐ Decrease the size of the left and right page margins in the Page Setup dialog box.@21@209172@2
10251	2007	The column heading is too tall to fit on the page. Part of the heading will be cut off.@Do you want to print the incomplete heading?@To prevent headings from being cut off, try one or more of the following:☐ Change the page orientation to Portrait in the printer Properties dialog box.☐ Decrease the size of the top and bottom page margins in the Page Setup dialog box.@19@@@2
	2003	The column heading is too tall to fit on the page. Part of the heading will be cut off.@Do you want to print the incomplete heading?@To prevent headings from being cut off, try one or more of the following:☐ Change the page orientation to Portrait in the printer Properties dialog box.☐ Decrease the size of the top and bottom page margins in the Page Setup dialog box.@19@@@2
10252	2007	At least one column is too wide to fit on the page. Data in that column will be cut off.@Do you want to print the column with incomplete data?@To prevent data from being cut off, try one or more of the following:☐ Decrease the column width and increase the row height.☐ Change the page orientation to Landscape in the printer Properties dialog box.☐ Decrease the size of the left and right page margins in the Page Setup dialog box.@19@@@2
	2003	At least one column is too wide to fit on the page. Data in that column will be cut off.@Do you want to print the column with incomplete data?@To prevent data from being cut off, try one or more of the following:☐ Decrease the column width and increase the row height.☐ Change the page orientation to Landscape in the printer Properties dialog box.☐ Decrease the size of the left and right page margins in the Page Setup dialog box.@19@@@2
10253	2007	The row height exceeds the space between the top and bottom margins.@Do you want to print the columns with incomplete data?@To prevent data from being cut off, try one or more of the following:☐ Increase the column width and decrease the row height.☐ Change the page orientation to Portrait in the printer Properties dialog box.☐ Decrease the size of the top and bottom page margins in the Page Setup dialog box.@19@@@2
	2003	The row height exceeds the space between the top and bottom margins.@Do you want to print the columns with incomplete data?@To prevent data from being cut off, try one or more of the following:☐ Increase the column width and decrease the row height.☐ Change the page orientation to Portrait in the printer Properties dialog box.☐ Decrease the size of the top and bottom page margins in the Page Setup dialog box.@19@@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
10500	2007	You are about to run an update query that will modify data in your table. Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help. @21@1@9058@2
	2003	You are about to run an update query that will modify data in your table. Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help. @21@209058@2
10501	2007	You are about to run an append query that will modify data in your table. Are you sure you want to run this type of action query? For information on turning off confirmation messages for document deletions, click Help. @21@1@9058@2
	2003	You are about to run an append query that will modify data in your table. Are you sure you want to run this type of action query? For information on turning off confirmation messages for document deletions, click Help. @21@209058@2
10502	2007	You are about to run a make-table query that will modify data in your table. Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help. @21@1@9058@2
	2003	You are about to run a make-table query that will modify data in your table. Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help. @21@209058@2
10503	2007	You are about to run a delete query that will modify data in your table. Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help. @21@1@9058@2
	2003	You are about to run a delete query that will modify data in your table. Are you sure you want to run this type of action query? For information on how to prevent this message from displaying every time you run an action query, click Help. @21@209058@2
10504	2007	You are about to run a data-definition query that may modify data in your table. Are you sure you want to run this type of an SQL query? If not, click No and then modify the query or close it to run later. @19@@@2
	2003	You are about to run a data-definition query that may modify data in your table. Are you sure you want to run this type of an SQL query? If not, click No and then modify the query or close it to run later. @19@@@2
10505	2007	You are about to update row(s). Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to update these records? @19@@@2
	2003	You are about to update row(s). Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to update these records? @19@@@2
10506	2007	You are about to append row(s). Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to append the selected rows? @19@@@2
	2003	You are about to append row(s). Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to append the selected rows? @19@@@2
10507	2007	You are about to paste row(s) into a new table. Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to create a new table with the selected records? @19@@@2
	2003	You are about to paste row(s) into a new table. Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to create a new table with the selected records? @19@@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
10508	2007	You are about to delete row(s) from the specified table. Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to delete the selected records?
	2003	You are about to delete row(s) from the specified table. Once you click Yes, you can't use the Undo command to reverse the changes. Are you sure you want to delete the selected records?
10509	2007	Microsoft Office Access can't update all the records in the update query. Microsoft Office Access didn't update 1 field(s) due to a type conversion failure, 2 record(s) due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. Do you want to continue running this type of action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.
	2003	Microsoft Office Access can't update all the records in the update query. Microsoft Office Access didn't update 1 field(s) due to a type conversion failure, 2 record(s) due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. Do you want to continue running this type of action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.
	2002	Microsoft Access can't update all the records in the update query. Microsoft Access didn't update 1 field(s) due to a type conversion failure, 2 record(s) due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. Do you want to continue running this type of action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.
10510	2007	Microsoft Office Access can't append all the records in the append query. Microsoft Office Access set 1 field(s) to Null due to a type conversion failure, and it didn't add 2 record(s) to the table due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. Do you want to run the action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.
	2003	Microsoft Office Access can't append all the records in the append query. Microsoft Office Access set 1 field(s) to Null due to a type conversion failure, and it didn't add 2 record(s) to the table due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. Do you want to run the action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.
	2002	Microsoft Access can't append all the records in the append query. Microsoft Access set 1 field(s) to Null due to a type conversion failure, and it didn't add 2 record(s) to the table due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. Do you want to run the action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.
10511	2007	Microsoft Office Access can't add all the records in the update or append query. It set 1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or entering text in a numeric field will cause this error. Do you want to ignore the errors and run the update or append query anyway? To ignore the error(s) and run the query, click Yes.
	2003	Microsoft Office Access can't add all the records in the update or append query. It set 1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or entering text in a numeric field will cause this error. Do you want to ignore the errors and run the update or append query anyway? To ignore the error(s) and run the query, click Yes.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
10511	2002	Microsoft Access can't add all the records in the update or append query. It set 1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or entering text in a numeric field will cause this error. Do you want to ignore the errors and run the update or append query anyway? To ignore the error(s) and run the query, click Yes.
10512	2007	Microsoft Office Access can't delete 2 record(s) in the delete query due to key violations and 3 record(s) due to lock violations. Do you want to run this action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.
	2003	Microsoft Office Access can't delete 2 record(s) in the delete query due to key violations and 3 record(s) due to lock violations. Do you want to run this action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.
	2002	Microsoft Access can't delete 2 record(s) in the delete query due to key violations and 3 record(s) due to lock violations. Do you want to run this action query anyway? To ignore the error(s) and run the query, click Yes. For an explanation of the causes of the violations, click Help.
10513	2007	The existing will be deleted before you run the query. Do you want to continue anyway?
	2003	The existing will be deleted before you run the query. Do you want to continue anyway?
10514	2007	You won't be able to undo the changes this action query is about to make to the data in a linked table or tables. Do you want to run this action query anyway?
	2003	You won't be able to undo the changes this action query is about to make to the data in a linked table or tables. Do you want to run this action query anyway?
10515	2007	Microsoft Office Access was unable to update all the records in the update query. Microsoft Office Access didn't update 1 field(s) due to a type conversion failure, 2 record(s) due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.
	2003	Microsoft Office Access was unable to update all the records in the update query. Microsoft Office Access didn't update 1 field(s) due to a type conversion failure, 2 record(s) due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.
	2002	Microsoft Access was unable to update all the records in the update query. Microsoft Access didn't update 1 field(s) due to a type conversion failure, 2 record(s) due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.
10516	2007	Microsoft Office Access can't append all the records to the table. Microsoft Office Access set 1 field(s) to Null due to a type conversion failure, and it didn't add 2 record(s) due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.
	2003	Microsoft Office Access can't append all the records to the table. Microsoft Office Access set 1 field(s) to Null due to a type conversion failure, and it didn't add 2 record(s) due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
10516	2002	Microsoft Access can't append all the records to the table. Microsoft Access set 1 field(s) to Null due to a type conversion failure, and it didn't add 2 record(s) due to key violations, 3 record(s) due to lock violations, and 4 record(s) due to validation rule violations. For an explanation of the causes of the violations, click Help. @2@310020@1
10517	2007	Microsoft Office Access can't add all the records in the make-table query. It set 1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or adding text in numeric field will cause this error. @1@1@922@1
	2003	Microsoft Office Access can't add all the records in the make-table query. It set 1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or adding text in numeric field will cause this error. @1@600922@1
	2002	Microsoft Access can't add all the records in the make-table query. It set 1 field(s) to Null due to a type conversion failure. A type conversion failure is caused when the data in one or more fields doesn't match the DataType or FieldSize property in the destination table. For example, leaving blank fields in a Yes/No field or adding text in numeric field will cause this error. @1@600922@1
10518	2007	Microsoft Office Access can't delete all the records in the delete query. Microsoft Office Access didn't delete 2 record(s) due to key violations and 3 record(s) due to lock violations. For an explanation of the causes of the violation, click Help. @2@1@10016@1
	2003	Microsoft Office Access can't delete all the records in the delete query. Microsoft Office Access didn't delete 2 record(s) due to key violations and 3 record(s) due to lock violations. For an explanation of the causes of the violation, click Help. @2@310016@1
	2002	Microsoft Access can't delete all the records in the delete query. Microsoft Access didn't delete 2 record(s) due to key violations and 3 record(s) due to lock violations. For an explanation of the causes of the violation, click Help. @2@310016@1
10519	2007	There isn't enough disk space or memory to undo the data changes this action query is about to make. Do you want to run this action query anyway? For information on freeing disk space or freeing memory, search the Microsoft Windows Help index for 'disk space, freeing' or 'memory, troubleshooting'. @19@@@2
	2003	There isn't enough disk space or memory to undo the data changes this action query is about to make. Do you want to run this action query anyway? For information on freeing disk space or freeing memory, search the Microsoft Windows Help index for 'disk space, freeing' or 'memory, troubleshooting'. @19@@2
10520	2007	Do you want to save the changes made to the SQL statement and update the property? The RecordSource or RowSource property contained an SQL statement when you invoked the Query Builder, so the original SQL statement was modified. To close the Query Builder without changing the original SQL statement, click No. @13@1@4309@2
	2003	Do you want to save the changes made to the SQL statement and update the property? The RecordSource or RowSource property contained a SQL statement when you invoked the Query Builder, so the original SQL statement was modified. To close the Query Builder without changing the original SQL statement, click No. @13@604309@2
	2000	Do you want to save the changes made to the SQL statement and update the property? The RecordSource or RowSource property contained an SQL statement when you invoked the Query Builder, so the original SQL statement was modified. To close the Query Builder without changing the original SQL statement, click No. @13@604309@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
10521	2007	Do you want to save the changes made to the query and update the property?@The RecordSource or RowSource property contained the name of a query when you invoked the Query Builder, so the original query was modified.@To close the Query Builder without changing the original query, click No.@13@1@4309@2
	2003	Do you want to save the changes made to the query and update the property?@The RecordSource or RowSource property contained the name of a query when you invoked the Query Builder, so the original query was modified.@To close the Query Builder without changing the original query, click No.@13@604309@2
10522	2007	You invoked the Query Builder on a table.@Do you want to create a query based on the table?@@19@@@2
	2003	You invoked the Query Builder on a table.@Do you want to create a query based on the table?@@19@@2
10523	2007	You are about to run a pass-through query that may modify data in your table.@Are you sure you want to run this type of an SQL query?Ebr information on how to prevent this message from displaying every time you run an SQL query, click Help.@@21@1@9058@2
	2003	You are about to run a pass-through query that may modify data in your table.@Are you sure you want to run this type of an SQL query?Ebr information on how to prevent this message from displaying every time you run an SQL query, click Help.@@21@209058@2
10524	2007	output column(s) in the query were unnamed and will not show any data.@@@1@@@1
	2003	output column(s) in the query were unnamed and will not show any data.@@@1@@1
10526	2007	Do you want to save the changes made to the SQL Statement and update the text editor?@The Stored Procedure or Function contained an SQL statement when you invoked the Query Builder, so the original SQL statement was modified.@To close the Query Builder without changing the original SQL statement, click No.@13@1@4309@2
	2003	Do you want to save the changes made to the SQL Statement and update the text editor?@The Stored Procedure or Function contained an SQL statement when you invoked the Query Builder, so the original SQL statement was modified.@To close the Query Builder without changing the original SQL statement, click No.@13@604309@2
10600	2007	Are you sure you want to permanently delete the selected relationship from your database?@@@19@@@2
	2003	Are you sure you want to permanently delete the selected relationship from your database?@@@19@@2
10601	2007	A relationship already exists.@Do you want to edit the existing relationship? To create a new relationship, click No.@@13@@@2
	2003	A relationship already exists.@Do you want to edit the existing relationship? To create a new relationship, click No.@@13@@2
10602	2007	The field name is missing in row .@You haven't selected a matching field for this relationship in each row of the grid.@Select fields so that the grid has the same number of fields on the left and right sides, and then try to create the relationship again.@1@@@1
	2003	The field name is missing in row .@You haven't selected a matching field for this relationship in each row of the grid.@Select fields so that the grid has the same number of fields on the left and right sides, and then try to create the relationship again.@1@@1
10603	2007	This relationship has been modified or deleted by another user since you opened the Relationships window.@Do you want to edit the relationship and overwrite the other user's changes? To update your Relationships window to include the other user's changes, click No.@@19@@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
10603	2003	This relationship has been modified or deleted by another user since you opened the Relationships window. @Do you want to edit the relationship and overwrite the other user's changes? To update your Relationships window to include the other user's changes, click No. @19@@2
10604	2007	This relationship has already been deleted by another user. @To update your view, click OK. @1@@@1
	2003	This relationship has already been deleted by another user. @To update your view, click OK. @1@@1
10605	2007	The layout of the Relationships window will be cleared. @Do you want to continue? @19@@@2
	2003	The layout of the Relationships window will be cleared. @Do you want to continue? @19@@2
10606	2007	You cannot display queries or linked tables in the Relationships window for this database. @The database 'j' was created in an earlier version of Microsoft Office Access. @To convert this database to the current version of Microsoft Office Access, click the Microsoft Office Button, and then click Convert. @3@1@9029@1
	2003	You can't display queries or linked tables in the Relationships window for this database. @The database 'j' was created in an earlier version of Microsoft Office Access. @If you want to convert this database to the current version of Microsoft Office Access, use the Convert Database command on the Tools menu (Database Utilities submenu). @1@@1
	2002	You can't display queries or linked tables in the Relationships window for this database. @The database 'j' was created in an earlier version of Microsoft Office Access. @If you want to convert this database to the current version of Microsoft Office Access, use the Convert Database command on the Tools menu (Database Utilities submenu). @1@@1
10607	2007	The relationship has been created as a one-to-many relationship because there are duplicate entries in the related field. @You've tried to create a one-to-one relationship, but the data in the tables suggests that a one-to-many relationship is more appropriate. @2@1@11617@1
	2003	The relationship has been created as a one-to-many relationship because there are duplicate entries in the related field. @You've tried to create a one-to-one relationship, but the data in the tables suggests that a one-to-many relationship is more appropriate. @2@411617@1
10608	2007	To create a relationship, use the mouse to drag a field from one table to another. @@@1@@@1
	2003	To create a relationship, use the mouse to drag a field from one table to another. @@@1@@1
10700	2007	This document was previously formatted for the printer 1 on 2, but that printer isn't available. Do you want to use the default printer 3? @@@19@@@1
	2003	This document was previously formatted for the printer 1 on 2, but that printer isn't available. Do you want to use the default printer 3? @@@19@@1
	2002	This document was previously formatted for the printer 1 on 2, but that printer isn't available. Do you want to use the default printer 3 on 4? @@@19@@1
10701	2007	This document was previously formatted for the printer ' 1 on 2', but that printer isn't available. The page settings shown in the Print Setup dialog box are for the current default printer ' 3'. @Do you want to continue? @19@@@1
	2003	This document was previously formatted for the printer ' 1 on 2', but that printer isn't available. The page settings shown in the Print Setup dialog box are for the current default printer ' 3'. @Do you want to continue? @19@@1
	2002	This document was previously formatted for the printer ' 1 on 2', but that printer isn't available. The page settings shown in the Print Setup dialog box are for the current default printer ' 3 on 4'. @Do you want to continue? @19@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
10702	2007	Previewing or printing this PivotTable view might take a long time because it displays a large amount of detail data. Microsoft Office Access might not respond for some time. @Do you want to continue?@* To reduce the amount of time required, hide most or all of the detail data in the view. For more information, consult Microsoft Knowledge Base article Q282315. @3@@@1
	2003	Previewing or printing this PivotTable view might take a long time because it displays a large amount of detail data. Microsoft Office Access might not respond for some time. @Do you want to continue?@* To reduce the amount of time required, hide most or all of the detail data in the view. For more information, consult Microsoft Knowledge Base article Q282315. @3@@@1
	2002	Previewing or printing this PivotTable view might take a long time because it displays a large amount of detail data. Microsoft Access might not respond for some time. @Do you want to continue?@* To reduce the amount of time required, hide most or all of the detail data in the view. For more information, consult Microsoft Knowledge Base article Q282315. @3@@@1
10750	2007	You must save the macro before you run it. @Do you want to save the macro now? To save the macro and then run it, click Yes. To return to the Macro window for this macro or to the window you executed the Run Macro command from, click No. @19@@@2
	2003	You must save the macro before you run it. @Do you want to save the macro now? To save the macro and then run it, click Yes. To return to the Macro window for this macro or to the window you executed the Run Macro command from, click No. @19@@@2
10751	2007	Some of the macro actions you are trying to save cannot be performed in Access 97. These actions will be permanently deleted from the macro in the Access 97 version of your database. @@@1@@@1
	2003	Some of the macro actions you are trying to save cannot be performed in Access 97. These actions will be permanently deleted from the macro in the Access 97 version of your database. @@@1@@@1
	2000	You are trying to save some actions which cannot perform in Microsoft Access97. These actions will be permanently deleted from the Access97 version of your macro. @@@1@@@1
10800	2007	Microsoft Office Access finished adding the index ' '. @Add another index from the Select Index Files dialog box, or click Close. @1@@@1
	2003	Microsoft Office Access finished adding the index ' '. @Add another index from the Select Index Files dialog box, or click Close. @1@@@1
	2002	Microsoft Access finished adding the index ' '. @Add another index from the Select Index Files dialog box, or click Close. @1@@@1
10801	2007	The Microsoft Office Access index information (.inf) file for ' ' already exists. @Do you want to replace the existing Microsoft Office Access .inf file for the dBASE or Microsoft FoxPro file you're linking?@* To create a new .inf file, click Yes. To use the existing file, click No. If the .inf file contains invalid or outdated information, you must click Yes to create a new .inf file before you can link the table. @17@1@9186@2
	2003	The Microsoft Office Access index information (.inf) file for ' ' already exists. @Do you want to replace the existing Microsoft Office Access .inf file for the dBASE or Microsoft FoxPro file you're linking?@* To create a new .inf file, click Yes. To use the existing file, click No. If the .inf file contains invalid or outdated information, you must click Yes to create a new .inf file before you can link the table. @17@209186@2
	2002	The Microsoft Access index information (.inf) file for ' ' already exists. @Do you want to replace the existing Microsoft Access .inf file for the dBASE or Microsoft FoxPro file you're linking?@* To create a new .inf file, click Yes. To use the existing file, click No. If the .inf file contains invalid or outdated information, you must click Yes to create a new .inf file before you can link the table. @17@209186@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
10803	2007	The object ' ' already exists. @Do you want to replace the existing object with the one you are exporting? If you want to export this object without replacing the existing object, click No. You can then choose a new name in the Export dialog box. @20@@2
	2003	The database object ' ' already exists. @Do you want to replace the existing database object with the one you are exporting? If you want to export this object without replacing the existing database object, click No. You can then export the object again and rename it in the Export dialog box. @20@@2
10804	2007	Not all of the import specifications could be imported due to name conflicts. Conflicts existed in of the specifications. @Rename the conflicting import specifications, and try the import operation again. @1@@1
	2003	Not all of the import specifications could be imported due to name conflicts. Conflicts existed in of the specifications. @Rename the conflicting import specifications, and try the import operation again. @1@@1
10805	2007	
	2003	Invalid CDF file name
10806	2007	Related data is not supported with the live data option.
10807	2007	Please specify XML export location.
10808	2007	The current record was not unique. All identical records were exported.
10892	2007	A form with a bound ActiveX control or an embedded object bound to a data source can't have its DefaultValue property set to Continuous Forms. @You tried to add a bound ActiveX control to a form in Design view. Microsoft Office Access will reset the DefaultValue property to Single Form. @1@@1
	2003	A form with a bound ActiveX control or an embedded object bound to a data source can't have its DefaultValue property set to Continuous Forms. @You tried to add a bound ActiveX control to a form in Design view. Microsoft Office Access will reset the DefaultValue property to Single Form. @1@@1
	2002	A form with a bound ActiveX control or an embedded object bound to a data source can't have its DefaultValue property set to Continuous Forms. @You tried to add a bound ActiveX control to a form in Design view. Microsoft Access will reset the DefaultValue property to Single Form. @1@@1
10893	2007	
	2003	Either the data access page file has been opened by another user or you don't have write permission to the file. If you make changes, you will have to save them to another file.
	2000	You do not have write permission to this data access page. If you make any changes, you will have to save them to an alternate file.
10894	2007	
	2003	An unexpected error occurred while saving document properties to the data access page.
10895	2007	
	2003	You tried to drop an OLE or binary column onto your data access page. There is no HTML control which binds correctly to this column type.
	2000	You tried to drop an OLE or Long Binary column onto your data access page. There is no HTML control which binds correctly to this column type.
10896	2007	You have chosen to permanently delete the link to the data access page. @Delete & Link @Cancel @27@@@
	2003	You have chosen to permanently delete the data access page. @Do you want to delete both the link and page file(s), or delete just the link? @Delete Link and Files @Delete & Link Only @Cancel @27@@@
	2000	You have chosen to delete the data access page. @Choose Yes to permanently delete the link and page file(s), No to delete just the link. @17@@@

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
10897	2007	@There is a problem with Internet Explorer registry settings.@Please reinstall Internet Explorer.@1@@@1
	2003	@There is a problem with Internet Explorer registry settings.@Please reinstall Internet Explorer.@1@@@1
10898	2007	Microsoft Office Access data access pages can only be viewed in Windows Internet Explorer, but it is not your default Browser.@Do you want to open Internet Explorer to view this page?@@19@@@
	2003	Microsoft Office Access data access pages can only be viewed in Microsoft Internet Explorer, but it is not your default Browser.@Do you want to open Internet Explorer to view this page?@@19@@
	2002	Microsoft Access data access pages can only be viewed in Microsoft Internet Explorer, but it is not your default Browser.@Do you want to open Internet Explorer to view this page?@@19@@
10899	2007	A link to this data access page could not be created because the Data and Misc. Objects are not checked out.@@@1@@@1
	2003	A link to this data access page could not be created because the Data and Misc. Objects are not checked out.@@@1@@@1
10900	2007	
	2003	The save operation was successful.@A folder was created for your supporting files at the save destination.@This directory had to be created because the server does not support long file names.@1@@@1
10901	2007	
	2003	You must save your data access page before you can preview it.@Do you want to save now?@@19@@@
10902	2007	
	2003	The data access page has been saved, but one or more of the supporting files (i.e., image, sound, video files) are missing.@You may need to: Delete and recreate the HTML object(s) on the page. Reapply the theme, if the page has a theme.@@@1@@@1
	2000	The save completed, but one or more of the supporting files are missing (i.e., image, sound, video files).@You may want to remove the HTML object(s) from this page.@@@1@@@1
10903	2007	
	2003	The save completed, but files for the selected theme are missing.@Please apply a new theme to your data access page, and save again.@@@1@@@1
10904	2007	
	2003	Do you want Microsoft Office Access to set the DataPageSize property of this group level to All?@@@19@@@
	2002	Do you want Microsoft Access to set the DataPageSize property of this group level to All?@@@19@@@
10905	2007	
	2003	You have opened a page that was designed using Access 2000. To be able to edit the page, you must save it using a more recent version of the Microsoft Office Web Components. Do you want Access to convert this page by saving it using a more recent version of the Microsoft Office Web Components? Convert Cancel@@@35@@@
	2002	You have opened a page that was last designed using Access 2000. The page must be saved using Office XP Office Web Components before you can edit this document. Would you like to convert this page? Convert Cancel@@@35@@@
10950	2007	Are you sure you want to delete this account?@You can't undo the deletion of a user or group account. To restore a user or group account that has been deleted, you must recreate the account using the same name and personal identifier (PID).@@20@@@2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
10950	2003	Are you sure you want to delete this account?@You can't undo the deletion of a user or group account. To restore a user or group account that has been deleted, you must recreate the account using the same name and personal identifier (PID).@@20@@2
10951	2007	You don't have permission to modify ' '.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it.@Do you want to save a copy of the object as a new object?@@21@1@10222@1
	2003	You don't have permission to modify ' '.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it.@Do you want to save a copy of the object as a new object?@@21@410222@1
10952	2007	You don't have permission to view this macro.@To view a macro, you must have Read Design permission for it.@Do you want to continue to run the macro?@@21@1@10222@2
	2003	You don't have permission to view this macro.@To view a macro, you must have Read Design permission for it.@Do you want to continue to run the macro?@@21@410222@2
10953	2007	You don't have permission to modify ' '.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it.@Do you want to open it as read-only?@@21@1@10222@1
	2003	You don't have permission to modify ' '.@To modify this object, you must have Modify Design permission for it. If the object is a table, you must also have Delete Data and Update Data permissions for it.@Do you want to open it as read-only?@@21@410222@1
10954	2007	You changed the permissions of ' 1' for ' 2'.@Do you want to assign these permissions now?@@19@@@2
	2003	You changed the permissions of ' 1' for ' 2'.@Do you want to assign these permissions now?@@19@@@2
10955	2007	You don't have permission to open ' ' for exclusive use.@Microsoft Office Access is opening the database for shared access.@To open a database for exclusive access, you must have Open Exclusive permission for it. For more information on permissions and who can set them, click Help.@@5@1@10222@1
	2003	You don't have permission to open ' ' for exclusive use.@Microsoft Office Access is opening the database for shared access.@To open a database for exclusive access, you must have Open Exclusive permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1
	2002	You don't have permission to open ' ' for exclusive use.@Microsoft Access is opening the database for shared access.@To open a database for exclusive access, you must have Open Exclusive permission for it. For more information on permissions and who can set them, click Help.@@2@410222@1
10956	2007	;LCID=0x0409
10957	2007	You haven't entered a workgroup ID. To ensure that your workgroup information file is unique, enter a unique workgroup ID of up to 20 numbers or letters. Continue without a workgroup ID?@@@20@@@1
	2003	You haven't entered a workgroup ID. To ensure that your workgroup information file is unique, enter a unique workgroup ID of up to 20 numbers or letters. Continue without a workgroup ID?@@@20@@@1
10958	2007	The file ' ' already exists. Replace existing file?@@@20@@@1
	2003	The file ' ' already exists. Replace existing file?@@@20@@@1
10959	2007	Workgroup Files (*.mdw)
10960	2007	Select Workgroup Information File

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
10961	2007	Open
10962	2007 2003	You have successfully created the workgroup information file ' .'@@@1@@@4 You have successfully created the workgroup information file ' .'@@@1@@@4
10963	2007 2003	Could not find file: ' '
10964	2007 2003	You have successfully joined the workgroup defined by the workgroup information file ' .'@@@1@@@2 You have successfully joined the workgroup defined by the workgroup information file ' .'@@@1@@@2
10965	2007 2003	It is strongly recommended that you change the system administrator (SA) password when this operation is complete. To change the SA password point to Security on the Tools menu, and then click Set Login Password.
10966	2007 2003	You must restart the application for the new security level to take effect.@@@1@@@1
10967	2007 2003	Microsoft Office Access cannot change the registry setting that controls whether or not unsafe expressions are blocked.@Your account is not authorized to change this registry setting. To change this setting, contact your system administrator.@@2@553714182@2
10968	2007 2003	Microsoft Office Access cannot add a digital signature to your file because Access cannot gain exclusive access to the file. @Make sure no other person or program has the file open and try to add the digital signature again.@@1@@@2 Microsoft Office Access cannot add a digital signature to your file because Access cannot gain exclusive access to the file. @Make sure no other person or program has the file open and try to add the digital signature again.@@1@@@2
10969	2007 2003	For the Medium or High macro security levels to function properly, your computer must also be configured to block unsafe expressions.@Blocking unsafe expressions affects all users on this computer.@Do you want to block unsafe expressions?@21@553714182@2
10970	2007 2003	Unsafe expressions are blocked. You can configure your computer to allow all expressions to be evaluated.@Allowing all expressions to be evaluated affects all users on this computer.@Do you want to allow the evaluation of potentially unsafe expressions?@22@553714182@2
10971	2007 2003	Security Warning: Unsafe expressions are not blocked.@To block unsafe expressions, Microsoft Jet 4.0 Service Pack 8 or later must be installed. To get the latest version of Jet 4.0, go to http://windowsupdate.microsoft.com .@' ' may not be safe to open if it contains expressions that were intended to harm your computer. Do you want to open this file?@20@553714182@2
10972	2007 2003	Security Warning: Unsafe expressions are not blocked.@Do you want to block unsafe expressions?@@21@553714182@2
10973	2007 2003	' ' cannot be opened because you must restart the application for the new security level to take effect.@@@1@553714182@1
10974	2007	Modifications to the database or project have invalidated the associated digital signature.@This may require you to make a trust decision the next time you open the database or project. @@2@1@553714150@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
29000	2007	There isn't enough memory to create an input area. @Close unneeded programs. Then try to create the input area again. Ebr more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
	2003	There isn't enough memory to create an input area. @Close unneeded programs. Then try to create the input area again. Ebr more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
29001	2007	Microsoft Office Access failed to save module ' '. @Your computer may be low on disk space. Ebr information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'. @1@@@3
	2003	Microsoft Office Access failed to save module ' '. @Your computer may be low on disk space. Ebr information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'. @1@@@3
	2002	Microsoft Access failed to save module ' '. @Your computer may be low on disk space. Ebr information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'. @1@@@3
29002	2007	Microsoft Office Access failed to create the Visual Basic module ' '. @If your database is on a network drive, check your network connection, and then try again. @1@@@1
	2003	Microsoft Office Access failed to create the Visual Basic module ' '. @If your database is on a network drive, check your network connection, and then try again. @1@@@1
	2002	Microsoft Access failed to create the Visual Basic module ' '. @If your database is on a network drive, check your network connection, and then try again. @1@@@1
29003	2007	Microsoft Office Access failed to convert or enable your code modules. @Your computer may be low on disk space or memory. @1@@@1
	2003	Microsoft Office Access failed to convert or enable your code modules. @Your computer may be low on disk space or memory. @1@@@1
	2002	Microsoft Access failed to convert or enable your code modules. @Your computer may be low on disk space or memory. @1@@@1
29004	2007	The new procedure name you provided is invalid. @2@1@11738@1
	2003	The new procedure name you provided is invalid. @2@611738@1
29005	2007	The procedure ' ' already exists. @Choose another procedure name. @1@@@1
	2003	The procedure ' ' already exists. @Choose another procedure name. @1@@@1
29006	2007	Microsoft Office Access failed to create a Debug window toolbar. @The system may be out of resource memory. @Close unneeded programs and try again. Ebr more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
	2003	Microsoft Office Access failed to create a Debug window toolbar. @The system may be out of resource memory. @Close unneeded programs and try again. Ebr more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
	2002	Microsoft Access failed to create a Debug window toolbar. @The system may be out of resource memory. @Close unneeded programs and try again. Ebr more information on freeing memory, search the Microsoft Windows Help index for 'memory, troubleshooting'. @1@@@1
29007	2007	During the paste or import operation, Microsoft Office Access failed to convert the ' ' module from an earlier version of a Microsoft Office Access database. @Your computer may be low on disk space or memory. @1@@@1
	2003	During the paste or import operation, Microsoft Office Access failed to convert the ' ' module from an earlier version of a Microsoft Office Access database. @Your computer may be low on disk space or memory. @1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
29007	2002	During the paste or import operation, Microsoft Access failed to convert the 'I' module from an earlier version of a Microsoft Access database. Your computer may be low on disk space or memory. @1@@1
29008	2007	Microsoft Office Access couldn't create storage space for a Visual Basic module. If your database is on a network drive, check your network connection, and then try again. @1@@@3
	2003	Microsoft Office Access couldn't create storage space for a Visual Basic module. If your database is on a network drive, check your network connection, and then try again. @1@@3
	2002	Microsoft Access couldn't create storage space for a Visual Basic module. If your database is on a network drive, check your network connection, and then try again. @1@@3
29009	2007	Microsoft Office Access couldn't open the storage space for a Visual Basic module. Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'. @1@@@3
	2003	Microsoft Office Access couldn't open the storage space for a Visual Basic module. Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'. @1@@3
	2002	Microsoft Access couldn't open the storage space for a Visual Basic module. Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'. @1@@3
29010	2007	The function name is too long. Microsoft Office Access will truncate the function name to 255 characters. @1@1@11738@1
	2003	The function name is too long. Microsoft Office Access will truncate the function name to 255 characters. @1@411738@1
	2002	The function name is too long. Microsoft Access will truncate the function name to 255 characters. @1@411738@1
29011	2007	Microsoft Office Access failed to save the database. Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'. @1@@@3
	2003	Microsoft Office Access failed to save the database. Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'. @1@@3
	2002	Microsoft Access failed to save the database. Your computer may be low on disk space. For information on freeing memory or disk space, search the Microsoft Windows Help index for 'memory, troubleshooting' or 'disk space, freeing'. @1@@3
29012	2007	
	2000	Microsoft Access failed to save the database information; database references may be lost. @1@@1
29013	2007	This action will reset the current code in break mode. Do you want to stop the running code? * To halt the execution of the program so the Module window can be closed, select Yes. To leave the code in the current state, select No. @20@@@1
	2003	This action will reset the current code in break mode. Do you want to stop the running code? * To halt the execution of the program so the Module window can be closed, select Yes. To leave the code in the current state, select No. @20@@1
29014	2007	You can't add a reference to a Microsoft Office Access workgroup. @2@1@13780@1
	2003	You can't add a reference to a Microsoft Office Access workgroup. @2@613780@1
	2002	You can't add a reference to a Microsoft Access workgroup. @2@613780@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
29015	2007	You can't remove this reference. @Microsoft Office Access needs this reference in order to work properly.
	2003	You can't remove this reference. @Microsoft Office Access needs this reference in order to work properly.
	2002	You can't remove this reference. @Microsoft Access needs this reference in order to work properly.
29016	2007	You can't add a reference to the open database.
	2003	You can't add a reference to the open database.
29017	2007	The database was created in an earlier version of Microsoft Office Access. @Convert this database to the current version of Microsoft Office Access by using the Convert Database command on the Tools menu (Database Utilities submenu).
	2003	The database was created in an earlier version of Microsoft Office Access. @Convert this database to the current version of Microsoft Office Access by using the Convert Database command on the Tools menu (Database Utilities submenu).
	2002	The database was created in an earlier version of Microsoft Access. @Convert this database to the current version of Microsoft Access by using the Convert Database command on the Tools menu (Database Utilities submenu).
29018	2007	You can't use a standard module for this operation.
	2003	You can't use a standard module for this operation.
29019	2007	The module name ' ' is invalid. @* The module name may start with the prefix Form_ or Report_. The module can't be named Forms, Reports, Modules, Application, Screen, Assistant, CommandBars, References, or DoCmd. The module name may have too many characters.
	2003	The module name ' ' is invalid. @* The module name may start with the prefix Form_ or Report_. The module can't be named Forms, Reports, Modules, Application, Screen, Assistant, CommandBars, References, or DoCmd. The module name may have too many characters.
29020	2007	Another user has modified this database. @To see the current version, close the database and open it again.
	2003	Another user has modified this database. @To see the current version, close the database and open it again.
29021	2007	This operation isn't available while there is a module in break mode. @Reset the executing code and try the operation again.
	2003	This operation isn't available while there is a module in break mode. @Reset the executing code and try the operation again.
29022	2007	There were compilation errors during the conversion or enabling of this database. @The database has not been saved in a compiled state. The performance of this database will be impaired because Microsoft Office Access will need to recompile the database for each session. For information on improving performance, click Help.
	2003	There were compilation errors during the conversion or enabling of this database. @The database has not been saved in a compiled state. The performance of this database will be impaired because Microsoft Office Access will need to recompile the database for each session. For information on improving performance, click Help.
	2002	There were compilation errors during the conversion or enabling of this database. @The database has not been saved in a compiled state. The performance of this database will be impaired because Microsoft Access will need to recompile the database for each session. For information on improving performance, click Help.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
29023	2007	There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database.@These won't work under Microsoft Windows 95 or Microsoft Windows NT.@Change your code to call equivalent 32-bit dynamic-link libraries (.dll).@2@1@11961@1
	2003	There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database.@These won't work under Microsoft Windows 95 or Microsoft Windows NT.@Change your code to call equivalent 32-bit dynamic-link libraries (.dll).@2@611961@1
29024	2007	The current user account doesn't have permission to convert or enable this database.@To convert or enable a database, ensure the following:☐You must join the workgroup that defines the user accounts used to access the database.☐Your user account must have Open/Run and Open Exclusive permissions for the database object.☐Your user account must have Modify Design or Administer permissions for all tables in the database, or it must be the owner of all tables in the database.☐Your user account must have Read Design permission for all objects in the database.☐Request that other users close the database.@2@2@77316@
	2003	The current user account doesn't have permission to convert or enable this database.@To convert or enable a database, ensure the following:☐You must join the workgroup that defines the user accounts used to access the database.☐Your user account must have Open/Run and Open Exclusive permissions for the database object.☐Your user account must have Modify Design or Administer permissions for all tables in the database, or it must be the owner of all tables in the database.☐Your user account must have Read Design permission for all objects in the database.☐Request that other users close the database.@2@77316@
29025	2007	There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database.@These won't work under Microsoft Windows 95 or Microsoft Windows NT.@Translate these calls to equivalent 32-bit dynamic-link libraries.@2@1@11961@
	2003	There are calls to 16-bit dynamic-link libraries (.dll) in modules in this database.@These won't work under Microsoft Windows 95 or Microsoft Windows NT.@Translate these calls to equivalent 32-bit dynamic-link libraries.@2@611961@
29026	2007	The database that you are trying to open or convert is currently in use, or you do not have permission to open it exclusively.@When you convert a database, or the first time you open an earlier version database, another user can't have the database open.@Try one of the following:☐Request that other users close the database.☐Using the version of Microsoft Office Access in which the database is written, have your workgroup administrator grant you the permission to open the database exclusively.☐Multiple users can share the database after you convert it, or after you open it for the first time.@1@1@9027@1
	2003	The database that you are trying to open or convert is currently in use, or you do not have permission to open it exclusively.@When you convert a database, or the first time you open an earlier version database, another user can't have the database open.@Try one of the following:☐Request that other users close the database.☐Using the version of Microsoft Office Access in which the database is written, have your workgroup administrator grant you the permission to open the database exclusively.☐Multiple users can share the database after you convert it, or after you open it for the first time.@1@109027@1
	2002	The database that you are trying to open or convert is currently in use, or you do not have permission to open it exclusively.@When you convert a database, or the first time you open an earlier version database, another user can't have the database open.@Try one of the following:☐Request that other users close the database.☐Using the version of Microsoft Access in which the database is written, have your workgroup administrator grant you the permission to open the database exclusively.☐Multiple users can share the database after you convert it, or after you open it for the first time.@1@109027@1
29027	2007	Microsoft Office Access was unable to save the project.@Another user is saving the project now.Db you want to retry?@23@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
29027	2003	Microsoft Office Access was unable to save the project.@Another user is saving the project now.@Do you want to retry?@@23@@1
	2002	Microsoft Access was unable to save the project.@Another user is saving the project now.@Do you want to retry?@@23@@1
29028	2007	The Save operation failed.@@@1@@@1
	2003	The Save operation failed.@@@1@@@1
29029	2007	You are trying to open a read-only database.@The first time you open an earlier version database, you must be able to write changes to the database.☐The database file's read-only attribute may be set; clear this attribute.☐You may have chosen the Open Read Only command in the Open dialog box. Don't choose this command the first time you open the database.☐Your license to use this application may have expired.@@1@@@1
	2003	You are trying to open a read-only database.@The first time you open an earlier version database, you must be able to write changes to the database.☐The database file's read-only attribute may be set; clear this attribute.☐You may have chosen the Open Read Only command in the Open dialog box. Don't choose this command the first time you open the database.☐Your license to use this application may have expired.@@1@@@1
	2000	You are trying to open a read-only database.@The first time you open an earlier version database, you must be able to write changes to the database.☐The database file's read-only attribute may be set; clear this attribute.☐You may have chosen the Open Read Only command in the Open dialog box. Don't choose this command the first time you open the database.@@1@@@1
29030	2007	Microsoft Office Access can't establish a reference to the specified database.@The referenced database can't be found, or it's locked exclusively by another user so it can't be opened.@Restore the referenced database from a backup copy or ask the user that has the database locked to open the database in nonexclusive mode.@1@@@1
	2003	Microsoft Office Access can't establish a reference to the specified database.@The referenced database can't be found, or it's locked exclusively by another user so it can't be opened.@Restore the referenced database from a backup copy or ask the user that has the database locked to open the database in nonexclusive mode.@1@@@1
	2002	Microsoft Access can't establish a reference to the specified database.@The referenced database can't be found, or it's locked exclusively by another user so it can't be opened.@Restore the referenced database from a backup copy or ask the user that has the database locked to open the database in nonexclusive mode.@1@@@1
29031	2007	Microsoft Office Access can't create or open the requested database now.@The database may be locked exclusively by another user.@@1@@@1
	2003	Microsoft Office Access can't create or open the requested database now.@The database may be locked exclusively by another user.@@1@@@1
	2002	Microsoft Access can't create or open the requested database now.@The database may be locked exclusively by another user.@@1@@@1
29032	2007	The ' ' module is open; Microsoft Office Access can't set the permissions on an open module.@@@1@@@1
	2003	The ' ' module is open; Microsoft Office Access can't set the permissions on an open module.@@@1@@@1
	2002	The ' ' module is open; Microsoft Access can't set the permissions on an open module.@@@1@@@1
29033	2007	Microsoft Office Access can't add references to a replicated database; changes will be ignored.@@@1@@@1
	2003	Microsoft Office Access can't add references to a replicated database; changes will be ignored.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
29033	2002	Microsoft Access can't add references to a replicated database; changes will be ignored.@@@1@@1
29034	2007	Microsoft Office Access is unable to import the module from the source replica.@Synchronize the source database.@@1@@@1
	2003	Microsoft Office Access is unable to import the module from the source replica.@Synchronize the source database.@@1@@1
	2002	Microsoft Access is unable to import the module from the source replica.@Synchronize the source database.@@1@@1
29040	2007	Microsoft Office Access is currently unable to rename the form, report, or module to ' '.@Close the database, reopen it, and then try the rename operation again.@@1@@@1
	2003	Microsoft Office Access is currently unable to rename the form, report, or module to ' '.@Close the database, reopen it, and then try the rename operation again.@@1@@1
	2002	Microsoft Access is currently unable to rename the form, report, or module to ' '.@Close the database, reopen it, and then try the rename operation again.@@1@@1
29041	2007	One or more forms or reports contains an ActiveX control that could not be loaded.@These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports.@@1@@@1
	2003	One or more forms or reports contains an ActiveX control that could not be loaded.@These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports.@@1@@1
29042	2007	One or more forms or reports contains an ActiveX control that could not be loaded.@These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports.@@1@@@1
	2003	One or more forms or reports contains an ActiveX control that could not be loaded.@These controls will not function properly until you register them, open the forms or reports in Design view, and save the forms or reports.@@1@@1
29043	2007	Microsoft Office Access has converted the code in ' ' to your current version of Visual Basic.@To improve the performance of this database, do the following:☐ Open any module in this database in Design view.☑ On the Debug menu, click Compile And Save All Modules.@@1@@@1
	2003	Microsoft Office Access has converted the code in ' ' to your current version of Visual Basic.@To improve the performance of this database, do the following:☐ Open any module in this database in Design view.☑ On the Debug menu, click Compile And Save All Modules.@@1@@1
	2002	Microsoft Access has converted the code in ' ' to your current version of Visual Basic.@To improve the performance of this database, do the following:☐ Open any module in this database in Design view.☑ On the Debug menu, click Compile And Save All Modules.@@1@@1
29044	2007	DAO version 3.0 is not compatible with this version of Microsoft Office Access.@Create a reference to DAO version 3.5. For information on setting references, click Help.@@2@1@13780@1
	2003	DAO version 3.0 is not compatible with this version of Microsoft Office Access.@Create a reference to DAO version 3.5. For information on setting references, click Help.@@2@613780@1
	2002	DAO version 3.0 is not compatible with this version of Microsoft Access.@Create a reference to DAO version 3.5. For information on setting references, click Help.@@2@613780@1
29045	2007	You can't import, export, create, modify, or rename any forms, reports, pages or modules in an ACCDE, MDE or ADE database.@@@1@@@1
	2003	You can't import, export, create, modify, or rename any forms, reports, pages or modules in an MDE database.@@@1@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
29046	2007	You can't create a module for a form or report if it is read-only, or if the database is read-only.@@@1@@@1
	2003	You can't create a module for a form or report if it is read-only, or if the database is read-only.@@@1@@@1
29047	2007	Microsoft Office Access was unable to open the Visual Basic project for this database.@Another user is saving the project now. Do you want to retry?@@23@@@1
	2003	Microsoft Office Access was unable to open the Visual Basic project for this database.@Another user is saving the project now. Do you want to retry?@@23@@@1
	2002	Microsoft Access was unable to open the Visual Basic project for this database.@Another user is saving the project now. Do you want to retry?@@23@@@1
29048	2007	MDE databases can't reference MDB databases.@MDE databases can only reference other MDE databases or type libraries.@@1@@@1
	2003	MDE databases can't reference MDB databases.@MDE databases can only reference other MDE databases or type libraries.@@1@@@1
29049	2007	To add a code module to a form or report, you must switch to Design view and set the HasModule property of the form or report to Yes.@@@1@@@1
	2003	You can't refer to a form or report module from Form view or Report preview if the form's or report's HasModule property is set to No.@Switch to Design view or set the HasModule property to Yes in order to refer to the module.@@1@@@1
29050	2007	Microsoft Office Access couldn't compile this database because one or more references couldn't be resolved.@The database has not been saved in a compiled state. The performance of this database will be slower because Microsoft Office Access will need to recompile the database for each session.@For information on improving performance, click Help.@2@1@11705@1
	2003	Microsoft Office Access couldn't compile this database because one or more references couldn't be resolved.@The database has not been saved in a compiled state. The performance of this database will be slower because Microsoft Office Access will need to recompile the database for each session.@For information on improving performance, click Help.@2@611705@1
	2002	Microsoft Access couldn't compile this database because one or more references couldn't be resolved.@The database has not been saved in a compiled state. The performance of this database will be slower because Microsoft Access will need to recompile the database for each session.@For information on improving performance, click Help.@2@611705@1
29051	2007	The current user account doesn't have permission to make an MDE file from this database.@To make an MDE file, do the following:☐Join the workgroup that defines the user accounts used to access the database.☐Make sure the user account has Open/Run and Open Exclusive permissions for the database object.☐Make sure the user account has Modify Design or Administer permissions for the MSysModules2 table in the database.☐Request that other users close the database.@@1@@@1
	2003	The current user account doesn't have permission to make an MDE file from this database.@To make an MDE file, do the following:☐Join the workgroup that defines the user accounts used to access the database.☐Make sure the user account has Open/Run and Open Exclusive permissions for the database object.☐Make sure the user account has Modify Design or Administer permissions for the MSysModules2 table in the database.☐Request that other users close the database.@@1@@@1
29052	2007	The Visual Basic for Applications project in the database ' ' can't be converted to the current Visual Basic format.@If the database is an MDE, you will need to rebuild the MDE from the source MDB. If you don't have the source MDB, you will need to obtain a new version of the MDE that is compatible with the current version of Visual Basic.@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
29052	2003	The Visual Basic for Applications project in the database '!' can't be converted to the current Visual Basic format. @If the database is an MDE, you will need to rebuild the MDE from the source MDB. If you don't have the source MDB, you will need to obtain a new version of the MDE that is compatible with the current version of Visual Basic. @1@1
29053	2007	Microsoft Office Access can't create any more controls on this form or report. @If you have deleted controls from this form or report in the past, you may be able to rename the form or report and then add more controls to it. @1@@1
	2003	Microsoft Office Access can't create any more controls on this form or report. @If you have deleted controls from this form or report in the past, you may be able to rename the form or report and then add more controls to it. @1@@1
	2002	Microsoft Access can't create any more controls on this form or report. @If you have deleted controls from this form or report in the past, you may be able to rename the form or report and then add more controls to it. @1@@1
29054	2007	Microsoft Office Access can't add, rename, or delete the control(s) you requested. @1@@1
	2003	Microsoft Office Access can't add, rename, or delete the control(s) you requested. @1@@1
	2002	Microsoft Access can't add, rename, or delete the control(s) you requested. @1@@1
29055	2007	The form or report '!' has too many controls. @Reduce the number of controls on the form or report before using it in this version of Microsoft Office Access. @1@@1
	2003	The form or report '!' has too many controls. @Reduce the number of controls on the form or report before using it in this version of Microsoft Office Access. @1@@1
	2002	The form or report '!' has too many controls. @Reduce the number of controls on the form or report before using it in this version of Microsoft Access. @1@@1
29056	2007	Someone else is using '!' and the Visual Basic for Applications project does not match your version of Visual Basic. @You need to open the database exclusively in order to upgrade the Visual Basic for Applications project in this database. @1@@1
	2003	Someone else is using '!' and the Visual Basic for Applications project does not match your version of Visual Basic. @You need to open the database exclusively in order to upgrade the Visual Basic for Applications project in this database. @1@@1
29057	2007	The database '!' is read-only and the Visual Basic for Applications project does not match your version of Visual Basic. @You need to open the database read-write in order to upgrade the Visual Basic for Applications project in this database. @1@@1
	2003	The database '!' is read-only and the Visual Basic for Applications project does not match your version of Visual Basic. @You need to open the database read-write in order to upgrade the Visual Basic for Applications project in this database. @1@@1
29058	2007	You can't create a module for a form or report while an instance of the form or report is in browse mode. @1@@1
	2003	You can't create a module for a form or report while an instance of the form or report is in browse mode. @1@@1
29059	2007	Microsoft Office Access was unable do display the module. @1@@1
	2003	Microsoft Office Access was unable do display the module. @1@@1
	2002	Microsoft Access was unable do display the module. @1@@1
29060	2007	File not found. @1@@1
	2003	File not found. @1@@1
29061	2007	There were compilation errors during the conversion or enabling of this database. @This might be due to old DAO syntax that is no longer supported. @br an example on how to fixup the code, click Help. @2@1@11705@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
29061	2003	There were compilation errors during the conversion or enabling of this database. This might be due to old DAO syntax that is no longer supported. For an example on how to fixup the code, click Help. @2@611705@1
29062	2007	The module name ' ' is misspelled or refers to a module that doesn't exist. If the invalid module name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct module name. @1@@@1
	2003	The module name ' ' is misspelled or refers to a module that doesn't exist. If the invalid module name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct module name. @1@@1
29063	2007	The Visual Basic for Applications project in the database is corrupt.
29064	2007	You do not have exclusive access to the database at this time. If you proceed to make changes, you may not be able to save them later.
29065	2007	Microsoft Office Access can't save design changes or save to a new database object because another user has the file open. To save your design changes or to save to a new object, you must have exclusive access to the file.
	2002	Microsoft Access can't save design changes or save to a new database object because another user has the file open. To save your design changes or to save to a new object, you must have exclusive access to the file.
	2000	You do not have exclusive access to the database at this time. Your design changes will not be saved.
29066	2007	You do not have exclusive access to the database. Your design changes cannot be saved at this time. Do you want to close without saving your changes?
29067	2007	You do not have exclusive access to the database. You cannot convert this database at this time.
29068	2007	Microsoft Office Access cannot complete this operation. You must stop the code and try again.
	2002	Microsoft Access cannot complete this operation. You must stop the code and try again.
29069	2007	Microsoft Office Access cannot save the digital signature at this time. * You may be in a database under Source Code Control. You may be in a database which is read only. The database uses either the *.accdb or *.accde file name extension. To sign such a database, click the Microsoft Office Button, point to the Publish menu, and then click Package and Sign. @1@@@1
	2003	Microsoft Office Access cannot save the digital signature at this time. * You may be in a database under Source Code Control. You may be in a database which is read only. @1@@1
	2002	Microsoft Access cannot save the digital signature at this time. * You may be in a database under Source Code Control. You may be in a database which is read only. @1@@1
29070	2007	Your Microsoft Office Access database or project contains a missing or broken reference to the file ' 1' 2@* To ensure that your database or project works properly, you must fix this reference. @1@2@5043@1
	2003	Your Microsoft Office Access database or project contains a missing or broken reference to the file ' 1' 2@* To ensure that your database or project works properly, you must fix this reference. @1@5043@1
	2002	Your Microsoft Access database or project contains a missing or broken reference to the file ' 1' 2@* To ensure that your database or project works properly, you must fix this reference. To learn how to fix this reference, click Help. @2@5043@1
29071	2007	Missing or broken VBE reference to the file ' 1' .

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
29072	2007	Microsoft Office Access has detected corruption in this file. To try to repair the corruption, first make a backup copy of the file. Click the Microsoft Office Button, point to Manage and then click Compact and Repair Database. If you are currently trying to repair this corruption, you need to recreate this file or restore it from a previous backup. @@@@2@1@553714192@1
	2003	Microsoft Office Access has detected corruption in this file. To try to repair the corruption, first make a backup copy of the file. Then, on the Tools menu, point to Database Utilities and click Compact and Repair Database. If you are currently trying to repair this corruption then you will need to recreate this file or restore it from a previous backup. @@@@2@553714192@1
	2002	Microsoft Access has detected corruption in this file. To try to repair the corruption, first make a backup copy of the file. Then, on the Tools menu, point to Database Utilities and click Compact and Repair Database. If you are currently trying to repair this corruption then you will need to recreate this file or restore it from a previous backup. @@@@2@5117@1
29073	2007	You do not have exclusive access to the database. You cannot continue with the Source Code Control command.
29074	2007	Microsoft Office Access failed to create the Visual Basic module. @If your database is on a network drive, check your network connection, and then try again. @1@@@1
	2003	Microsoft Office Access failed to create the Visual Basic module. @If your database is on a network drive, check your network connection, and then try again. @1@@1
	2002	Microsoft Access failed to create the Visual Basic module. @If your database is on a network drive, check your network connection, and then try again. @1@@1
29075	2007	Access cannot add a digital signature to a file created in Access 97 or earlier. @Convert the file to Access 2000 or later file format, and then add a digital signature. @1@@@1
	2003	Access cannot add a digital signature to a file created in Access 97 or earlier. @Convert the file to Access 2000 or later file format, and then add a digital signature. @1@@@1
29076	2007	There was a problem with the digital certificate. The VBA project could not be signed. The signature will be discarded. @@@1@@@1
	2003	There was a problem with the digital certificate. The VBA project could not be signed. The signature will be discarded. @@@1@@@1
29077	2007	
	2003	Modifications to the database or project have invalidated the associated digital signature. @This may require you to make a trust decision the next time you open the database or project. @@2@393347091@1
29078	2007	
	2003	Modifications to the database or project have invalidated the associated digital signature. @This may require you to make a trust decision the next time you open the database or project. To re-sign the database or project now, click Re-sign. [X]Re-sign [X]Close @@36@393347091@1
29079	2007	Microsoft Office Access is unable to read the VBA modules in this database and cannot recover the modules because the file is read-only. To recover the VBA modules, close the database and make a backup copy of the database. Then open the database with read/write permission. @@@@2@553713744@1
29080	2007	The VBA modules in this database appear to have been saved with errors. Access can recover the modules, but you should backup the database first. To cancel so you can make a backup copy of the database, click Cancel. Then make a backup copy of the database. @If you have a backup copy of the database, click OK. When the database opens, examine the modules to see that they are correct. If they are not, you should revert to a recent backup. @6@2@553713744@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
29081	2007	The database cannot be opened because the VBA project contained in it cannot be read. The database can be opened only if the VBA project is first deleted. Deleting the VBA project removes all code from modules, forms and reports. You should back up your database before attempting to open the database and delete the VBA project. To create a backup copy, click Cancel and then make a backup copy of your database. To open the database and delete the VBA project without creating a backup copy, click OK.
29082	2007	The version of Access used to save this database cannot be detected. This problem cannot be corrected because the database is read-only. Click OK, and after the database closes, make a backup copy of the database. Then open the database with read/write permission.
30000	2007	Microsoft Office Access could not find the SQL Server specified. Verify that the server name is correct.
	2002	Microsoft Access could not find the SQL Server specified. Verify that the server name is correct.
30001	2007	Microsoft Office Access could not find the database on the server. Verify that the database name is correct.
	2002	Microsoft Access could not find the database on the server. Verify that the database name is correct.
30002	2007	Microsoft Office Access could not log on to the server. Verify that the log on information is correct.
	2002	Microsoft Access could not log on to the server. Verify that the log on information is correct.
30004	2007	The Default Max Records setting must be between 0 and 2147483647.
30005	2007	Missing SQL command
30006	2007	Access was not able to perform this operation because the project is not connected to a SQL Server database.
30007	2007	Can't sort on one or more fields specified in 'Order By' property or sorting/grouping dialog.
	2000	Cannot Sort on one or more fields specified in the OrderBy property or the Sorting/Grouping dialog.
30008	2007	The server you are trying to access is case sensitive. Objects of the same name but of different case are not supported. Using these objects may result in a loss of data.
30009	2007	Another user or application has deleted this record or changed the value of its primary key.
30010	2007	Cannot apply Filter on one or more fields specified in the Filter property.
30011	2007	Cannot get column information for the database object being browsed.
30012	2007	A Server Filter cannot be applied to a stored procedure Record Source. Filter not applied.
30013	2007	You can't update the record because another user or application deleted it or changed the value of its primary key.
30014	2007	The data was added to the database but the data won't be displayed in the form because it doesn't satisfy the criteria in the underlying record source.
30015	2007	The specified record source contains duplicate names for some output fields. Use aliases in your SELECT statement to give each field a unique name.
30016	2007	The field ' ' is read only.
30017	2007	This database is not enabled for publication.
30018	2007	Cannot create objects of type ' ' against current SQL backend. Please check your permissions and server setup.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
30019	2007	Microsoft Office Access cannot copy a table with a name that is longer than 64 characters.
	2002	Microsoft Access cannot copy a table with a name that is longer than 64 characters.
30020	2007	Cannot find column ' '.
30021	2007	Cannot use domain functions on stored procedures.
30022	2007	The Access project could not be opened. You may not have adequate permissions, or the project may be read-only.
30023	2007	Cannot use domain functions on scalar functions.
30024	2007	Your password will not be encrypted before it is saved to the file. @Users who view the source contents of the file will be able to see the account user name and password. [X] Save Password [X] Cancel @ @36@1@553714179@
	2003	Your password will not be encrypted before it is saved to the file. @Users who view the source contents of the file will be able to see the account user name and password. [X] Save Password [X] Cancel @ @36@553714179@
	2002	Your password will not be encrypted before it is saved to the file. @Users who view the source contents of the file will be able to see the account user name and password. [X] Save Password [X] Cancel @ @36@5127@
30025	2007	Invalid SQL Statement. Check the server filter on the form record source
30026	2007	Access is unable to connect to ' 1' database on the ' 2' server. Make sure that the database still exists and that the server is running.
30027	2007	The value you entered is not consistent with the data type or length of the column.
30028	2007	The database name for the attached database file is blank. Enter a name for your database.
30029	2007	This version of Microsoft Office Access does not support design changes with the version of Microsoft SQL Server to which your Access project is connected. See the Microsoft Office Update Web site for the latest information and downloads. Your design changes will not be saved.
	2003	This version of Microsoft Office Access doesn't support design changes with the version of Microsoft SQL Server your Access project is connected to. See the Microsoft Office Update Web site for the latest information and downloads (on the Help menu, click Office on the Web). Your design changes will not be saved.
	2002	This version of Microsoft Access doesn't support design changes with the version of Microsoft SQL Server your Access project is connected to. See the Microsoft Office Update Web site for the latest information and downloads (on the Help menu, click Office on the Web). Your design changes will not be saved.
31000	2007	You must specify criteria for all conditional formats. @ @ @1 @ @ @1
	2003	You must specify criteria for all conditional formats. @ @ @1 @ @1
31001	2007	A conditional format expression can't be longer than 946 characters. @ @ @1 @ @ @1
	2003	A conditional format expression can't be longer than 946 characters. @ @ @1 @ @1
31002	2007	Microsoft Office Access can't modify the control's conditional formats right now. @Your program tried to modify the conditional format of a control while the conditional format was being evaluated. @ @1 @ @ @1
	2003	Microsoft Office Access can't modify the control's conditional formats right now. @Your program tried to modify the conditional format of a control while the conditional format was being evaluated. @ @1 @ @1
	2002	Microsoft Access can't modify the control's conditional formats right now. @Your program tried to modify the conditional format of a control while the conditional format was being evaluated. @ @1 @ @1
	2000	Microsoft Access can't modify the control's conditional formats right now. @Your program tried to modify the conditional format of a control while the conditional format was being evaluated. @ @1 @ @1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
31003	2007	The setting for this property is too long.@You can enter up to either 255 or 2,048 characters for this property, depending on the data type.@@1@@@1
	2003	The setting for this property is too long.@You can enter up to either 255 or 2,048 characters for this property, depending on the data type.@@1@@1
31004	2007	The value of an (AutoNumber) field cannot be retrived prior to being saved.¶lease save the record that contains the (AutoNumber) field prior to performing this action.@@1@@@1
	2003	The value of an (AutoNumber) field cannot be retrived prior to being saved.¶lease save the record that contains the (AutoNumber) field prior to performing this action.@@1@@1
31005	2007	Access failed to evaluate one or more expressions because ' ' was referenced in an expression. Only functions and properties that are considered to be safe are allowed in expressions when Access runs in sandbox mode.@For more information on sandbox mode, search for "Sandbox mode" in Access Help.@@1@@@1
	2003	Access failed to evaluate one or more expressions because ' ' was referenced in an expression. Only functions and properties that are considered to be safe are allowed in expressions when Access runs in sandbox mode.@For more information on sandbox mode, search for "Sandbox mode" in Access Help.@@1@@1
31006	2007	This method is not supported for Attachment controls in the current database file format.@@1@@@1
31500	2007	Microsoft Office Access can't send this format in a mail message.@To send this format in a mail message, click Export on the File menu, or use the OutputTo method to create the files and attach them to a mail message.@@1@@@1
	2003	Microsoft Office Access can't send this format in a mail message.@To send this format in a mail message, click Export on the File menu, or use the OutputTo method to create the files and attach them to a mail message.@@1@@1
	2002	Microsoft Access can't send this format in a mail message.@To send this format in a mail message, click Export on the File menu, or use the OutputTo method to create the files and attach them to a mail message.@@1@@1
	2000	Microsoft Access can't send this format in a mail message.@To send this format in a mail message, click Save As/Export on the File menu, or use the OutputTo method to create the files and attach them to a mail message.@@1@@1
31501	2007	The selected transform file ' ' cannot be found. Please select a different transform.
	2000	Microsoft Access can't find the dynamic-link library (DLL) Mso97rt.@You can't use the /runtime command-line switch unless you have installed Microsoft Office 97 Developer Edition Tools.@@1@@@3
31502	2007	Microsoft Office Access can't find the Microsoft Office international dynamic-link library (DLL).@Reinstall Microsoft Office.@@1@@@3
	2003	Microsoft Office Access can't find the Microsoft Office international dynamic-link library (DLL).@Reinstall Microsoft Office.@@1@@@3
	2002	Microsoft Access can't find the Microsoft Office international dynamic-link library (DLL).@Reinstall Microsoft Office.@@1@@@3
	2000	Microsoft Access can't find the Microsoft Office international dynamic-link library (DLL).@Reinstall Microsoft Office 97, Developer Edition.@@1@@@3
31503	2007	The specified transform did not successfully convert the data. Select a different transform.
31504	2007	The data was transformed in a format that cannot be imported.
31505	2007	Are you sure you want to remove ' ' from the list of available transforms?¶his will not actually delete the transform file.
31506	2007	The selected transform file cannot be found. Select a different transform or remove the transform. Then try to export again.
31507	2007	Invalid field data type.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
31508	2007	Cannot load the Office Web Components@Access had a problem loading the Office Web Components Version 9.0. Try going through set-up to re-install them@@1@@@3
	2003	Cannot load the Office Web Components@Access had a problem loading the Office Web Components Version 9.0. Try going through set-up to re-install them@@1@@@3
31509	2007	Cannot load the Office Web Components@Access had a problem loading the Office Web Components Version 10.0. Try going through set-up to re-install them@@1@@@3
	2003	Cannot load the Office Web Components@Access had a problem loading the Office Web Components Version 10.0. Try going through set-up to re-install them@@1@@@3
31510	2007	Microsoft Office Access can't load the dynamic-link library . @You need to resolve the failure and start Access again.@@1@@@3
	2003	Microsoft Office Access can't load the dynamic-link library . @You need to resolve the failure and start Access again.@@1@@@3
	2002	Microsoft Access can't load the dynamic-link library . @You need to resolve the failure and start Access again.@@1@@@3
31511	2007	You have chosen to alter the mode in which SQL syntax will be interpreted in this database. This will mean: @* Existing queries may return different results or not run at all.☐The range of data-types and reserved words will change.☐Different wildcards will be used. @It is recommended that you make a backup copy of this database before continuing. If you agree to continue, Access will close this database, compact it, and re-open in the new mode. Select OK to continue.@5@1@24324@1
	2003	You have chosen to alter the mode in which SQL syntax will be interpreted in this database. This will mean: @* Existing queries may return different results or not run at all.☐The range of data-types and reserved words will change.☐Different wildcards will be used. @It is recommended that you make a backup copy of this database before continuing. If you agree to continue, Access will close this database, compact it, and re-open in the new mode. Select OK to continue.@5@324324@1
31512	2007	Microsoft Office Access can't open the mail session.@You may not have configured an e-mail client on this computer. Ensure that your e-mail software has been installed and configured properly.@@1@@@1
	2003	Microsoft Office Access can't open the mail session.@You may not have configured an e-mail client on this computer. Ensure that your e-mail software has been installed and configured properly.@@1@@@1
	2002	Microsoft Access can't open the mail session.@You may not have configured an e-mail client on this computer. Ensure that your e-mail software has been installed and configured properly.@@1@@@1
31513	2007	All open objects must be closed prior to converting to a different version.@Do you want Microsoft Office Access to close the objects?@@19@@@2
	2003	All open objects must be closed prior to converting to a different version.@Do you want Microsoft Office Access to close the objects?@@19@@@2
	2002	All open objects must be closed prior to converting to a different version.@Do you want Microsoft Access to close the objects?@@19@@@2
31514	2007	Microsoft Office Access can't convert this database to a different version because one or more objects are open.@Close all objects and try again.@@1@@@3
	2003	Microsoft Office Access can't convert this database to a different version because one or more objects are open.@Close all objects and try again.@@1@@@3
	2002	Microsoft Access can't convert this database to a different version because one or more objects are open.@Close all objects and try again.@@1@@@3

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
31515	2007	Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 2000 has limited support. This will mean: <ul style="list-style-type: none"> @* Access 2000 users may not be able to see some queries. Existing queries may return different results or not run at all. The range of data-types and reserved words will change. Different wildcards will be used. @It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 2000 file format. Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting.
	2003	Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 2000 has limited support. This will mean: <ul style="list-style-type: none"> @* Access 2000 users may not be able to see some queries. Existing queries may return different results or not run at all. The range of data-types and reserved words will change. Different wildcards will be used. @It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 2000 file format. Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting.
31516	2007	Microsoft Office Access can't convert this database to the requested version because it has been 'enabled' to work with newer versions of Microsoft Office Access than it was originally created with. <ul style="list-style-type: none"> @You can convert this database to a newer format, and then retry this operation with the newly converted database.
	2003	Microsoft Office Access can't convert this database to the requested version because it has been 'enabled' to work with newer versions of Microsoft Office Access than it was originally created with. <ul style="list-style-type: none"> @You can convert this database to a newer format, and then retry this operation with the newly converted database.
	2002	Microsoft Access can't convert this database to the requested version because it has been 'enabled' to work with newer versions of Microsoft Access than it was originally created with. <ul style="list-style-type: none"> @You can convert this database to a newer format, and then retry this operation with the newly converted database.
31517	2007	Microsoft Office Access can't convert this database to the requested version because it is from an older version of Microsoft Office Access. <ul style="list-style-type: none"> @You can convert this database to a newer format, and then retry this operation with the newly converted database.
	2003	Microsoft Office Access can't convert this database to the requested version because it is from an older version of Microsoft Office Access. <ul style="list-style-type: none"> @You can convert this database to a newer format, and then retry this operation with the newly converted database.
	2002	Microsoft Access can't convert this database to the requested version because it is from an older version of Microsoft Access. <ul style="list-style-type: none"> @You can convert this database to a newer format, and then retry this operation with the newly converted database.
31518	2007	The following controls contain expressions that can't be represented in a Microsoft Office Access project PivotTable or PivotChart view: <ul style="list-style-type: none"> . Do you still want to switch to PivotTable or PivotChart view?
	2003	The following controls contain expressions that can't be represented in a Microsoft Office Access project PivotTable or PivotChart view: <ul style="list-style-type: none"> . Do you still want to switch to PivotTable or PivotChart view?
	2002	The following controls contain expressions that can't be represented in a Microsoft Access project PivotTable or PivotChart view: <ul style="list-style-type: none"> . Do you still want to switch to PivotTable or PivotChart view?
31519	2007	You cannot import this file. <ul style="list-style-type: none"> @You cannot import a text file unless it has one of these extensions: .
	2003	You cannot import this file. <ul style="list-style-type: none"> @You cannot import a text file unless it has one of these extensions: .
31520	2007	You cannot import this file. <ul style="list-style-type: none"> @You cannot import a text file that has one of these extensions: .

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
31520	2003	You cannot import this file.@You cannot import a text file that has one of these extensions: .@@1@@1
31521	2007	Cannot establish connection to the server.@ @@1@@@1
	2003	Cannot establish connection to the server.@ @@1@@1
31522	2007	Microsoft SQL Server Desktop Engine must be on the machine running Microsoft Office Access.@@@1@@@1
	2003	Microsoft SQL Server Desktop Engine must be on the machine running Microsoft Office Access.@@@1@@1
	2002	Microsoft SQL Server Desktop Engine must be on the machine running Microsoft Access.@@@1@@1
31523	2007	Microsoft Office Access was unable to open the file ' '. The file may not be an Access file, the path or filename specified may be incorrect, or the file can not be opened exclusively. To repair the file manually, on the File menu, point to Manage Database, and then click Compact and Repair Database.@@@1@@@1
	2003	Microsoft Office Access was unable to open the file ' '. The file may not be an Access file, the path or filename specified may be incorrect, or the file can not be opened exclusively. To repair the file manually, on the Tools menu, point to Database Utilities, and then click Compact and Repair Database.@@@1@@1
	2002	Microsoft Access was unable to open the file ' '. The file may not be an Access file, the path or filename specified may be incorrect, or the file can not be opened exclusively. To repair the file manually, on the Tools menu, point to Database Utilities, and then click Compact and Repair Database.@@@1@@1
31524	2007	Microsoft Office Access can't transfer the user-defined function ' '. User-defined functions can only be transferred between Microsoft SQL Servers that are version 8.0 or higher.@@@1@@@1
	2003	Microsoft Office Access can't transfer the user-defined function ' '. User-defined functions can only be transferred between Microsoft SQL Servers that are version 8.0 or higher.@@@1@@1
	2002	Microsoft Access can't transfer the user-defined function ' '. User-defined functions can only be transferred between Microsoft SQL Servers that are version 8.0 or higher.@@@1@@1
31525	2007	You can copy and paste this object only if at least Microsoft SQL Server 2000 is installed on both the source and destination servers.@@@1@@@1
	2003	The selected object can't be pasted because the version of either the source or the destination server is less than 7.0.@Microsoft Office Access can only copy and paste this object if both Microsoft SQL Servers are version 7.0 or higher.@@1@@1
	2002	The selected object can't be pasted because the version of either the source or the destination server is less than 7.0.@Microsoft Access can only copy and paste this object if both Microsoft SQL Servers are version 7.0 or higher.@@1@@1
31526	2007	You cannot create a Microsoft Office Access ADE or MDE file from a database saved in Microsoft Office Access 2000 format.@Convert the database to the current version of Microsoft Office Access. Then create the ADE or MDE file.@@1@@@1
	2003	You cannot create a Microsoft Office Access ADE or MDE file from a database saved in Microsoft Office Access 2000 format.@Convert the database to the current version of Microsoft Office Access. Then create the ADE or MDE file.@@1@@@1
	2002	You can't create a Microsoft Access MDE database from a database in Microsoft Access 2000 file format.@Close the database and convert it to the current version of Microsoft Access. Then create the MDE database.@@1@@1
31527	2007	Path not found: .@@@1@@@1
	2003	Path not found: .@@@1@@1
31528	2007	Table ' ' is in use. Please close the table and retry import.@@@1@@@1
	2003	Table ' ' is in use. Please close the table and retry import.@@@1@@1
31529	2007	View ' ' is in use. Please close the view and retry import.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
31529	2003	View ' ' is in use. Please close the view and retry import.@@@1@@1
31530	2007	Procedure ' ' is in use. Please close the procedure and retry import.@@@1@@@1
	2003	Procedure ' ' is in use. Please close the procedure and retry import.@@@1@@1
31531	2007	Microsoft Office Access cannot create table(s) using the information contained in the document(s) you are trying to import.@@@1@@@1
	2003	Microsoft Office Access cannot create table(s) using the information contained in the document(s) you are trying to import.@@@1@@1
	2002	Microsoft Access cannot create table(s) using the information contained in the document(s) you are trying to import.@@@1@@1
31532	2007	Microsoft Office Access was unable to export the data.@@@1@@@1
	2003	Microsoft Office Access was unable to export the data.@@@1@@1
	2002	Microsoft Access was unable to export the data.@@@1@@1
31533	2007	Invalid filename.@@@1@@@1
	2003	Invalid filename.@@@1@@1
31534	2007	Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 97 has limited support. This will mean: <ul style="list-style-type: none"> @* Existing queries may return different results or not run at all. ☐The range of data-types and reserved words will change. ☐Different wildcards will be used. @It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 97 file format. Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting.@5@1@24324@1
	2003	Your database is using SQL Server Compatible Syntax (ANSI 92) for which Access 97 has limited support. This will mean: <ul style="list-style-type: none"> @* Existing queries may return different results or not run at all. ☐The range of data-types and reserved words will change. ☐Different wildcards will be used. @It is recommended that you change the SQL Server Compatible Syntax (ANSI 92) setting before converting this database to the Access 97 file format. Select Cancel to abort the conversion process and change the SQL Server Compatible Syntax (ANSI 92) setting.@5@324324@1
31535	2007	Invalid parameters for ExportXML.@Press Help for more information.@@2@2@5170@1
	2003	Invalid parameters for ExportXML.@Press Help for more information.@@2@5170@1
31536	2007	The XML schema properties do not match the existing table structures.@Overwrite existing structures?@19@@@1
	2003	The XML schema properties do not match the existing table structures.@Overwrite existing structures?@19@@@1
31537	2007	There is already an object named ' ' in the database.@@@1@@@1
	2003	There is already an object named ' ' in the database.@@@1@@1
31538	2007	Microsoft Office Access cannot create this file. To create the file, you must give the file a unique name, provide a valid connection string and user ID, and you must have the necessary connection and file creation permissions.@@@1@@@1
	2003	Microsoft Office Access cannot create this file. To create the file, you must give the file a unique name, provide a valid connection string and user ID, and you must have the necessary connection and file creation permissions.@@@1@@1
	2002	Microsoft Access cannot create this file. To create the file, you must give the file a unique name, provide a valid connection string and user ID, and you must have the necessary connection and file creation permissions.@@@1@@1
31539	2007	There was an error loading the XSL transformation file ' 1'. Please make sure that the file is a properly formatted XSL file and is the correct file to use for the data supplied. 2

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
31539	2002	There was an error loading the XSL transformation file. Please make sure that the file is a properly formatted XSL file and is the correct file to use for the data supplied.
31540	2007	There was an error loading the XML data file ' 1'. Please make sure that the file is a properly formatted XML file. 2
	2002	There was an error loading the XML data file. Please make sure that the file is a properly formatted XML file.
31541	2007	Microsoft Office Access cannot open this file.@This file is located outside your intranet or on an untrusted site. Microsoft Office Access will not open the file due to potential security problems. @To open the file, copy it to your machine or an accessible network location.@2@@@1
	2003	Microsoft Office Access cannot open this file.@This file is located outside your intranet or on an untrusted site. Microsoft Office Access will not open the file due to potential security problems. @To open the file, copy it to your machine or an accessible network location.@2@@1
	2002	Microsoft Access cannot open this file.@This file is located outside your intranet or on an untrusted site. Microsoft Access will not open the file due to potential security problems. @To open the file, copy it to your machine or an accessible network location.@2@@1
31542	2007	The startup action associated with this file may not be safe. Do you want to execute the startup action as you open the file?@@@22@@@1
	2003	The startup action associated with this file may not be safe. Do you want to execute the startup action as you open the file?@@@22@@@1
31543	2007	The startup action associated with this file may not be safe. If you choose not to execute the startup action, Microsoft Office Access will not open the file. Do you want to execute the startup action and open the file?@@@22@@@1
	2003	The startup action associated with this file may not be safe. If you choose not to execute the startup action, Microsoft Office Access will not open the file. Do you want to execute the startup action and open the file?@@@22@@@1
	2002	The startup action associated with this file may not be safe. If you choose not to execute the startup action, Microsoft Access will not open the file. Do you want to execute the startup action and open the file?@@@22@@@1
31544	2007	Microsoft Office Access cannot open this file.@The author of this file has set it to open only when a startup action is executed, and Microsoft Office Access is currently set to disable startup actions.@To address this problem, contact the author of the file or your system administrator.@2@@@1
	2003	Microsoft Office Access cannot open this file.@The author of this file has set it to open only when a startup action is executed, and Microsoft Office Access is currently set to disable startup actions.@To address this problem, contact the author of the file or your system administrator.@2@@@1
	2002	Microsoft Access cannot open this file.@The author of this file has set it to open only when a startup action is executed, and Microsoft Access is currently set to disable startup actions.@To address this problem, contact the author of the file or your system administrator.@2@@@1
31545	2007	Microsoft Office Access cannot open this file.@The Internet Security Zone Manager is missing or not correctly installed and therefore the safety of this file cannot be verified.@To address this problem, reinstall Windows Internet Explorer or the appropriate Office System Pack.@2@@@1
	2003	Microsoft Office Access cannot open this file.@The Internet Security Zone Manager is missing or not correctly installed and therefore the safety of this file cannot be verified.@To address this problem, reinstall Microsoft Internet Explorer or the appropriate Office System Pack.@2@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
31545	2002	Microsoft Access cannot open this file.@The Internet Security Zone Manager is missing or not correctly installed and therefore the safety of this file cannot be verified.@To address this problem, reinstall Microsoft Internet Explorer or the appropriate Office System Pack.@2@@@1
31546	2007	This database is a Microsoft Office Access 7.0/8.0/9.0 Design Master.@If you click OK, the database you selected will be renamed to 1 and then converted to 2. Everyone using a replica of this database will have to upgrade to Microsoft Office Access 2002 after the next synchronization.@@4@@@2
	2003	This database is a Microsoft Office Access 7.0/8.0/9.0 Design Master.@If you click OK, the database you selected will be renamed to 1 and then converted to 2. Everyone using a replica of this database will have to upgrade to Microsoft Office Access 2002 after the next synchronization.@@4@@@2
	2002	This database is a Microsoft Access 7.0/8.0/9.0 Design Master.@If you click OK, the database you selected will be renamed to 1 and then converted to 2. Everyone using a replica of this database will have to upgrade to Microsoft Access 2002 after the next synchronization.@@4@@@2
31547	2007	Microsoft Office Access cannot export this object to XML when it is open in Print Preview. Close the object and try again.@@@1@@@1
	2003	Microsoft Office Access cannot export this object to XML when it is open in Print Preview. Close the object and try again.@@@1@@@1
	2002	Microsoft Access cannot export this object to XML when it is open in Print Preview. Close the object and try again.@@@1@@@1
31548	2007	Microsoft Office Access cannot export a table to XML when it is open in Design. Close the object and try again.@@@1@@@1
	2003	Microsoft Office Access cannot export a table to XML when it is open in Design. Close the object and try again.@@@1@@@1
	2002	Microsoft Access cannot export a table to XML when it is open in Design. Close the object and try again.@@@1@@@1
31549	2007	Finished importing document ' '.
31550	2007	Not all of your data was successfully imported. Error descriptions with associated row numbers of bad records can be found in the Microsoft Office Access table ' '.
	2002	Not all of your data was successfully imported. Error descriptions with associated row numbers of bad records can be found in the Microsoft Access table ' '.
31551	2007	Only XML files can be exported to an Internet address (http://, ftp://). Enter a path that points to a location on your computer or on the network.@@@1@@@1
	2003	Only XML files can be exported to an Internet address (http://, ftp://). Enter a path that points to a location on your computer or on the network.@@@1@@@1
31552	2007	The document(s) you are importing contain XML Schema (XSD) information created outside Microsoft Office Access. XML Schema information created outside Microsoft Office Access is not supported. If you continue, Microsoft Office Access will only import the data, and ignore the XML Schema.@Would you like to continue?@@19@@@1
	2003	The document(s) you are importing contain XML Schema (XSD) information created outside Microsoft Office Access. XML Schema information created outside Microsoft Office Access is not supported. If you continue, Microsoft Office Access will only import the data, and ignore the XML Schema.@Would you like to continue?@@19@@@1
	2002	The document(s) you are importing contain XML Schema (XSD) information created outside Microsoft Access. XML Schema information created outside Microsoft Access is not supported. If you continue, Microsoft Access will only import the data, and ignore the XML Schema.@Would you like to continue?@@19@@@1
31553	2007	The Smart Tag property value cannot exceed 1024 characters.@@@1@@@1
	2003	The Smart Tag property value cannot exceed 1024 characters.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
31554	2007	You are attempting to apply more smart tags than the system can handle. Please uncheck some of the selected tags.
	2003	You are attempting to apply more smart tags than the system can handle. Please uncheck some of the selected tags.
31555	2007	The specified transform did not successfully convert the data. Would you like to save a copy of the Data to Export at 'I' for troubleshooting?
31556	2007	To view object dependencies or change the Track name AutoCorrect info option, Microsoft Office Access must close all objects and update dependency information. This could take several minutes. Do you want to continue?
	2003	To view object dependencies or change the Track name AutoCorrect info option, Microsoft Office Access must close all objects and update dependency information. This could take several minutes. Do you want to continue?
31557	2007	Microsoft Office Access cannot update dependency information because one or more objects are open. Close all objects and try again.
	2003	Microsoft Office Access cannot update dependency information because one or more objects are open. Close all objects and try again.
31558	2007	The Track name AutoCorrect info option generates name maps for the objects in the database. This may take several minutes. Do you want to leave this option turned on?
	2003	The Track name AutoCorrect info option generates name maps for the objects in the database. This may take several minutes. Do you want to leave this option turned on?
31559	2007	Microsoft Office Access could not connect to the site you specified. Verify the address of the site or contact your site administrator.
31560	2007	The site you specified does not support linking to a Microsoft Office Access database. The site must be running Windows SharePoint Services from Microsoft.
	2003	The site you specified does not support linking to a Microsoft Office Access database. The site must be running Windows SharePoint Services from Microsoft.
31561	2007	The site you specified does not support importing data to a Microsoft Office Access database. The site must be running Microsoft Windows SharePoint Services.
	2003	The site you specified does not support importing data to a Microsoft Office Access database. The site must be running Windows SharePoint Services from Microsoft.
31562	2007	The site you specified does not contain any lists. Verify the address of the site, or contact your site administrator.
31563	2007	Microsoft Office Access could not enable name AutoCorrect for one or more objects because Access could not open and save the objects. An open or save operation could have failed due to one or more of the following reasons - the object is already open, you don't have permissions to open the object in Design view, the database is read-only, or the source of a linked table could not be found.
	2003	Microsoft Office Access could not enable name AutoCorrect for one or more objects because Access could not open and save the objects. An open or save operation could have failed due to one or more of the following reasons - the object is already open, you don't have permissions to open the object in Design view, the database is read-only, or the source of a linked table could not be found.
31564	2007	To generate object dependencies, the Track name AutoCorrect info option must be turned on. Enable name AutoCorrect and continue?
	2003	To generate object dependencies, the Track name AutoCorrect info option must be turned on. Enable name AutoCorrect and continue?

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
31565	2007	Dependency information needs to be updated before you can view object dependencies. This could take several minutes.@Do you want to continue?@@5@1@553713744@1
	2003	Dependency information needs to be updated before you can view object dependencies. This could take several minutes.@Do you want to continue?@@5@553713744@1
31566	2007	The object dependencies feature is not enabled for this database because dependency info needs to be updated.@@@5@1@553713744@1
	2003	The object dependencies feature is not enabled for this database because dependency info needs to be updated.@@@5@553713744@1
31567	2007	The object that you have selected in the Object Dependencies pane no longer exists in the database.@@@1@@@1
	2003	The object that you have selected in the Object Dependencies pane no longer exists in the database.@@@1@@@1
31568	2007	You do not have the necessary permissions to generate dependency information for the selected object.@@@2@1@553713744@1
	2003	You do not have the necessary permissions to generate dependency information for the selected object.@@@2@553713744@1
31569	2007	To view dependency information, you must select a table, query, form, or report.@@@1@1@553713742@1
	2003	To view dependency information, you must select a table, query, form, or report.@@@1@553713742@1
31570	2007	Dependency information cannot be generated because name maps are either missing or outdated. Turn on the Track name AutoCorrect info option, make sure you have sufficient permissions to open an object in Design view, and make sure the database is not read-only.@@@2@1@553713744@1
	2003	Dependency information cannot be generated because name maps are either missing or outdated. Turn on the Track name AutoCorrect info option, make sure you have sufficient permissions to open an object in Design view, and make sure the database is not read-only.@@@2@553713744@1
31571	2007	Dependency information cannot be generated because name maps are outdated, and the database is read-only.@@@2@1@553713744@1
	2003	Dependency information cannot be generated because name maps are outdated, and the database is read-only.@@@2@553713744@1
31572	2007	Microsoft Office Access cannot generate dependency information for a new unsaved object. Save the new object and then check for object dependencies.@@@2@1@553713744@1
	2003	Microsoft Office Access cannot generate dependency information for a new unsaved object. Save the new object and then check for object dependencies.@@@2@553713744@1
31573	2007	Microsoft Office Access cannot generate dependency information for objects in a project.@@@1@@@1
	2003	Microsoft Office Access cannot generate dependency information for objects in a project.@@@1@@@1
31574	2007	Microsoft Office Access cannot export unbound forms or reports as XML documents.
31575	2007	All open objects must be closed prior to backing up your database or project.@Do you want Microsoft Office Access to close the objects?@@19@@@2
	2003	All open objects must be closed prior to backing up your database or project.@Do you want Microsoft Office Access to close the objects?@@19@@@2
31576	2007	Microsoft Office Access cannot backup this database or project because one or more objects are open.@Close all objects and try again.@@1@@@3
	2003	Microsoft Office Access cannot backup this database or project because one or more objects are open.@Close all objects and try again.@@1@@@3

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
31577	2007	Microsoft Office Access could not connect to the site you specified. Verify the address of the site or contact your site administrator.
31578	2007	Microsoft Office Access was unable to transfer data to the Microsoft Windows SharePoint Services site. The ' 1' step failed.
	2003	The table could not be exported because you do not have sufficient permissions. Please contact your site administrator.
31579	2007	The table could not be exported because you do not have sufficient permissions. Please contact your site administrator.
	2003	A list with the specified name already exists. Type a different name and try again.
31580	2007	A list with the specified name already exists. Type a different name and try again.
	2003	The list name cannot contain any of the following characters: \:*\?"<> . Type a different name and try again.
31581	2007	The list name cannot contain any of the following characters: \:*\?"<> . Type a different name and try again.
	2003	Microsoft Office Access cannot generate dependency information for objects in a replica database.@@@1@@@1
31582	2007	Microsoft Office Access cannot generate dependency information for objects in a replica database.@@@1@@@1
	2003	Finished importing from ' '.
31583	2007	Finished importing from ' '.
	2003	Finished linking to ' '.
31584	2007	Finished linking to ' '.
	2003	Finished exporting table ' 1' to ' 2'.
31585	2007	Finished exporting ' 1' to ' 2'.
	2003	The site you specified does not support importing data from a Microsoft Office Access database. The site must be running Windows SharePoint Services from Microsoft.
31586	2007	The site you specified does not support importing data from a Microsoft Office Access database. The site must be running Windows SharePoint Services from Microsoft.
	2003	Microsoft Office Access cannot generate dependency information because the Track name AutoCorrect info option is turned off. This option cannot be turned on because the database is either read-only or you do not have sufficient permissions.@@@1@@@1
31587	2007	Microsoft Office Access cannot generate dependency information because the Track Name AutoCorrect Info option is turned off. This option cannot be turned on because the database is either read-only or you do not have sufficient permissions.@@@1@@@1
	2003	Error exporting picture file ' 1' to specified path ' 2'.
31588	2007	Error exporting picture file ' 1' to specified path ' 2'.
	2003	Specified transform failed to successfully transform your data.
31589	2007	Specified transform failed to successfully transform your data.
	2003	A list named ' ' already exists. You must either use a different name or go to the site and delete the list.
31590	2007	A list named ' ' already exists. You must either use a different name or go to the site and delete the list.
	2003	Microsoft Office Access is unable to export ' to Windows SharePoint Services due to limitations on the number of times each data type can appear in a Windows SharePoint Services list.@See help to find out exactly what the restrictions are and for details on how to create a query that will define the Windows SharePoint Services list that you would like to create.@@2@553714173@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
31591	2007	Microsoft Office Access is unable to export ' ' to Windows SharePoint Services due to limitations on the number of times each data type can appear in a Windows SharePoint Services list. See help to find out exactly what the restrictions are and for details on how to create a query that will define the Windows SharePoint Services list that you would like to create. @2@1@553714173@1
	2003	Cannot find the specified schema file ' '. Remove or update the file reference and try to import again.
31592	2007	Cannot find the specified schema file ' '. Remove or update the file reference, and try again to import. @@@1@@@1
	2003	Microsoft Office Access has encountered an error processing the XML schema in file ' 1'. ¶
31593	2007	Microsoft Office Access has encountered an error processing the XML schema in file ' 1'. ¶@1@@@1
	2003	Microsoft Office Access was unable to export XML data to ' '.
31594	2007	Microsoft Office Access was unable to export XML data to ' '. @@@1@@@1
	2003	You must install the Microsoft Access 2.0 Converter in order to convert this file. To get the Access 2.0 Converter from the Microsoft Office Web site, click "Microsoft Office Online" on the Help menu. @1@@@1
31595	2007	This database was saved in the Microsoft Access file format. For information on how to import data from this database into a new file, click Microsoft Office Online on the Getting Started with Microsoft Office Access page. @1@@@1
31596	2007	Cannot load the specification ' '. Try re-creating the specification. @@@1@@@1
31597	2007	The specification XML failed to validate against the schema. There is an error in the following line of the XML document: . @@@1@@@1
31598	2007	The specification XML failed to validate against the schema. There is an error in the following specification XML string: 1 Possible value could be one of following ' 2'. @@@1@@@1
31599	2007	The specified name ' ' cannot be set due to one of the following reasons: <ul style="list-style-type: none"> The specified name is not unique. The specified name is blank. The specified name does not follow Microsoft Office Access object-naming rules. @@@1@@@1
31600	2007	The specified description ' ' is too long. The description cannot exceed 255 characters. @@@1@@@1
31601	2007	The specification does not contain a description. ' '. @@@1@@@1
31602	2007	The specification with the specified index does not exist. Specify a different index. ' '. @@@1@@@1
31603	2007	The name ' ' is already in use. Enter a different name or click on the Manage Data Tasks button to rename the existing specification. @@@1@@@1
31604	2007	The required element <Columns> is missing under <ImportText> and <ExportText> for a fixed width format. @@@1@@@1
31605	2007	The Width attribute is required for all <column> elements under <ImportText> or <ExportText> for a fixed width format. @@@1@@@1
31606	2007	Cannot open the destination database. If the database is open, close it, and then try again. @@@1@@@1
31607	2007	The Path attribute is required for all formats except ImportWSS, ImportOutlook and ExportXML.
31608	2007	Specify a name for the import specification in the Save As box.
31609	2007	Specify a name for the export specification in the Save As box.
31610	2007	Do you want to delete ' '?

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
31611	2007	Specify the name of the source or destination file in the File name box.
31612	2007	The specification failed to execute. Try re-creating the specification.
31613	2007	You have selected "Tables and Related Views" as the way to group objects in the database. Access needs to update information on object dependencies to create the groups. This will take some time for large databases.@Do you want to continue?@@3@@@1
31614	2007	Are you sure you want to delete the item ' ' from the Categories list?@Note that the individual groups and the shortcuts to the objects in the database will be deleted, but the objects themselves will not be deleted.@@3@@@1
31615	2007	Are you sure you want to delete the group?@Note that only the shortcuts, and not the actual objects will be deleted.@@3@@@1
31616	2007	Duplicate Item Name@An item with the name already exists in the Categories list. Specify a different name for the item.@@1@@@1
31617	2007	Duplicate Group Name@A group named already exists. Specify a different name for the group.@@1@@@1
31618	2007	Blank Item Name@You have not specified a name for the item that you added to the Categories list.@@1@@@1
31619	2007	Blank Group Name@You have not specified a name for the group.@@1@@@1
31620	2007	This will clear all the contents in your MSysNavPaneXXX system tables.@Do you want to continue?@@3@@@1
31621	2007	There is already a shortcut named ' 1' to the ' 2' object in this group.@@@1@@@1
31622	2007	The table description cannot be changed for a linked table
31623	2007	Microsoft Office Access has imported 'Favorites' and other groups into the converted database. If you change the imported groups in Access 2007, you will not see those changes if you open the database in an older version of Access. Also, if you change the imported groups by using an older version of Access, you will not see those changes if you open the database in Access 2007. @@@1@@@1
31624	2007	Enter a valid date.@@@1@@@1
31625	2007	Enter a valid value.@@@1@@@1
31626	2007	issues were found that could result in unwanted behavior or missing data.@Do you want to cancel the wizard and review the issues?@Click No to ignore the issues and continue with the migration.
31627	2007	A copy of the database has moved to . Continue opening current file?
31628	2007	Moving to SharePoint is not supported for databases that have the AllowBypassKey property disabled.
31629	2007	Template ' 1' could not be instantiated.@ 2@@@3
31630	2007	Failed to set the database property ' '.
31631	2007	The object name ' ' could not be used because it doesn't follow object-naming rules.
31632	2007	Failed to load ' 1' into ' 2'.
31633	2007	' ' is not a supported AccessObject type.
31634	2007	Failed to create relationship ' '.
31635	2007	Manifest.xml does not match the defined schema.
31636	2007	Tables.xml does not exist.
31637	2007	This template cannot be used because it requires a later version of Microsoft Office Access. See Microsoft Office Online for the latest templates you can use with your current version of Microsoft Office Access.
31638	2007	Errors were encountered while loading Tables.xml.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
31639	2007	Manifest.xml does not exist.
31640	2007	Relationships.xml does not match the required schema.
31641	2007	An unexpected error occurred when opening the template.
31642	2007	NavPane.xml does not match the required schema.
31643	2007	' ' is not a valid template.
31644	2007	Failed to create a database with the specified CollatingOrder.
31645	2007	Failed to set 1 on 2 ' 3'.
31646	2007	Failed to load NavPane.xml.
31647	2007	An error occurred while flipping 1 ' 2' right-to-left.
31648	2007	An error occurred while performing Name AutoCorrect.
31649	2007	An error occurred while fixing up the labels on 1 ' 2'.
31650	2007	The source file ' 1' for 2 ' 3' does not exist.
31651	2007	The object name ' ' could not be used because another object with the same name already exists.
31652	2007	You do not have exclusive access to the database. Your SharePoint Lists can not be taken offline or cached at this time. Try again later.
31653	2007	Microsoft Office Access is unable to take your lists offline. A circular relationship was detected.
31654	2007	Access denied. You do not have permissions to SharePoint server. Verify permissions, and retry this operation.
31655	2007	Microsoft Office Outlook could not be started. Make sure Outlook is installed and properly set up on your computer.
31656	2007	You must have Microsoft Office Outlook 2007 on this computer to enable this feature.
31657	2007	You cannot set up a collecting data using e-mail task, because your database has reached its maximum size limit. Free some disk space and try again.
31658	2007	The selected table or query does not have any fields that support collecting data using e-mail.
31659	2007	is read-only. You cannot use e-mail messages to collect or update data on this object.
31660	2007	You cannot collect data for action queries, SQL-specific queries, and parameter queries by using e-mail messages.
31661	2007	The e-mail address field you have specified does not contain any valid addresses. Specify another field.
31662	2007	The value you have entered is not valid for the maximum number of replies.
31663	2007	The value you have entered is not valid for the date and time to stop.
31664	2007	The date and time to stop processing replies has to be greater than the current date and time.
31665	2007	
31666	2007	The UpdateDependencyInfo method could not update one or more objects. Microsoft Office Access has created a Name AutoCorrect Save Failures table in the current database with more information about the failing objects.@@@2@1@553713744@1
31667	2007	Do you want to delete all of the selected objects? Deleting these objects will remove them from all groups.@You cannot undelete forms, reports, and modules.@@20@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
31668	2007	Microsoft Office Access does not support opening HTML pages. @To open a Data Access Page, use Windows Internet Explorer or Microsoft Office Access 2003 or earlier.@@2@@4294967294@1
31669	2007	Design changes are not supported for Data Access Pages. @To change the design of a Data Access Page, use Microsoft Office Access 2003 or earlier.@@2@@4294967294@1
31670	2007	Microsoft Office Access does not support this operation for Data Access Pages. To perform this operation, use Microsoft Office Access 2003 or earlier.@@@1@@@1
31671	2007	
31672	2007	This operation is not supported for SharePoint linked tables. To manage SharePoint linked tables, point to Get External Data on the Data menu, and then click SharePoint List.
31673	2007	Changes have been made to this database by an older version of Access or by an external source. In order to use the Tables and Related Views group in the Navigation Pane the dependency tree must be rebuilt. This may take a few moments.@Do you want to continue?@@3@@@1
31674	2007	Do you want to delete all of the selected objects? Deleting these objects will remove them from all groups.@@@20@@@1
31675	2007	You cannot create an .accde or .mde file from a disabled (non-trusted) database. If you trust the source of this database, you can enable it by using the Message bar.@@@1@@@1
32000	2007	The ' 1' macro action cannot run with the specified ' 2' argument either when in disabled mode or when called from an embedded macro.@@@1@@@1
32001	2007	The ' RunCommand cannot be run in disabled mode.@@@1@@@1
32002	2007	Cannot open or run macro ' ', because it is not valid.@@@1@@@1
32003	2007	The ApplyFilter action requires a valid control name that corresponds to a subform or subreport.@@@1@@@1
32004	2007	The control name ' ' is misspelled or refers to a control that doesn't exist.@If the invalid control name is in a macro, an Action Failed dialog box will display the macro name and the macro's arguments after you click OK. Open the Macro window, and enter the correct control name.@@1@@@1
32005	2007	One or more actions are unknown and cannot be pasted.@@@1@@@1
32500	2007	The group ' ' you entered is invalid.@@@1@@@1
32501	2007	The category ' ' you entered is invalid.@@@1@@@1
32502	2007	The value you entered isn't valid for the field ' '.@For example, you may have entered text in a numeric field or a number that is greater than the FieldSize setting permits.@@1@@@1
32503	2007	Support for export to .PDF or .XPS is not installed on this computer.@@@1@@@1
32504	2007	The text you entered isn't an item in the list.@Do you want to edit the items in the list?@@20@@@4
32505	2007	Microsoft Office Access has recovered this database. Examine the database to verify that there are no missing database objects.@@@1@@@1
32506	2007	Microsoft Office Access has recovered this database, but one or more tables were found to contain data corruption and were deleted. Deleted tables were logged in the MSysRecoveryErrors table. This table is currently displayed in the datasheet.@@@1@@@1
32507	2007	Microsoft Office Access has recovered this database, but one or more tables were found to contain data corruption and were deleted. Deleted tables were logged in the MSysRecoveryErrors table. @@@1@@@1
32508	2007	The 'Save as Outlook Contact' command failed.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
32509	2007	The 'Add from Outlook' command failed.
32510	2007	Microsoft Office Access could not find any fields that match the fields in a Microsoft Office Outlook Contact.
32511	2007	Successfully added contact(s).
32512	2007	You cannot save this database in an earlier version format, because it uses features that require the current file format. Features that require the current file format include attachments, multivalued fields, offline data, or links to external files that are not supported by earlier versions of Access.
32513	2007	All open objects must be closed before you save the database. Do you want Microsoft Office Access to close all open objects?
32514	2007	Microsoft Office Access can't save this database to a different version, because one or more objects are open. Close all objects, and then try again.
32515	2007	You are about to delete the list and all its data from the SharePoint site. Do you want to continue?
32516	2007	The filter string you entered is not valid or you cannot apply a filter at this time.
32517	2007	This SharePoint list or one of related lists doesn't exist on the SharePoint site.
32518	2007	The following errors have occurred:
32519	2007	The value specified for the Type parameter is invalid. Specify one of the following: Report, Form, Query, or Table.
32520	2007	The repair operation was cancelled. To repair the file manually, on the File menu, point to Manage Database, and then click Compact and Repair Database.
32521	2007	You can't change the value of this property in the OnPaint event.
32522	2007	No contacts were imported. None of the fields have the necessary ' ' property specified.
32523	2007	A custom macro in this report has failed to run, and is preventing the report from rendering.
32524	2007	Access could not create ' 1'. Make sure that the file name (and location, if provided) are in the correct format, such as c:\location\file name.
32525	2007	Access could not download the template from Microsoft Office Online.
32526	2007	You attempted to create an .mdb file on a SharePoint site. You can create only Access 2007 database (.accdb) files on SharePoint sites. Either change the file type or select a different location.
32527	2007	You attempted to create an .adp file on a SharePoint site. You can create only Access 2007 database (.accdb) files on SharePoint sites. Either change the file type or select a different location.
32528	2007	The application is disabled, and databases may not be created.
32529	2007	This operation is not supported for parameterized queries or objects based on parameterized queries.
32530	2007	Sharing to Windows SharePoint Services requires the database to be in an Access 2007 or greater format.
32531	2007	Microsoft Office Access failed to create the SharePoint list. This could be because you don't have the necessary permissions.
32532	2007	The project cannot be converted to this format. The project can only be converted to Access 2000 or newer format.
32533	2007	Failed to create field ' 1' on table ' 2'
32534	2007	Failed to delete predefined field ' 1' on table ' 2'
32535	2007	Failed to rename the the field ' 1' on the SharePoint list ' 2'

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
32536	2007	The specified command (OutputTo) is not available now. Close objects open in Design View or Layout View and try again.@@@1@@@1
32537	2007	Only 256 TempVars can be created. Be sure to remove any TempVars that are not needed.
32538	2007	TempVars can only store data. They cannot store objects.
32539	2007	TempVars can only store strings with up to 65,356 characters.
32540	2007	The name of this TempVar is too long. TempVar names must be 256 characters or less. Use a shorter name.
32541	2007	You must specify a name to set or remove a temporary variable.
32542	2007	You must specify a value to set the temporary variable to.
32543	2007	Do you want to connect to an existing SQL Server database?@Select No to create a new SQL Server database.@@16@@@4
32544	2007	You are trying to convert an encoded database. Decode the database, and then try again. To protect the converted database, use the Encrypt with Password command.
32545	2007	You are trying to convert a password protected database. Remove the password, and then try again. To protect the converted database, use the Encrypt with Password command.
32546	2007	You are trying to convert an encoded database that uses a password. Decode the database, remove the password, and then try again. To protect the converted database, use the Encrypt with Password command.
32547	2007	You are trying to convert a database that is encrypted with a password. Remove the password, and then try again. To protect the converted database, use the Set Database Password command.
32548	2007	There was an error displaying the mail message. Make sure that there are no open dialogs in Outlook and try again.
32549	2007	'I' contains over 10,000 rows. Processing may take several moments. Would you like to continue?
32550	2007	'I' is an empty lookup field. You will not be able to collect data for this field. To continue, remove the empty lookup field from the list of fields to be included in this e-mail message.
32551	2007	There was an error displaying the task. Make sure that there are no open dialogs in Outlook and try again.
32552	2007	This command is not available when the database is opened from the Web server. Would you like to save a local copy of the database?
32553	2007	To sign and deploy a database, you must use a database created with Microsoft Office Access 2007 or later. Convert the database to the Access 2007 format and start the signing process again.
32554	2007	Microsoft Office Access could not create a deployment package with the current database. Check the path to the file.@@@1@@@1
32555	2007	Microsoft Office Access could not sign the current database. Ensure that the digital certificate used to sign the database is valid.@@@1@@@1
32556	2007	Microsoft Office Access could not extract the database. Check the file name and the path to the file.@@@1@@@1
32557	2007	Microsoft Office Access could not download the packaged database. Network issues or issues with the Web site may have prevented the download. Start the download again or browse to the site and ensure that it is operating.@@@1@@@1
32558	2007	You requested an invalid file. The file may be corrupt. Contact the person who created the file and request a new copy.@@@1@@@1
32559	2007	The template is in an unknown format and cannot be opened.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
32560	2007	The specified template does not exist.
32561	2007	The specified template contains errors or is not a valid template.
32562	2007	The specified template cannot be created in the specified file format. Specify a different file format for the new database.
32563	2007	You cannot use a template file to create a database directly on a SharePoint site.
32564	2007	This does not appear to be a template file. The file may have become corrupt, or the package format may contain an error.
32565	2007	The 0 ' 1' could not be read from the template file. The object may be in an unrecognized format or contain invalid data.
32566	2007	The table ' 0' in the template could not be associated with a SharePoint list with ID 1.
32567	2007	The 0 ' 1' in the template could not be loaded from text because of a parsing error. □ 2
32568	2007	The table 0 or one of its fields could not be successfully renamed.
32569	2007	Failed to add the VBA reference 0
32570	2007	A Design Master or Replica cannot be converted to the Access 2007 file format.@@@1@@@1
32571	2007	The contents of the Navigation Pane may not be changed while it is locked.
32572	2007	Access Projects do not support custom groups in the Navigation Pane. You may not import or export custom groups from an Access Project.
32573	2007	Microsoft Office Access cannot perform the export operation.
32574	2007	This template requires a SharePoint site with a newer version of Windows SharePoint services. Specify a different site.
32575	2007	The acCmdExport command for RunCommand has been deprecated. Use the OutputTo action or one of the more specific RunCommands, such as acCmdExportExcel, acCmdExportRTF, and acCmdExportText.
32576	2007	The acCmdImport command for RunCommand has been deprecated. Use one of the more specific RunCommands, such as acCmdImportAttachAccess, acCmdImportAttachExcel, and acCmdImportAttachText.
32577	2007	The acCmdLinkTables command for RunCommand has been deprecated. Use one of the more specific RunCommands, such as acCmdImportAttachAccess, acCmdImportAttachExcel, and acCmdImportAttachText.
32578	2007	Microsoft Office Access could not load the Access database engine. Run setup again and restart the application.@@@1@@@1
32579	2007	You do not have permissions to write to this SharePoint site. Contact your site administrator for assistance.
32580	2007	Cannot publish the file as the file is either checked out or locked for editing by another user.
32581	2007	SQL Distributed Management Objects (SQL-DMO) must be on the machine running Microsoft Office Access.
32582	2007	The specified file name could not be used to create a database. Specify a different database name.
32583	2007	An error occurred while trying to create the database.
32584	2007	No object with the given name and type exists in the current database.
32585	2007	This feature is only available in an ADP.@@@1@@@1
32586	2007	This database object cannot be saved as a report.@@@1@@@1
32587	2007	The Source value you have specified is not valid.@@@1@@@1

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Number	Access	Error Description
32588	2007	The table which you are trying to append to is currently open and must be closed before proceeding. Do you want to save the changes and close the table?
32589	2007	Microsoft Office Access encountered an error trying to close the table.
32590	2007	You cannot link to a database that is stored on an Internet location. You should first save the database to a location that uses a Universal Naming Convention (UNC), such as a server share, and then link to it.
32591	2007	The file path you specified is not valid. Please specify a full file path.
32592	2007	The file name extension of ' ' is not valid for the format to which you are trying to export. This action is potentially unsafe. Do you want to continue?
32593	2007	Overwrite existing table or query ' '?
32594	2007	The Show Column History command is not available while you are working with a SharePoint list offline. Reconnect to the list and try again.
32595	2007	Microsoft Office Access cannot delete the SharePoint list, because you don't have the necessary permissions to delete the list or the list has been renamed or no longer exists.
32596	2007	The Microsoft Office Access Outlook Add-in is disabled in Microsoft Office Outlook 2007. To collect data by using e-mail messages in Microsoft Office Access 2007, verify that this add-in is installed and enabled from within Office Outlook 2007.
32597	2007	This database contains links to lists on the selected SharePoint site. Do you want to be able to add shortcuts to each list's View menu? This will enable other people to open forms and reports from the SharePoint Web page.
32598	2007	The name ' ' is already in use. Enter a different name.
32599	2007	Only XML files can be imported from an Internet address (http://, ftp://). Enter a path that points to a location on your computer or on the network.
32600	2007	The list 1 is already used by the 2 link table. Select a different list.
32601	2007	You are about to change sites. Any changes you have made to link tables will be discarded. Do you want to continue without saving these changes?
32602	2007	The SetProperty action or method failed because there was no form or report context. To establish the correct context for SetProperty, call OpenForm or OpenReport before calling SetProperty, or call SetProperty from an event on a form or report.
32603	2007	SharePoint List data will be cached in this database. If this database is shared, users who do not have permissions to view this data will be able to see it.
32604	2007	There was an error publishing your database. Verify your publish URL and permissions, and then try again.
32605	2007	Your data source contains more than 255 fields (columns). Access will import only the first 255 fields.
32606	2007	Attachment fields are not supported in the MDB or ADP database formats. Attachment fields are included in the source database table and those fields will not be exported. Do you want to continue?
32607	2007	Attachment fields are not supported in the MDB or ADP database formats. If attachment fields are included in the source database tables, those fields will not be imported. Do you want to continue?
32608	2007	This database file cannot be converted because it contains linked tables that refer to one or more files that cannot be found. To continue, delete these linked tables or repair the links.
32609	2007	1 cannot load customization ' 2'. This customization name was already loaded.

Microsoft Access Error Number and Descriptions for Access 2007, 2003, 2002, and 2000

Numbe	Access	Error Description
32610	2007	Automatic configuration of the current version of Microsoft Office Access has failed. Your database might not function correctly. This can occur if you do not have the necessary permissions to install Microsoft Office Access on this computer.@@@1@@@1
32611	2007	The file ' ' already exists.@Do you want to update the existing file?@@20@@@2
32612	2007	Microsoft Office Access cannot open this file. This file was converted to runtime mode by changing its file name extension to .accdr. This file will open only when Access is in runtime mode. To open the file, either double-click it in Windows Explorer, open it by using a shortcut, or use the /runtime command-line switch. To modify the design of this database, rename it with an .accdb file name extension, and then open it in Access.
32613	2007	This feature requires the Microsoft Office Access 2007 program to be installed on your computer. The application you are running is powered by the Microsoft Office Access 2007 Runtime. For information about the differences between the Microsoft Office Access program and the Microsoft Office Access Runtime, in the status bar, click Powered by Microsoft Office Access.